

Task Name: React Functional Components and Styling

Code:

CalculatorScore.jsx

```
import "../Stylesheets/mystyle.css";

function CalculateScore(props) {

    const average = props.total / props.goal;

    return (
        <div className="container">

            <h1>Student Management Portal</h1>

            <h2>Name : {props.name}</h2>

            <h2>School : {props.school}</h2>

            <h2>Total Marks : {props.total}</h2>

            <h2>Goal Subjects : {props.goal}</h2>

            <h2>Average Score : {average}</h2>

        </div>
    );
}

export default CalculateScore;
```

mystyle.css

```
.container{

    width: 500px;
    margin: 40px auto;
    padding: 20px;
    border: 2px solid black;
    border-radius: 10px;
    text-align: center;
}
```

```
h1{
  color: blue;
}

h2{
  color: black;
}
```

App.jsx

```
import CalculateScore from "../Components/CalculateScore";

function App() {

  return (


    <CalculateScore
      name="John Doe"
      school="DNV Public School"
      total={453}
      goal={5}
    />

  );

}

export default App;
```

Output:



Theory:

Functional Components

A Functional Component is a JavaScript function that accepts properties (props) and returns JSX elements.

Advantages:

- Easy to write.
- Reusable.
- Lightweight.
- Recommended for modern React applications.

React Props

Props are used to pass data from one component to another.

Styling in React

React allows CSS styling by:

- External CSS files
- Inline CSS
- CSS Modules
- Styled Components

In this experiment, we will use an external CSS file.