


Task 2: React Components

Folder Structure:



Code:

App.jsx

```
import About from "../components/About"
import Contact from "../components/Contact"
import Home from "../components/Home"
function App(){
  return(
    <>
      <About/>
      <Contact/>
      <Home/>
    </>
  )
}

export default App;
```

Components – Home.jsx

```
function Home()
{
  return(
    <>
      <h3>Welcome to Home page of Student Management System</h3>
    </>
  )
}
export default Home;
```

Components – About.jsx

```
function About(){
  return(
    <>
      <h3>Welcome to About page of Student Management System</h3>
    </>
  )
}


export default About;
```

Components – Contact.jsx

```
function Contact()
{
  return(
    <>
      <h3>Welcome to Contact page of Student Management System</h3>
    </>
  )
}

export default Contact;
```

Output:



Theory Questions:

What are React Components?

React components are reusable pieces of UI that allow developers to divide the user interface into independent and manageable parts.

Types of Components

1. Functional Components
2. Class Components

Functional Components

- Written as JavaScript functions.
- Simpler and easier to maintain.
- Recommended in modern React applications.

Class Components

- Written using ES6 classes.
- Must extend `React.Component`.
- Use the `render()` method to return JSX.

Difference Between Components and JavaScript Functions

React Components	JavaScript Functions
Return JSX	Return values
Used for UI creation	Used for logic implementation
Can manage state	Cannot directly manage UI state
Reusable UI blocks	General-purpose functions

Constructor in Class Components

The constructor is used to initialize:

- State variables
- Props
- Component properties