

# Cucumber Report

07-Apr-2025, 12:47:21 pm

Start : Apr 07, 12:46:18.492 pm

End : Apr 07, 12:47:14.119 pm

Duration : 55.627 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 2  
SKIPPED - 0

PASSED - 10  
FAILED - 2  
SKIPPED - 0




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Pass the Email id for NewsLetter to get regular updates</u>	28.860 s	2	0	2	0	6	4	2	0
<u>Automate the Login page of demowebshop application</u>	26.477 s	2	2	0	0	6	6	0	0

#	Feature Name	Scenario Name
1	<u>Pass the Email id for NewsLetter to get regular updates</u>	<u>To pass the valid email to the newsletter</u>
2		<u>To pass the invalid email to the newsletter</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Newslettervalid	1	0	1	0	1	0	1	0
@NewsletterInvalid	1	0	1	0	1	0	1	0
@ValidCredentialsLoggedIn	1	1	0	0	1	1	0	0
@InvalidCredentialsLoggedIn	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Pass the Email id for NewsLetter to get regular updates</u>	2	0	2	0	28.860 s
2	<u>Automate the Login page of demowebshop application</u>	2	2	0	0	26.477 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Pass the Email id for NewsLetter to get regular updates</u>	<u>To pass the valid email to the newsletter</u>	3	2	1	0	26.169 s
2		<u>To pass the invalid email to the newsletter</u>	3	2	1	0	2.378 s
3	<u>Automate the Login page of demowebshop application</u>	<u>Login to the DemoWebShop Application</u>	3	3	0	0	19.002 s
4		<u>Login to the DemoWebShop Application</u>	3	3	0	0	7.363 s

## Pass the Email id for NewsLetter to get regular updates

<b>FAILED</b>	<b>DURATION - 28.860 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 4 Fail - 2 Skip - 0	
/ 12:46:18.492 pm // 12:46:47.352 pm /					

## To pass the valid email to the newsletter

<b>FAILED</b>	<b>DURATION - 26.169 s</b>		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:46:18.552 pm // 12:46:44.721 pm /				
Pass the Email id for NewsLetter to get regular updates				
@Newsletvalid				

#	Step / Hook Details	Status	Duration
1	Given I am on the DemoWebShop website page	PASSED	24.337 s
2	When user enter the valid email id to the newsletter abc@gmail.com	PASSED	1.484 s
3	Then user should see the Thank you message org.openqa.selenium.InvalidSelectorException: invalid selector: The result of the xpath expression "//*[@id="newsletter-result-block"]/text()[1]" is: [object Text]. It should be an element. (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1abc3511e93187b7776c65b63bba603, findElement {using=xpath, value=//*[@id="newsletter-result-block"]/text()[1]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\Lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55523}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55523/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a1abc3511e93187b7776c65b63bba603 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.260 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at Actions.newsaction.getstringofnews(newsaction.java:27) at definition.newsstepdef.user_should_see_the_thank_you_message(newsstepdef.java:37) at ?.user should see the Thank you message(file:///C:/Users/Lenovo/git/repository10/DemowebShop/src/test/resources/feature/Newsletter.feature:11) * Not displayable characters are replaced by '?'. </pre>		

### To pass the invalid email to the newsletter



<div>FAILED</div> <div>DURATION - 2.378 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1.090</td></tr><tr><td>2</td><td>1.133</td></tr><tr><td>3</td><td>0.145</td></tr></tbody></table></div>	Step	Duration (s)	1	1.090	2	1.133	3	0.145	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Duration (s)										
1	1.090										
2	1.133										
3	0.145										
/ 12:46:44.974 pm // 12:46:47.352 pm /											
Pass the Email id for NewsLetter to get regular updates											
@NewsletterInvalid											

#	Step / Hook Details	Status	Duration
1	Given I am on the DemoWebShop website page	PASSED	1.090 s
2	When user enter the invalid email id to the newsletter	PASSED	1.133 s
	abc		
3	Then user should see the message as enter valid email	FAILED	0.145 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: The result of the xpath expression "//*[@id="newsletter-result-block"]/text()[1]"		





#	Step / Hook Details	Status	Duration
	<p>is: [object Text]. It should be an element. (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a1abc3511e93187b7776c65b63bba603, findElement {using=xpath, value=//*[@id="newsletter-result-block"]/text()[1]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\Lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55523}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55523/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a1abc3511e93187b7776c65b63bba603</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at Actions.newsaction.getstringofnews(newsaction.java:27) at definition.newsstepdef.user_should_see_the_message_as_enter_valid_email(newsstepdef.java:53) at ?.user should see the message as enter valid email(file:///C:/Users/Lenovo/git/repository10/DemowebShop/src/test/resources/feature/Newsletter.feature:18) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

## Automate the Login page of demowebshop application



<b>PASSED</b>	<b>DURATION - 26.477 s</b>	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:46:47.642 pm // 12:47:14.119 pm /					

### Login to the DemoWebShop Application

<b>PASSED</b>	<b>DURATION - 19.002 s</b>		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:46:47.646 pm // 12:47:06.648 pm /				
Automate the Login page of demowebshop application				
@ValidCredentialsLoggedIn				

#	Step / Hook Details	Status	Duration
1	Given I am on the DemoWebShop website	PASSED	1.089 s
2	When I click Login and enter valid email and valid password	PASSED	9.324 s
	abcggggg123@Gmail.com Divraj@1234		
3	Then user should be entered in the Homepage of the Application	PASSED	8.581 s

### Login to the DemoWebShop Application

<b>PASSED</b>	<b>DURATION - 7.363 s</b>		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:47:06.756 pm // 12:47:14.119 pm /				
Automate the Login page of demowebshop application				
@InvalidCredentialsLoggedIn				

#	Step / Hook Details	Status	Duration
1	Given I am on the DemoWebShop website	PASSED	2.766 s
2	When I click Login and enter invalid email and invalid password	PASSED	4.371 s
	gg@com helo		
3	Then user should see the error message in the Application	PASSED	0.212 s