

Program 9

```
import matplotlib.pyplot as plt
import pandas as pd
import numpy as np
def kernel(point,xmat,k):
    m,n = np.shape(xmat)
    weights = np.mat(np.eye((m)))
    for j in range(m):
        diff=point - X[j]
        weights[j,j] = np.exp(diff*diff.T/(-2.0*k**2))
    return weights

def localWeight(point,xmat,yamat,k):
    wei=kernel(point,xmat,k)
    W=(X.T*(wei*X)).I*(X.T*(wei*yamat.T))
    return W

def localweightregression(xmat,yamat,k):
    m,n=np.shape(xmat)
    ypred=np.zeros(m)
    for i in range(m):
        ypred[i]=xmat[i]*localWeight(xmat[i],xmat,yamat,k)
    return ypred

def graphplot(X,ypred):
    sortindex=X[:,1].argsort(0)
    xsort=X[sortindex][:,0]
    fig=plt.figure()
    ax=fig.add_subplot(1,1,1)
    ax.scatter(bill,tip,color='green')
    ax.plot(xsort[:,1],ypred[sortindex],color='red',linewidth=4)
    plt.xlabel('Total Bill')
    plt.ylabel('Tip')
    plt.show()

data=pd.read_csv('data10_tips.csv')
print(data.head())
bill=np.array(data.total_bill)
tip=np.array(data.tip)
mbill=np.mat(bill)
mtip=np.mat(tip)
m=np.shape(mbill)[1]
one=np.mat(np.ones(m))
X=np.hstack((one.T,mbill.T))
ypred=localweightregression(X,mtip,0.5)
graphplot(X,ypred)
```