

TARGET IP	PORT	OVERALL GRADE	SCAN DATE
N/A	443	N/A	2026-03-17

VULNERABILITY FINDINGS

Weak Cipher Suite

MEDIUM SEVERITY

DESCRIPTION

Cipher DES-CBC3-SHA uses a weak key size.

Weak Cipher Suite

MEDIUM SEVERITY

DESCRIPTION

Cipher DES-CBC3-SHA uses a weak key size.

Weak Cipher Suite

MEDIUM SEVERITY

DESCRIPTION

Cipher DES-CBC3-SHA uses a weak key size.

SERVER CONFIGURATION

TLS Compression	DISABLED (SECURE)	Secure Renegotiation	SECURE
OCSP Stapling	DISABLED	Fallback SCSV	SUPPORTED

PROTOCOLS & CIPHER SUITES

TLShv1.3

2 CIPHERS

CIPHER SUITE NAME	KEY SIZE	STATUS
TLSh_AES_256_GCM_SHA384	256 bits	ACCEPTED
TLSh_CHACHA20_POLY1305_SHA256	256 bits	ACCEPTED

TLShv1.2

14 CIPHERS

CIPHER SUITE NAME	KEY SIZE	STATUS
ECDHE-ECDSA-AES256-GCM-SHA384	256 bits	ACCEPTED
ECDHE-ECDSA-AES256-SHA	256 bits	ACCEPTED
ECDHE-RSA-CHACHA20-POLY1305	256 bits	ACCEPTED
ECDHE-RSA-AES256-GCM-SHA384	256 bits	ACCEPTED
ECDHE-RSA-AES256-SHA	256 bits	ACCEPTED
AES256-GCM-SHA384	256 bits	ACCEPTED
AES256-SHA	256 bits	ACCEPTED
ECDHE-ECDSA-AES128-GCM-SHA256	128 bits	ACCEPTED
ECDHE-ECDSA-AES128-SHA	128 bits	ACCEPTED
ECDHE-RSA-AES128-GCM-SHA256	128 bits	ACCEPTED
ECDHE-RSA-AES128-SHA	128 bits	ACCEPTED
AES128-GCM-SHA256	128 bits	ACCEPTED
AES128-SHA	128 bits	ACCEPTED
DES-CBC3-SHA	112 bits	ACCEPTED

TLSv1.1 (Deprecated)		6 CIPHERS
CIPHER SUITE NAME	KEY SIZE	STATUS
ECDHE - ECDSA - AES256 - SHA	256 bits	ACCEPTED
ECDHE - RSA - AES256 - SHA	256 bits	ACCEPTED
AES256 - SHA	256 bits	ACCEPTED
ECDHE - RSA - AES128 - SHA	128 bits	ACCEPTED
AES128 - SHA	128 bits	ACCEPTED
DES - CBC3 - SHA	112 bits	ACCEPTED

TLSv1.0 (Deprecated)		6 CIPHERS
CIPHER SUITE NAME	KEY SIZE	STATUS
ECDHE - ECDSA - AES256 - SHA	256 bits	ACCEPTED
ECDHE - RSA - AES256 - SHA	256 bits	ACCEPTED
AES256 - SHA	256 bits	ACCEPTED
ECDHE - RSA - AES128 - SHA	128 bits	ACCEPTED
AES128 - SHA	128 bits	ACCEPTED
DES - CBC3 - SHA	112 bits	ACCEPTED

CERTIFICATE CHAIN

Leaf Certificate		Expires: 2026-04-27
Subject / Common Name	Issuer	
*.google.com	WR2	
Signature Algorithm	Key Type	
sha256WithRSAEncryption	EC (128 bits)	