

NetShieldAI™

Network Assessment Report

Packet Sniffer Analysis (TShark)

TARGET IP 192.168.25.48	CAPTURE START TIME 2025-12-28T07:15:02Z	OVERALL STATUS Success	PACKETS ANALYZED 100	ANALYSIS TIME 2.92 s
----------------------------	--	---------------------------	-------------------------	-------------------------

Traffic Summary

Overview of the captured network activity, including total packets, bytes, capture duration, and average transfer rate.

Metric	Details
Capture Status	Success
Total Packets Captured	275
Total Bytes Transferred	150.88 KB (154496 bytes)
Effective Capture Duration	5.02 s
Average Rate	30769.24 bps

Protocol Hierarchy & TCP Conversation Summary

This section shows how traffic is organized across protocols and summarizes the TCP conversation statistics from the capture.

Protocol Hierarchy (Tabular View)

TShark SUMMARY

Line	Content
1	1 0.000000 20.192.44.82 → 192.168.29.48 TLSv1.2 158 Application Data
2	2 0.054640 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=1 Ack=105 Win=253 Len=0
3	3 0.443888 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
4	4 0.612990 ServercomPri_5d:b8:56 → Broadcast ARP 42 Who has 192.168.29.48? Tell 192.168.29.1
5	5 0.613039 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
6	6 0.694970 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
7	7 0.742265 192.168.29.48 → 20.195.65.193 TCP 54 5357 → 443 [ACK] Seq=1 Ack=28 Win=255 Len=0
8	8 1.232902 192.168.29.48 → 57.144.177.32 TLSv1.2 124 Application Data
9	9 1.239848 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=1 Ack=71 Win=588 Len=0
10	10 1.340189 192.168.29.48 → 104.208.16.92 SSL 55
11	11 1.356564 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
12	12 1.361086 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
13	13 1.369519 192.168.29.48 → 192.168.29.1 DNS 101 Standard query 0xc8da A westus-0.in.applicationinsights.azure.com
14	14 1.375394 192.168.29.1 → 192.168.29.48 DNS 248 Standard query response 0xc8da A westus-0.in.applicationinsights.azure.com CNAME westus-0.in.ai.monitor.azure.com CNAME westus-0.in.ai.privatelink.monitor.azure.com CNAME gig-ai-prod-westus-0.trafficmanager.net A 20.189.172.32
15	15 1.377433 192.168.29.48 → 20.189.172.32 TCP 66 53474 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
16	16 1.403184 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=111 Ack=111 Win=251 Len=0
17	17 1.425715 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 Who has 192.168.29.48? Tell 192.168.29.1
18	18 1.425756 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
19	19 1.434565 192.168.29.48 → 20.192.44.82 TLSv1.2 82 Application Data
20	20 1.445138 20.192.44.82 → 192.168.29.48 TCP 60 443 → 5327 [ACK] Seq=105 Ack=29 Win=670 Len=0
21	21 1.450339 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
22	22 1.469447 57.144.177.32 → 192.168.29.48 TLSv1.2 126 Application Data
23	23 1.512743 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=71 Ack=73 Win=254 Len=0
24	24 1.555173 104.208.16.92 → 192.168.29.48 TCP 66 443 → 50060 [ACK] Seq=1 Ack=2 Win=16380 Len=0 SLE=1 SRE=2
25	25 1.605995 20.189.172.32 → 192.168.29.48 TCP 66 443 → 53474 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
26	26 1.606436 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
27	27 1.607271 192.168.29.48 → 20.189.172.32 TLSv1.2 571 Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
28	28 1.944765 20.189.172.32 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
29	29 1.946749 192.168.29.48 → 20.189.172.32 TLSv1.3 500 Change Cipher Spec, Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
30	30 2.252152 20.189.172.32 → 192.168.29.48 TLSv1.3 1514 Server Hello
31	31 2.252326 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53474 [ACK] Seq=1560 Ack=964 Win=4193536 Len=1460
32	32 2.252326 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53474 [ACK] Seq=3020 Ack=964 Win=4193536 Len=1460
33	33 2.252326 20.189.172.32 → 192.168.29.48 TLSv1.3 84 Application Data
34	34 2.252542 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=964 Ack=3020 Win=65280 Len=0
35	35 2.252711 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=964 Ack=4510 Win=65280 Len=0

Line	Content
36	36 2.260083 192.168.29.48 → 20.189.172.32 TLSv1.3 904 Application Data, Application Data
37	37 2.313129 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
38	38 2.518056 192.168.29.48 → 142.250.205.10 UDP 71 65067 → 443 Len=29
39	39 2.520566 20.189.172.32 → 192.168.29.48 TLSv1.3 157 Application Data
40	40 2.520566 20.189.172.32 → 192.168.29.48 TLSv1.3 403 Application Data
41	41 2.520697 20.189.172.32 → 192.168.29.48 TLSv1.3 81 Application Data
42	42 2.520921 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=1814 Ack=4962 Win=65024 Len=0
43	43 2.521030 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=1814 Ack=4990 Win=65024 Len=0
44	44 2.522565 192.168.29.48 → 20.189.172.32 TLSv1.3 78 Application Data
45	45 2.522926 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [FIN, ACK] Seq=1838 Ack=4990 Win=65024 Len=0
46	46 2.575196 142.250.205.10 → 192.168.29.48 UDP 71 443 → 65067 Len=25
47	47 2.765473 20.189.172.32 → 192.168.29.48 TCP 54 443 → 53474 [ACK] Seq=4990 Ack=1839 Win=4194304 Len=0
48	48 2.943979 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
49	49 3.447134 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
50	50 3.583188 20.192.44.82 → 192.168.29.48 TLSv1.2 81 Application Data
51	51 3.636260 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=29 Ack=132 Win=253 Len=0
52	52 3.832352 192.168.29.48 → 20.189.172.32 TCP 66 53478 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
53	53 3.864944 192.168.29.48 → 20.189.172.32 TCP 66 53479 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
54	54 3.950323 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
55	55 4.095917 20.189.172.32 → 192.168.29.48 TCP 66 443 → 53478 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
56	56 4.096350 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
57	57 4.096623 20.189.172.32 → 192.168.29.48 TCP 66 443 → 53479 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
58	58 4.096985 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
59	59 4.097680 192.168.29.48 → 20.189.172.32 TLSv1.2 571 Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
60	60 4.098866 192.168.29.48 → 20.189.172.32 TLSv1.2 571 Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
61	61 4.402614 20.189.172.32 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
62	62 4.402614 20.189.172.32 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
63	63 4.405271 192.168.29.48 → 20.189.172.32 TLSv1.3 500 Change Cipher Spec, Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
64	64 4.407493 192.168.29.48 → 20.189.172.32 TLSv1.3 500 Change Cipher Spec, Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
65	65 4.448428 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
66	66 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 1514 Server Hello
67	67 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53479 [ACK] Seq=1560 Ack=964 Win=4193536 Len=1460
68	68 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53479 [ACK] Seq=3020 Ack=964 Win=4193536 Len=1460
69	69 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 84 Application Data
70	70 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 1514 Server Hello
71	71 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53478 [ACK] Seq=1560 Ack=964 Win=4193536 Len=1460
72	72 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53478 [ACK] Seq=3020 Ack=964 Win=4193536 Len=1460

Line	Content
73	73 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 84 Application Data
74	74 4.711955 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=964 Ack=3020 Win=65280 Len=0
75	75 4.712199 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=964 Ack=4510 Win=65280 Len=0
76	76 4.712338 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=964 Ack=3020 Win=65280 Len=0
77	77 4.712444 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=964 Ack=4510 Win=65280 Len=0
78	78 4.718082 192.168.29.48 → 20.189.172.32 TLSv1.3 913 Application Data, Application Data
79	79 4.726449 192.168.29.48 → 20.189.172.32 TLSv1.3 914 Application Data, Application Data
80	80 4.819838 192.168.29.48 → 57.144.177.32 TLSv1.2 16460 Application Data
81	81 4.820194 192.168.29.48 → 57.144.177.32 TLSv1.2 2119 Application Data
82	82 4.825869 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=4247 Win=621 Len=0
83	83 4.825869 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=13991 Win=697 Len=0
84	84 4.825869 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=15383 Win=708 Len=0
85	85 4.828376 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=16477 Win=719 Len=0
86	86 4.828376 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=18542 Win=735 Len=0
87	87 5.016242 20.189.172.32 → 192.168.29.48 TLSv1.3 157 Application Data
88	88 5.016242 20.189.172.32 → 192.168.29.48 TLSv1.3 403 Application Data
89	89 5.016242 20.189.172.32 → 192.168.29.48 TLSv1.3 81 Application Data
90	90 5.016468 20.189.172.32 → 192.168.29.48 TLSv1.3 157 Application Data
91	91 5.016468 20.189.172.32 → 192.168.29.48 TLSv1.3 403 Application Data
92	92 5.016468 20.189.172.32 → 192.168.29.48 TLSv1.3 81 Application Data
93	93 5.016648 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=1823 Ack=4962 Win=65024 Len=0
94	94 5.016734 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=1823 Ack=4990 Win=65024 Len=0
95	95 5.016774 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=1824 Ack=4962 Win=65024 Len=0
96	96 5.016796 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=1824 Ack=4990 Win=65024 Len=0
97	97 5.018346 192.168.29.48 → 20.189.172.32 TLSv1.3 78 Application Data
98	98 5.018802 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [FIN, ACK] Seq=1847 Ack=4990 Win=65024 Len=0
99	99 5.020741 192.168.29.48 → 20.189.172.32 TLSv1.3 78 Application Data
100	100 5.021118 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [FIN, ACK] Seq=1848 Ack=4990 Win=65024 Len=0
101	101 5.323670 20.189.172.32 → 192.168.29.48 TCP 54 443 → 53478 [ACK] Seq=4990 Ack=1849 Win=4194304 Len=0
102	102 5.323670 20.189.172.32 → 192.168.29.48 TCP 54 443 → 53479 [ACK] Seq=4990 Ack=1848 Win=4194304 Len=0
103	103 5.377947 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
104	104 5.377947 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
105	105 5.378383 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=1586 Win=255 Len=0
106	106 5.379296 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
107	107 5.379296 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
108	108 5.379722 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=4181 Win=255 Len=0
109	109 5.381919 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
110	110 5.381919 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=5573 Ack=18542 Win=735 Len=1392
111	111 5.381919 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
112	112 5.382375 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=6965 Win=255 Len=0

Line	Content
113	113 5.387687 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
114	114 5.387687 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=9659 Ack=18542 Win=735 Len=1392
115	115 5.387687 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
116	116 5.388043 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=9659 Win=255 Len=0
117	117 5.388177 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=12353 Win=255 Len=0
118	118 5.390409 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
119	119 5.390409 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=13745 Ack=18542 Win=735 Len=1392
120	120 5.390409 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
121	121 5.390724 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=15137 Win=255 Len=0
122	122 5.393413 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
123	123 5.393413 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
124	124 5.393712 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=17831 Win=255 Len=0
125	125 5.397029 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
126	126 5.397029 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
127	127 5.397420 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=19344 Win=255 Len=0
128	128 5.399518 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
129	129 5.399518 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=21939 Ack=18542 Win=735 Len=1392
130	130 5.399518 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
131	131 5.399892 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=21939 Win=255 Len=0
132	132 5.400166 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=24633 Win=255 Len=0
133	133 5.405156 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
134	134 5.405156 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=26025 Ack=18542 Win=735 Len=1392
135	135 5.405156 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
136	136 5.405385 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=27417 Win=255 Len=0
137	137 5.408306 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
138	138 5.408306 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=30111 Ack=18542 Win=735 Len=1392
139	139 5.408306 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
140	140 5.409463 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=30111 Win=255 Len=0
141	141 5.409964 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=32805 Win=255 Len=0
142	142 5.411375 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
143	143 5.411375 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
144	144 5.411697 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=34318 Win=255 Len=0
145	145 5.413728 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
146	146 5.413728 57.144.177.32 → 192.168.29.48 TLSv1.2 482 Application Data, Application Data
147	147 5.414263 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=36138 Win=255 Len=0
148	148 5.764017 192.168.29.48 → 20.195.65.193 TLSv1.2 82 Application Data
149	149 5.821772 20.195.65.193 → 192.168.29.48 TCP 54 443 → 5357 [ACK] Seq=28 Ack=29 Win=554 Len=0
150	150 5.889168 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
151	151 5.947090 20.195.65.193 → 192.168.29.48 TCP 54 443 → 5357 [ACK] Seq=28 Ack=60 Win=554 Len=0
152	152 6.364674 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data

Line	Content
153	153 6.370729 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
154	154 6.411141 192.168.29.48 → 57.144.177.32 TLSv1.2 15352 Application Data
155	155 6.417870 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=36138 Ack=26894 Win=800 Len=0
156	156 6.418108 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=36138 Ack=31070 Win=822 Len=0
157	157 6.418108 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=36138 Ack=33840 Win=815 Len=0
158	158 6.423237 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=221 Ack=221 Win=250 Len=0
159	159 7.006691 192.168.29.48 → 151.101.129.229 SSL 55
160	160 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
161	161 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
162	162 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
163	163 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
164	164 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
165	165 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=41638 Ack=33840 Win=822 Len=1392
166	166 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
167	167 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
168	168 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=45724 Ack=33840 Win=822 Len=1392
169	169 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
170	170 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
171	171 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=49810 Ack=33840 Win=822 Len=1392
172	172 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
173	173 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
174	174 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
175	175 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
176	176 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
177	177 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
178	178 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=58004 Ack=33840 Win=822 Len=1392
179	179 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
180	180 7.010639 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
181	181 7.010639 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=62090 Ack=33840 Win=822 Len=1392
182	182 7.010639 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
183	183 7.010785 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=37651 Win=255 Len=0
184	184 7.010915 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=40246 Win=255 Len=0
185	185 7.010962 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=43030 Win=255 Len=0
186	186 7.011005 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=45724 Win=255 Len=0
187	187 7.011064 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=48418 Win=255 Len=0
188	188 7.011117 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=51202 Win=255 Len=0
189	189 7.011159 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=53896 Win=255 Len=0
190	190 7.011209 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=55409 Win=255 Len=0
191	191 7.011258 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=58004 Win=255 Len=0
192	192 7.011307 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=60698 Win=255 Len=0

Line	Content
193	193 7.011364 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=63482 Win=255 Len=0
194	194 7.013415 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
195	195 7.013415 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=66176 Ack=33840 Win=822 Len=1392
196	196 7.013415 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
197	197 7.013415 151.101.129.229 → 192.168.29.48 TCP 66 443 → 59262 [ACK] Seq=1 Ack=2 Win=425 Len=0 SLE=1 SRE=2
198	198 7.013664 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=66176 Win=255 Len=0
199	199 7.013765 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=68870 Win=255 Len=0
200	200 7.016246 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
201	201 7.016246 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
202	202 7.016463 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=70383 Win=255 Len=0
203	203 7.019129 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
204	204 7.019129 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
205	205 7.019383 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=72978 Win=255 Len=0
206	206 7.022009 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
207	207 7.022009 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=74370 Ack=33840 Win=822 Len=1392
208	208 7.022009 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
209	209 7.022383 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=75762 Win=255 Len=0
210	210 7.028106 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
211	211 7.028106 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=78456 Ack=33840 Win=822 Len=1392
212	212 7.028106 57.144.177.32 → 192.168.29.48 TLSv1.2 1446 Application Data
213	213 7.028106 57.144.177.32 → 192.168.29.48 TLSv1.2 744 Application Data
214	214 7.028435 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=78456 Win=255 Len=0
215	215 7.028565 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=81240 Win=255 Len=0
216	216 7.038670 192.168.29.48 → 13.204.106.34 SSL 55
217	217 7.047085 13.204.106.34 → 192.168.29.48 TCP 66 443 → 38253 [ACK] Seq=1 Ack=2 Win=12 Len=0 SLE=1 SRE=2
218	218 7.070080 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=81930 Win=253 Len=0
219	219 7.305077 192.168.29.48 → 172.67.68.11 SSL 55
220	220 7.322887 172.67.68.11 → 192.168.29.48 TCP 66 443 → 33835 [ACK] Seq=1 Ack=2 Win=17 Len=0 SLE=1 SRE=2
221	221 7.400200 192.168.29.48 → 172.217.26.10 SSL 55
222	222 7.433878 172.217.26.10 → 192.168.29.48 TCP 66 443 → 18495 [ACK] Seq=1 Ack=2 Win=1044 Len=0 SLE=1 SRE=2
223	223 7.440658 142.250.205.10 → 192.168.29.48 UDP 164 443 → 65067 Len=118
224	224 7.463812 192.168.29.48 → 142.250.205.10 UDP 75 65067 → 443 Len=33
225	225 7.932785 192.168.29.48 → 57.144.177.32 TLSv1.2 148 Application Data
226	226 7.941533 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=81930 Ack=33934 Win=822 Len=0
227	227 8.293647 57.144.177.32 → 192.168.29.48 TLSv1.2 187 Application Data
228	228 8.333786 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33934 Ack=82063 Win=252 Len=0
229	229 10.239312 13.204.106.34 → 192.168.29.48 TCP 54 [TCP Keep-Alive] 443 → 38253 [ACK] Seq=0 Ack=2 Win=12 Len=0
230	230 10.239729 192.168.29.48 → 13.204.106.34 TCP 54 [TCP Keep-Alive ACK] 38253 → 443 [ACK] Seq=2 Ack=1 Win=252 Len=0
231	231 10.240090 57.144.177.32 → 192.168.29.48 TLSv1.2 458 Application Data
232	232 10.288542 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33934 Ack=82467 Win=251 Len=0

Line	Content
233	233 10.503057 192.168.29.48 → 57.144.177.32 TLSv1.2 151 Application Data
234	234 10.510773 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=82467 Ack=34031 Win=822 Len=0
235	235 10.905440 192.168.29.48 → 20.192.44.82 TLSv1.2 85 Application Data
236	236 10.916239 20.192.44.82 → 192.168.29.48 TCP 60 443 → 5327 [ACK] Seq=132 Ack=60 Win=670 Len=0
237	237 11.372452 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
238	238 11.379827 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
239	239 11.425419 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=331 Ack=331 Win=250 Len=0
240	240 14.951229 20.192.44.82 → 192.168.29.48 TLSv1.2 158 Application Data
241	241 14.993069 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=60 Ack=236 Win=253 Len=0
242	242 16.389742 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
243	243 16.397914 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
244	244 16.451335 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=441 Ack=441 Win=255 Len=0
245	245 16.690126 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
246	246 16.735611 192.168.29.48 → 20.195.65.193 TCP 54 5357 → 443 [ACK] Seq=60 Ack=55 Win=255 Len=0
247	247 16.829480 192.168.29.48 → 142.250.206.46 SSL 55
248	248 16.860484 142.250.206.46 → 192.168.29.48 TCP 70 443 → 44630 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
249	249 18.876349 192.168.29.48 → 142.250.182.36 UDP 71 59005 → 443 Len=29
250	250 18.917131 142.250.182.36 → 192.168.29.48 UDP 68 443 → 59005 Len=26
251	251 18.939173 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
252	252 19.176813 192.168.29.48 → 140.82.114.22 SSL 55
253	253 19.446610 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
254	254 19.450257 140.82.114.22 → 192.168.29.48 TCP 66 443 → 64032 [ACK] Seq=1 Ack=2 Win=73 Len=0 SLE=1 SRE=2
255	255 19.660934 20.192.44.82 → 192.168.29.48 TLSv1.2 81 Application Data
256	256 19.715015 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=60 Ack=263 Win=253 Len=0
257	257 21.400841 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
258	258 21.406626 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
259	259 21.447695 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=551 Ack=551 Win=255 Len=0
260	260 21.605015 192.168.29.48 → 13.71.196.234 TLSv1.2 85 Application Data
261	261 21.889113 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
262	262 21.891882 13.71.196.234 → 192.168.29.48 TLSv1.2 85 Application Data
263	263 21.935116 192.168.29.48 → 13.71.196.234 TCP 54 40057 → 8883 [ACK] Seq=32 Ack=32 Win=252 Len=0
264	264 21.947929 20.195.65.193 → 192.168.29.48 TCP 54 443 → 5357 [ACK] Seq=55 Ack=91 Win=554 Len=0
265	265 22.453567 192.168.29.48 → 142.250.205.10 UDP 71 65067 → 443 Len=29
266	266 22.507998 142.250.205.10 → 192.168.29.48 UDP 71 443 → 65067 Len=25
267	267 25.914542 192.168.29.48 → 20.192.44.82 TLSv1.2 85 Application Data
268	268 25.924444 20.192.44.82 → 192.168.29.48 TCP 60 443 → 5327 [ACK] Seq=263 Ack=91 Win=670 Len=0
269	269 26.412781 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
270	270 26.418853 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
271	271 26.467680 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=661 Ack=661 Win=255 Len=0
272	272 26.941678 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources

Line	Content
273	273 27.646755 142.250.205.10 → 192.168.29.48 UDP 164 443 → 65067 Len=118
274	274 27.664173 192.168.29.48 → 142.250.205.10 UDP 75 65067 → 443 Len=33
275	275 28.153785 192.168.29.48 → 142.250.182.36 UDP 71 59005 → 443 Len=29
277	=====
278	Protocol Hierarchy Statistics
279	Filter:
281	frame frames:275 bytes:154496
282	eth frames:275 bytes:154496
283	ip frames:262 bytes:153616
284	tcp frames:247 bytes:152441
285	tls frames:125 bytes:117377
286	tls frames:2 bytes:1928
287	udp frames:9 bytes:851
288	dns frames:2 bytes:349
289	data frames:7 bytes:502
290	igmp frames:6 bytes:324
291	arp frames:7 bytes:294
292	vlan frames:6 bytes:586
293	arp frames:1 bytes:46
294	ip frames:5 bytes:540
295	udp frames:4 bytes:470
296	data frames:4 bytes:470
297	tcp frames:1 bytes:70
298	=====

Above table mirrors the original TShark protocol hierarchy statistics, preserving all details while organizing them into a structured format.

TCP Conversation Summary (Tabular View)

[CONVERSATION STATS](#)

Line	Content
1	1 0.000000 20.192.44.82 → 192.168.29.48 TLSv1.2 158 Application Data
2	2 0.054640 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=1 Ack=105 Win=253 Len=0
3	3 0.443888 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
4	4 0.612990 ServercomPri_5d:b8:56 → Broadcast ARP 42 Who has 192.168.29.48? Tell 192.168.29.1
5	5 0.613039 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
6	6 0.694970 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
7	7 0.742265 192.168.29.48 → 20.195.65.193 TCP 54 5357 → 443 [ACK] Seq=1 Ack=28 Win=255 Len=0
8	8 1.232902 192.168.29.48 → 57.144.177.32 TLSv1.2 124 Application Data
9	9 1.239848 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=1 Ack=71 Win=588 Len=0
10	10 1.340189 192.168.29.48 → 104.208.16.92 SSL 55
11	11 1.356564 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
12	12 1.361086 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
13	13 1.369519 192.168.29.48 → 192.168.29.1 DNS 101 Standard query 0xc8da A westus-0.in.applicationinsights.azure.com
14	14 1.375394 192.168.29.1 → 192.168.29.48 DNS 248 Standard query response 0xc8da A westus-0.in.applicationinsights.azure.com CNAME westus-0.in.ai.monitor.azure.com CNAME westus-0.in.ai.privatelink.monitor.azure.com CNAME gig-ai-prod-westus-0.trafficmanager.net A 20.189.172.32
15	15 1.377433 192.168.29.48 → 20.189.172.32 TCP 66 53474 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
16	16 1.403184 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=111 Ack=111 Win=251 Len=0
17	17 1.425715 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 Who has 192.168.29.48? Tell 192.168.29.1
18	18 1.425756 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
19	19 1.434565 192.168.29.48 → 20.192.44.82 TLSv1.2 82 Application Data
20	20 1.445138 20.192.44.82 → 192.168.29.48 TCP 60 443 → 5327 [ACK] Seq=105 Ack=29 Win=670 Len=0
21	21 1.450339 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
22	22 1.469447 57.144.177.32 → 192.168.29.48 TLSv1.2 126 Application Data
23	23 1.512743 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=71 Ack=73 Win=254 Len=0
24	24 1.555173 104.208.16.92 → 192.168.29.48 TCP 66 443 → 50060 [ACK] Seq=1 Ack=2 Win=16380 Len=0 SLE=1 SRE=2
25	25 1.605995 20.189.172.32 → 192.168.29.48 TCP 66 443 → 53474 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
26	26 1.606436 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
27	27 1.607271 192.168.29.48 → 20.189.172.32 TLSv1.2 571 Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
28	28 1.944765 20.189.172.32 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
29	29 1.946749 192.168.29.48 → 20.189.172.32 TLSv1.3 500 Change Cipher Spec, Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
30	30 2.252152 20.189.172.32 → 192.168.29.48 TLSv1.3 1514 Server Hello
31	31 2.252326 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53474 [ACK] Seq=1560 Ack=964 Win=4193536 Len=1460
32	32 2.252326 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53474 [ACK] Seq=3020 Ack=964 Win=4193536 Len=1460
33	33 2.252326 20.189.172.32 → 192.168.29.48 TLSv1.3 84 Application Data
34	34 2.252542 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=964 Ack=3020 Win=65280 Len=0
35	35 2.252711 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=964 Ack=4510 Win=65280 Len=0

Line	Content
36	36 2.260083 192.168.29.48 → 20.189.172.32 TLSv1.3 904 Application Data, Application Data
37	37 2.313129 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
38	38 2.518056 192.168.29.48 → 142.250.205.10 UDP 71 65067 → 443 Len=29
39	39 2.520566 20.189.172.32 → 192.168.29.48 TLSv1.3 157 Application Data
40	40 2.520566 20.189.172.32 → 192.168.29.48 TLSv1.3 403 Application Data
41	41 2.520697 20.189.172.32 → 192.168.29.48 TLSv1.3 81 Application Data
42	42 2.520921 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=1814 Ack=4962 Win=65024 Len=0
43	43 2.521030 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [ACK] Seq=1814 Ack=4990 Win=65024 Len=0
44	44 2.522565 192.168.29.48 → 20.189.172.32 TLSv1.3 78 Application Data
45	45 2.522926 192.168.29.48 → 20.189.172.32 TCP 54 53474 → 443 [FIN, ACK] Seq=1838 Ack=4990 Win=65024 Len=0
46	46 2.575196 142.250.205.10 → 192.168.29.48 UDP 71 443 → 65067 Len=25
47	47 2.765473 20.189.172.32 → 192.168.29.48 TCP 54 443 → 53474 [ACK] Seq=4990 Ack=1839 Win=4194304 Len=0
48	48 2.943979 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
49	49 3.447134 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
50	50 3.583188 20.192.44.82 → 192.168.29.48 TLSv1.2 81 Application Data
51	51 3.636260 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=29 Ack=132 Win=253 Len=0
52	52 3.832352 192.168.29.48 → 20.189.172.32 TCP 66 53478 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
53	53 3.864944 192.168.29.48 → 20.189.172.32 TCP 66 53479 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
54	54 3.950323 Intel_ab:38:df → Broadcast ARP 42 Who has 169.254.169.254? Tell 192.168.29.48
55	55 4.095917 20.189.172.32 → 192.168.29.48 TCP 66 443 → 53478 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
56	56 4.096350 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
57	57 4.096623 20.189.172.32 → 192.168.29.48 TCP 66 443 → 53479 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
58	58 4.096985 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
59	59 4.097680 192.168.29.48 → 20.189.172.32 TLSv1.2 571 Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
60	60 4.098866 192.168.29.48 → 20.189.172.32 TLSv1.2 571 Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
61	61 4.402614 20.189.172.32 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
62	62 4.402614 20.189.172.32 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
63	63 4.405271 192.168.29.48 → 20.189.172.32 TLSv1.3 500 Change Cipher Spec, Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
64	64 4.407493 192.168.29.48 → 20.189.172.32 TLSv1.3 500 Change Cipher Spec, Client Hello (SNI=westus-0.in.applicationinsights.azure.com)
65	65 4.448428 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
66	66 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 1514 Server Hello
67	67 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53479 [ACK] Seq=1560 Ack=964 Win=4193536 Len=1460
68	68 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53479 [ACK] Seq=3020 Ack=964 Win=4193536 Len=1460
69	69 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 84 Application Data
70	70 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 1514 Server Hello
71	71 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53478 [ACK] Seq=1560 Ack=964 Win=4193536 Len=1460
72	72 4.711332 20.189.172.32 → 192.168.29.48 TCP 1514 443 → 53478 [ACK] Seq=3020 Ack=964 Win=4193536 Len=1460

Line	Content
73	73 4.711332 20.189.172.32 → 192.168.29.48 TLSv1.3 84 Application Data
74	74 4.711955 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=964 Ack=3020 Win=65280 Len=0
75	75 4.712199 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=964 Ack=4510 Win=65280 Len=0
76	76 4.712338 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=964 Ack=3020 Win=65280 Len=0
77	77 4.712444 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=964 Ack=4510 Win=65280 Len=0
78	78 4.718082 192.168.29.48 → 20.189.172.32 TLSv1.3 913 Application Data, Application Data
79	79 4.726449 192.168.29.48 → 20.189.172.32 TLSv1.3 914 Application Data, Application Data
80	80 4.819838 192.168.29.48 → 57.144.177.32 TLSv1.2 16460 Application Data
81	81 4.820194 192.168.29.48 → 57.144.177.32 TLSv1.2 2119 Application Data
82	82 4.825869 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=4247 Win=621 Len=0
83	83 4.825869 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=13991 Win=697 Len=0
84	84 4.825869 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=15383 Win=708 Len=0
85	85 4.828376 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=16477 Win=719 Len=0
86	86 4.828376 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=73 Ack=18542 Win=735 Len=0
87	87 5.016242 20.189.172.32 → 192.168.29.48 TLSv1.3 157 Application Data
88	88 5.016242 20.189.172.32 → 192.168.29.48 TLSv1.3 403 Application Data
89	89 5.016242 20.189.172.32 → 192.168.29.48 TLSv1.3 81 Application Data
90	90 5.016468 20.189.172.32 → 192.168.29.48 TLSv1.3 157 Application Data
91	91 5.016468 20.189.172.32 → 192.168.29.48 TLSv1.3 403 Application Data
92	92 5.016468 20.189.172.32 → 192.168.29.48 TLSv1.3 81 Application Data
93	93 5.016648 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=1823 Ack=4962 Win=65024 Len=0
94	94 5.016734 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [ACK] Seq=1823 Ack=4990 Win=65024 Len=0
95	95 5.016774 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=1824 Ack=4962 Win=65024 Len=0
96	96 5.016796 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [ACK] Seq=1824 Ack=4990 Win=65024 Len=0
97	97 5.018346 192.168.29.48 → 20.189.172.32 TLSv1.3 78 Application Data
98	98 5.018802 192.168.29.48 → 20.189.172.32 TCP 54 53479 → 443 [FIN, ACK] Seq=1847 Ack=4990 Win=65024 Len=0
99	99 5.020741 192.168.29.48 → 20.189.172.32 TLSv1.3 78 Application Data
100	100 5.021118 192.168.29.48 → 20.189.172.32 TCP 54 53478 → 443 [FIN, ACK] Seq=1848 Ack=4990 Win=65024 Len=0
101	101 5.323670 20.189.172.32 → 192.168.29.48 TCP 54 443 → 53478 [ACK] Seq=4990 Ack=1849 Win=4194304 Len=0
102	102 5.323670 20.189.172.32 → 192.168.29.48 TCP 54 443 → 53479 [ACK] Seq=4990 Ack=1848 Win=4194304 Len=0
103	103 5.377947 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
104	104 5.377947 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
105	105 5.378383 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=1586 Win=255 Len=0
106	106 5.379296 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
107	107 5.379296 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
108	108 5.379722 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=4181 Win=255 Len=0
109	109 5.381919 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
110	110 5.381919 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=5573 Ack=18542 Win=735 Len=1392
111	111 5.381919 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
112	112 5.382375 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=6965 Win=255 Len=0

Line	Content
113	113 5.387687 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
114	114 5.387687 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=9659 Ack=18542 Win=735 Len=1392
115	115 5.387687 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
116	116 5.388043 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=9659 Win=255 Len=0
117	117 5.388177 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=12353 Win=255 Len=0
118	118 5.390409 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
119	119 5.390409 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=13745 Ack=18542 Win=735 Len=1392
120	120 5.390409 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
121	121 5.390724 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=15137 Win=255 Len=0
122	122 5.393413 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
123	123 5.393413 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
124	124 5.393712 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=17831 Win=255 Len=0
125	125 5.397029 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
126	126 5.397029 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
127	127 5.397420 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=19344 Win=255 Len=0
128	128 5.399518 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
129	129 5.399518 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=21939 Ack=18542 Win=735 Len=1392
130	130 5.399518 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
131	131 5.399892 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=21939 Win=255 Len=0
132	132 5.400166 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=24633 Win=255 Len=0
133	133 5.405156 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
134	134 5.405156 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=26025 Ack=18542 Win=735 Len=1392
135	135 5.405156 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
136	136 5.405385 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=27417 Win=255 Len=0
137	137 5.408306 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
138	138 5.408306 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=30111 Ack=18542 Win=735 Len=1392
139	139 5.408306 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
140	140 5.409463 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=30111 Win=255 Len=0
141	141 5.409964 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=32805 Win=255 Len=0
142	142 5.411375 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
143	143 5.411375 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
144	144 5.411697 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=34318 Win=255 Len=0
145	145 5.413728 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
146	146 5.413728 57.144.177.32 → 192.168.29.48 TLSv1.2 482 Application Data, Application Data
147	147 5.414263 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=18542 Ack=36138 Win=255 Len=0
148	148 5.764017 192.168.29.48 → 20.195.65.193 TLSv1.2 82 Application Data
149	149 5.821772 20.195.65.193 → 192.168.29.48 TCP 54 443 → 5357 [ACK] Seq=28 Ack=29 Win=554 Len=0
150	150 5.889168 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
151	151 5.947090 20.195.65.193 → 192.168.29.48 TCP 54 443 → 5357 [ACK] Seq=28 Ack=60 Win=554 Len=0
152	152 6.364674 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data

Line	Content
153	153 6.370729 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
154	154 6.411141 192.168.29.48 → 57.144.177.32 TLSv1.2 15352 Application Data
155	155 6.417870 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=36138 Ack=26894 Win=800 Len=0
156	156 6.418108 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=36138 Ack=31070 Win=822 Len=0
157	157 6.418108 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=36138 Ack=33840 Win=815 Len=0
158	158 6.423237 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=221 Ack=221 Win=250 Len=0
159	159 7.006691 192.168.29.48 → 151.101.129.229 SSL 55
160	160 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
161	161 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
162	162 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
163	163 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
164	164 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
165	165 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=41638 Ack=33840 Win=822 Len=1392
166	166 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
167	167 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
168	168 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=45724 Ack=33840 Win=822 Len=1392
169	169 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
170	170 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
171	171 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=49810 Ack=33840 Win=822 Len=1392
172	172 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
173	173 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
174	174 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
175	175 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
176	176 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
177	177 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
178	178 7.010082 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=58004 Ack=33840 Win=822 Len=1392
179	179 7.010082 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
180	180 7.010639 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
181	181 7.010639 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=62090 Ack=33840 Win=822 Len=1392
182	182 7.010639 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
183	183 7.010785 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=37651 Win=255 Len=0
184	184 7.010915 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=40246 Win=255 Len=0
185	185 7.010962 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=43030 Win=255 Len=0
186	186 7.011005 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=45724 Win=255 Len=0
187	187 7.011064 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=48418 Win=255 Len=0
188	188 7.011117 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=51202 Win=255 Len=0
189	189 7.011159 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=53896 Win=255 Len=0
190	190 7.011209 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=55409 Win=255 Len=0
191	191 7.011258 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=58004 Win=255 Len=0
192	192 7.011307 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=60698 Win=255 Len=0

Line	Content
193	193 7.011364 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=63482 Win=255 Len=0
194	194 7.013415 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
195	195 7.013415 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=66176 Ack=33840 Win=822 Len=1392
196	196 7.013415 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
197	197 7.013415 151.101.129.229 → 192.168.29.48 TCP 66 443 → 59262 [ACK] Seq=1 Ack=2 Win=425 Len=0 SLE=1 SRE=2
198	198 7.013664 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=66176 Win=255 Len=0
199	199 7.013765 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=68870 Win=255 Len=0
200	200 7.016246 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
201	201 7.016246 57.144.177.32 → 192.168.29.48 TLSv1.2 175 Application Data
202	202 7.016463 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=70383 Win=255 Len=0
203	203 7.019129 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
204	204 7.019129 57.144.177.32 → 192.168.29.48 TLSv1.2 1257 Application Data
205	205 7.019383 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=72978 Win=255 Len=0
206	206 7.022009 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
207	207 7.022009 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=74370 Ack=33840 Win=822 Len=1392
208	208 7.022009 57.144.177.32 → 192.168.29.48 TLSv1.2 1356 Application Data
209	209 7.022383 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=75762 Win=255 Len=0
210	210 7.028106 57.144.177.32 → 192.168.29.48 TLSv1.2 1446
211	211 7.028106 57.144.177.32 → 192.168.29.48 TCP 1446 443 → 58687 [ACK] Seq=78456 Ack=33840 Win=822 Len=1392
212	212 7.028106 57.144.177.32 → 192.168.29.48 TLSv1.2 1446 Application Data
213	213 7.028106 57.144.177.32 → 192.168.29.48 TLSv1.2 744 Application Data
214	214 7.028435 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=78456 Win=255 Len=0
215	215 7.028565 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=81240 Win=255 Len=0
216	216 7.038670 192.168.29.48 → 13.204.106.34 SSL 55
217	217 7.047085 13.204.106.34 → 192.168.29.48 TCP 66 443 → 38253 [ACK] Seq=1 Ack=2 Win=12 Len=0 SLE=1 SRE=2
218	218 7.070080 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33840 Ack=81930 Win=253 Len=0
219	219 7.305077 192.168.29.48 → 172.67.68.11 SSL 55
220	220 7.322887 172.67.68.11 → 192.168.29.48 TCP 66 443 → 33835 [ACK] Seq=1 Ack=2 Win=17 Len=0 SLE=1 SRE=2
221	221 7.400200 192.168.29.48 → 172.217.26.10 SSL 55
222	222 7.433878 172.217.26.10 → 192.168.29.48 TCP 66 443 → 18495 [ACK] Seq=1 Ack=2 Win=1044 Len=0 SLE=1 SRE=2
223	223 7.440658 142.250.205.10 → 192.168.29.48 UDP 164 443 → 65067 Len=118
224	224 7.463812 192.168.29.48 → 142.250.205.10 UDP 75 65067 → 443 Len=33
225	225 7.932785 192.168.29.48 → 57.144.177.32 TLSv1.2 148 Application Data
226	226 7.941533 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=81930 Ack=33934 Win=822 Len=0
227	227 8.293647 57.144.177.32 → 192.168.29.48 TLSv1.2 187 Application Data
228	228 8.333786 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33934 Ack=82063 Win=252 Len=0
229	229 10.239312 13.204.106.34 → 192.168.29.48 TCP 54 [TCP Keep-Alive] 443 → 38253 [ACK] Seq=0 Ack=2 Win=12 Len=0
230	230 10.239729 192.168.29.48 → 13.204.106.34 TCP 54 [TCP Keep-Alive ACK] 38253 → 443 [ACK] Seq=2 Ack=1 Win=252 Len=0
231	231 10.240090 57.144.177.32 → 192.168.29.48 TLSv1.2 458 Application Data
232	232 10.288542 192.168.29.48 → 57.144.177.32 TCP 54 58687 → 443 [ACK] Seq=33934 Ack=82467 Win=251 Len=0

Line	Content
233	233 10.503057 192.168.29.48 → 57.144.177.32 TLSv1.2 151 Application Data
234	234 10.510773 57.144.177.32 → 192.168.29.48 TCP 60 443 → 58687 [ACK] Seq=82467 Ack=34031 Win=822 Len=0
235	235 10.905440 192.168.29.48 → 20.192.44.82 TLSv1.2 85 Application Data
236	236 10.916239 20.192.44.82 → 192.168.29.48 TCP 60 443 → 5327 [ACK] Seq=132 Ack=60 Win=670 Len=0
237	237 11.372452 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
238	238 11.379827 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
239	239 11.425419 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=331 Ack=331 Win=250 Len=0
240	240 14.951229 20.192.44.82 → 192.168.29.48 TLSv1.2 158 Application Data
241	241 14.993069 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=60 Ack=236 Win=253 Len=0
242	242 16.389742 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
243	243 16.397914 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
244	244 16.451335 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=441 Ack=441 Win=255 Len=0
245	245 16.690126 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
246	246 16.735611 192.168.29.48 → 20.195.65.193 TCP 54 5357 → 443 [ACK] Seq=60 Ack=55 Win=255 Len=0
247	247 16.829480 192.168.29.48 → 142.250.206.46 SSL 55
248	248 16.860484 142.250.206.46 → 192.168.29.48 TCP 70 443 → 44630 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
249	249 18.876349 192.168.29.48 → 142.250.182.36 UDP 71 59005 → 443 Len=29
250	250 18.917131 142.250.182.36 → 192.168.29.48 UDP 68 443 → 59005 Len=26
251	251 18.939173 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
252	252 19.176813 192.168.29.48 → 140.82.114.22 SSL 55
253	253 19.446610 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
254	254 19.450257 140.82.114.22 → 192.168.29.48 TCP 66 443 → 64032 [ACK] Seq=1 Ack=2 Win=73 Len=0 SLE=1 SRE=2
255	255 19.660934 20.192.44.82 → 192.168.29.48 TLSv1.2 81 Application Data
256	256 19.715015 192.168.29.48 → 20.192.44.82 TCP 54 5327 → 443 [ACK] Seq=60 Ack=263 Win=253 Len=0
257	257 21.400841 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
258	258 21.406626 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
259	259 21.447695 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=551 Ack=551 Win=255 Len=0
260	260 21.605015 192.168.29.48 → 13.71.196.234 TLSv1.2 85 Application Data
261	261 21.889113 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
262	262 21.891882 13.71.196.234 → 192.168.29.48 TLSv1.2 85 Application Data
263	263 21.935116 192.168.29.48 → 13.71.196.234 TCP 54 40057 → 8883 [ACK] Seq=32 Ack=32 Win=252 Len=0
264	264 21.947929 20.195.65.193 → 192.168.29.48 TCP 54 443 → 5357 [ACK] Seq=55 Ack=91 Win=554 Len=0
265	265 22.453567 192.168.29.48 → 142.250.205.10 UDP 71 65067 → 443 Len=29
266	266 22.507998 142.250.205.10 → 192.168.29.48 UDP 71 443 → 65067 Len=25
267	267 25.914542 192.168.29.48 → 20.192.44.82 TLSv1.2 85 Application Data
268	268 25.924444 20.192.44.82 → 192.168.29.48 TCP 60 443 → 5327 [ACK] Seq=263 Ack=91 Win=670 Len=0
269	269 26.412781 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
270	270 26.418853 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
271	271 26.467680 192.168.29.48 → 192.168.29.196 TCP 54 60460 → 8009 [ACK] Seq=661 Ack=661 Win=255 Len=0
272	272 26.941678 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources

Line	Content
273	273 27.646755 142.250.205.10 → 192.168.29.48 UDP 164 443 → 65067 Len=118
274	274 27.664173 192.168.29.48 → 142.250.205.10 UDP 75 65067 → 443 Len=33
275	275 28.153785 192.168.29.48 → 142.250.182.36 UDP 71 59005 → 443 Len=29
276	=====
277	TCP Conversations
278	Filter:
279	<- -> Total Relative Duration
280	Frames Bytes Frames Bytes Frames Bytes Start
281	192.168.29.48:58687 <-> 57.144.177.32:443 81 86 kB 43 36 kB 124 123 kB 1.232902000 9.2779
282	192.168.29.48:53474 <-> 20.189.172.32:443 10 5540 bytes 11 2443 bytes 21 7983 bytes 1.377433000 1.3880
283	192.168.29.48:53478 <-> 20.189.172.32:443 10 5540 bytes 11 2453 bytes 21 7993 bytes 3.832352000 1.4913
284	192.168.29.48:53479 <-> 20.189.172.32:443 10 5540 bytes 11 2452 bytes 21 7992 bytes 3.864944000 1.4587
285	192.168.29.48:60460 <-> 192.168.29.196:8009 6 984 bytes 12 1308 bytes 18 2292 bytes 1.356564000 25.1111
286	20.192.44.82:443 <-> 192.168.29.48:5327 7 468 bytes 7 658 bytes 14 1126 bytes 0.000000000 25.9244
287	20.195.65.193:443 <-> 192.168.29.48:5357 5 360 bytes 5 324 bytes 10 684 bytes 0.694970000 21.2530
288	192.168.29.48:38253 <-> 13.204.106.34:443 2 120 bytes 2 109 bytes 4 229 bytes 7.038670000 3.2011
289	192.168.29.48:40057 <-> 13.71.196.234:8883 1 85 bytes 2 139 bytes 3 224 bytes 21.605015000 0.3301
290	192.168.29.48:50060 <-> 104.208.16.92:443 1 66 bytes 1 55 bytes 2 121 bytes 1.340189000 0.2150
291	192.168.29.48:59262 <-> 151.101.129.229:443 1 66 bytes 1 55 bytes 2 121 bytes 7.006691000 0.0067
292	192.168.29.48:33835 <-> 172.67.68.11:443 1 66 bytes 1 55 bytes 2 121 bytes 7.305077000 0.0178
293	192.168.29.48:18495 <-> 172.217.26.10:443 1 66 bytes 1 55 bytes 2 121 bytes 7.400200000 0.0337
294	192.168.29.48:44630 <-> 142.250.206.46:443 1 70 bytes 1 55 bytes 2 125 bytes 16.829480000 0.0310
295	192.168.29.48:64032 <-> 140.82.114.22:443 1 66 bytes 1 55 bytes 2 121 bytes 19.176813000 0.2734
296	=====

This table lists all TCP conversation output lines as reported by TShark, including per-flow frame counts, byte counts, and duration.

Application Flow Analysis (HTTP)

Application-level HTTP flows detected in the capture. Each row represents a single HTTP request.

No HTTP or application-level flows were extracted from the capture.

Per-Packet Detailed Dissection

Each card below represents one packet from the capture, including frame, Ethernet, IP, and TCP header information, plus protocol-specific details where available (HTTP, PKIX-CRL, etc.).

Frame 1: 20.192.44.82:443 → 192.168.29.48:5327

TCP

Category	Field	Value
Frame	Time (Relative)	0.000000000 s
	Length	158 bytes
	Captured Length	158 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.192.44.82
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	144
	Identification	0xef9a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 47, Proto: 6
TCP	Source Port	443
	Destination Port	5327
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	670
	Checksum / Status	0x8292 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 2: 192.168.29.48:5327 → 20.192.44.82:443

TCP

Category	Field	Value
Frame	Time (Relative)	0.054640000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.192.44.82
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x9402
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	5327
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 105
	Header Length	20
	Window Size	253
	Checksum / Status	0x1f05 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.054640000, Δ: 0.054640000

Frame 3: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	0.443888000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	ff:ff:ff:ff:ff:ff
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Frame 4: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	0.612990000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	ff:ff:ff:ff:ff:ff
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Frame 5: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	0.613039000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Category	Field	Value
Frame	Time (Relative)	0.694970000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.65.193
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0x03ca
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 43, Proto: 6
TCP	Source Port	443
	Destination Port	5357
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	554
	Checksum / Status	0x2594 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	0.742265000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.195.65.193
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3b45
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	5357
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 28
	Header Length	20
	Window Size	255
	Checksum / Status	0x3477 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.047295000, Δ: 0.047295000

Category	Field	Value
Frame	Time (Relative)	1.232902000 s
	Length	124 bytes
	Captured Length	124 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	57.144.177.32
	Version	4
	Header Length	20
	Total Length	110
	Identification	0x699f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	58687
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xc8e9 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	1.239848000 s
	Length	60 bytes
	Captured Length	60 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	57.144.177.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5c92
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 82, Proto: 6
TCP	Source Port	443
	Destination Port	58687
	Sequence / Ack	Seq: 1, Ack: 71
	Header Length	20
	Window Size	588
	Checksum / Status	0xc82c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.006946000, Δ: 0.006946000

Frame 10: 192.168.29.48:50060 → 104.208.16.92:443

TCP

Category	Field	Value
Frame	Time (Relative)	1.340189000 s
	Length	55 bytes
	Captured Length	55 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	104.208.16.92
	Version	4
	Header Length	20
	Total Length	41
	Identification	0x4d3a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	50060
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	254
	Checksum / Status	0x5720 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	1.356564000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	150
	Identification	0xd53d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	60460
	Destination Port	8009
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	251
	Checksum / Status	0xbccd (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 12: 192.168.29.196:8009 → 192.168.29.48:60460

TCP

Category	Field	Value
Frame	Time (Relative)	1.361086000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	c4:a7:2b:e0:bc:aa
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.196
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	150
	Identification	0x1275
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 6
TCP	Source Port	8009
	Destination Port	60460
	Sequence / Ack	Seq: 1, Ack: 111
	Header Length	20
	Window Size	1207
	Checksum / Status	0x3cdb (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.004522000, Δ: 0.004522000

Frame 13: 192.168.29.48 → 192.168.29.1

Eth:ethertype:ip:udp:dns

Category	Field	Value
Frame	Time (Relative)	1.369519000 s
	Length	101 bytes
	Captured Length	101 bytes
	Protocols	eth:ethertype:ip:udp:dns
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.1
	Version	4
	Header Length	20
	Total Length	87
	Identification	0x5b69
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 14: 192.168.29.1 → 192.168.29.48

Eth:ethertype:ip:udp:dns

Category	Field	Value
Frame	Time (Relative)	1.375394000 s
	Length	248 bytes
	Captured Length	248 bytes
	Protocols	eth:ethertype:ip:udp:dns
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.1
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	234
	Identification	0xda7f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 17

Category	Field	Value
Frame	Time (Relative)	1.377433000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xb913
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 0, Ack: 0
	Header Length	32
	Window Size	65535
	Checksum / Status	0x9edc (status: 2)
	Flags	0x0002
	Options	02:04:05:b4:01:03:03:08:01:01:04:02
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	1.403184000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xd53e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	60460
	Destination Port	8009
	Sequence / Ack	Seq: 111, Ack: 111
	Header Length	20
	Window Size	251
	Checksum / Status	0xbc5f (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.046620000, Δ: 0.042098000

Frame 17: N/A → N/A

Eth:ethertype:vlan:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	1.425715000 s
	Length	46 bytes
	Captured Length	46 bytes
	Protocols	eth:ethertype:vlan:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x8100
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Frame 18: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	1.425756000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Frame 19: 192.168.29.48:5327 → 20.192.44.82:443

TCP

Category	Field	Value
Frame	Time (Relative)	1.434565000 s
	Length	82 bytes
	Captured Length	82 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.192.44.82
	Version	4
	Header Length	20
	Total Length	68
	Identification	0x9403
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	5327
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 105
	Header Length	20
	Window Size	253
	Checksum / Status	0x1f21 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.434565000, Δ: 1.379925000

Category	Field	Value
Frame	Time (Relative)	1.445138000 s
	Length	60 bytes
	Captured Length	60 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.192.44.82
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xef9b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 47, Proto: 6
TCP	Source Port	443
	Destination Port	5327
	Sequence / Ack	Seq: 105, Ack: 29
	Header Length	20
	Window Size	670
	Checksum / Status	0xffe8 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.445138000, Δ: 0.010573000

Frame 21: 192.168.29.48 → 224.0.0.22

Eth:ethertype:ip:igmp:igmp

Category	Field	Value
Frame	Time (Relative)	1.450339000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:igmp:igmp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	01:00:5e:00:00:16
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	224.0.0.22
	Version	4
	Header Length	24
	Total Length	40
	Identification	0x2d5e
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 1, Proto: 2

Category	Field	Value
Frame	Time (Relative)	1.469447000 s
	Length	126 bytes
	Captured Length	126 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	57.144.177.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	112
	Identification	0x5c93
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 82, Proto: 6
TCP	Source Port	443
	Destination Port	58687
	Sequence / Ack	Seq: 1, Ack: 71
	Header Length	20
	Window Size	588
	Checksum / Status	0x410a (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.236545000, Δ: 0.229599000

Category	Field	Value
Frame	Time (Relative)	1.512743000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	57.144.177.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x69a0
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	58687
	Destination Port	443
	Sequence / Ack	Seq: 71, Ack: 73
	Header Length	20
	Window Size	254
	Checksum / Status	0xc8a3 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.279841000, Δ: 0.043296000

Category	Field	Value
Frame	Time (Relative)	1.555173000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	104.208.16.92
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xc5c7
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 94, Proto: 6
TCP	Source Port	443
	Destination Port	50060
	Sequence / Ack	Seq: 1, Ack: 2
	Header Length	32
	Window Size	16380
	Checksum / Status	0xbc0d (status: 2)
	Flags	0x0010
	Options	01:01:05:0a:d9:e3:a2:13:d9:e3:a2:14
	Timing	Rel: 0.214984000, Δ: 0.214984000

Category	Field	Value
Frame	Time (Relative)	1.605995000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x2d16
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 0, Ack: 1
	Header Length	32
	Window Size	65535
	Checksum / Status	0x64d5 (status: 2)
	Flags	0x0012
	Options	02:04:05:a0:01:03:03:08:01:01:04:02
	Timing	Rel: 0.228562000, Δ: 0.228562000

Frame 26: 192.168.29.48:53474 → 20.189.172.32:443

TCP

Category	Field	Value
Frame	Time (Relative)	1.606436000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb914
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.229003000, Δ: 0.000441000

Category	Field	Value
Frame	Time (Relative)	1.607271000 s
	Length	571 bytes
	Captured Length	571 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	557
	Identification	0xb915
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xa0d5 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.229838000, Δ: 0.000835000

Category	Field	Value
Frame	Time (Relative)	1.944765000 s
	Length	153 bytes
	Captured Length	153 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	139
	Identification	0x2d17
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 1, Ack: 518
	Header Length	20
	Window Size	16383
	Checksum / Status	0x7e13 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.567332000, Δ: 0.337494000

Category	Field	Value
Frame	Time (Relative)	1.946749000 s
	Length	500 bytes
	Captured Length	500 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	486
	Identification	0xb916
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 518, Ack: 100
	Header Length	20
	Window Size	255
	Checksum / Status	0xa08e (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.569316000, Δ: 0.001984000

Category	Field	Value
Frame	Time (Relative)	2.252152000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x2d18
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 100, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0xeddf (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.874719000, Δ: 0.305403000

Category	Field	Value
Frame	Time (Relative)	2.252326000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x2d19
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 1560, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0xbad9 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.874893000, Δ: 0.000174000

Category	Field	Value
Frame	Time (Relative)	2.252326000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x2d1a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 3020, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x7483 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.874893000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	2.252326000 s
	Length	84 bytes
	Captured Length	84 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	70
	Identification	0x2d1b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 4480, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x70c7 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.874893000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	2.252542000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb917
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 3020
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.875109000, Δ: 0.000216000

Category	Field	Value
Frame	Time (Relative)	2.252711000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb918
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 4510
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.875278000, Δ: 0.000169000

Category	Field	Value
Frame	Time (Relative)	2.260083000 s
	Length	904 bytes
	Captured Length	904 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	890
	Identification	0xb919
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 4510
	Header Length	20
	Window Size	255
	Checksum / Status	0xa222 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.882650000, Δ: 0.007372000

Frame 37: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	2.313129000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	ff:ff:ff:ff:ff:ff
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Frame 38: 192.168.29.48 → 142.250.205.10

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.518056000 s
	Length	71 bytes
	Captured Length	71 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.205.10
	Version	4
	Header Length	20
	Total Length	57
	Identification	0x68f7
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Category	Field	Value
Frame	Time (Relative)	2.520566000 s
	Length	157 bytes
	Captured Length	157 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	143
	Identification	0x2d1c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 4510, Ack: 1814
	Header Length	20
	Window Size	16385
	Checksum / Status	0x44de (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.143133000, Δ: 0.260483000

Category	Field	Value
Frame	Time (Relative)	2.520566000 s
	Length	403 bytes
	Captured Length	403 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	389
	Identification	0x2d1d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 4613, Ack: 1814
	Header Length	20
	Window Size	16385
	Checksum / Status	0x1c94 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.143133000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	2.520697000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0x2d1e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 4962, Ack: 1814
	Header Length	20
	Window Size	16385
	Checksum / Status	0x2a33 (status: 2)
	Flags	0x0019
	Options	N/A
	Timing	Rel: 1.143264000, Δ: 0.000131000

Category	Field	Value
Frame	Time (Relative)	2.520921000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb91a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 1814, Ack: 4962
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.143488000, Δ: 0.000224000

Category	Field	Value
Frame	Time (Relative)	2.521030000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb91b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 1814, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.143597000, Δ: 0.000109000

Category	Field	Value
Frame	Time (Relative)	2.522565000 s
	Length	78 bytes
	Captured Length	78 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	64
	Identification	0xb91c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 1814, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ee8 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.145132000, Δ: 0.001535000

Category	Field	Value
Frame	Time (Relative)	2.522926000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb91d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53474
	Destination Port	443
	Sequence / Ack	Seq: 1838, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 1.145493000, Δ: 0.000361000

Frame 46: 142.250.205.10 → 192.168.29.48

Eth:ethertype:vlan:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.575196000 s
	Length	71 bytes
	Captured Length	71 bytes
	Protocols	eth:ethertype:vlan:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x8100
IP	Source IP	142.250.205.10
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	53
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 54, Proto: 17

Category	Field	Value
Frame	Time (Relative)	2.765473000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x2d1f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 101, Proto: 6
TCP	Source Port	443
	Destination Port	53474
	Sequence / Ack	Seq: 4990, Ack: 1839
	Header Length	20
	Window Size	16384
	Checksum / Status	0x4ae9 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.388040000, Δ: 0.242547000

Frame 48: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	2.943979000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	ff:ff:ff:ff:ff:ff
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Frame 49: 192.168.29.48 → 224.0.0.22

Eth:ethertype:ip:igmp:igmp

Category	Field	Value
Frame	Time (Relative)	3.447134000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:igmp:igmp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	01:00:5e:00:00:16
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	224.0.0.22
	Version	4
	Header Length	24
	Total Length	40
	Identification	0x2d5f
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 1, Proto: 2

Category	Field	Value
Frame	Time (Relative)	3.583188000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.192.44.82
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0xef9c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 47, Proto: 6
TCP	Source Port	443
	Destination Port	5327
	Sequence / Ack	Seq: 105, Ack: 29
	Header Length	20
	Window Size	670
	Checksum / Status	0xd973 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 3.583188000, Δ: 2.138050000

Category	Field	Value
Frame	Time (Relative)	3.636260000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.192.44.82
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x9404
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	5327
	Destination Port	443
	Sequence / Ack	Seq: 29, Ack: 132
	Header Length	20
	Window Size	253
	Checksum / Status	0x1f05 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 3.636260000, Δ: 0.053072000

Category	Field	Value
Frame	Time (Relative)	3.832352000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xb91e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 0, Ack: 0
	Header Length	32
	Window Size	65535
	Checksum / Status	0x9edc (status: 2)
	Flags	0x0002
	Options	02:04:05:b4:01:03:03:08:01:01:04:02
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.864944000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xb91f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 0, Ack: 0
	Header Length	32
	Window Size	65535
	Checksum / Status	0x9edc (status: 2)
	Flags	0x0002
	Options	02:04:05:b4:01:03:03:08:01:01:04:02
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 54: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	3.950323000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	ff:ff:ff:ff:ff:ff
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Category	Field	Value
Frame	Time (Relative)	4.095917000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x5352
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 0, Ack: 1
	Header Length	32
	Window Size	65535
	Checksum / Status	0x6372 (status: 2)
	Flags	0x0012
	Options	02:04:05:a0:01:03:03:08:01:01:04:02
	Timing	Rel: 0.263565000, Δ: 0.263565000

Category	Field	Value
Frame	Time (Relative)	4.096350000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb920
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.263998000, Δ: 0.000433000

Category	Field	Value
Frame	Time (Relative)	4.096623000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x721d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 0, Ack: 1
	Header Length	32
	Window Size	65535
	Checksum / Status	0x95ac (status: 2)
	Flags	0x0012
	Options	02:04:05:a0:01:03:03:08:01:01:04:02
	Timing	Rel: 0.231679000, Δ: 0.231679000

Category	Field	Value
Frame	Time (Relative)	4.096985000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb921
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.232041000, Δ: 0.000362000

Category	Field	Value
Frame	Time (Relative)	4.097680000 s
	Length	571 bytes
	Captured Length	571 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	557
	Identification	0xb922
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xa0d5 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.265328000, Δ: 0.001330000

Category	Field	Value
Frame	Time (Relative)	4.098866000 s
	Length	571 bytes
	Captured Length	571 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	557
	Identification	0xb923
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xa0d5 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.233922000, Δ: 0.001881000

Category	Field	Value
Frame	Time (Relative)	4.402614000 s
	Length	153 bytes
	Captured Length	153 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	139
	Identification	0x5353
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 1, Ack: 518
	Header Length	20
	Window Size	16383
	Checksum / Status	0x2719 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.570262000, Δ: 0.304934000

Category	Field	Value
Frame	Time (Relative)	4.402614000 s
	Length	153 bytes
	Captured Length	153 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	139
	Identification	0x721e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 1, Ack: 518
	Header Length	20
	Window Size	16383
	Checksum / Status	0x6585 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.537670000, Δ: 0.303748000

Category	Field	Value
Frame	Time (Relative)	4.405271000 s
	Length	500 bytes
	Captured Length	500 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	486
	Identification	0xb924
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 518, Ack: 100
	Header Length	20
	Window Size	255
	Checksum / Status	0xa08e (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.540327000, Δ: 0.002657000

Category	Field	Value
Frame	Time (Relative)	4.407493000 s
	Length	500 bytes
	Captured Length	500 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	486
	Identification	0xb925
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 518, Ack: 100
	Header Length	20
	Window Size	255
	Checksum / Status	0xa08e (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.575141000, Δ: 0.004879000

Frame 65: 192.168.29.48 → 224.0.0.22

Eth:ethertype:ip:igmp:igmp

Category	Field	Value
Frame	Time (Relative)	4.448428000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:igmp:igmp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	01:00:5e:00:00:16
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	224.0.0.22
	Version	4
	Header Length	24
	Total Length	40
	Identification	0x2d60
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 1, Proto: 2

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x721f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 100, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x0b27 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.846388000, Δ: 0.306061000

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x7220
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 1560, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0xcf41 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.846388000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x7221
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 3020, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x88ab (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.846388000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	84 bytes
	Captured Length	84 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	70
	Identification	0x7222
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 4480, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x445c (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.846388000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x5354
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 100, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x58cf (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.878980000, Δ: 0.303839000

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x5355
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 1560, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x1eb6 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.878980000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x5356
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 3020, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x240c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.878980000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.711332000 s
	Length	84 bytes
	Captured Length	84 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	70
	Identification	0x5357
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 4480, Ack: 964
	Header Length	20
	Window Size	16381
	Checksum / Status	0x5087 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.878980000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.711955000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb926
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 3020
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.847011000, Δ: 0.000623000

Category	Field	Value
Frame	Time (Relative)	4.712199000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb927
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 4510
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.847255000, Δ: 0.000244000

Category	Field	Value
Frame	Time (Relative)	4.712338000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb928
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 3020
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.879986000, Δ: 0.001006000

Category	Field	Value
Frame	Time (Relative)	4.712444000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb929
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 4510
	Header Length	20
	Window Size	255
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.880092000, Δ: 0.000106000

Category	Field	Value
Frame	Time (Relative)	4.718082000 s
	Length	913 bytes
	Captured Length	913 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	899
	Identification	0xb92a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 4510
	Header Length	20
	Window Size	255
	Checksum / Status	0xa22b (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.853138000, Δ: 0.005883000

Category	Field	Value
Frame	Time (Relative)	4.726449000 s
	Length	914 bytes
	Captured Length	914 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	900
	Identification	0xb92b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 964, Ack: 4510
	Header Length	20
	Window Size	255
	Checksum / Status	0xa22c (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.894097000, Δ: 0.014005000

Category	Field	Value
Frame	Time (Relative)	4.819838000 s
	Length	16460 bytes
	Captured Length	16460 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	57.144.177.32
	Version	4
	Header Length	20
	Total Length	16446
	Identification	0x69a1
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	58687
	Destination Port	443
	Sequence / Ack	Seq: 71, Ack: 73
	Header Length	20
	Window Size	254
	Checksum / Status	0xc88f (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 3.586936000, Δ: 3.307095000

Category	Field	Value
Frame	Time (Relative)	4.820194000 s
	Length	2119 bytes
	Captured Length	2119 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	57.144.177.32
	Version	4
	Header Length	20
	Total Length	2105
	Identification	0x69ad
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	58687
	Destination Port	443
	Sequence / Ack	Seq: 16477, Ack: 73
	Header Length	20
	Window Size	254
	Checksum / Status	0xc88f (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 3.587292000, Δ: 0.000356000

Category	Field	Value
Frame	Time (Relative)	4.825869000 s
	Length	60 bytes
	Captured Length	60 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	57.144.177.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5c94
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 82, Proto: 6
TCP	Source Port	443
	Destination Port	58687
	Sequence / Ack	Seq: 73, Ack: 4247
	Header Length	20
	Window Size	621
	Checksum / Status	0xb773 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 3.592967000, Δ: 0.005675000

Category	Field	Value
Frame	Time (Relative)	4.825869000 s
	Length	60 bytes
	Captured Length	60 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	57.144.177.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5c95
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 82, Proto: 6
TCP	Source Port	443
	Destination Port	58687
	Sequence / Ack	Seq: 73, Ack: 13991
	Header Length	20
	Window Size	697
	Checksum / Status	0x9117 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 3.592967000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.825869000 s
	Length	60 bytes
	Captured Length	60 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	57.144.177.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5c96
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 82, Proto: 6
TCP	Source Port	443
	Destination Port	58687
	Sequence / Ack	Seq: 73, Ack: 15383
	Header Length	20
	Window Size	708
	Checksum / Status	0x8b9c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 3.592967000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.828376000 s
	Length	60 bytes
	Captured Length	60 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	57.144.177.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5c97
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 82, Proto: 6
TCP	Source Port	443
	Destination Port	58687
	Sequence / Ack	Seq: 73, Ack: 16477
	Header Length	20
	Window Size	719
	Checksum / Status	0x874b (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 3.595474000, Δ: 0.002507000

Category	Field	Value
Frame	Time (Relative)	4.828376000 s
	Length	60 bytes
	Captured Length	60 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	57.144.177.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5c98
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 82, Proto: 6
TCP	Source Port	443
	Destination Port	58687
	Sequence / Ack	Seq: 73, Ack: 18542
	Header Length	20
	Window Size	735
	Checksum / Status	0x7f2a (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 3.595474000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	5.016242000 s
	Length	157 bytes
	Captured Length	157 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	143
	Identification	0x7223
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 4510, Ack: 1823
	Header Length	20
	Window Size	16385
	Checksum / Status	0x6742 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.151298000, Δ: 0.298160000

Category	Field	Value
Frame	Time (Relative)	5.016242000 s
	Length	403 bytes
	Captured Length	403 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	389
	Identification	0x7224
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 4613, Ack: 1823
	Header Length	20
	Window Size	16385
	Checksum / Status	0xc268 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.151298000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	5.016242000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0x7225
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53479
	Sequence / Ack	Seq: 4962, Ack: 1823
	Header Length	20
	Window Size	16385
	Checksum / Status	0x5b23 (status: 2)
	Flags	0x0019
	Options	N/A
	Timing	Rel: 1.151298000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	5.016468000 s
	Length	157 bytes
	Captured Length	157 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	143
	Identification	0x5358
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 4510, Ack: 1824
	Header Length	20
	Window Size	16385
	Checksum / Status	0x4c79 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.184116000, Δ: 0.290019000

Category	Field	Value
Frame	Time (Relative)	5.016468000 s
	Length	403 bytes
	Captured Length	403 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	389
	Identification	0x5359
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 4613, Ack: 1824
	Header Length	20
	Window Size	16385
	Checksum / Status	0x3529 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.184116000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	5.016468000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.189.172.32
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0x535a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 102, Proto: 6
TCP	Source Port	443
	Destination Port	53478
	Sequence / Ack	Seq: 4962, Ack: 1824
	Header Length	20
	Window Size	16385
	Checksum / Status	0x0db6 (status: 2)
	Flags	0x0019
	Options	N/A
	Timing	Rel: 1.184116000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	5.016648000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb92c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 1823, Ack: 4962
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.151704000, Δ: 0.000406000

Category	Field	Value
Frame	Time (Relative)	5.016734000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb92d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 1823, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.151790000, Δ: 0.000086000

Category	Field	Value
Frame	Time (Relative)	5.016774000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb92e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 1824, Ack: 4962
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.184422000, Δ: 0.000306000

Category	Field	Value
Frame	Time (Relative)	5.016796000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb92f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 1824, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.184444000, Δ: 0.000022000

Category	Field	Value
Frame	Time (Relative)	5.018346000 s
	Length	78 bytes
	Captured Length	78 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	64
	Identification	0xb930
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 1823, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ee8 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.153402000, Δ: 0.001612000

Category	Field	Value
Frame	Time (Relative)	5.018802000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb931
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53479
	Destination Port	443
	Sequence / Ack	Seq: 1847, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 1.153858000, Δ: 0.000456000

Category	Field	Value
Frame	Time (Relative)	5.020741000 s
	Length	78 bytes
	Captured Length	78 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	64
	Identification	0xb932
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 1824, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ee8 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 1.188389000, Δ: 0.003945000

Category	Field	Value
Frame	Time (Relative)	5.021118000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.189.172.32
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xb933
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	53478
	Destination Port	443
	Sequence / Ack	Seq: 1848, Ack: 4990
	Header Length	20
	Window Size	254
	Checksum / Status	0x9ed0 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 1.188766000, Δ: 0.000377000