

NetShieldAI™

Network Assessment Report

Packet Sniffer Analysis (TShark)

TARGET IP 192.168.25.48	CAPTURE START TIME 2025-12-07T09:39:01Z	OVERALL STATUS Success	PACKETS ANALYZED 50	ANALYSIS TIME 6.79 s
----------------------------	--	---------------------------	------------------------	-------------------------

Traffic Summary

Overview of the captured network activity, including total packets, bytes, capture duration, and average transfer rate.

Metric	Details
Capture Status	Success
Total Packets Captured	156
Total Bytes Transferred	36.94 KB (37829 bytes)
Effective Capture Duration	12.11 s
Average Rate	3123.45 bps

Protocol Hierarchy & TCP Conversation Summary

This section shows how traffic is organized across protocols and summarizes the TCP conversation statistics from the capture.

Protocol Hierarchy (Tabular View)

TShark SUMMARY

Line	Content
1	1 0.000000 52.182.143.214 → 192.168.29.48 TCP 66 443 → 43144 [ACK] Seq=1 Ack=1 Win=16385 Len=0 SLE=4294965857 SRE=1
2	2 0.000000 52.182.143.214 → 192.168.29.48 TLSv1.2 152 Application Data
3	3 0.004022 192.168.29.48 → 52.182.143.214 TLSv1.2 89 Application Data
4	4 0.160285 192.168.29.48 → 172.217.26.3 UDP 149 49746 → 443 Len=107
5	5 0.221626 172.217.26.3 → 192.168.29.48 UDP 70 443 → 49746 Len=28
6	6 0.259526 192.168.29.48 → 172.217.26.3 UDP 74 49746 → 443 Len=32
7	7 0.263318 52.182.143.214 → 192.168.29.48 TCP 54 443 → 43144 [ACK] Seq=99 Ack=36 Win=16384 Len=0
8	8 0.281744 172.217.26.3 → 192.168.29.48 UDP 157 443 → 49746 Len=115
9	9 0.287450 172.217.26.3 → 192.168.29.48 UDP 64 443 → 49746 Len=22
10	10 0.288209 192.168.29.48 → 172.217.26.3 UDP 77 49746 → 443 Len=35
11	11 0.362076 172.217.26.3 → 192.168.29.48 UDP 66 443 → 49746 Len=24
12	12 0.389496 20.250.119.64 → 192.168.29.48 TLSv1.2 93 Application Data
13	13 0.390899 192.168.29.48 → 20.250.119.64 TCP 54 51780 → 443 [FIN, ACK] Seq=1 Ack=40 Win=255 Len=0
14	14 0.726751 192.168.29.48 → 20.250.119.64 TCP 54 [TCP Retransmission] 51780 → 443 [FIN, ACK] Seq=1 Ack=40 Win=255 Len=0
15	15 0.729210 20.250.119.64 → 192.168.29.48 TLSv1.2 78 Application Data
16	16 0.729210 20.250.119.64 → 192.168.29.48 TCP 54 443 → 51780 [FIN, ACK] Seq=64 Ack=2 Win=316 Len=0
17	17 0.729412 192.168.29.48 → 20.250.119.64 TCP 54 51780 → 443 [RST, ACK] Seq=2 Ack=64 Win=0 Len=0
18	18 1.638758 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
19	19 2.616803 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
20	20 2.623448 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
21	21 2.664027 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=111 Ack=111 Win=253 Len=0
22	22 3.640055 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
23	23 4.147035 192.168.29.48 → 13.71.196.234 TLSv1.2 85 Application Data
24	24 4.969792 192.168.29.48 → 13.71.196.234 TCP 85 [TCP Retransmission] 56292 → 8883 [PSH, ACK] Seq=1 Ack=1 Win=255 Len=31
25	25 4.973674 13.71.196.234 → 192.168.29.48 TLSv1.2 85 Application Data
26	26 4.973674 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
27	27 5.016039 192.168.29.48 → 13.71.196.234 TCP 54 56292 → 8883 [ACK] Seq=32 Ack=32 Win=255 Len=0
28	28 5.016403 192.168.29.48 → 20.195.84.7 TCP 54 45127 → 443 [ACK] Seq=1 Ack=28 Win=250 Len=0
29	29 5.645774 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 Who has 192.168.29.1? Tell 192.168.29.48
30	30 5.648713 13.71.196.234 → 192.168.29.48 TCP 66 [TCP Dup ACK 25#1] 8883 → 56292 [ACK] Seq=32 Ack=32 Win=501 Len=0 SLE=1 SRE=32
31	31 5.649368 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 192.168.29.1 is at 8c:a3:99:5d:b8:56
32	32 6.637203 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
33	33 7.094736 192.168.29.48 → 52.188.247.144 TCP 54 51901 → 443 [FIN, ACK] Seq=1 Ack=1 Win=254 Len=0
34	34 7.223476 192.168.29.48 → 216.58.203.42 UDP 71 62518 → 443 Len=29
35	35 7.257840 216.58.203.42 → 192.168.29.48 UDP 66 443 → 62518 Len=24
36	36 7.627437 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data

Line	Content
37	37 7.633430 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
38	38 7.673766 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=221 Ack=221 Win=252 Len=0
39	39 7.799946 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
40	40 7.858320 20.195.65.193 → 192.168.29.48 TCP 54 443 → 43231 [ACK] Seq=1 Ack=32 Win=544 Len=0
41	41 9.057756 192.168.29.48 → 104.18.32.47 SSL 55
42	42 9.068314 104.18.32.47 → 192.168.29.48 TCP 66 443 → 36695 [ACK] Seq=1 Ack=2 Win=18 Len=0 SLE=1 SRE=2
43	43 10.734207 192.168.29.48 → 20.195.65.193 TLSv1.2 82 Application Data
44	44 10.737631 216.58.203.42 → 192.168.29.48 UDP 159 443 → 62518 Len=117
45	45 10.766629 192.168.29.48 → 216.58.203.42 UDP 74 62518 → 443 Len=32
46	46 10.794209 20.195.65.193 → 192.168.29.48 TCP 54 443 → 43231 [ACK] Seq=1 Ack=60 Win=544 Len=0
47	47 11.671688 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
48	48 11.671688 20.195.65.193 → 192.168.29.48 TCP 81 [TCP Retransmission] 443 → 43231 [PSH, ACK] Seq=1 Ack=60 Win=544 Len=27
49	49 11.674116 192.168.29.48 → 20.195.65.193 TCP 66 43231 → 443 [ACK] Seq=60 Ack=28 Win=252 Len=0 SLE=1 SRE=28
50	50 12.111297 192.168.29.48 → 192.168.29.1 DNS 98 Standard query 0x19c4 A telemetry.individual.githubcopilot.com
51	51 12.119585 192.168.29.1 → 192.168.29.48 DNS 212 Standard query response 0x19c4 A telemetry.individual.githubcopilot.com CNAME copilot-telemetry-service.githubusercontent.com CNAME glb-db52c2cf8be544.github.com A 140.82.113.22
52	52 12.121119 192.168.29.48 → 140.82.113.22 TCP 66 52283 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
53	53 12.639952 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
54	54 12.643791 140.82.113.22 → 192.168.29.48 TCP 66 443 → 52283 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
55	55 12.643791 192.168.29.1 → 192.168.29.48 ECHO 43 Request
56	56 12.643791 104.18.39.21 → 192.168.29.48 TLSv1.2 78 Application Data
57	57 12.643956 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
58	58 12.644343 192.168.29.48 → 104.18.39.21 TLSv1.2 82 Application Data
59	59 12.644456 192.168.29.48 → 140.82.113.22 TLSv1.2 571 Client Hello (SNI=telemetry.individual.githubcopilot.com)
60	60 12.648612 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
61	61 12.655987 104.18.39.21 → 192.168.29.48 TCP 54 443 → 11934 [ACK] Seq=25 Ack=29 Win=17 Len=0
62	62 12.703836 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=331 Ack=331 Win=252 Len=0
63	63 12.796777 192.168.29.48 → 20.195.84.7 TLSv1.2 85 Application Data
64	64 12.851636 20.195.84.7 → 192.168.29.48 TCP 54 443 → 45127 [ACK] Seq=28 Ack=32 Win=544 Len=0
65	65 12.883413 140.82.113.22 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
66	66 12.883413 140.82.113.22 → 192.168.29.48 TCP 1490 443 → 52283 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
67	67 12.883413 140.82.113.22 → 192.168.29.48 TCP 1278 443 → 52283 [PSH, ACK] Seq=2873 Ack=518 Win=67584 Len=1224
68	68 12.883749 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
69	69 12.886639 140.82.113.22 → 192.168.29.48 TLSv1.3 1490 Application Data
70	70 12.886639 140.82.113.22 → 192.168.29.48 TLSv1.3 200 Application Data, Application Data
71	71 12.886846 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=518 Ack=5533 Win=65280 Len=0
72	72 12.889541 192.168.29.48 → 140.82.113.22 TLSv1.3 2737 Change Cipher Spec, Application Data, Application Data
73	73 12.970114 192.168.29.48 → 192.168.29.1 DNS 87 Standard query 0x0774 HTTPS safebrowsing.googleapis.com
74	74 12.970499 192.168.29.48 → 192.168.29.1 DNS 87 Standard query 0xde1f A safebrowsing.googleapis.com

Line	Content
75	75 12.977170 192.168.29.1 → 192.168.29.48 DNS 103 Standard query response 0xde1f A safebrowsing.googleapis.com A 142.251.222.106
76	76 12.977412 192.168.29.1 → 192.168.29.48 DNS 144 Standard query response 0x0774 HTTPS safebrowsing.googleapis.com SOA ns1.google.com
77	77 12.978876 192.168.29.48 → 142.251.222.106 QUIC 1292 Initial, DCID=604fd94c88681059, PKN: 1, CRYPTO, PING, CRYPTO, PADDING, PING, CRYPTO, PING, PING, CRYPTO, PING, PING, PADDING, CRYPTO, CRYPTO, CRYPTO, PADDING, CRYPTO, PADDING, PING, PING, CRYPTO, PING, CRYPTO
78	78 12.979070 192.168.29.48 → 142.251.222.106 QUIC 1292 Initial, DCID=604fd94c88681059, PKN: 2, CRYPTO, CRYPTO, PING, PADDING, PING, CRYPTO, PING, PING, CRYPTO, PING, PING, PADDING, PING, CRYPTO, PADDING, CRYPTO, CRYPTO, CRYPTO, PADDING, CRYPTO, PING, CRYPTO, CRYPTO
79	79 12.987888 142.251.222.106 → 192.168.29.48 QUIC 82 Initial, SCID=e04fd94c88681059, PKN: 1, ACK
80	80 12.989577 142.251.222.106 → 192.168.29.48 QUIC 1292 Initial, SCID=e04fd94c88681059, PKN: 2, ACK, PADDING
81	81 12.989577 142.251.222.106 → 192.168.29.48 QUIC 1292 Initial, SCID=e04fd94c88681059, PKN: 3, CRYPTO, PADDING
82	82 12.989798 142.251.222.106 → 192.168.29.48 QUIC 1292 Initial, SCID=e04fd94c88681059, PKN: 4, CRYPTO, PADDING
83	83 12.990286 142.251.222.106 → 192.168.29.48 QUIC 1292 Handshake, SCID=e04fd94c88681059
84	84 12.990286 142.251.222.106 → 192.168.29.48 QUIC 1292 Handshake, SCID=e04fd94c88681059
85	85 12.990286 142.251.222.106 → 192.168.29.48 QUIC 1292 Handshake, SCID=e04fd94c88681059
86	86 12.990557 192.168.29.48 → 142.251.222.106 QUIC 1292 Initial, DCID=e04fd94c88681059, PKN: 3, ACK, PADDING
87	87 12.990789 192.168.29.48 → 142.251.222.106 QUIC 81 Handshake, DCID=e04fd94c88681059
88	88 12.996677 142.251.222.106 → 192.168.29.48 QUIC 232 Protected Payload (KP0)
89	89 12.997431 192.168.29.48 → 142.251.222.106 QUIC 81 Handshake, DCID=e04fd94c88681059
90	90 12.999882 192.168.29.48 → 142.251.222.106 QUIC 125 Handshake, DCID=e04fd94c88681059
91	91 13.000167 192.168.29.48 → 142.251.222.106 QUIC 113 Protected Payload (KP0), DCID=e04fd94c88681059
92	92 13.000940 192.168.29.48 → 142.251.222.106 QUIC 956 Protected Payload (KP0), DCID=e04fd94c88681059
93	93 13.005838 142.251.222.106 → 192.168.29.48 QUIC 1010 Protected Payload (KP0)
94	94 13.005838 142.251.222.106 → 192.168.29.48 QUIC 163 Protected Payload (KP0)
95	95 13.006618 192.168.29.48 → 142.251.222.106 QUIC 74 Protected Payload (KP0), DCID=e04fd94c88681059
96	96 13.009014 142.251.222.106 → 192.168.29.48 QUIC 69 Protected Payload (KP0)
97	97 13.009825 142.251.222.106 → 192.168.29.48 QUIC 1288 Protected Payload (KP0)
98	98 13.009825 142.251.222.106 → 192.168.29.48 QUIC 1292 Protected Payload (KP0)
99	99 13.009825 142.251.222.106 → 192.168.29.48 QUIC 542 Protected Payload (KP0)
100	100 13.010456 192.168.29.48 → 142.251.222.106 QUIC 77 Protected Payload (KP0), DCID=e04fd94c88681059
101	101 13.010584 192.168.29.48 → 142.251.222.106 QUIC 73 Protected Payload (KP0), DCID=e04fd94c88681059
102	102 13.042941 142.251.222.106 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
103	103 13.126735 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [ACK] Seq=5679 Ack=3201 Win=72704 Len=0
104	104 13.126735 140.82.113.22 → 192.168.29.48 TLSv1.3 133 Application Data
105	105 13.126735 140.82.113.22 → 192.168.29.48 TLSv1.3 133 Application Data
106	106 13.127012 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=3201 Ack=5837 Win=65024 Len=0
107	107 14.203007 192.168.29.48 → 142.250.195.14 SSL 55
108	108 14.207010 140.82.113.22 → 192.168.29.48 TLSv1.3 640 Application Data
109	109 14.207010 140.82.113.22 → 192.168.29.48 TLSv1.3 78 Application Data
110	110 14.207010 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [FIN, ACK] Seq=6447 Ack=3201 Win=72704 Len=0
111	111 14.207296 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=3201 Ack=6447 Win=64512 Len=0

Line	Content
112	112 14.207446 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=3201 Ack=6448 Win=64512 Len=0
113	113 14.207921 192.168.29.48 → 140.82.113.22 TLSv1.3 78 Application Data
114	114 14.208243 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [FIN, ACK] Seq=3225 Ack=6448 Win=64512 Len=0
115	115 14.213822 142.250.195.14 → 192.168.29.48 TCP 66 443 → 10932 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
116	116 14.279984 140.82.113.22 → 192.168.29.48 TCP 54 [TCP Retransmission] 443 → 52283 [FIN, ACK] Seq=6447 Ack=3201 Win=72704 Len=0
117	117 14.280122 192.168.29.48 → 140.82.113.22 TCP 54 [TCP Dup ACK 112#1] 52283 → 443 [ACK] Seq=3226 Ack=6448 Win=64512 Len=0
118	118 15.104715 192.168.29.48 → 140.82.113.22 TCP 78 [TCP Retransmission] 52283 → 443 [FIN, PSH, ACK] Seq=3201 Ack=6448 Win=64512 Len=24
119	119 15.107506 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [RST] Seq=6448 Win=0 Len=0
120	120 15.112951 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [RST, ACK] Seq=6448 Ack=3226 Win=0 Len=0
121	121 17.568060 192.168.29.48 → 74.125.24.188 TCP 55 17946 → 5228 [ACK] Seq=1 Ack=1 Win=253 Len=1
122	122 17.638734 74.125.24.188 → 192.168.29.48 TCP 66 5228 → 17946 [ACK] Seq=1 Ack=2 Win=1047 Len=0 SLE=1 SRE=2
123	123 17.660502 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
124	124 17.667148 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
125	125 17.708298 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=441 Ack=441 Win=252 Len=0
126	126 21.644026 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
127	127 21.647151 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
128	128 21.647151 20.195.84.7 → 192.168.29.48 TCP 81 [TCP Retransmission] 443 → 45127 [PSH, ACK] Seq=28 Ack=32 Win=544 Len=27
129	129 21.647599 192.168.29.48 → 20.195.84.7 TCP 66 45127 → 443 [ACK] Seq=32 Ack=55 Win=250 Len=0 SLE=28 SRE=55
130	130 22.145285 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
131	131 22.427859 192.168.29.48 → 4.213.25.242 TLSv1.2 155 Application Data
132	132 22.440176 4.213.25.242 → 192.168.29.48 TLSv1.2 225 Application Data
133	133 22.489236 192.168.29.48 → 4.213.25.242 TCP 54 49424 → 443 [ACK] Seq=102 Ack=172 Win=252 Len=0
134	134 22.678414 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
135	135 22.680968 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 Who has 192.168.29.48? Tell 192.168.29.1
136	136 22.681013 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
137	137 22.686613 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
138	138 22.740454 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=551 Ack=551 Win=251 Len=0
139	139 22.804924 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
140	140 22.863789 20.195.65.193 → 192.168.29.48 TCP 54 443 → 43231 [ACK] Seq=28 Ack=91 Win=544 Len=0
141	141 23.150355 192.168.29.48 → 52.188.247.144 TCP 54 [TCP Retransmission] 51901 → 443 [FIN, ACK] Seq=1 Ack=1 Win=254 Len=0
142	142 24.016786 192.168.29.48 → 104.18.38.10 TLSv1.2 145 Application Data
143	143 24.026470 104.18.38.10 → 192.168.29.48 TCP 54 443 → 56357 [ACK] Seq=1 Ack=92 Win=16 Len=0
144	144 24.124311 104.18.38.10 → 192.168.29.48 TLSv1.2 168 Application Data
145	145 24.173167 192.168.29.48 → 104.18.38.10 TCP 54 56357 → 443 [ACK] Seq=92 Ack=115 Win=252 Len=0
146	146 24.423253 192.168.29.48 → 172.217.174.228 UDP 71 57267 → 443 Len=29
147	147 24.461337 172.217.174.228 → 192.168.29.48 UDP 66 443 → 57267 Len=24
148	148 25.743364 192.168.29.48 → 216.58.203.42 UDP 71 62518 → 443 Len=29
149	149 25.780088 216.58.203.42 → 192.168.29.48 UDP 66 443 → 62518 Len=24

Line	Content
150	150 26.724295 192.168.29.48 → 20.195.84.7 TLSv1.2 82 Application Data
151	151 26.782578 20.195.84.7 → 192.168.29.48 TCP 54 443 → 45127 [ACK] Seq=55 Ack=60 Win=544 Len=0
152	152 26.827227 ServercomPri_5d:b8:56 → Broadcast ARP 42 Who has 192.168.29.48? Tell 192.168.29.1
153	153 26.827259 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
154	154 27.146537 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
155	155 27.149550 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
156	156 27.194357 192.168.29.48 → 20.195.65.193 TCP 54 43231 → 443 [ACK] Seq=91 Ack=55 Win=251 Len=0
158	=====
159	Protocol Hierarchy Statistics
160	Filter:
162	frame frames:156 bytes:37829
163	eth frames:156 bytes:37829
164	ip frames:150 bytes:37569
165	tcp frames:96 bytes:17218
166	tls frames:43 bytes:11478
167	tls frames:2 bytes:1690
168	data frames:1 bytes:55
169	udp frames:48 bytes:20027
170	data frames:15 bytes:1301
171	dns frames:6 bytes:731
172	echo frames:1 bytes:43
173	quic frames:26 bytes:17952
174	quic frames:1 bytes:232
175	igmp frames:6 bytes:324
176	arp frames:4 bytes:168
177	vlan frames:2 bytes:92
178	arp frames:2 bytes:92
179	=====

Above table mirrors the original TShark protocol hierarchy statistics, preserving all details while organizing them into a structured format.

TCP Conversation Summary (Tabular View)

[CONVERSATION STATS](#)

Line	Content
1	1 0.000000 52.182.143.214 → 192.168.29.48 TCP 66 443 → 43144 [ACK] Seq=1 Ack=1 Win=16385 Len=0 SLE=4294965857 SRE=1
2	2 0.000000 52.182.143.214 → 192.168.29.48 TLSv1.2 152 Application Data
3	3 0.004022 192.168.29.48 → 52.182.143.214 TLSv1.2 89 Application Data
4	4 0.160285 192.168.29.48 → 172.217.26.3 UDP 149 49746 → 443 Len=107
5	5 0.221626 172.217.26.3 → 192.168.29.48 UDP 70 443 → 49746 Len=28
6	6 0.259526 192.168.29.48 → 172.217.26.3 UDP 74 49746 → 443 Len=32
7	7 0.263318 52.182.143.214 → 192.168.29.48 TCP 54 443 → 43144 [ACK] Seq=99 Ack=36 Win=16384 Len=0
8	8 0.281744 172.217.26.3 → 192.168.29.48 UDP 157 443 → 49746 Len=115
9	9 0.287450 172.217.26.3 → 192.168.29.48 UDP 64 443 → 49746 Len=22
10	10 0.288209 192.168.29.48 → 172.217.26.3 UDP 77 49746 → 443 Len=35
11	11 0.362076 172.217.26.3 → 192.168.29.48 UDP 66 443 → 49746 Len=24
12	12 0.389496 20.250.119.64 → 192.168.29.48 TLSv1.2 93 Application Data
13	13 0.390899 192.168.29.48 → 20.250.119.64 TCP 54 51780 → 443 [FIN, ACK] Seq=1 Ack=40 Win=255 Len=0
14	14 0.726751 192.168.29.48 → 20.250.119.64 TCP 54 [TCP Retransmission] 51780 → 443 [FIN, ACK] Seq=1 Ack=40 Win=255 Len=0
15	15 0.729210 20.250.119.64 → 192.168.29.48 TLSv1.2 78 Application Data
16	16 0.729210 20.250.119.64 → 192.168.29.48 TCP 54 443 → 51780 [FIN, ACK] Seq=64 Ack=2 Win=316 Len=0
17	17 0.729412 192.168.29.48 → 20.250.119.64 TCP 54 51780 → 443 [RST, ACK] Seq=2 Ack=64 Win=0 Len=0
18	18 1.638758 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
19	19 2.616803 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
20	20 2.623448 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
21	21 2.664027 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=111 Ack=111 Win=253 Len=0
22	22 3.640055 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
23	23 4.147035 192.168.29.48 → 13.71.196.234 TLSv1.2 85 Application Data
24	24 4.969792 192.168.29.48 → 13.71.196.234 TCP 85 [TCP Retransmission] 56292 → 8883 [PSH, ACK] Seq=1 Ack=1 Win=255 Len=31
25	25 4.973674 13.71.196.234 → 192.168.29.48 TLSv1.2 85 Application Data
26	26 4.973674 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
27	27 5.016039 192.168.29.48 → 13.71.196.234 TCP 54 56292 → 8883 [ACK] Seq=32 Ack=32 Win=255 Len=0
28	28 5.016403 192.168.29.48 → 20.195.84.7 TCP 54 45127 → 443 [ACK] Seq=1 Ack=28 Win=250 Len=0
29	29 5.645774 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 Who has 192.168.29.1? Tell 192.168.29.48
30	30 5.648713 13.71.196.234 → 192.168.29.48 TCP 66 [TCP Dup ACK 25#1] 8883 → 56292 [ACK] Seq=32 Ack=32 Win=501 Len=0 SLE=1 SRE=32
31	31 5.649368 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 192.168.29.1 is at 8c:a3:99:5d:b8:56
32	32 6.637203 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
33	33 7.094736 192.168.29.48 → 52.188.247.144 TCP 54 51901 → 443 [FIN, ACK] Seq=1 Ack=1 Win=254 Len=0
34	34 7.223476 192.168.29.48 → 216.58.203.42 UDP 71 62518 → 443 Len=29
35	35 7.257840 216.58.203.42 → 192.168.29.48 UDP 66 443 → 62518 Len=24
36	36 7.627437 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data

Line	Content
37	37 7.633430 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
38	38 7.673766 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=221 Ack=221 Win=252 Len=0
39	39 7.799946 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
40	40 7.858320 20.195.65.193 → 192.168.29.48 TCP 54 443 → 43231 [ACK] Seq=1 Ack=32 Win=544 Len=0
41	41 9.057756 192.168.29.48 → 104.18.32.47 SSL 55
42	42 9.068314 104.18.32.47 → 192.168.29.48 TCP 66 443 → 36695 [ACK] Seq=1 Ack=2 Win=18 Len=0 SLE=1 SRE=2
43	43 10.734207 192.168.29.48 → 20.195.65.193 TLSv1.2 82 Application Data
44	44 10.737631 216.58.203.42 → 192.168.29.48 UDP 159 443 → 62518 Len=117
45	45 10.766629 192.168.29.48 → 216.58.203.42 UDP 74 62518 → 443 Len=32
46	46 10.794209 20.195.65.193 → 192.168.29.48 TCP 54 443 → 43231 [ACK] Seq=1 Ack=60 Win=544 Len=0
47	47 11.671688 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
48	48 11.671688 20.195.65.193 → 192.168.29.48 TCP 81 [TCP Retransmission] 443 → 43231 [PSH, ACK] Seq=1 Ack=60 Win=544 Len=27
49	49 11.674116 192.168.29.48 → 20.195.65.193 TCP 66 43231 → 443 [ACK] Seq=60 Ack=28 Win=252 Len=0 SLE=1 SRE=28
50	50 12.111297 192.168.29.48 → 192.168.29.1 DNS 98 Standard query 0x19c4 A telemetry.individual.githubcopilot.com
51	51 12.119585 192.168.29.1 → 192.168.29.48 DNS 212 Standard query response 0x19c4 A telemetry.individual.githubcopilot.com CNAME copilot-telemetry-service.githubusercontent.com CNAME glb-db52c2cf8be544.github.com A 140.82.113.22
52	52 12.121119 192.168.29.48 → 140.82.113.22 TCP 66 52283 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
53	53 12.639952 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
54	54 12.643791 140.82.113.22 → 192.168.29.48 TCP 66 443 → 52283 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
55	55 12.643791 192.168.29.1 → 192.168.29.48 ECHO 43 Request
56	56 12.643791 104.18.39.21 → 192.168.29.48 TLSv1.2 78 Application Data
57	57 12.643956 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
58	58 12.644343 192.168.29.48 → 104.18.39.21 TLSv1.2 82 Application Data
59	59 12.644456 192.168.29.48 → 140.82.113.22 TLSv1.2 571 Client Hello (SNI=telemetry.individual.githubcopilot.com)
60	60 12.648612 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
61	61 12.655987 104.18.39.21 → 192.168.29.48 TCP 54 443 → 11934 [ACK] Seq=25 Ack=29 Win=17 Len=0
62	62 12.703836 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=331 Ack=331 Win=252 Len=0
63	63 12.796777 192.168.29.48 → 20.195.84.7 TLSv1.2 85 Application Data
64	64 12.851636 20.195.84.7 → 192.168.29.48 TCP 54 443 → 45127 [ACK] Seq=28 Ack=32 Win=544 Len=0
65	65 12.883413 140.82.113.22 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
66	66 12.883413 140.82.113.22 → 192.168.29.48 TCP 1490 443 → 52283 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
67	67 12.883413 140.82.113.22 → 192.168.29.48 TCP 1278 443 → 52283 [PSH, ACK] Seq=2873 Ack=518 Win=67584 Len=1224
68	68 12.883749 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
69	69 12.886639 140.82.113.22 → 192.168.29.48 TLSv1.3 1490 Application Data
70	70 12.886639 140.82.113.22 → 192.168.29.48 TLSv1.3 200 Application Data, Application Data
71	71 12.886846 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=518 Ack=5533 Win=65280 Len=0
72	72 12.889541 192.168.29.48 → 140.82.113.22 TLSv1.3 2737 Change Cipher Spec, Application Data, Application Data
73	73 12.970114 192.168.29.48 → 192.168.29.1 DNS 87 Standard query 0x0774 HTTPS safebrowsing.googleapis.com
74	74 12.970499 192.168.29.48 → 192.168.29.1 DNS 87 Standard query 0xde1f A safebrowsing.googleapis.com

Line	Content
75	75 12.977170 192.168.29.1 → 192.168.29.48 DNS 103 Standard query response 0xde1f A safebrowsing.googleapis.com A 142.251.222.106
76	76 12.977412 192.168.29.1 → 192.168.29.48 DNS 144 Standard query response 0x0774 HTTPS safebrowsing.googleapis.com SOA ns1.google.com
77	77 12.978876 192.168.29.48 → 142.251.222.106 QUIC 1292 Initial, DCID=604fd94c88681059, PKN: 1, CRYPTO, PING, CRYPTO, PADDING, PING, CRYPTO, PING, PING, CRYPTO, PING, PING, PADDING, CRYPTO, CRYPTO, CRYPTO, PADDING, CRYPTO, PADDING, PING, PING, CRYPTO, PING, CRYPTO
78	78 12.979070 192.168.29.48 → 142.251.222.106 QUIC 1292 Initial, DCID=604fd94c88681059, PKN: 2, CRYPTO, CRYPTO, PING, PADDING, PING, CRYPTO, PING, PING, CRYPTO, PING, PING, PADDING, PING, CRYPTO, PADDING, CRYPTO, CRYPTO, CRYPTO, PADDING, CRYPTO, PING, CRYPTO, CRYPTO
79	79 12.987888 142.251.222.106 → 192.168.29.48 QUIC 82 Initial, SCID=e04fd94c88681059, PKN: 1, ACK
80	80 12.989577 142.251.222.106 → 192.168.29.48 QUIC 1292 Initial, SCID=e04fd94c88681059, PKN: 2, ACK, PADDING
81	81 12.989577 142.251.222.106 → 192.168.29.48 QUIC 1292 Initial, SCID=e04fd94c88681059, PKN: 3, CRYPTO, PADDING
82	82 12.989798 142.251.222.106 → 192.168.29.48 QUIC 1292 Initial, SCID=e04fd94c88681059, PKN: 4, CRYPTO, PADDING
83	83 12.990286 142.251.222.106 → 192.168.29.48 QUIC 1292 Handshake, SCID=e04fd94c88681059
84	84 12.990286 142.251.222.106 → 192.168.29.48 QUIC 1292 Handshake, SCID=e04fd94c88681059
85	85 12.990286 142.251.222.106 → 192.168.29.48 QUIC 1292 Handshake, SCID=e04fd94c88681059
86	86 12.990557 192.168.29.48 → 142.251.222.106 QUIC 1292 Initial, DCID=e04fd94c88681059, PKN: 3, ACK, PADDING
87	87 12.990789 192.168.29.48 → 142.251.222.106 QUIC 81 Handshake, DCID=e04fd94c88681059
88	88 12.996677 142.251.222.106 → 192.168.29.48 QUIC 232 Protected Payload (KP0)
89	89 12.997431 192.168.29.48 → 142.251.222.106 QUIC 81 Handshake, DCID=e04fd94c88681059
90	90 12.999882 192.168.29.48 → 142.251.222.106 QUIC 125 Handshake, DCID=e04fd94c88681059
91	91 13.000167 192.168.29.48 → 142.251.222.106 QUIC 113 Protected Payload (KP0), DCID=e04fd94c88681059
92	92 13.000940 192.168.29.48 → 142.251.222.106 QUIC 956 Protected Payload (KP0), DCID=e04fd94c88681059
93	93 13.005838 142.251.222.106 → 192.168.29.48 QUIC 1010 Protected Payload (KP0)
94	94 13.005838 142.251.222.106 → 192.168.29.48 QUIC 163 Protected Payload (KP0)
95	95 13.006618 192.168.29.48 → 142.251.222.106 QUIC 74 Protected Payload (KP0), DCID=e04fd94c88681059
96	96 13.009014 142.251.222.106 → 192.168.29.48 QUIC 69 Protected Payload (KP0)
97	97 13.009825 142.251.222.106 → 192.168.29.48 QUIC 1288 Protected Payload (KP0)
98	98 13.009825 142.251.222.106 → 192.168.29.48 QUIC 1292 Protected Payload (KP0)
99	99 13.009825 142.251.222.106 → 192.168.29.48 QUIC 542 Protected Payload (KP0)
100	100 13.010456 192.168.29.48 → 142.251.222.106 QUIC 77 Protected Payload (KP0), DCID=e04fd94c88681059
101	101 13.010584 192.168.29.48 → 142.251.222.106 QUIC 73 Protected Payload (KP0), DCID=e04fd94c88681059
102	102 13.042941 142.251.222.106 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
103	103 13.126735 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [ACK] Seq=5679 Ack=3201 Win=72704 Len=0
104	104 13.126735 140.82.113.22 → 192.168.29.48 TLSv1.3 133 Application Data
105	105 13.126735 140.82.113.22 → 192.168.29.48 TLSv1.3 133 Application Data
106	106 13.127012 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=3201 Ack=5837 Win=65024 Len=0
107	107 14.203007 192.168.29.48 → 142.250.195.14 SSL 55
108	108 14.207010 140.82.113.22 → 192.168.29.48 TLSv1.3 640 Application Data
109	109 14.207010 140.82.113.22 → 192.168.29.48 TLSv1.3 78 Application Data
110	110 14.207010 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [FIN, ACK] Seq=6447 Ack=3201 Win=72704 Len=0
111	111 14.207296 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=3201 Ack=6447 Win=64512 Len=0

Line	Content
112	112 14.207446 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [ACK] Seq=3201 Ack=6448 Win=64512 Len=0
113	113 14.207921 192.168.29.48 → 140.82.113.22 TLSv1.3 78 Application Data
114	114 14.208243 192.168.29.48 → 140.82.113.22 TCP 54 52283 → 443 [FIN, ACK] Seq=3225 Ack=6448 Win=64512 Len=0
115	115 14.213822 142.250.195.14 → 192.168.29.48 TCP 66 443 → 10932 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
116	116 14.279984 140.82.113.22 → 192.168.29.48 TCP 54 [TCP Retransmission] 443 → 52283 [FIN, ACK] Seq=6447 Ack=3201 Win=72704 Len=0
117	117 14.280122 192.168.29.48 → 140.82.113.22 TCP 54 [TCP Dup ACK 112#1] 52283 → 443 [ACK] Seq=3226 Ack=6448 Win=64512 Len=0
118	118 15.104715 192.168.29.48 → 140.82.113.22 TCP 78 [TCP Retransmission] 52283 → 443 [FIN, PSH, ACK] Seq=3201 Ack=6448 Win=64512 Len=24
119	119 15.107506 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [RST] Seq=6448 Win=0 Len=0
120	120 15.112951 140.82.113.22 → 192.168.29.48 TCP 54 443 → 52283 [RST, ACK] Seq=6448 Ack=3226 Win=0 Len=0
121	121 17.568060 192.168.29.48 → 74.125.24.188 TCP 55 17946 → 5228 [ACK] Seq=1 Ack=1 Win=253 Len=1
122	122 17.638734 74.125.24.188 → 192.168.29.48 TCP 66 5228 → 17946 [ACK] Seq=1 Ack=2 Win=1047 Len=0 SLE=1 SRE=2
123	123 17.660502 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
124	124 17.667148 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
125	125 17.708298 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=441 Ack=441 Win=252 Len=0
126	126 21.644026 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
127	127 21.647151 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
128	128 21.647151 20.195.84.7 → 192.168.29.48 TCP 81 [TCP Retransmission] 443 → 45127 [PSH, ACK] Seq=28 Ack=32 Win=544 Len=27
129	129 21.647599 192.168.29.48 → 20.195.84.7 TCP 66 45127 → 443 [ACK] Seq=32 Ack=55 Win=250 Len=0 SLE=28 SRE=55
130	130 22.145285 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
131	131 22.427859 192.168.29.48 → 4.213.25.242 TLSv1.2 155 Application Data
132	132 22.440176 4.213.25.242 → 192.168.29.48 TLSv1.2 225 Application Data
133	133 22.489236 192.168.29.48 → 4.213.25.242 TCP 54 49424 → 443 [ACK] Seq=102 Ack=172 Win=252 Len=0
134	134 22.678414 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
135	135 22.680968 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 Who has 192.168.29.48? Tell 192.168.29.1
136	136 22.681013 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
137	137 22.686613 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
138	138 22.740454 192.168.29.48 → 192.168.29.196 TCP 54 4258 → 8009 [ACK] Seq=551 Ack=551 Win=251 Len=0
139	139 22.804924 192.168.29.48 → 20.195.65.193 TLSv1.2 85 Application Data
140	140 22.863789 20.195.65.193 → 192.168.29.48 TCP 54 443 → 43231 [ACK] Seq=28 Ack=91 Win=544 Len=0
141	141 23.150355 192.168.29.48 → 52.188.247.144 TCP 54 [TCP Retransmission] 51901 → 443 [FIN, ACK] Seq=1 Ack=1 Win=254 Len=0
142	142 24.016786 192.168.29.48 → 104.18.38.10 TLSv1.2 145 Application Data
143	143 24.026470 104.18.38.10 → 192.168.29.48 TCP 54 443 → 56357 [ACK] Seq=1 Ack=92 Win=16 Len=0
144	144 24.124311 104.18.38.10 → 192.168.29.48 TLSv1.2 168 Application Data
145	145 24.173167 192.168.29.48 → 104.18.38.10 TCP 54 56357 → 443 [ACK] Seq=92 Ack=115 Win=252 Len=0
146	146 24.423253 192.168.29.48 → 172.217.174.228 UDP 71 57267 → 443 Len=29
147	147 24.461337 172.217.174.228 → 192.168.29.48 UDP 66 443 → 57267 Len=24
148	148 25.743364 192.168.29.48 → 216.58.203.42 UDP 71 62518 → 443 Len=29
149	149 25.780088 216.58.203.42 → 192.168.29.48 UDP 66 443 → 62518 Len=24

Line	Content
150	150 26.724295 192.168.29.48 → 20.195.84.7 TLSv1.2 82 Application Data
151	151 26.782578 20.195.84.7 → 192.168.29.48 TCP 54 443 → 45127 [ACK] Seq=55 Ack=60 Win=544 Len=0
152	152 26.827227 ServercomPri_5d:b8:56 → Broadcast ARP 42 Who has 192.168.29.48? Tell 192.168.29.1
153	153 26.827259 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
154	154 27.146537 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
155	155 27.149550 20.195.65.193 → 192.168.29.48 TLSv1.2 81 Application Data
156	156 27.194357 192.168.29.48 → 20.195.65.193 TCP 54 43231 → 443 [ACK] Seq=91 Ack=55 Win=251 Len=0
157	=====
158	TCP Conversations
159	Filter:
160	<- -> Total Relative Duration
161	Frames Bytes Frames Bytes Frames Bytes Start
162	192.168.29.48:52283 <-> 140.82.113.22:443 15 7268 bytes 13 3962 bytes 28 11 kB 12.121119000 2.9918
163	192.168.29.48:4258 <-> 192.168.29.196:8009 5 820 bytes 10 1090 bytes 15 1910 bytes 2.616803000 20.1237
164	192.168.29.48:43231 <-> 20.195.65.193:443 6 405 bytes 5 372 bytes 11 777 bytes 7.799946000 19.3944
165	20.195.84.7:443 <-> 192.168.29.48:45127 4 287 bytes 5 351 bytes 9 638 bytes 4.973674000 21.8089
166	20.250.119.64:443 <-> 192.168.29.48:51780 3 162 bytes 3 225 bytes 6 387 bytes 0.389496000 0.3399
167	192.168.29.48:56292 <-> 13.71.196.234:8883 2 151 bytes 3 224 bytes 5 375 bytes 4.147035000 1.5017
168	52.182.143.214:443 <-> 192.168.29.48:43144 1 89 bytes 3 272 bytes 4 361 bytes 0.000000000 0.2633
169	192.168.29.48:56357 <-> 104.18.38.10:443 2 222 bytes 2 199 bytes 4 421 bytes 24.016786000 0.1564
170	104.18.39.21:443 <-> 192.168.29.48:11934 1 82 bytes 2 132 bytes 3 214 bytes 12.643791000 0.0122
171	192.168.29.48:49424 <-> 4.213.25.242:443 1 225 bytes 2 209 bytes 3 434 bytes 22.427859000 0.0614
172	192.168.29.48:51901 <-> 52.188.247.144:443 0 0 bytes 2 108 bytes 2 108 bytes 7.094736000 16.0556
173	192.168.29.48:36695 <-> 104.18.32.47:443 1 66 bytes 1 55 bytes 2 121 bytes 9.057756000 0.0106
174	192.168.29.48:10932 <-> 142.250.195.14:443 1 66 bytes 1 55 bytes 2 121 bytes 14.203007000 0.0108
175	192.168.29.48:17946 <-> 74.125.24.188:5228 1 66 bytes 1 55 bytes 2 121 bytes 17.568060000 0.0707
176	=====

This table lists all TCP conversation output lines as reported by TShark, including per-flow frame counts, byte counts, and duration.

Application Flow Analysis (HTTP)

Application-level HTTP flows detected in the capture. Each row represents a single HTTP request.

No HTTP or application-level flows were extracted from the capture.

Per-Packet Detailed Dissection

Each card below represents one packet from the capture, including frame, Ethernet, IP, and TCP header information, plus protocol-specific details where available (HTTP, PKIX-CRL, etc.).

Frame 1: 52.182.143.214:443 → 192.168.29.48:43144

TCP

Category	Field	Value
Frame	Time (Relative)	0.000000000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.182.143.214
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xccf6
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 95, Proto: 6
TCP	Source Port	443
	Destination Port	43144
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	32
	Window Size	16385
	Checksum / Status	0xe70f (status: 2)
	Flags	0x0010
	Options	01:01:05:0a:c1:6c:aa:fc:c1:6c:b0:9c
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	0.000000000 s
	Length	152 bytes
	Captured Length	152 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.182.143.214
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	138
	Identification	0xccf7
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 95, Proto: 6
TCP	Source Port	443
	Destination Port	43144
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	16385
	Checksum / Status	0x9616 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	0.004022000 s
	Length	89 bytes
	Captured Length	89 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.182.143.214
	Version	4
	Header Length	20
	Total Length	75
	Identification	0x744f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	43144
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 99
	Header Length	20
	Window Size	255
	Checksum / Status	0xa2a2 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.004022000, Δ: 0.004022000

Frame 4: 192.168.29.48 → 172.217.26.3

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	0.160285000 s
	Length	149 bytes
	Captured Length	149 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	172.217.26.3
	Version	4
	Header Length	20
	Total Length	135
	Identification	0x7fee
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 5: 172.217.26.3 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	0.221626000 s
	Length	70 bytes
	Captured Length	70 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	172.217.26.3
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	56
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 17

Frame 6: 192.168.29.48 → 172.217.26.3

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	0.259526000 s
	Length	74 bytes
	Captured Length	74 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	172.217.26.3
	Version	4
	Header Length	20
	Total Length	60
	Identification	0x7fef
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Category	Field	Value
Frame	Time (Relative)	0.263318000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.182.143.214
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xccf8
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 95, Proto: 6
TCP	Source Port	443
	Destination Port	43144
	Sequence / Ack	Seq: 99, Ack: 36
	Header Length	20
	Window Size	16384
	Checksum / Status	0xfb15 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.263318000, Δ: 0.259296000

Frame 8: 172.217.26.3 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	0.281744000 s
	Length	157 bytes
	Captured Length	157 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	172.217.26.3
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	143
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 54, Proto: 17

Frame 9: 172.217.26.3 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	0.287450000 s
	Length	64 bytes
	Captured Length	64 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	172.217.26.3
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	50
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 54, Proto: 17

Frame 10: 192.168.29.48 → 172.217.26.3

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	0.288209000 s
	Length	77 bytes
	Captured Length	77 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	172.217.26.3
	Version	4
	Header Length	20
	Total Length	63
	Identification	0x7ff0
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 11: 172.217.26.3 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	0.362076000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	172.217.26.3
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 54, Proto: 17

Frame 12: 20.250.119.64:443 → 192.168.29.48:51780

TCP

Category	Field	Value
Frame	Time (Relative)	0.389496000 s
	Length	93 bytes
	Captured Length	93 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.250.119.64
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	79
	Identification	0xf6e9
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 41, Proto: 6
TCP	Source Port	443
	Destination Port	51780
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	316
	Checksum / Status	0x2609 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 13: 192.168.29.48:51780 → 20.250.119.64:443

TCP

Category	Field	Value
Frame	Time (Relative)	0.390899000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.250.119.64
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xccd5
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	51780
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 40
	Header Length	20
	Window Size	255
	Checksum / Status	0x6a2d (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.001403000, Δ: 0.001403000

Frame 14: 192.168.29.48:51780 → 20.250.119.64:443

TCP

Category	Field	Value
Frame	Time (Relative)	0.726751000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.250.119.64
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xccd6
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	51780
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 40
	Header Length	20
	Window Size	255
	Checksum / Status	0x6a2d (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.337255000, Δ: 0.335852000

Frame 15: 20.250.119.64:443 → 192.168.29.48:51780

TCP

Category	Field	Value
Frame	Time (Relative)	0.729210000 s
	Length	78 bytes
	Captured Length	78 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.250.119.64
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	64
	Identification	0xf6ea
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 41, Proto: 6
TCP	Source Port	443
	Destination Port	51780
	Sequence / Ack	Seq: 40, Ack: 2
	Header Length	20
	Window Size	316
	Checksum / Status	0x3e9d (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.339714000, Δ: 0.002459000

Frame 16: 20.250.119.64:443 → 192.168.29.48:51780

TCP

Category	Field	Value
Frame	Time (Relative)	0.729210000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.250.119.64
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xf6eb
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 41, Proto: 6
TCP	Source Port	443
	Destination Port	51780
	Sequence / Ack	Seq: 64, Ack: 2
	Header Length	20
	Window Size	316
	Checksum / Status	0x0ac1 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.339714000, Δ: 0.000000000

Frame 17: 192.168.29.48:51780 → 20.250.119.64:443

TCP

Category	Field	Value
Frame	Time (Relative)	0.729412000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.250.119.64
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xccd7
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	51780
	Destination Port	443
	Sequence / Ack	Seq: 2, Ack: 64
	Header Length	20
	Window Size	0
	Checksum / Status	0x6a2d (status: 2)
	Flags	0x0014
	Options	N/A
	Timing	Rel: 0.339916000, Δ: 0.000202000

Frame 18: 192.168.29.48 → 224.0.0.22

Eth:ethertype:ip:igmp:igmp

Category	Field	Value
Frame	Time (Relative)	1.638758000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:igmp:igmp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	01:00:5e:00:00:16
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	224.0.0.22
	Version	4
	Header Length	24
	Total Length	40
	Identification	0x5315
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 1, Proto: 2

Frame 19: 192.168.29.48:4258 → 192.168.29.196:8009

TCP

Category	Field	Value
Frame	Time (Relative)	2.616803000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	150
	Identification	0x3699
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	4258
	Destination Port	8009
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	253
	Checksum / Status	0xbccd (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 20: 192.168.29.196:8009 → 192.168.29.48:4258

TCP

Category	Field	Value
Frame	Time (Relative)	2.623448000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	c4:a7:2b:e0:bc:aa
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.196
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	150
	Identification	0x5401
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 6
TCP	Source Port	8009
	Destination Port	4258
	Sequence / Ack	Seq: 1, Ack: 111
	Header Length	20
	Window Size	1389
	Checksum / Status	0xad36 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.006645000, Δ: 0.006645000

Category	Field	Value
Frame	Time (Relative)	2.664027000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x369a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	4258
	Destination Port	8009
	Sequence / Ack	Seq: 111, Ack: 111
	Header Length	20
	Window Size	253
	Checksum / Status	0xbc5f (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.047224000, Δ: 0.040579000

Frame 22: 192.168.29.48 → 224.0.0.22

Eth:ethertype:ip:igmp:igmp

Category	Field	Value
Frame	Time (Relative)	3.640055000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:igmp:igmp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	01:00:5e:00:00:16
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	224.0.0.22
	Version	4
	Header Length	24
	Total Length	40
	Identification	0x5316
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 1, Proto: 2

Frame 23: 192.168.29.48:56292 → 13.71.196.234:8883

TCP

Category	Field	Value
Frame	Time (Relative)	4.147035000 s
	Length	85 bytes
	Captured Length	85 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.71.196.234
	Version	4
	Header Length	20
	Total Length	71
	Identification	0x24bb
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	56292
	Destination Port	8883
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xb043 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 24: 192.168.29.48:56292 → 13.71.196.234:8883

TCP

Category	Field	Value
Frame	Time (Relative)	4.969792000 s
	Length	85 bytes
	Captured Length	85 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.71.196.234
	Version	4
	Header Length	20
	Total Length	71
	Identification	0x24bc
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	56292
	Destination Port	8883
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xb043 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.822757000, Δ: 0.822757000

Category	Field	Value
Frame	Time (Relative)	4.973674000 s
	Length	85 bytes
	Captured Length	85 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.71.196.234
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	71
	Identification	0xa2ea
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 36, Proto: 6
TCP	Source Port	8883
	Destination Port	56292
	Sequence / Ack	Seq: 1, Ack: 32
	Header Length	20
	Window Size	501
	Checksum / Status	0x2779 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.826639000, Δ: 0.003882000

Category	Field	Value
Frame	Time (Relative)	4.973674000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.84.7
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0x2fd9
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 42, Proto: 6
TCP	Source Port	443
	Destination Port	45127
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	544
	Checksum / Status	0xa437 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 27: 192.168.29.48:56292 → 13.71.196.234:8883

TCP

Category	Field	Value
Frame	Time (Relative)	5.016039000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.71.196.234
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x24bd
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	56292
	Destination Port	8883
	Sequence / Ack	Seq: 32, Ack: 32
	Header Length	20
	Window Size	255
	Checksum / Status	0xb024 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.869004000, Δ: 0.042365000

Frame 28: 192.168.29.48:45127 → 20.195.84.7:443

TCP

Category	Field	Value
Frame	Time (Relative)	5.016403000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.195.84.7
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x194d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	45127
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 28
	Header Length	20
	Window Size	250
	Checksum / Status	0x46bd (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.042729000, Δ: 0.042729000

Frame 29: N/A → N/A

Eth:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	5.645774000 s
	Length	42 bytes
	Captured Length	42 bytes
	Protocols	eth:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0806
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Category	Field	Value
Frame	Time (Relative)	5.648713000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.71.196.234
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xa2eb
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 36, Proto: 6
TCP	Source Port	8883
	Destination Port	56292
	Sequence / Ack	Seq: 32, Ack: 32
	Header Length	32
	Window Size	501
	Checksum / Status	0x1130 (status: 2)
	Flags	0x0010
	Options	01:01:05:0a:83:51:6a:72:83:51:6a:91
	Timing	Rel: 1.501678000, Δ: 0.632674000

Frame 31: N/A → N/A

Eth:ethertype:vlan:ethertype:arp

Category	Field	Value
Frame	Time (Relative)	5.649368000 s
	Length	46 bytes
	Captured Length	46 bytes
	Protocols	eth:ethertype:vlan:ethertype:arp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x8100
IP	Source IP	N/A
	Destination IP	N/A
	Version	N/A
	Header Length	N/A
	Total Length	N/A
	Identification	N/A
	Flags / Fragment Offset	N/A
	TTL / Protocol	TTL: N/A, Proto: N/A

Frame 32: 192.168.29.48 → 224.0.0.22

Eth:ethertype:ip:igmp:igmp

Category	Field	Value
Frame	Time (Relative)	6.637203000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:igmp:igmp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	01:00:5e:00:00:16
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	224.0.0.22
	Version	4
	Header Length	24
	Total Length	40
	Identification	0x5317
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 1, Proto: 2

Category	Field	Value
Frame	Time (Relative)	7.094736000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.188.247.144
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3ac8
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	51901
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	254
	Checksum / Status	0x0a40 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 34: 192.168.29.48 → 216.58.203.42

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	7.223476000 s
	Length	71 bytes
	Captured Length	71 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	216.58.203.42
	Version	4
	Header Length	20
	Total Length	57
	Identification	0x4d47
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 35: 216.58.203.42 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	7.257840000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	216.58.203.42
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 17

Category	Field	Value
Frame	Time (Relative)	7.627437000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	150
	Identification	0x369b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	4258
	Destination Port	8009
	Sequence / Ack	Seq: 111, Ack: 111
	Header Length	20
	Window Size	253
	Checksum / Status	0xbccd (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 5.010634000, Δ: 4.963410000

Category	Field	Value
Frame	Time (Relative)	7.633430000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	c4:a7:2b:e0:bc:aa
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.196
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	150
	Identification	0x5402
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 6
TCP	Source Port	8009
	Destination Port	4258
	Sequence / Ack	Seq: 111, Ack: 221
	Header Length	20
	Window Size	1389
	Checksum / Status	0x5fb6 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 5.016627000, Δ: 0.005993000

Category	Field	Value
Frame	Time (Relative)	7.673766000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x369c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	4258
	Destination Port	8009
	Sequence / Ack	Seq: 221, Ack: 221
	Header Length	20
	Window Size	252
	Checksum / Status	0xbc5f (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 5.056963000, Δ: 0.040336000

Category	Field	Value
Frame	Time (Relative)	7.799946000 s
	Length	85 bytes
	Captured Length	85 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.195.65.193
	Version	4
	Header Length	20
	Total Length	71
	Identification	0xcd72
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	43231
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	252
	Checksum / Status	0x3496 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Frame 40: 20.195.65.193:443 → 192.168.29.48:43231

TCP

Category	Field	Value
Frame	Time (Relative)	7.858320000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.65.193
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xabf4
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 44, Proto: 6
TCP	Source Port	443
	Destination Port	43231
	Sequence / Ack	Seq: 1, Ack: 32
	Header Length	20
	Window Size	544
	Checksum / Status	0x8fd2 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.058374000, Δ: 0.058374000

Frame 41: 192.168.29.48:36695 → 104.18.32.47:443

TCP

Category	Field	Value
Frame	Time (Relative)	9.057756000 s
	Length	55 bytes
	Captured Length	55 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	104.18.32.47
	Version	4
	Header Length	20
	Total Length	41
	Identification	0xc83b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	36695
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	253
	Checksum / Status	0x6635 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	9.068314000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	104.18.32.47
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x22f6
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 52, Proto: 6
TCP	Source Port	443
	Destination Port	36695
	Sequence / Ack	Seq: 1, Ack: 2
	Header Length	32
	Window Size	18
	Checksum / Status	0xe131 (status: 2)
	Flags	0x0010
	Options	01:01:05:0a:81:3a:94:45:81:3a:94:46
	Timing	Rel: 0.010558000, Δ: 0.010558000

Category	Field	Value
Frame	Time (Relative)	10.734207000 s
	Length	82 bytes
	Captured Length	82 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.195.65.193
	Version	4
	Header Length	20
	Total Length	68
	Identification	0xcd73
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	43231
	Destination Port	443
	Sequence / Ack	Seq: 32, Ack: 1
	Header Length	20
	Window Size	252
	Checksum / Status	0x3493 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 2.934261000, Δ: 2.875887000

Frame 44: 216.58.203.42 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	10.737631000 s
	Length	159 bytes
	Captured Length	159 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	216.58.203.42
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	145
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 54, Proto: 17

Frame 45: 192.168.29.48 → 216.58.203.42

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	10.766629000 s
	Length	74 bytes
	Captured Length	74 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	216.58.203.42
	Version	4
	Header Length	20
	Total Length	60
	Identification	0x4d48
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Category	Field	Value
Frame	Time (Relative)	10.794209000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.65.193
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xabf5
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 44, Proto: 6
TCP	Source Port	443
	Destination Port	43231
	Sequence / Ack	Seq: 1, Ack: 60
	Header Length	20
	Window Size	544
	Checksum / Status	0x8fb6 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 2.994263000, Δ: 0.060002000

Category	Field	Value
Frame	Time (Relative)	11.671688000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.65.193
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0xabf6
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 44, Proto: 6
TCP	Source Port	443
	Destination Port	43231
	Sequence / Ack	Seq: 1, Ack: 60
	Header Length	20
	Window Size	544
	Checksum / Status	0x76d0 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 3.871742000, Δ: 0.877479000

Category	Field	Value
Frame	Time (Relative)	11.671688000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.65.193
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0xabf7
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 44, Proto: 6
TCP	Source Port	443
	Destination Port	43231
	Sequence / Ack	Seq: 1, Ack: 60
	Header Length	20
	Window Size	544
	Checksum / Status	0x76d0 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 3.871742000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	11.674116000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.195.65.193
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xcd74
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	43231
	Destination Port	443
	Sequence / Ack	Seq: 60, Ack: 28
	Header Length	32
	Window Size	252
	Checksum / Status	0x3483 (status: 2)
	Flags	0x0010
	Options	01:01:05:0a:6b:54:0c:31:6b:54:0c:4c
	Timing	Rel: 3.874170000, Δ: 0.002428000

Frame 50: 192.168.29.48 → 192.168.29.1

Eth:ethertype:ip:udp:dns

Category	Field	Value
Frame	Time (Relative)	12.111297000 s
	Length	98 bytes
	Captured Length	98 bytes
	Protocols	eth:ethertype:ip:udp:dns
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.1
	Version	4
	Header Length	20
	Total Length	84
	Identification	0x2ff8
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Generated by NetShieldAI Reporting Engine