

NetShieldAI™

Network Assessment Report

Nmap Scanner

Host and service enumeration using Nmap with version and vulnerability insights.

|                            |                                   |                    |
|----------------------------|-----------------------------------|--------------------|
| TARGET IP:<br>192.168.29.1 | SCAN DATE:<br>2025-12-31 14:45:22 | HOST STATUS:<br>Up |
|----------------------------|-----------------------------------|--------------------|

Scan Overview

|                                          |                                               |
|------------------------------------------|-----------------------------------------------|
| OPEN PORTS<br>5                          | DETECTED VULNERABLE SERVICES<br>None detected |
| OS FINGERPRINT<br>Unknown / Not Detected |                                               |

| Metric              | Details                                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Scan Arguments      | nmap -T4 -sS --top-ports 1000 -sV -Pn -oG D:\\NetShieldAI\\Services\\results\\Admin_1\\network_scanner\\scan_result_tcp.txt 192.168.29.1 |
| Open Ports Found    | 5                                                                                                                                        |
| Vulnerable Services | NONE DETECTED                                                                                                                            |

Risk Badge Legend

| Badge               | Meaning                                                                |
|---------------------|------------------------------------------------------------------------|
| VULNERABILITY FOUND | Known or suspected vulnerability data is associated with this service. |
| EXPOSED SERVICE     | Open and reachable service, no vulnerability data attached.            |
| INFORMATIONAL       | Low-risk or internal-facing service information.                       |

# Detected Open Ports & Services

Each card below represents one exposed service discovered by Nmap, including protocol, version details, and any associated vulnerability notes or CPE identifiers.

Port 80 / TCP – HTTP

EXPOSED SERVICE

| Attribute      | Value                  |
|----------------|------------------------|
| State          | Open                   |
| Protocol       | TCP                    |
| Service Name   | http                   |
| Local Process  | No listening PID found |
| CPE Identifier | Not reported           |

Service Version Fingerprint:

lighttpd

Port 443 / TCP – SSL|HTTP

EXPOSED SERVICE

| Attribute      | Value                  |
|----------------|------------------------|
| State          | Open                   |
| Protocol       | TCP                    |
| Service Name   | ssl http               |
| Local Process  | No listening PID found |
| CPE Identifier | Not reported           |

Service Version Fingerprint:

lighttpd

Port 1900 / TCP – UPNP

EXPOSED SERVICE

| Attribute      | Value                  |
|----------------|------------------------|
| State          | Open                   |
| Protocol       | TCP                    |
| Service Name   | upnp                   |
| Local Process  | No listening PID found |
| CPE Identifier | Not reported           |

**Port 7443 / TCP – SSL|ORACLEAS-HTTPS?****EXPOSED SERVICE**

| Attribute      | Value                  |
|----------------|------------------------|
| State          | Open                   |
| Protocol       | TCP                    |
| Service Name   | ssl oracleas-https?    |
| Local Process  | No listening PID found |
| CPE Identifier | Not reported           |

**Port 8080 / TCP – HTTP-PROXY****EXPOSED SERVICE**

| Attribute      | Value                  |
|----------------|------------------------|
| State          | Open                   |
| Protocol       | TCP                    |
| Service Name   | http-proxy             |
| Local Process  | No listening PID found |
| CPE Identifier | Not reported           |

**Service Version Fingerprint:**

JC04032|JUICEJFV-1.3.31

---

## Raw Scan Output Summary

---

This is a condensed view of the original Nmap output, preserved for reference and validation of the parsed results shown above.

```
# Nmap 7.97 scan initiated Wed Dec 31 14:44:06 2025 as: nmap -T4 -sS --top-ports 1000 -sV -Pn -oG D:\\NetShieldAI\\Services\\
\\results\\Admin_1\\network_scanner\\scan_result_tcp.txt 192.168.29.1
Host: 192.168.29.1 (reliance.reliance) Status: Up
Host: 192.168.29.1 (reliance.reliance) Ports: 80/open/tcp//http//lighttpd/, 443/open/tcp//ssl|http//lighttpd/, 1900/open/tcp//upnp//,
2869/closed/tcp//iclap//, 7443/open/tcp//ssl|oracleas-https?//, 8002/closed/tcp//teradataordbms//, 8080/open/tcp//http-proxy//
JCO4032|JUICEJFV-1.3.31/, 8200/closed/tcp//trivnet1//, 8443/open/tcp//ssl|https-alt?// Ignored State: filtered (991)
# Nmap done at Wed Dec 31 14:45:21 2025 -- 1 IP address (1 host up) scanned in 75.15 seconds
```

Generated by NetShieldAI Reporting Engine