

NetShieldAI™

Network Assessment Report

Packet Sniffer Analysis (TShark)

TARGET IP 192.168.25.48	CAPTURE START TIME 2025-12-31T09:16:02Z	OVERALL STATUS Success	PACKETS ANALYZED 100	ANALYSIS TIME 2.51 s
----------------------------	--	---------------------------	-------------------------	-------------------------

Traffic Summary

Overview of the captured network activity, including total packets, bytes, capture duration, and average transfer rate.

Metric	Details
Capture Status	Success
Total Packets Captured	368
Total Bytes Transferred	159.69 KB (163526 bytes)
Effective Capture Duration	9.29 s
Average Rate	17598.59 bps

Protocol Hierarchy & TCP Conversation Summary

This section shows how traffic is organized across protocols and summarizes the TCP conversation statistics from the capture.

Protocol Hierarchy (Tabular View)

TShark SUMMARY

Line	Content
1	1 0.000000 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
2	2 0.005746 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
3	3 0.046321 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=111 Ack=111 Win=253 Len=0
4	4 0.690553 52.182.143.210 → 192.168.29.48 TCP 54 443 → 57408 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
5	5 0.782279 172.64.148.235 → 192.168.29.48 TLSv1.2 78 Application Data
6	6 0.782978 192.168.29.48 → 172.64.148.235 TLSv1.2 82 Application Data
7	7 0.788517 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=25 Ack=29 Win=19 Len=0
8	8 1.919323 142.250.206.46 → 192.168.29.48 TLSv1.2 127 Application Data
9	9 1.920958 192.168.29.48 → 142.250.206.46 TCP 54 2027 → 443 [FIN, ACK] Seq=1 Ack=74 Win=255 Len=0
10	10 1.944609 142.250.206.46 → 192.168.29.48 TCP 54 443 → 2027 [FIN, ACK] Seq=74 Ack=2 Win=1045 Len=0
11	11 1.944787 192.168.29.48 → 142.250.206.46 TCP 54 2027 → 443 [ACK] Seq=2 Ack=75 Win=255 Len=0
12	12 1.966516 192.168.29.1 → 192.168.29.48 ECHO 43 Request
13	13 2.254539 192.168.29.48 → 142.250.192.110 UDP 1288 52801 → 443 Len=1246
14	14 2.254672 192.168.29.48 → 142.250.192.110 UDP 869 52801 → 443 Len=827
15	15 2.263929 142.250.192.110 → 192.168.29.48 UDP 69 443 → 52801 Len=27
16	16 2.291730 192.168.29.48 → 142.250.192.110 UDP 74 52801 → 443 Len=32
17	17 2.431157 142.250.192.110 → 192.168.29.48 UDP 492 443 → 52801 Len=450
18	18 2.431157 142.250.192.110 → 192.168.29.48 UDP 76 443 → 52801 Len=34
19	19 2.431157 142.250.192.110 → 192.168.29.48 UDP 103 443 → 52801 Len=61
20	20 2.432762 192.168.29.48 → 142.250.192.110 UDP 77 52801 → 443 Len=35
21	21 2.463504 142.250.192.110 → 192.168.29.48 UDP 70 443 → 52801 Len=28
22	22 2.464584 192.168.29.48 → 142.250.192.110 UDP 75 52801 → 443 Len=33
23	23 2.843387 192.168.29.48 → 74.125.200.188 TCP 55 34121 → 5228 [ACK] Seq=1 Ack=1 Win=253 Len=1
24	24 2.908918 74.125.200.188 → 192.168.29.48 TCP 70 5228 → 34121 [ACK] Seq=1 Ack=2 Win=1046 Len=0 SLE=1 SRE=2
25	25 3.190813 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
26	26 3.303237 192.168.29.48 → 52.123.129.14 TCP 66 38573 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
27	27 3.312990 52.123.129.14 → 192.168.29.48 TCP 66 443 → 38573 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
28	28 3.313163 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=1 Ack=1 Win=262144 Len=0
29	29 3.315654 192.168.29.48 → 52.123.129.14 TLSv1.2 500 Client Hello (SNI=ecs.office.com)
30	30 3.323666 52.123.129.14 → 192.168.29.48 TCP 54 443 → 38573 [ACK] Seq=1 Ack=447 Win=12583168 Len=0
31	31 3.326208 52.123.129.14 → 192.168.29.48 TLSv1.3 1514 Server Hello, Change Cipher Spec
32	32 3.326208 52.123.129.14 → 192.168.29.48 TCP 1514 443 → 38573 [ACK] Seq=1461 Ack=447 Win=12583168 Len=1460
33	33 3.326208 52.123.129.14 → 192.168.29.48 TCP 1514 443 → 38573 [ACK] Seq=2921 Ack=447 Win=12583168 Len=1460
34	34 3.326208 52.123.129.14 → 192.168.29.48 TCP 1514 443 → 38573 [ACK] Seq=4381 Ack=447 Win=12583168 Len=1460
35	35 3.326208 52.123.129.14 → 192.168.29.48 TLSv1.3 268 Application Data
36	36 3.326403 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=1461 Win=262144 Len=0
37	37 3.326486 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=2921 Win=262144 Len=0

Line	Content
38	38 3.326520 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=4381 Win=262144 Len=0
39	39 3.326543 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=5841 Win=262144 Len=0
40	40 3.326567 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=6055 Win=261888 Len=0
41	41 3.334598 192.168.29.48 → 52.123.129.14 TLSv1.3 134 Change Cipher Spec, Application Data
42	42 3.334953 192.168.29.48 → 52.123.129.14 TLSv1.3 688 Application Data
43	43 3.343056 52.123.129.14 → 192.168.29.48 TCP 54 443 → 38573 [ACK] Seq=6055 Ack=527 Win=12583168 Len=0
44	44 3.343056 52.123.129.14 → 192.168.29.48 TLSv1.3 513 Application Data
45	45 3.343196 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=1161 Ack=6514 Win=261376 Len=0
46	46 3.345380 52.123.129.14 → 192.168.29.48 TCP 54 443 → 38573 [ACK] Seq=6514 Ack=1161 Win=12582400 Len=0
47	47 3.355944 52.123.129.14 → 192.168.29.48 TLSv1.3 945 Application Data
48	48 3.356059 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=1161 Ack=7405 Win=262144 Len=0
49	49 3.549870 192.168.29.48 → 192.168.29.1 DNS 92 Standard query 0x36e4 HTTPS mobile.events.data.microsoft.com
50	50 3.550603 192.168.29.48 → 192.168.29.1 DNS 92 Standard query 0xff13 A mobile.events.data.microsoft.com
51	51 3.556748 192.168.29.1 → 192.168.29.48 DNS 271 Standard query response 0x36e4 HTTPS mobile.events.data.microsoft.com CNAME mobile.events.data.trafficmanager.net CNAME onedscolprdae03.australiaeast.cloudapp.azure.com SOA ns1-201.azure-dns.com
52	52 3.557122 192.168.29.1 → 192.168.29.48 DNS 219 Standard query response 0xff13 A mobile.events.data.microsoft.com CNAME mobile.events.data.trafficmanager.net CNAME onedscolprdae03.australiaeast.cloudapp.azure.com A 40.79.173.41
53	53 3.558561 192.168.29.48 → 40.79.173.41 TCP 66 26478 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
54	54 3.762062 40.79.173.41 → 192.168.29.48 TCP 66 443 → 26478 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
55	55 3.762330 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
56	56 3.764038 192.168.29.48 → 40.79.173.41 TLSv1.2 1923 Client Hello (SNI=mobile.events.data.microsoft.com)
57	57 3.966934 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=1 Ack=1870 Win=4194560 Len=0
58	58 3.966934 40.79.173.41 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
59	59 3.969669 192.168.29.48 → 40.79.173.41 TLSv1.3 769 Change Cipher Spec, Client Hello (SNI=mobile.events.data.microsoft.com)
60	60 4.173398 40.79.173.41 → 192.168.29.48 TLSv1.3 1514 Server Hello
61	61 4.173398 40.79.173.41 → 192.168.29.48 TCP 1514 443 → 26478 [ACK] Seq=1560 Ack=2585 Win=4193792 Len=1460
62	62 4.173398 40.79.173.41 → 192.168.29.48 TCP 1514 443 → 26478 [ACK] Seq=3020 Ack=2585 Win=4193792 Len=1460
63	63 4.173398 40.79.173.41 → 192.168.29.48 TCP 1514 443 → 26478 [ACK] Seq=4480 Ack=2585 Win=4193792 Len=1460
64	64 4.173398 40.79.173.41 → 192.168.29.48 TLSv1.3 581 Application Data
65	65 4.173821 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=2585 Ack=3020 Win=65280 Len=0
66	66 4.173972 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=2585 Ack=5940 Win=65280 Len=0
67	67 4.181088 192.168.29.48 → 40.79.173.41 TLSv1.3 128 Application Data
68	68 4.181733 192.168.29.48 → 40.79.173.41 TLSv1.3 146 Application Data
69	69 4.182342 192.168.29.48 → 40.79.173.41 TLSv1.3 545 Application Data
70	70 4.182511 192.168.29.48 → 40.79.173.41 TLSv1.3 6004 Application Data
71	71 4.376423 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=6467 Ack=3242 Win=4193024 Len=0
72	72 4.376423 40.79.173.41 → 192.168.29.48 TLSv1.3 157 Application Data
73	73 4.376423 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=6570 Ack=6122 Win=4194560 Len=0
74	74 4.376423 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=6570 Ack=9192 Win=4194560 Len=0

Line	Content
75	75 4.376423 40.79.173.41 → 192.168.29.48 TLSv1.3 116 Application Data
76	76 4.376768 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=9192 Ack=6632 Win=64768 Len=0
77	77 4.377102 192.168.29.48 → 40.79.173.41 TLSv1.3 85 Application Data
78	78 4.437452 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
79	79 4.482594 192.168.29.48 → 20.195.84.7 TCP 54 57676 → 443 [ACK] Seq=1 Ack=28 Win=254 Len=0
80	80 4.521664 40.79.173.41 → 192.168.29.48 TLSv1.3 366 Application Data, Application Data
81	81 4.576447 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=9223 Ack=6944 Win=64512 Len=0
82	82 5.021511 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
83	83 5.027735 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
84	84 5.068899 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=221 Ack=221 Win=252 Len=0
85	85 5.193077 192.168.29.48 → 20.195.84.7 TLSv1.2 82 Application Data
86	86 5.251821 20.195.84.7 → 192.168.29.48 TCP 54 443 → 57676 [ACK] Seq=28 Ack=29 Win=658 Len=0
87	87 8.805759 192.168.29.48 → 13.107.213.72 SSL 55
88	88 8.808107 13.107.213.72 → 192.168.29.48 TLSv1.2 93 Application Data
89	89 8.808107 13.107.213.72 → 192.168.29.48 TLSv1.2 78 Application Data
90	90 8.808107 13.107.213.72 → 192.168.29.48 TCP 54 443 → 20948 [FIN, ACK] Seq=64 Ack=2 Win=103 Len=0
91	91 8.808107 13.107.213.72 → 192.168.29.48 TCP 54 [TCP Retransmission] 443 → 20948 [FIN, ACK] Seq=64 Ack=2 Win=103 Len=0
92	92 8.808316 192.168.29.48 → 13.107.213.72 TCP 54 20948 → 443 [ACK] Seq=2 Ack=64 Win=252 Len=0
93	93 8.808374 192.168.29.48 → 13.107.213.72 TCP 54 20948 → 443 [ACK] Seq=2 Ack=65 Win=252 Len=0
94	94 8.808404 192.168.29.48 → 13.107.213.72 TCP 54 [TCP Dup ACK 93#1] 20948 → 443 [ACK] Seq=2 Ack=65 Win=252 Len=0
95	95 8.809620 192.168.29.48 → 13.107.213.72 TCP 54 20948 → 443 [FIN, ACK] Seq=2 Ack=65 Win=252 Len=0
96	96 8.817741 13.107.213.72 → 192.168.29.48 TCP 66 [TCP Dup ACK 88#1] 443 → 20948 [ACK] Seq=65 Ack=2 Win=103 Len=0 SLE=1 SRE=2
97	97 8.817741 13.107.213.72 → 192.168.29.48 TCP 54 443 → 20948 [ACK] Seq=65 Ack=3 Win=103 Len=0
98	98 9.000994 192.168.29.48 → 140.82.112.22 TCP 66 26489 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
99	99 9.291762 140.82.112.22 → 192.168.29.48 TCP 66 443 → 26489 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
100	100 9.291995 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
101	101 9.292563 192.168.29.48 → 140.82.112.22 TLSv1.2 571 Client Hello (SNI=telemetry.individual.githubcopilot.com)
102	102 9.600832 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
103	103 9.600832 140.82.112.22 → 192.168.29.48 TCP 1490 443 → 26489 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
104	104 9.600832 140.82.112.22 → 192.168.29.48 TCP 1278 443 → 26489 [PSH, ACK] Seq=2873 Ack=518 Win=67584 Len=1224
105	105 9.600832 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Application Data
106	106 9.600832 140.82.112.22 → 192.168.29.48 TLSv1.3 200 Application Data, Application Data
107	107 9.601413 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
108	108 9.601645 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=518 Ack=5533 Win=65280 Len=0
109	109 9.605639 192.168.29.48 → 140.82.112.22 TLSv1.3 14414 Change Cipher Spec, Application Data
110	110 9.906346 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5679 Ack=9134 Win=83968 Len=0
111	111 9.906346 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5679 Ack=13442 Win=93184 Len=0
112	112 9.906346 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data

Line	Content
113	113 9.906346 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data
114	114 9.906346 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=96256 Len=0
115	115 9.906604 192.168.29.48 → 140.82.112.22 TLSv1.3 8127 Application Data, Application Data
116	116 9.906627 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=22951 Ack=5837 Win=65024 Len=0
117	117 9.954065 192.168.29.48 → 104.26.2.143 SSL 55
118	118 9.990248 104.26.2.143 → 192.168.29.48 TCP 66 443 → 3772 [ACK] Seq=1 Ack=2 Win=17 Len=0 SLE=1 SRE=2
119	119 10.032322 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
120	120 10.037049 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
121	121 10.079691 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=331 Ack=331 Win=252 Len=0
122	122 10.104580 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#1] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=101376 Len=0 SLE=16314 SRE=19186
123	123 10.104580 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#2] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=104448 Len=0 SLE=16314 SRE=20622
124	124 10.107453 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#3] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=107520 Len=0 SLE=16314 SRE=22058
125	125 10.107453 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#4] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=110592 Len=0 SLE=16314 SRE=22951
126	126 10.107589 192.168.29.48 → 140.82.112.22 TCP 1490 [TCP Fast Retransmission] 26489 → 443 [ACK] Seq=14878 Ack=5837 Win=65024 Len=1436 [TCP PDU reassembled in 115]
127	127 10.315793 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5837 Ack=22951 Win=112640 Len=0
128	128 10.320085 192.168.29.48 → 20.195.84.7 TLSv1.2 85 Application Data
129	129 10.367022 140.82.112.22 → 192.168.29.48 TLSv1.3 549 Application Data
130	130 10.367022 140.82.112.22 → 192.168.29.48 TLSv1.3 78 Application Data
131	131 10.367392 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=22951 Ack=6357 Win=64512 Len=0
132	132 10.368183 192.168.29.48 → 140.82.112.22 TLSv1.3 78 Application Data
133	133 10.368594 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [FIN, ACK] Seq=22975 Ack=6357 Win=64512 Len=0
134	134 10.376905 20.195.84.7 → 192.168.29.48 TCP 54 443 → 57676 [ACK] Seq=28 Ack=60 Win=658 Len=0
135	135 10.624341 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [RST] Seq=6357 Win=0 Len=0
136	136 10.624502 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [RST] Seq=6357 Win=0 Len=0
137	137 11.602845 192.168.29.48 → 172.217.26.42 UDP 71 63580 → 443 Len=29
138	138 11.642173 172.217.26.42 → 192.168.29.48 UDP 67 443 → 63580 Len=25
139	139 13.126529 192.168.29.48 → 172.253.144.188 TCP 55 16275 → 5228 [ACK] Seq=1 Ack=1 Win=253 Len=1
140	140 13.192227 172.253.144.188 → 192.168.29.48 TCP 66 5228 → 16275 [ACK] Seq=1 Ack=2 Win=1047 Len=0 SLE=1 SRE=2
141	141 13.797917 142.250.193.132 → 192.168.29.48 UDP 119 443 → 60520 Len=73
142	142 14.010747 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=0fc53b5ff6a4c7ba, PKN: 1, CRYPTO, PING, PING, PING, PING, CRYPTO, CRYPTO, CRYPTO, CRYPTO
143	143 14.011032 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=0fc53b5ff6a4c7ba, PKN: 2, PING, CRYPTO, CRYPTO, PADDING, CRYPTO, PING
144	144 14.011547 192.168.29.48 → 142.250.192.196 QUIC 119 0-RTT, DCID=0fc53b5ff6a4c7ba
145	145 14.044946 142.250.192.196 → 192.168.29.48 QUIC 82 Initial, SCID=efc53b5ff6a4c7ba, PKN: 1, ACK
146	146 14.044946 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=efc53b5ff6a4c7ba, PKN: 2, ACK, PADDING
147	147 14.047309 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=efc53b5ff6a4c7ba, PKN: 3, CRYPTO, PADDING
148	148 14.047309 142.250.192.196 → 192.168.29.48 QUIC 338 Protected Payload (KP0)
149	149 14.047309 142.250.192.196 → 192.168.29.48 QUIC 996 Protected Payload (KP0)

Line	Content
150	150 14.047309 142.250.192.196 → 192.168.29.48 QUIC 111 Protected Payload (KP0)
151	151 14.048256 192.168.29.48 → 142.250.192.196 QUIC 149 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
152	152 14.048444 192.168.29.48 → 142.250.192.196 QUIC 73 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
153	153 14.069443 142.250.192.196 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
154	154 14.079778 142.250.192.196 → 192.168.29.48 QUIC 162 Protected Payload (KP0)
155	155 14.080306 192.168.29.48 → 142.250.192.196 QUIC 73 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
156	156 14.105021 142.250.192.196 → 192.168.29.48 QUIC 68 Protected Payload (KP0)
157	157 14.671732 192.168.29.48 → 142.250.207.170 UDP 71 58829 → 443 Len=29
158	158 14.683488 142.250.207.170 → 192.168.29.48 UDP 67 443 → 58829 Len=25
159	159 14.966375 192.168.29.48 → 142.250.206.46 SSL 55
160	160 15.004503 142.250.206.46 → 192.168.29.48 TCP 66 443 → 25447 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
161	161 15.044518 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
162	162 15.051650 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
163	163 15.106979 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=441 Ack=441 Win=252 Len=0
164	164 15.691165 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
165	165 16.569994 192.168.29.48 → 140.82.112.22 TCP 66 26508 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
166	166 16.631984 172.217.26.42 → 192.168.29.48 UDP 160 443 → 63580 Len=118
167	167 16.651475 192.168.29.48 → 172.217.26.42 UDP 75 63580 → 443 Len=33
168	168 16.682370 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
169	169 16.871222 140.82.112.22 → 192.168.29.48 TCP 66 443 → 26508 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
170	170 16.871466 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
171	171 16.872181 192.168.29.48 → 140.82.112.22 TLSv1.2 571 Client Hello (SNI=telemetry.individual.githubcopilot.com)
172	172 17.176864 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
173	173 17.176864 140.82.112.22 → 192.168.29.48 TCP 1490 443 → 26508 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
174	174 17.176864 140.82.112.22 → 192.168.29.48 TCP 1278 443 → 26508 [PSH, ACK] Seq=2873 Ack=518 Win=67584 Len=1224
175	175 17.176864 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Application Data
176	176 17.176864 140.82.112.22 → 192.168.29.48 TLSv1.3 200 Application Data, Application Data
177	177 17.177308 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
178	178 17.177508 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=518 Ack=5533 Win=65280 Len=0
179	179 17.181691 192.168.29.48 → 140.82.112.22 TLSv1.3 3572 Change Cipher Spec, Application Data, Application Data
180	180 17.484333 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [ACK] Seq=5679 Ack=4036 Win=73728 Len=0
181	181 17.484333 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data
182	182 17.484333 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data
183	183 17.485015 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=4036 Ack=5837 Win=65024 Len=0
184	184 17.790941 140.82.112.22 → 192.168.29.48 TLSv1.3 643 Application Data
185	185 17.790941 140.82.112.22 → 192.168.29.48 TLSv1.3 78 Application Data
186	186 17.790941 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [FIN, ACK] Seq=6450 Ack=4036 Win=73728 Len=0
187	187 17.791222 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=4036 Ack=6450 Win=64512 Len=0
188	188 17.791354 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=4036 Ack=6451 Win=64512 Len=0

Line	Content
189	189 17.792187 192.168.29.48 → 140.82.112.22 TLSv1.3 78 Application Data
190	190 17.792566 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [FIN, ACK] Seq=4060 Ack=6451 Win=64512 Len=0
191	191 18.098381 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [RST] Seq=6451 Win=0 Len=0
192	192 18.098381 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [RST] Seq=6451 Win=0 Len=0
193	193 19.941418 142.250.207.170 → 192.168.29.48 UDP 160 443 → 58829 Len=118
194	194 19.941521 142.250.207.170 → 192.168.29.48 UDP 160 443 → 58829 Len=118
195	195 19.941838 192.168.29.48 → 142.250.207.170 UDP 76 58829 → 443 Len=34
196	196 20.066599 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
197	197 20.072094 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
198	198 20.127093 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=551 Ack=551 Win=251 Len=0
199	199 20.453429 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
200	200 20.504608 192.168.29.48 → 20.195.84.7 TCP 54 57676 → 443 [ACK] Seq=60 Ack=55 Win=254 Len=0
201	201 20.678412 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
202	202 20.759789 ServercomPri_5d:b8:56 → Broadcast ARP 42 Who has 192.168.29.48? Tell 192.168.29.1
203	203 20.759834 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
204	204 20.777814 172.64.148.235 → 192.168.29.48 TLSv1.2 78 Application Data
205	205 20.778294 192.168.29.48 → 172.64.148.235 TLSv1.2 82 Application Data
206	206 20.783725 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=49 Ack=57 Win=19 Len=0
207	207 21.213638 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xec0f HTTPS www.google.com
208	208 21.214114 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xff9d A www.google.com
209	209 21.214761 192.168.29.48 → 142.250.192.196 QUIC 71 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
210	210 21.221529 192.168.29.1 → 192.168.29.48 DNS 90 Standard query response 0xff9d A www.google.com A 142.250.192.196
211	211 21.222056 192.168.29.1 → 192.168.29.48 DNS 99 Standard query response 0xec0f HTTPS www.google.com HTTPS
212	212 21.224516 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=bfd4381e9e7ff9, PKN: 1, CRYPTO, CRYPTO, PING, CRYPTO, CRYPTO, CRYPTO, PING, CRYPTO
213	213 21.224705 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=bfd4381e9e7ff9, PKN: 2, PING, CRYPTO, CRYPTO, CRYPTO, CRYPTO
214	214 21.225049 192.168.29.48 → 142.250.192.196 QUIC 121 0-RTT, DCID=bfd4381e9e7ff9
215	215 21.251870 142.250.192.196 → 192.168.29.48 QUIC 67 Protected Payload (KP0)
216	216 21.254755 142.250.192.196 → 192.168.29.48 QUIC 82 Initial, SCID=ffd4381e9e7ff9, PKN: 1, ACK
217	217 21.254755 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=ffd4381e9e7ff9, PKN: 2, ACK, PADDING
218	218 21.255538 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=ffd4381e9e7ff9, PKN: 3, CRYPTO, PADDING
219	219 21.261956 142.250.192.196 → 192.168.29.48 QUIC 1292 Handshake, SCID=ffd4381e9e7ff9
220	220 21.261956 142.250.192.196 → 192.168.29.48 QUIC 1292 Handshake, SCID=ffd4381e9e7ff9
221	221 21.261956 142.250.192.196 → 192.168.29.48 QUIC 1292 Handshake, SCID=ffd4381e9e7ff9
222	222 21.261956 142.250.192.196 → 192.168.29.48 QUIC 884 Protected Payload (KP0)
223	223 21.262055 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=ffd4381e9e7ff9, PKN: 4, ACK, PADDING
224	224 21.262616 192.168.29.48 → 142.250.192.196 QUIC 81 Handshake, DCID=ffd4381e9e7ff9
225	225 21.263803 192.168.29.48 → 142.250.192.196 QUIC 160 Protected Payload (KP0), DCID=ffd4381e9e7ff9
226	226 21.263910 192.168.29.48 → 142.250.192.196 QUIC 119 Protected Payload (KP0), DCID=ffd4381e9e7ff9
227	227 21.289046 192.168.29.48 → 172.64.148.235 TLSv1.2 144 Application Data

Line	Content
228	228 21.291572 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=ffdfb4381e9e7ff9, PKN: 10, CRYPTO, PADDING
229	229 21.299648 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=49 Ack=147 Win=19 Len=0
230	230 21.299648 142.250.192.196 → 192.168.29.48 QUIC 1042 Protected Payload (KP0)
231	231 21.299648 142.250.192.196 → 192.168.29.48 QUIC 163 Protected Payload (KP0)
232	232 21.299648 142.250.192.196 → 192.168.29.48 QUIC 65 Protected Payload (KP0)
233	233 21.301176 192.168.29.48 → 142.250.192.196 QUIC 75 Protected Payload (KP0), DCID=ffdfb4381e9e7ff9
234	234 21.301639 192.168.29.48 → 142.250.192.196 QUIC 75 Protected Payload (KP0), DCID=ffdfb4381e9e7ff9
235	235 21.321057 192.168.29.48 → 192.168.29.1 DNS 71 Standard query 0x5667 HTTPS chatgpt.com
236	236 21.321830 192.168.29.48 → 192.168.29.1 DNS 71 Standard query 0x2496 A chatgpt.com
237	237 21.328165 192.168.29.1 → 192.168.29.48 DNS 132 Standard query response 0x5667 HTTPS chatgpt.com SOA hassan.ns.cloudflare.com
238	238 21.328532 192.168.29.1 → 192.168.29.48 DNS 103 Standard query response 0x2496 A chatgpt.com A 172.64.155.209 A 104.18.32.47
239	239 21.329966 192.168.29.48 → 172.64.155.209 TCP 66 32660 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
240	240 21.341829 172.64.155.209 → 192.168.29.48 TCP 66 443 → 32660 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1400 SACK_PERM WS=8192
241	241 21.342028 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
242	242 21.342752 192.168.29.48 → 172.64.155.209 TLSv1.2 2046 Client Hello (SNI=chatgpt.com)
243	243 21.348865 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=1 Ack=1401 Win=139264 Len=0
244	244 21.350745 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=1 Ack=1993 Win=139264 Len=0
245	245 21.351880 172.64.155.209 → 192.168.29.48 TLSv1.3 1514 Server Hello, Change Cipher Spec
246	246 21.351880 172.64.155.209 → 192.168.29.48 TCP 1514 443 → 32660 [ACK] Seq=1461 Ack=1993 Win=139264 Len=1460
247	247 21.351880 172.64.155.209 → 192.168.29.48 TLSv1.3 618 Application Data
248	248 21.352072 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=1993 Ack=3485 Win=65280 Len=0
249	249 21.353114 192.168.29.48 → 172.64.155.209 TLSv1.3 118 Change Cipher Spec, Application Data
250	250 21.353492 192.168.29.48 → 172.64.155.209 TLSv1.3 146 Application Data
251	251 21.354566 192.168.29.48 → 172.64.155.209 TLSv1.3 6728 Application Data
252	252 21.354936 192.168.29.48 → 172.64.155.209 TLSv1.3 189 Application Data
253	253 21.355356 192.168.29.48 → 172.64.155.209 TLSv1.3 6747 Application Data
254	254 21.356889 192.168.29.48 → 172.64.155.209 TLSv1.3 185 Application Data
255	255 21.358320 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=3485 Ack=2149 Win=139264 Len=0
256	256 21.358320 172.64.155.209 → 192.168.29.48 TLSv1.3 591 Application Data, Application Data
257	257 21.358825 192.168.29.48 → 172.64.155.209 TLSv1.3 85 Application Data
258	258 21.360628 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=4022 Ack=8823 Win=155648 Len=0
259	259 21.367545 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=4022 Ack=15651 Win=155648 Len=0
260	260 21.367545 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=4022 Ack=15813 Win=155648 Len=0
261	261 21.422996 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0x1a76 HTTPS ab.chatgpt.com
262	262 21.423304 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xc7ba A ab.chatgpt.com
263	263 21.429462 192.168.29.1 → 192.168.29.48 DNS 106 Standard query response 0xc7ba A ab.chatgpt.com A 104.18.32.47 A 172.64.155.209
264	264 21.429851 192.168.29.1 → 192.168.29.48 DNS 135 Standard query response 0x1a76 HTTPS ab.chatgpt.com SOA hassan.ns.cloudflare.com

Line	Content
265	265 21.430742 192.168.29.48 → 104.18.32.47 TCP 66 55733 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
266	266 21.436378 104.18.32.47 → 192.168.29.48 TCP 66 443 → 55733 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1400 SACK_PERM WS=8192
267	267 21.436643 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
268	268 21.437377 192.168.29.48 → 104.18.32.47 TLSv1.2 2113 Client Hello (SNI=ab.chatgpt.com)
269	269 21.444371 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=1 Ack=2060 Win=139264 Len=0
270	270 21.446905 104.18.32.47 → 192.168.29.48 TLSv1.3 1514 Server Hello, Change Cipher Spec
271	271 21.446905 104.18.32.47 → 192.168.29.48 TCP 1514 443 → 55733 [ACK] Seq=1461 Ack=2060 Win=139264 Len=1460
272	272 21.446905 104.18.32.47 → 192.168.29.48 TLSv1.3 616 Application Data
273	273 21.447281 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=2060 Ack=2921 Win=65280 Len=0
274	274 21.448591 192.168.29.48 → 104.18.32.47 TLSv1.3 118 Change Cipher Spec, Application Data
275	275 21.449047 192.168.29.48 → 104.18.32.47 TLSv1.3 146 Application Data
276	276 21.449313 192.168.29.48 → 104.18.32.47 TLSv1.3 566 Application Data
277	277 21.449388 192.168.29.48 → 104.18.32.47 TLSv1.3 2365 Application Data
278	278 21.456251 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=3483 Ack=2216 Win=139264 Len=0
279	279 21.456251 104.18.32.47 → 192.168.29.48 TLSv1.3 591 Application Data, Application Data
280	280 21.456251 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=4020 Ack=5039 Win=147456 Len=0
281	281 21.456711 192.168.29.48 → 104.18.32.47 TLSv1.3 85 Application Data
282	282 21.503909 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=4020 Ack=5070 Win=147456 Len=0
283	283 21.536273 172.64.148.235 → 192.168.29.48 TLSv1.2 133 Application Data
284	284 21.538486 104.18.32.47 → 192.168.29.48 TLSv1.3 955 Application Data
285	285 21.538486 104.18.32.47 → 192.168.29.48 TLSv1.3 101 Application Data
286	286 21.538486 104.18.32.47 → 192.168.29.48 TLSv1.3 85 Application Data
287	287 21.538751 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=5070 Ack=4968 Win=65280 Len=0
288	288 21.542992 192.168.29.48 → 192.168.29.1 DNS 80 Standard query 0xfd4d HTTPS beacons.gcp.gvt2.com
289	289 21.543428 192.168.29.48 → 192.168.29.1 DNS 80 Standard query 0x5720 A beacons.gcp.gvt2.com
290	290 21.549446 192.168.29.1 → 192.168.29.48 DNS 126 Standard query response 0x5720 A beacons.gcp.gvt2.com CNAME beacons-handoff.gcp.gvt2.com A 142.250.118.94
291	291 21.549965 192.168.29.1 → 192.168.29.48 DNS 167 Standard query response 0xfd4d HTTPS beacons.gcp.gvt2.com CNAME beacons-handoff.gcp.gvt2.com SOA ns1.google.com
292	292 21.551950 192.168.29.48 → 142.250.118.94 QUIC 1292 Initial, DCID=7c249d169227ac98, PKN: 1, CRYPTO, CRYPTO, CRYPTO, CRYPTO, CRYPTO, PING, CRYPTO, PING, PING, CRYPTO, CRYPTO, PING
293	293 21.552160 192.168.29.48 → 142.250.118.94 QUIC 1292 Initial, DCID=7c249d169227ac98, PKN: 2, CRYPTO, CRYPTO, PING, PING, CRYPTO, PING, CRYPTO, CRYPTO, PING
294	294 21.552532 192.168.29.48 → 142.250.118.94 QUIC 121 0-RTT, DCID=7c249d169227ac98
295	295 21.577042 192.168.29.48 → 172.64.148.235 TCP 54 55124 → 443 [ACK] Seq=147 Ack=128 Win=254 Len=0
296	296 21.583344 142.250.118.94 → 192.168.29.48 QUIC 82 Initial, SCID=fc249d169227ac98, PKN: 1, ACK
297	297 21.583344 142.250.118.94 → 192.168.29.48 QUIC 1292 Initial, SCID=fc249d169227ac98, PKN: 2, ACK, PADDING
298	298 21.584836 142.250.118.94 → 192.168.29.48 QUIC 1292 Initial, SCID=fc249d169227ac98, PKN: 3, CRYPTO, PADDING
299	299 21.584836 142.250.118.94 → 192.168.29.48 QUIC 347 Protected Payload (KP0)
300	300 21.584836 142.250.118.94 → 192.168.29.48 QUIC 987 Protected Payload (KP0)
301	301 21.585057 142.250.118.94 → 192.168.29.48 QUIC 74 Protected Payload (KP0)

Line	Content
302	302 21.586193 192.168.29.48 → 142.250.118.94 QUIC 120 Handshake, DCID=fc249d169227ac98
303	303 21.586450 192.168.29.48 → 142.250.118.94 QUIC 73 Protected Payload (KP0), DCID=fc249d169227ac98
304	304 21.586795 192.168.29.48 → 142.250.118.94 QUIC 960 Protected Payload (KP0), DCID=fc249d169227ac98
305	305 21.592845 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=5070 Ack=4999 Win=65280 Len=0
306	306 21.602168 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 Who has 192.168.29.48? Tell 192.168.29.1
307	307 21.602248 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
308	308 21.608751 142.250.118.94 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
309	309 21.617828 142.250.118.94 → 192.168.29.48 QUIC 75 Protected Payload (KP0)
310	310 21.618198 142.250.118.94 → 192.168.29.48 QUIC 162 Protected Payload (KP0)
311	311 21.618570 192.168.29.48 → 142.250.118.94 QUIC 76 Protected Payload (KP0), DCID=fc249d169227ac98
312	312 21.618851 192.168.29.48 → 142.250.118.94 QUIC 74 Protected Payload (KP0), DCID=fc249d169227ac98
313	313 21.684162 142.250.118.94 → 192.168.29.48 QUIC 610 Protected Payload (KP0)
314	314 21.684162 142.250.118.94 → 192.168.29.48 QUIC 67 Protected Payload (KP0)
315	315 21.685079 192.168.29.48 → 142.250.118.94 QUIC 77 Protected Payload (KP0), DCID=fc249d169227ac98
316	316 21.739768 142.250.118.94 → 192.168.29.48 QUIC 70 Protected Payload (KP0)
317	317 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 938 Application Data
318	318 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 1297 Application Data
319	319 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 85 Application Data
320	320 21.991331 172.64.155.209 → 192.168.29.48 TCP 85 [TCP Retransmission] 443 → 32660 [PSH, ACK] Seq=6149 Ack=15813 Win=155648 Len=31
321	321 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 574 Application Data
322	322 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 1302 Application Data
323	323 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 85 Application Data
324	324 21.991811 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=15813 Ack=6149 Win=65280 Len=0
325	325 21.991933 192.168.29.48 → 172.64.155.209 TCP 66 32660 → 443 [ACK] Seq=15813 Ack=6180 Win=65280 Len=0 SLE=6149 SRE=6180
326	326 21.991978 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=15813 Ack=6700 Win=64768 Len=0
327	327 21.992037 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=15813 Ack=7979 Win=65280 Len=0
328	328 23.401456 192.168.29.48 → 172.64.148.235 TLSv1.2 144 Application Data
329	329 23.409228 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=128 Ack=237 Win=19 Len=0
330	330 23.730088 172.64.148.235 → 192.168.29.48 TLSv1.2 133 Application Data
331	331 23.783108 192.168.29.48 → 172.64.148.235 TCP 54 55124 → 443 [ACK] Seq=237 Ack=207 Win=253 Len=0
332	332 24.625507 192.168.29.48 → 142.250.206.46 SSL 55
333	333 24.657451 142.250.206.46 → 192.168.29.48 TCP 70 443 → 30014 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
334	334 25.078696 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
335	335 25.084773 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
336	336 25.126519 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=661 Ack=661 Win=251 Len=0
337	337 25.330755 192.168.29.48 → 20.195.84.7 TLSv1.2 85 Application Data
338	338 25.388022 20.195.84.7 → 192.168.29.48 TCP 54 443 → 57676 [ACK] Seq=55 Ack=91 Win=658 Len=0
339	339 27.861472 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0x937e A api.github.com
340	340 27.869937 192.168.29.1 → 192.168.29.48 DNS 90 Standard query response 0x937e A api.github.com A 20.207.73.85

Line	Content
341	341 27.871789 192.168.29.48 → 20.207.73.85 TCP 66 55756 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
342	342 27.881501 20.207.73.85 → 192.168.29.48 TCP 66 443 → 55756 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
343	343 27.881760 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
344	344 27.882567 192.168.29.48 → 20.207.73.85 TLSv1.2 571 Client Hello (SNI=api.github.com)
345	345 27.893009 20.207.73.85 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
346	346 27.893009 20.207.73.85 → 192.168.29.48 TCP 1490 443 → 55756 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
347	347 27.893009 20.207.73.85 → 192.168.29.48 TLSv1.3 677 Application Data, Application Data, Application Data
348	348 27.893389 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
349	349 27.898395 192.168.29.48 → 20.207.73.85 TLSv1.3 889 Change Cipher Spec, Application Data, Application Data
350	350 27.908454 20.207.73.85 → 192.168.29.48 TLSv1.3 133 Application Data
351	351 27.908454 20.207.73.85 → 192.168.29.48 TLSv1.3 133 Application Data
352	352 27.908801 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=1353 Ack=3654 Win=64512 Len=0
353	353 28.049304 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0x3f09 HTTPS www.google.com
354	354 28.049580 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xc94a A www.google.com
355	355 28.049834 192.168.29.48 → 142.250.192.196 QUIC 71 Protected Payload (KP0), DCID=ffdfb4381e9e7ff9
356	356 28.054407 192.168.29.1 → 192.168.29.48 DNS 90 Standard query response 0xc94a A www.google.com A 142.250.192.196
357	357 28.056792 192.168.29.1 → 192.168.29.48 DNS 99 Standard query response 0x3f09 HTTPS www.google.com HTTPS
358	358 28.058090 192.168.29.48 → 142.250.192.196 QUIC 71 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
359	359 28.088072 142.250.192.196 → 192.168.29.48 QUIC 67 Protected Payload (KP0)
360	360 28.107423 142.250.192.196 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
361	361 28.338098 20.207.73.85 → 192.168.29.48 TLSv1.3 1490 Application Data
362	362 28.338098 20.207.73.85 → 192.168.29.48 TLSv1.3 57 Application Data
363	363 28.338098 20.207.73.85 → 192.168.29.48 TCP 57 [TCP Retransmission] 443 → 55756 [PSH, ACK] Seq=5090 Ack=1353 Win=69632 Len=3 [TCP PDU reassembled in 362]
364	364 28.338266 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=1353 Ack=5093 Win=65280 Len=0
365	365 28.338327 192.168.29.48 → 20.207.73.85 TCP 66 [TCP Dup ACK 364#1] 55756 → 443 [ACK] Seq=1353 Ack=5093 Win=65280 Len=0 SLE=5090 SRE=5093
366	366 28.360732 192.168.29.48 → 20.207.73.85 TLSv1.3 982 Application Data
367	367 28.418336 20.207.73.85 → 192.168.29.48 TCP 54 443 → 55756 [ACK] Seq=5093 Ack=2281 Win=72704 Len=0
368	368 28.747734 20.207.73.85 → 192.168.29.48 TLSv1.3 1490 Application Data
370	=====
371	Protocol Hierarchy Statistics
372	Filter:
374	frame frames:368 bytes:163526
375	eth frames:368 bytes:163526
376	ip frames:357 bytes:162273
377	tcp frames:249 bytes:124483
378	tls frames:112 bytes:96889
379	tls frames:6 bytes:12184
380	data frames:2 bytes:110

Line	Content
381	udp frames:104 bytes:37574
382	echo frames:1 bytes:43
383	data frames:19 bytes:4100
384	dns frames:26 bytes:2731
385	quic frames:58 bytes:30700
386	quic frames:5 bytes:1878
387	igmp frames:4 bytes:216
388	vlan frames:8 bytes:1127
389	ip frames:7 bytes:1081
390	tcp frames:2 bytes:140
391	udp frames:5 bytes:941
392	data frames:1 bytes:119
393	quic frames:4 bytes:822
394	arp frames:1 bytes:46
395	arp frames:3 bytes:126
396	=====

Above table mirrors the original TShark protocol hierarchy statistics, preserving all details while organizing them into a structured format.

TCP Conversation Summary (Tabular View)

[CONVERSATION STATS](#)

Line	Content
1	1 0.000000 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
2	2 0.005746 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
3	3 0.046321 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=111 Ack=111 Win=253 Len=0
4	4 0.690553 52.182.143.210 → 192.168.29.48 TCP 54 443 → 57408 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
5	5 0.782279 172.64.148.235 → 192.168.29.48 TLSv1.2 78 Application Data
6	6 0.782978 192.168.29.48 → 172.64.148.235 TLSv1.2 82 Application Data
7	7 0.788517 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=25 Ack=29 Win=19 Len=0
8	8 1.919323 142.250.206.46 → 192.168.29.48 TLSv1.2 127 Application Data
9	9 1.920958 192.168.29.48 → 142.250.206.46 TCP 54 2027 → 443 [FIN, ACK] Seq=1 Ack=74 Win=255 Len=0
10	10 1.944609 142.250.206.46 → 192.168.29.48 TCP 54 443 → 2027 [FIN, ACK] Seq=74 Ack=2 Win=1045 Len=0
11	11 1.944787 192.168.29.48 → 142.250.206.46 TCP 54 2027 → 443 [ACK] Seq=2 Ack=75 Win=255 Len=0
12	12 1.966516 192.168.29.1 → 192.168.29.48 ECHO 43 Request
13	13 2.254539 192.168.29.48 → 142.250.192.110 UDP 1288 52801 → 443 Len=1246
14	14 2.254672 192.168.29.48 → 142.250.192.110 UDP 869 52801 → 443 Len=827
15	15 2.263929 142.250.192.110 → 192.168.29.48 UDP 69 443 → 52801 Len=27
16	16 2.291730 192.168.29.48 → 142.250.192.110 UDP 74 52801 → 443 Len=32
17	17 2.431157 142.250.192.110 → 192.168.29.48 UDP 492 443 → 52801 Len=450
18	18 2.431157 142.250.192.110 → 192.168.29.48 UDP 76 443 → 52801 Len=34
19	19 2.431157 142.250.192.110 → 192.168.29.48 UDP 103 443 → 52801 Len=61
20	20 2.432762 192.168.29.48 → 142.250.192.110 UDP 77 52801 → 443 Len=35
21	21 2.463504 142.250.192.110 → 192.168.29.48 UDP 70 443 → 52801 Len=28
22	22 2.464584 192.168.29.48 → 142.250.192.110 UDP 75 52801 → 443 Len=33
23	23 2.843387 192.168.29.48 → 74.125.200.188 TCP 55 34121 → 5228 [ACK] Seq=1 Ack=1 Win=253 Len=1
24	24 2.908918 74.125.200.188 → 192.168.29.48 TCP 70 5228 → 34121 [ACK] Seq=1 Ack=2 Win=1046 Len=0 SLE=1 SRE=2
25	25 3.190813 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
26	26 3.303237 192.168.29.48 → 52.123.129.14 TCP 66 38573 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
27	27 3.312990 52.123.129.14 → 192.168.29.48 TCP 66 443 → 38573 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
28	28 3.313163 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=1 Ack=1 Win=262144 Len=0
29	29 3.315654 192.168.29.48 → 52.123.129.14 TLSv1.2 500 Client Hello (SNI=ecs.office.com)
30	30 3.323666 52.123.129.14 → 192.168.29.48 TCP 54 443 → 38573 [ACK] Seq=1 Ack=447 Win=12583168 Len=0
31	31 3.326208 52.123.129.14 → 192.168.29.48 TLSv1.3 1514 Server Hello, Change Cipher Spec
32	32 3.326208 52.123.129.14 → 192.168.29.48 TCP 1514 443 → 38573 [ACK] Seq=1461 Ack=447 Win=12583168 Len=1460
33	33 3.326208 52.123.129.14 → 192.168.29.48 TCP 1514 443 → 38573 [ACK] Seq=2921 Ack=447 Win=12583168 Len=1460
34	34 3.326208 52.123.129.14 → 192.168.29.48 TCP 1514 443 → 38573 [ACK] Seq=4381 Ack=447 Win=12583168 Len=1460
35	35 3.326208 52.123.129.14 → 192.168.29.48 TLSv1.3 268 Application Data
36	36 3.326403 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=1461 Win=262144 Len=0
37	37 3.326486 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=2921 Win=262144 Len=0

Line	Content
38	38 3.326520 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=4381 Win=262144 Len=0
39	39 3.326543 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=5841 Win=262144 Len=0
40	40 3.326567 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=447 Ack=6055 Win=261888 Len=0
41	41 3.334598 192.168.29.48 → 52.123.129.14 TLSv1.3 134 Change Cipher Spec, Application Data
42	42 3.334953 192.168.29.48 → 52.123.129.14 TLSv1.3 688 Application Data
43	43 3.343056 52.123.129.14 → 192.168.29.48 TCP 54 443 → 38573 [ACK] Seq=6055 Ack=527 Win=12583168 Len=0
44	44 3.343056 52.123.129.14 → 192.168.29.48 TLSv1.3 513 Application Data
45	45 3.343196 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=1161 Ack=6514 Win=261376 Len=0
46	46 3.345380 52.123.129.14 → 192.168.29.48 TCP 54 443 → 38573 [ACK] Seq=6514 Ack=1161 Win=12582400 Len=0
47	47 3.355944 52.123.129.14 → 192.168.29.48 TLSv1.3 945 Application Data
48	48 3.356059 192.168.29.48 → 52.123.129.14 TCP 54 38573 → 443 [ACK] Seq=1161 Ack=7405 Win=262144 Len=0
49	49 3.549870 192.168.29.48 → 192.168.29.1 DNS 92 Standard query 0x36e4 HTTPS mobile.events.data.microsoft.com
50	50 3.550603 192.168.29.48 → 192.168.29.1 DNS 92 Standard query 0xff13 A mobile.events.data.microsoft.com
51	51 3.556748 192.168.29.1 → 192.168.29.48 DNS 271 Standard query response 0x36e4 HTTPS mobile.events.data.microsoft.com CNAME mobile.events.data.trafficmanager.net CNAME onedscolprdae03.australiaeast.cloudapp.azure.com SOA ns1-201.azure-dns.com
52	52 3.557122 192.168.29.1 → 192.168.29.48 DNS 219 Standard query response 0xff13 A mobile.events.data.microsoft.com CNAME mobile.events.data.trafficmanager.net CNAME onedscolprdae03.australiaeast.cloudapp.azure.com A 40.79.173.41
53	53 3.558561 192.168.29.48 → 40.79.173.41 TCP 66 26478 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
54	54 3.762062 40.79.173.41 → 192.168.29.48 TCP 66 443 → 26478 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
55	55 3.762330 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
56	56 3.764038 192.168.29.48 → 40.79.173.41 TLSv1.2 1923 Client Hello (SNI=mobile.events.data.microsoft.com)
57	57 3.966934 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=1 Ack=1870 Win=4194560 Len=0
58	58 3.966934 40.79.173.41 → 192.168.29.48 TLSv1.3 153 Hello Retry Request, Change Cipher Spec
59	59 3.969669 192.168.29.48 → 40.79.173.41 TLSv1.3 769 Change Cipher Spec, Client Hello (SNI=mobile.events.data.microsoft.com)
60	60 4.173398 40.79.173.41 → 192.168.29.48 TLSv1.3 1514 Server Hello
61	61 4.173398 40.79.173.41 → 192.168.29.48 TCP 1514 443 → 26478 [ACK] Seq=1560 Ack=2585 Win=4193792 Len=1460
62	62 4.173398 40.79.173.41 → 192.168.29.48 TCP 1514 443 → 26478 [ACK] Seq=3020 Ack=2585 Win=4193792 Len=1460
63	63 4.173398 40.79.173.41 → 192.168.29.48 TCP 1514 443 → 26478 [ACK] Seq=4480 Ack=2585 Win=4193792 Len=1460
64	64 4.173398 40.79.173.41 → 192.168.29.48 TLSv1.3 581 Application Data
65	65 4.173821 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=2585 Ack=3020 Win=65280 Len=0
66	66 4.173972 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=2585 Ack=5940 Win=65280 Len=0
67	67 4.181088 192.168.29.48 → 40.79.173.41 TLSv1.3 128 Application Data
68	68 4.181733 192.168.29.48 → 40.79.173.41 TLSv1.3 146 Application Data
69	69 4.182342 192.168.29.48 → 40.79.173.41 TLSv1.3 545 Application Data
70	70 4.182511 192.168.29.48 → 40.79.173.41 TLSv1.3 6004 Application Data
71	71 4.376423 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=6467 Ack=3242 Win=4193024 Len=0
72	72 4.376423 40.79.173.41 → 192.168.29.48 TLSv1.3 157 Application Data
73	73 4.376423 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=6570 Ack=6122 Win=4194560 Len=0
74	74 4.376423 40.79.173.41 → 192.168.29.48 TCP 54 443 → 26478 [ACK] Seq=6570 Ack=9192 Win=4194560 Len=0

Line	Content
75	75 4.376423 40.79.173.41 → 192.168.29.48 TLSv1.3 116 Application Data
76	76 4.376768 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=9192 Ack=6632 Win=64768 Len=0
77	77 4.377102 192.168.29.48 → 40.79.173.41 TLSv1.3 85 Application Data
78	78 4.437452 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
79	79 4.482594 192.168.29.48 → 20.195.84.7 TCP 54 57676 → 443 [ACK] Seq=1 Ack=28 Win=254 Len=0
80	80 4.521664 40.79.173.41 → 192.168.29.48 TLSv1.3 366 Application Data, Application Data
81	81 4.576447 192.168.29.48 → 40.79.173.41 TCP 54 26478 → 443 [ACK] Seq=9223 Ack=6944 Win=64512 Len=0
82	82 5.021511 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
83	83 5.027735 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
84	84 5.068899 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=221 Ack=221 Win=252 Len=0
85	85 5.193077 192.168.29.48 → 20.195.84.7 TLSv1.2 82 Application Data
86	86 5.251821 20.195.84.7 → 192.168.29.48 TCP 54 443 → 57676 [ACK] Seq=28 Ack=29 Win=658 Len=0
87	87 8.805759 192.168.29.48 → 13.107.213.72 SSL 55
88	88 8.808107 13.107.213.72 → 192.168.29.48 TLSv1.2 93 Application Data
89	89 8.808107 13.107.213.72 → 192.168.29.48 TLSv1.2 78 Application Data
90	90 8.808107 13.107.213.72 → 192.168.29.48 TCP 54 443 → 20948 [FIN, ACK] Seq=64 Ack=2 Win=103 Len=0
91	91 8.808107 13.107.213.72 → 192.168.29.48 TCP 54 [TCP Retransmission] 443 → 20948 [FIN, ACK] Seq=64 Ack=2 Win=103 Len=0
92	92 8.808316 192.168.29.48 → 13.107.213.72 TCP 54 20948 → 443 [ACK] Seq=2 Ack=64 Win=252 Len=0
93	93 8.808374 192.168.29.48 → 13.107.213.72 TCP 54 20948 → 443 [ACK] Seq=2 Ack=65 Win=252 Len=0
94	94 8.808404 192.168.29.48 → 13.107.213.72 TCP 54 [TCP Dup ACK 93#1] 20948 → 443 [ACK] Seq=2 Ack=65 Win=252 Len=0
95	95 8.809620 192.168.29.48 → 13.107.213.72 TCP 54 20948 → 443 [FIN, ACK] Seq=2 Ack=65 Win=252 Len=0
96	96 8.817741 13.107.213.72 → 192.168.29.48 TCP 66 [TCP Dup ACK 88#1] 443 → 20948 [ACK] Seq=65 Ack=2 Win=103 Len=0 SLE=1 SRE=2
97	97 8.817741 13.107.213.72 → 192.168.29.48 TCP 54 443 → 20948 [ACK] Seq=65 Ack=3 Win=103 Len=0
98	98 9.000994 192.168.29.48 → 140.82.112.22 TCP 66 26489 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
99	99 9.291762 140.82.112.22 → 192.168.29.48 TCP 66 443 → 26489 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
100	100 9.291995 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
101	101 9.292563 192.168.29.48 → 140.82.112.22 TLSv1.2 571 Client Hello (SNI=telemetry.individual.githubcopilot.com)
102	102 9.600832 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
103	103 9.600832 140.82.112.22 → 192.168.29.48 TCP 1490 443 → 26489 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
104	104 9.600832 140.82.112.22 → 192.168.29.48 TCP 1278 443 → 26489 [PSH, ACK] Seq=2873 Ack=518 Win=67584 Len=1224
105	105 9.600832 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Application Data
106	106 9.600832 140.82.112.22 → 192.168.29.48 TLSv1.3 200 Application Data, Application Data
107	107 9.601413 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
108	108 9.601645 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=518 Ack=5533 Win=65280 Len=0
109	109 9.605639 192.168.29.48 → 140.82.112.22 TLSv1.3 14414 Change Cipher Spec, Application Data
110	110 9.906346 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5679 Ack=9134 Win=83968 Len=0
111	111 9.906346 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5679 Ack=13442 Win=93184 Len=0
112	112 9.906346 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data

Line	Content
113	113 9.906346 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data
114	114 9.906346 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=96256 Len=0
115	115 9.906604 192.168.29.48 → 140.82.112.22 TLSv1.3 8127 Application Data, Application Data
116	116 9.906627 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=22951 Ack=5837 Win=65024 Len=0
117	117 9.954065 192.168.29.48 → 104.26.2.143 SSL 55
118	118 9.990248 104.26.2.143 → 192.168.29.48 TCP 66 443 → 3772 [ACK] Seq=1 Ack=2 Win=17 Len=0 SLE=1 SRE=2
119	119 10.032322 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
120	120 10.037049 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
121	121 10.079691 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=331 Ack=331 Win=252 Len=0
122	122 10.104580 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#1] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=101376 Len=0 SLE=16314 SRE=19186
123	123 10.104580 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#2] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=104448 Len=0 SLE=16314 SRE=20622
124	124 10.107453 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#3] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=107520 Len=0 SLE=16314 SRE=22058
125	125 10.107453 140.82.112.22 → 192.168.29.48 TCP 66 [TCP Dup ACK 114#4] 443 → 26489 [ACK] Seq=5837 Ack=14878 Win=110592 Len=0 SLE=16314 SRE=22951
126	126 10.107589 192.168.29.48 → 140.82.112.22 TCP 1490 [TCP Fast Retransmission] 26489 → 443 [ACK] Seq=14878 Ack=5837 Win=65024 Len=1436 [TCP PDU reassembled in 115]
127	127 10.315793 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [ACK] Seq=5837 Ack=22951 Win=112640 Len=0
128	128 10.320085 192.168.29.48 → 20.195.84.7 TLSv1.2 85 Application Data
129	129 10.367022 140.82.112.22 → 192.168.29.48 TLSv1.3 549 Application Data
130	130 10.367022 140.82.112.22 → 192.168.29.48 TLSv1.3 78 Application Data
131	131 10.367392 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [ACK] Seq=22951 Ack=6357 Win=64512 Len=0
132	132 10.368183 192.168.29.48 → 140.82.112.22 TLSv1.3 78 Application Data
133	133 10.368594 192.168.29.48 → 140.82.112.22 TCP 54 26489 → 443 [FIN, ACK] Seq=22975 Ack=6357 Win=64512 Len=0
134	134 10.376905 20.195.84.7 → 192.168.29.48 TCP 54 443 → 57676 [ACK] Seq=28 Ack=60 Win=658 Len=0
135	135 10.624341 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [RST] Seq=6357 Win=0 Len=0
136	136 10.624502 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26489 [RST] Seq=6357 Win=0 Len=0
137	137 11.602845 192.168.29.48 → 172.217.26.42 UDP 71 63580 → 443 Len=29
138	138 11.642173 172.217.26.42 → 192.168.29.48 UDP 67 443 → 63580 Len=25
139	139 13.126529 192.168.29.48 → 172.253.144.188 TCP 55 16275 → 5228 [ACK] Seq=1 Ack=1 Win=253 Len=1
140	140 13.192227 172.253.144.188 → 192.168.29.48 TCP 66 5228 → 16275 [ACK] Seq=1 Ack=2 Win=1047 Len=0 SLE=1 SRE=2
141	141 13.797917 142.250.193.132 → 192.168.29.48 UDP 119 443 → 60520 Len=73
142	142 14.010747 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=0fc53b5ff6a4c7ba, PKN: 1, CRYPTO, PING, PING, PING, PING, CRYPTO, CRYPTO, CRYPTO, CRYPTO
143	143 14.011032 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=0fc53b5ff6a4c7ba, PKN: 2, PING, CRYPTO, CRYPTO, PADDING, CRYPTO, PING
144	144 14.011547 192.168.29.48 → 142.250.192.196 QUIC 119 0-RTT, DCID=0fc53b5ff6a4c7ba
145	145 14.044946 142.250.192.196 → 192.168.29.48 QUIC 82 Initial, SCID=efc53b5ff6a4c7ba, PKN: 1, ACK
146	146 14.044946 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=efc53b5ff6a4c7ba, PKN: 2, ACK, PADDING
147	147 14.047309 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=efc53b5ff6a4c7ba, PKN: 3, CRYPTO, PADDING
148	148 14.047309 142.250.192.196 → 192.168.29.48 QUIC 338 Protected Payload (KP0)
149	149 14.047309 142.250.192.196 → 192.168.29.48 QUIC 996 Protected Payload (KP0)

Line	Content
150	150 14.047309 142.250.192.196 → 192.168.29.48 QUIC 111 Protected Payload (KP0)
151	151 14.048256 192.168.29.48 → 142.250.192.196 QUIC 149 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
152	152 14.048444 192.168.29.48 → 142.250.192.196 QUIC 73 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
153	153 14.069443 142.250.192.196 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
154	154 14.079778 142.250.192.196 → 192.168.29.48 QUIC 162 Protected Payload (KP0)
155	155 14.080306 192.168.29.48 → 142.250.192.196 QUIC 73 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
156	156 14.105021 142.250.192.196 → 192.168.29.48 QUIC 68 Protected Payload (KP0)
157	157 14.671732 192.168.29.48 → 142.250.207.170 UDP 71 58829 → 443 Len=29
158	158 14.683488 142.250.207.170 → 192.168.29.48 UDP 67 443 → 58829 Len=25
159	159 14.966375 192.168.29.48 → 142.250.206.46 SSL 55
160	160 15.004503 142.250.206.46 → 192.168.29.48 TCP 66 443 → 25447 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
161	161 15.044518 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
162	162 15.051650 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
163	163 15.106979 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=441 Ack=441 Win=252 Len=0
164	164 15.691165 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.252 for any sources
165	165 16.569994 192.168.29.48 → 140.82.112.22 TCP 66 26508 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
166	166 16.631984 172.217.26.42 → 192.168.29.48 UDP 160 443 → 63580 Len=118
167	167 16.651475 192.168.29.48 → 172.217.26.42 UDP 75 63580 → 443 Len=33
168	168 16.682370 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 239.255.255.250 for any sources
169	169 16.871222 140.82.112.22 → 192.168.29.48 TCP 66 443 → 26508 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
170	170 16.871466 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
171	171 16.872181 192.168.29.48 → 140.82.112.22 TLSv1.2 571 Client Hello (SNI=telemetry.individual.githubcopilot.com)
172	172 17.176864 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
173	173 17.176864 140.82.112.22 → 192.168.29.48 TCP 1490 443 → 26508 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
174	174 17.176864 140.82.112.22 → 192.168.29.48 TCP 1278 443 → 26508 [PSH, ACK] Seq=2873 Ack=518 Win=67584 Len=1224
175	175 17.176864 140.82.112.22 → 192.168.29.48 TLSv1.3 1490 Application Data
176	176 17.176864 140.82.112.22 → 192.168.29.48 TLSv1.3 200 Application Data, Application Data
177	177 17.177308 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
178	178 17.177508 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=518 Ack=5533 Win=65280 Len=0
179	179 17.181691 192.168.29.48 → 140.82.112.22 TLSv1.3 3572 Change Cipher Spec, Application Data, Application Data
180	180 17.484333 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [ACK] Seq=5679 Ack=4036 Win=73728 Len=0
181	181 17.484333 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data
182	182 17.484333 140.82.112.22 → 192.168.29.48 TLSv1.3 133 Application Data
183	183 17.485015 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=4036 Ack=5837 Win=65024 Len=0
184	184 17.790941 140.82.112.22 → 192.168.29.48 TLSv1.3 643 Application Data
185	185 17.790941 140.82.112.22 → 192.168.29.48 TLSv1.3 78 Application Data
186	186 17.790941 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [FIN, ACK] Seq=6450 Ack=4036 Win=73728 Len=0
187	187 17.791222 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=4036 Ack=6450 Win=64512 Len=0
188	188 17.791354 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [ACK] Seq=4036 Ack=6451 Win=64512 Len=0

Line	Content
189	189 17.792187 192.168.29.48 → 140.82.112.22 TLSv1.3 78 Application Data
190	190 17.792566 192.168.29.48 → 140.82.112.22 TCP 54 26508 → 443 [FIN, ACK] Seq=4060 Ack=6451 Win=64512 Len=0
191	191 18.098381 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [RST] Seq=6451 Win=0 Len=0
192	192 18.098381 140.82.112.22 → 192.168.29.48 TCP 54 443 → 26508 [RST] Seq=6451 Win=0 Len=0
193	193 19.941418 142.250.207.170 → 192.168.29.48 UDP 160 443 → 58829 Len=118
194	194 19.941521 142.250.207.170 → 192.168.29.48 UDP 160 443 → 58829 Len=118
195	195 19.941838 192.168.29.48 → 142.250.207.170 UDP 76 58829 → 443 Len=34
196	196 20.066599 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
197	197 20.072094 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
198	198 20.127093 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=551 Ack=551 Win=251 Len=0
199	199 20.453429 20.195.84.7 → 192.168.29.48 TLSv1.2 81 Application Data
200	200 20.504608 192.168.29.48 → 20.195.84.7 TCP 54 57676 → 443 [ACK] Seq=60 Ack=55 Win=254 Len=0
201	201 20.678412 192.168.29.48 → 224.0.0.22 IGMPv3 54 Membership Report / Join group 224.0.0.251 for any sources
202	202 20.759789 ServercomPri_5d:b8:56 → Broadcast ARP 42 Who has 192.168.29.48? Tell 192.168.29.1
203	203 20.759834 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
204	204 20.777814 172.64.148.235 → 192.168.29.48 TLSv1.2 78 Application Data
205	205 20.778294 192.168.29.48 → 172.64.148.235 TLSv1.2 82 Application Data
206	206 20.783725 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=49 Ack=57 Win=19 Len=0
207	207 21.213638 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xec0f HTTPS www.google.com
208	208 21.214114 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xff9d A www.google.com
209	209 21.214761 192.168.29.48 → 142.250.192.196 QUIC 71 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
210	210 21.221529 192.168.29.1 → 192.168.29.48 DNS 90 Standard query response 0xff9d A www.google.com A 142.250.192.196
211	211 21.222056 192.168.29.1 → 192.168.29.48 DNS 99 Standard query response 0xec0f HTTPS www.google.com HTTPS
212	212 21.224516 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=bfd4381e9e7ff9, PKN: 1, CRYPTO, CRYPTO, PING, CRYPTO, CRYPTO, CRYPTO, PING, CRYPTO
213	213 21.224705 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=bfd4381e9e7ff9, PKN: 2, PING, CRYPTO, CRYPTO, CRYPTO, CRYPTO
214	214 21.225049 192.168.29.48 → 142.250.192.196 QUIC 121 0-RTT, DCID=bfd4381e9e7ff9
215	215 21.251870 142.250.192.196 → 192.168.29.48 QUIC 67 Protected Payload (KP0)
216	216 21.254755 142.250.192.196 → 192.168.29.48 QUIC 82 Initial, SCID=ffd4381e9e7ff9, PKN: 1, ACK
217	217 21.254755 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=ffd4381e9e7ff9, PKN: 2, ACK, PADDING
218	218 21.255538 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=ffd4381e9e7ff9, PKN: 3, CRYPTO, PADDING
219	219 21.261956 142.250.192.196 → 192.168.29.48 QUIC 1292 Handshake, SCID=ffd4381e9e7ff9
220	220 21.261956 142.250.192.196 → 192.168.29.48 QUIC 1292 Handshake, SCID=ffd4381e9e7ff9
221	221 21.261956 142.250.192.196 → 192.168.29.48 QUIC 1292 Handshake, SCID=ffd4381e9e7ff9
222	222 21.261956 142.250.192.196 → 192.168.29.48 QUIC 884 Protected Payload (KP0)
223	223 21.262055 192.168.29.48 → 142.250.192.196 QUIC 1292 Initial, DCID=ffd4381e9e7ff9, PKN: 4, ACK, PADDING
224	224 21.262616 192.168.29.48 → 142.250.192.196 QUIC 81 Handshake, DCID=ffd4381e9e7ff9
225	225 21.263803 192.168.29.48 → 142.250.192.196 QUIC 160 Protected Payload (KP0), DCID=ffd4381e9e7ff9
226	226 21.263910 192.168.29.48 → 142.250.192.196 QUIC 119 Protected Payload (KP0), DCID=ffd4381e9e7ff9
227	227 21.289046 192.168.29.48 → 172.64.148.235 TLSv1.2 144 Application Data

Line	Content
228	228 21.291572 142.250.192.196 → 192.168.29.48 QUIC 1292 Initial, SCID=ffdfb4381e9e7ff9, PKN: 10, CRYPTO, PADDING
229	229 21.299648 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=49 Ack=147 Win=19 Len=0
230	230 21.299648 142.250.192.196 → 192.168.29.48 QUIC 1042 Protected Payload (KP0)
231	231 21.299648 142.250.192.196 → 192.168.29.48 QUIC 163 Protected Payload (KP0)
232	232 21.299648 142.250.192.196 → 192.168.29.48 QUIC 65 Protected Payload (KP0)
233	233 21.301176 192.168.29.48 → 142.250.192.196 QUIC 75 Protected Payload (KP0), DCID=ffdfb4381e9e7ff9
234	234 21.301639 192.168.29.48 → 142.250.192.196 QUIC 75 Protected Payload (KP0), DCID=ffdfb4381e9e7ff9
235	235 21.321057 192.168.29.48 → 192.168.29.1 DNS 71 Standard query 0x5667 HTTPS chatgpt.com
236	236 21.321830 192.168.29.48 → 192.168.29.1 DNS 71 Standard query 0x2496 A chatgpt.com
237	237 21.328165 192.168.29.1 → 192.168.29.48 DNS 132 Standard query response 0x5667 HTTPS chatgpt.com SOA hassan.ns.cloudflare.com
238	238 21.328532 192.168.29.1 → 192.168.29.48 DNS 103 Standard query response 0x2496 A chatgpt.com A 172.64.155.209 A 104.18.32.47
239	239 21.329966 192.168.29.48 → 172.64.155.209 TCP 66 32660 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
240	240 21.341829 172.64.155.209 → 192.168.29.48 TCP 66 443 → 32660 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1400 SACK_PERM WS=8192
241	241 21.342028 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
242	242 21.342752 192.168.29.48 → 172.64.155.209 TLSv1.2 2046 Client Hello (SNI=chatgpt.com)
243	243 21.348865 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=1 Ack=1401 Win=139264 Len=0
244	244 21.350745 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=1 Ack=1993 Win=139264 Len=0
245	245 21.351880 172.64.155.209 → 192.168.29.48 TLSv1.3 1514 Server Hello, Change Cipher Spec
246	246 21.351880 172.64.155.209 → 192.168.29.48 TCP 1514 443 → 32660 [ACK] Seq=1461 Ack=1993 Win=139264 Len=1460
247	247 21.351880 172.64.155.209 → 192.168.29.48 TLSv1.3 618 Application Data
248	248 21.352072 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=1993 Ack=3485 Win=65280 Len=0
249	249 21.353114 192.168.29.48 → 172.64.155.209 TLSv1.3 118 Change Cipher Spec, Application Data
250	250 21.353492 192.168.29.48 → 172.64.155.209 TLSv1.3 146 Application Data
251	251 21.354566 192.168.29.48 → 172.64.155.209 TLSv1.3 6728 Application Data
252	252 21.354936 192.168.29.48 → 172.64.155.209 TLSv1.3 189 Application Data
253	253 21.355356 192.168.29.48 → 172.64.155.209 TLSv1.3 6747 Application Data
254	254 21.356889 192.168.29.48 → 172.64.155.209 TLSv1.3 185 Application Data
255	255 21.358320 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=3485 Ack=2149 Win=139264 Len=0
256	256 21.358320 172.64.155.209 → 192.168.29.48 TLSv1.3 591 Application Data, Application Data
257	257 21.358825 192.168.29.48 → 172.64.155.209 TLSv1.3 85 Application Data
258	258 21.360628 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=4022 Ack=8823 Win=155648 Len=0
259	259 21.367545 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=4022 Ack=15651 Win=155648 Len=0
260	260 21.367545 172.64.155.209 → 192.168.29.48 TCP 54 443 → 32660 [ACK] Seq=4022 Ack=15813 Win=155648 Len=0
261	261 21.422996 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0x1a76 HTTPS ab.chatgpt.com
262	262 21.423304 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xc7ba A ab.chatgpt.com
263	263 21.429462 192.168.29.1 → 192.168.29.48 DNS 106 Standard query response 0xc7ba A ab.chatgpt.com A 104.18.32.47 A 172.64.155.209
264	264 21.429851 192.168.29.1 → 192.168.29.48 DNS 135 Standard query response 0x1a76 HTTPS ab.chatgpt.com SOA hassan.ns.cloudflare.com

Line	Content
265	265 21.430742 192.168.29.48 → 104.18.32.47 TCP 66 55733 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
266	266 21.436378 104.18.32.47 → 192.168.29.48 TCP 66 443 → 55733 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1400 SACK_PERM WS=8192
267	267 21.436643 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
268	268 21.437377 192.168.29.48 → 104.18.32.47 TLSv1.2 2113 Client Hello (SNI=ab.chatgpt.com)
269	269 21.444371 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=1 Ack=2060 Win=139264 Len=0
270	270 21.446905 104.18.32.47 → 192.168.29.48 TLSv1.3 1514 Server Hello, Change Cipher Spec
271	271 21.446905 104.18.32.47 → 192.168.29.48 TCP 1514 443 → 55733 [ACK] Seq=1461 Ack=2060 Win=139264 Len=1460
272	272 21.446905 104.18.32.47 → 192.168.29.48 TLSv1.3 616 Application Data
273	273 21.447281 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=2060 Ack=2921 Win=65280 Len=0
274	274 21.448591 192.168.29.48 → 104.18.32.47 TLSv1.3 118 Change Cipher Spec, Application Data
275	275 21.449047 192.168.29.48 → 104.18.32.47 TLSv1.3 146 Application Data
276	276 21.449313 192.168.29.48 → 104.18.32.47 TLSv1.3 566 Application Data
277	277 21.449388 192.168.29.48 → 104.18.32.47 TLSv1.3 2365 Application Data
278	278 21.456251 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=3483 Ack=2216 Win=139264 Len=0
279	279 21.456251 104.18.32.47 → 192.168.29.48 TLSv1.3 591 Application Data, Application Data
280	280 21.456251 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=4020 Ack=5039 Win=147456 Len=0
281	281 21.456711 192.168.29.48 → 104.18.32.47 TLSv1.3 85 Application Data
282	282 21.503909 104.18.32.47 → 192.168.29.48 TCP 54 443 → 55733 [ACK] Seq=4020 Ack=5070 Win=147456 Len=0
283	283 21.536273 172.64.148.235 → 192.168.29.48 TLSv1.2 133 Application Data
284	284 21.538486 104.18.32.47 → 192.168.29.48 TLSv1.3 955 Application Data
285	285 21.538486 104.18.32.47 → 192.168.29.48 TLSv1.3 101 Application Data
286	286 21.538486 104.18.32.47 → 192.168.29.48 TLSv1.3 85 Application Data
287	287 21.538751 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=5070 Ack=4968 Win=65280 Len=0
288	288 21.542992 192.168.29.48 → 192.168.29.1 DNS 80 Standard query 0xfd4d HTTPS beacons.gcp.gvt2.com
289	289 21.543428 192.168.29.48 → 192.168.29.1 DNS 80 Standard query 0x5720 A beacons.gcp.gvt2.com
290	290 21.549446 192.168.29.1 → 192.168.29.48 DNS 126 Standard query response 0x5720 A beacons.gcp.gvt2.com CNAME beacons-handoff.gcp.gvt2.com A 142.250.118.94
291	291 21.549965 192.168.29.1 → 192.168.29.48 DNS 167 Standard query response 0xfd4d HTTPS beacons.gcp.gvt2.com CNAME beacons-handoff.gcp.gvt2.com SOA ns1.google.com
292	292 21.551950 192.168.29.48 → 142.250.118.94 QUIC 1292 Initial, DCID=7c249d169227ac98, PKN: 1, CRYPTO, CRYPTO, CRYPTO, CRYPTO, CRYPTO, PING, CRYPTO, PING, PING, CRYPTO, CRYPTO, PING
293	293 21.552160 192.168.29.48 → 142.250.118.94 QUIC 1292 Initial, DCID=7c249d169227ac98, PKN: 2, CRYPTO, CRYPTO, PING, PING, CRYPTO, PING, CRYPTO, CRYPTO, PING
294	294 21.552532 192.168.29.48 → 142.250.118.94 QUIC 121 0-RTT, DCID=7c249d169227ac98
295	295 21.577042 192.168.29.48 → 172.64.148.235 TCP 54 55124 → 443 [ACK] Seq=147 Ack=128 Win=254 Len=0
296	296 21.583344 142.250.118.94 → 192.168.29.48 QUIC 82 Initial, SCID=fc249d169227ac98, PKN: 1, ACK
297	297 21.583344 142.250.118.94 → 192.168.29.48 QUIC 1292 Initial, SCID=fc249d169227ac98, PKN: 2, ACK, PADDING
298	298 21.584836 142.250.118.94 → 192.168.29.48 QUIC 1292 Initial, SCID=fc249d169227ac98, PKN: 3, CRYPTO, PADDING
299	299 21.584836 142.250.118.94 → 192.168.29.48 QUIC 347 Protected Payload (KP0)
300	300 21.584836 142.250.118.94 → 192.168.29.48 QUIC 987 Protected Payload (KP0)
301	301 21.585057 142.250.118.94 → 192.168.29.48 QUIC 74 Protected Payload (KP0)

Line	Content
302	302 21.586193 192.168.29.48 → 142.250.118.94 QUIC 120 Handshake, DCID=fc249d169227ac98
303	303 21.586450 192.168.29.48 → 142.250.118.94 QUIC 73 Protected Payload (KP0), DCID=fc249d169227ac98
304	304 21.586795 192.168.29.48 → 142.250.118.94 QUIC 960 Protected Payload (KP0), DCID=fc249d169227ac98
305	305 21.592845 192.168.29.48 → 104.18.32.47 TCP 54 55733 → 443 [ACK] Seq=5070 Ack=4999 Win=65280 Len=0
306	306 21.602168 ServercomPri_5d:b8:56 → Intel_ab:38:df ARP 46 Who has 192.168.29.48? Tell 192.168.29.1
307	307 21.602248 Intel_ab:38:df → ServercomPri_5d:b8:56 ARP 42 192.168.29.48 is at 8c:f8:c5:ab:38:df
308	308 21.608751 142.250.118.94 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
309	309 21.617828 142.250.118.94 → 192.168.29.48 QUIC 75 Protected Payload (KP0)
310	310 21.618198 142.250.118.94 → 192.168.29.48 QUIC 162 Protected Payload (KP0)
311	311 21.618570 192.168.29.48 → 142.250.118.94 QUIC 76 Protected Payload (KP0), DCID=fc249d169227ac98
312	312 21.618851 192.168.29.48 → 142.250.118.94 QUIC 74 Protected Payload (KP0), DCID=fc249d169227ac98
313	313 21.684162 142.250.118.94 → 192.168.29.48 QUIC 610 Protected Payload (KP0)
314	314 21.684162 142.250.118.94 → 192.168.29.48 QUIC 67 Protected Payload (KP0)
315	315 21.685079 192.168.29.48 → 142.250.118.94 QUIC 77 Protected Payload (KP0), DCID=fc249d169227ac98
316	316 21.739768 142.250.118.94 → 192.168.29.48 QUIC 70 Protected Payload (KP0)
317	317 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 938 Application Data
318	318 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 1297 Application Data
319	319 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 85 Application Data
320	320 21.991331 172.64.155.209 → 192.168.29.48 TCP 85 [TCP Retransmission] 443 → 32660 [PSH, ACK] Seq=6149 Ack=15813 Win=155648 Len=31
321	321 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 574 Application Data
322	322 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 1302 Application Data
323	323 21.991331 172.64.155.209 → 192.168.29.48 TLSv1.3 85 Application Data
324	324 21.991811 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=15813 Ack=6149 Win=65280 Len=0
325	325 21.991933 192.168.29.48 → 172.64.155.209 TCP 66 32660 → 443 [ACK] Seq=15813 Ack=6180 Win=65280 Len=0 SLE=6149 SRE=6180
326	326 21.991978 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=15813 Ack=6700 Win=64768 Len=0
327	327 21.992037 192.168.29.48 → 172.64.155.209 TCP 54 32660 → 443 [ACK] Seq=15813 Ack=7979 Win=65280 Len=0
328	328 23.401456 192.168.29.48 → 172.64.148.235 TLSv1.2 144 Application Data
329	329 23.409228 172.64.148.235 → 192.168.29.48 TCP 54 443 → 55124 [ACK] Seq=128 Ack=237 Win=19 Len=0
330	330 23.730088 172.64.148.235 → 192.168.29.48 TLSv1.2 133 Application Data
331	331 23.783108 192.168.29.48 → 172.64.148.235 TCP 54 55124 → 443 [ACK] Seq=237 Ack=207 Win=253 Len=0
332	332 24.625507 192.168.29.48 → 142.250.206.46 SSL 55
333	333 24.657451 142.250.206.46 → 192.168.29.48 TCP 70 443 → 30014 [ACK] Seq=1 Ack=2 Win=1045 Len=0 SLE=1 SRE=2
334	334 25.078696 192.168.29.48 → 192.168.29.196 TLSv1.2 164 Application Data
335	335 25.084773 192.168.29.196 → 192.168.29.48 TLSv1.2 164 Application Data
336	336 25.126519 192.168.29.48 → 192.168.29.196 TCP 54 47934 → 8009 [ACK] Seq=661 Ack=661 Win=251 Len=0
337	337 25.330755 192.168.29.48 → 20.195.84.7 TLSv1.2 85 Application Data
338	338 25.388022 20.195.84.7 → 192.168.29.48 TCP 54 443 → 57676 [ACK] Seq=55 Ack=91 Win=658 Len=0
339	339 27.861472 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0x937e A api.github.com
340	340 27.869937 192.168.29.1 → 192.168.29.48 DNS 90 Standard query response 0x937e A api.github.com A 20.207.73.85

Line	Content
341	341 27.871789 192.168.29.48 → 20.207.73.85 TCP 66 55756 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
342	342 27.881501 20.207.73.85 → 192.168.29.48 TCP 66 443 → 55756 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1436 SACK_PERM WS=1024
343	343 27.881760 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
344	344 27.882567 192.168.29.48 → 20.207.73.85 TLSv1.2 571 Client Hello (SNI=api.github.com)
345	345 27.893009 20.207.73.85 → 192.168.29.48 TLSv1.3 1490 Server Hello, Change Cipher Spec, Application Data
346	346 27.893009 20.207.73.85 → 192.168.29.48 TCP 1490 443 → 55756 [PSH, ACK] Seq=1437 Ack=518 Win=67584 Len=1436
347	347 27.893009 20.207.73.85 → 192.168.29.48 TLSv1.3 677 Application Data, Application Data, Application Data
348	348 27.893389 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=518 Ack=2873 Win=65280 Len=0
349	349 27.898395 192.168.29.48 → 20.207.73.85 TLSv1.3 889 Change Cipher Spec, Application Data, Application Data
350	350 27.908454 20.207.73.85 → 192.168.29.48 TLSv1.3 133 Application Data
351	351 27.908454 20.207.73.85 → 192.168.29.48 TLSv1.3 133 Application Data
352	352 27.908801 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=1353 Ack=3654 Win=64512 Len=0
353	353 28.049304 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0x3f09 HTTPS www.google.com
354	354 28.049580 192.168.29.48 → 192.168.29.1 DNS 74 Standard query 0xc94a A www.google.com
355	355 28.049834 192.168.29.48 → 142.250.192.196 QUIC 71 Protected Payload (KP0), DCID=ffdfb4381e9e7ff9
356	356 28.054407 192.168.29.1 → 192.168.29.48 DNS 90 Standard query response 0xc94a A www.google.com A 142.250.192.196
357	357 28.056792 192.168.29.1 → 192.168.29.48 DNS 99 Standard query response 0x3f09 HTTPS www.google.com HTTPS
358	358 28.058090 192.168.29.48 → 142.250.192.196 QUIC 71 Protected Payload (KP0), DCID=efc53b5ff6a4c7ba
359	359 28.088072 142.250.192.196 → 192.168.29.48 QUIC 67 Protected Payload (KP0)
360	360 28.107423 142.250.192.196 → 192.168.29.48 QUIC 66 Protected Payload (KP0)
361	361 28.338098 20.207.73.85 → 192.168.29.48 TLSv1.3 1490 Application Data
362	362 28.338098 20.207.73.85 → 192.168.29.48 TLSv1.3 57 Application Data
363	363 28.338098 20.207.73.85 → 192.168.29.48 TCP 57 [TCP Retransmission] 443 → 55756 [PSH, ACK] Seq=5090 Ack=1353 Win=69632 Len=3 [TCP PDU reassembled in 362]
364	364 28.338266 192.168.29.48 → 20.207.73.85 TCP 54 55756 → 443 [ACK] Seq=1353 Ack=5093 Win=65280 Len=0
365	365 28.338327 192.168.29.48 → 20.207.73.85 TCP 66 [TCP Dup ACK 364#1] 55756 → 443 [ACK] Seq=1353 Ack=5093 Win=65280 Len=0 SLE=5090 SRE=5093
366	366 28.360732 192.168.29.48 → 20.207.73.85 TLSv1.3 982 Application Data
367	367 28.418336 20.207.73.85 → 192.168.29.48 TCP 54 443 → 55756 [ACK] Seq=5093 Ack=2281 Win=72704 Len=0
368	368 28.747734 20.207.73.85 → 192.168.29.48 TLSv1.3 1490 Application Data
369	=====
370	TCP Conversations
371	Filter:
372	<- -> Total Relative Duration
373	Frames Bytes Frames Bytes Frames Bytes Start
374	192.168.29.48:32660 <-> 172.64.155.209:443 18 8993 bytes 15 16 kB 33 25 kB 21.329966000 0.6621
375	192.168.29.48:26489 <-> 140.82.112.22:443 20 7495 bytes 12 25 kB 32 32 kB 9.000994000 1.6235
376	192.168.29.48:26478 <-> 40.79.173.41:443 14 7711 bytes 13 9936 bytes 27 17 kB 3.558561000 1.0179
377	192.168.29.48:26508 <-> 140.82.112.22:443 14 7217 bytes 11 4665 bytes 25 11 kB 16.569994000 1.5284
378	192.168.29.48:38573 <-> 52.123.129.14:443 11 8010 bytes 12 1820 bytes 23 9830 bytes 3.303237000 0.0528

Line	Content
379	192.168.29.48:55733 <-> 104.18.32.47:443 12 5658 bytes 11 5675 bytes 23 11 kB 21.430742000 0.1621
380	192.168.29.48:55756 <-> 20.207.73.85:443 11 7137 bytes 9 2790 bytes 20 9927 bytes 27.871789000 0.8759
381	192.168.29.48:47934 <-> 192.168.29.196:8009 6 984 bytes 12 1308 bytes 18 2292 bytes 0.000000000 25.1265
382	172.64.148.235:443 <-> 192.168.29.48:55124 6 560 bytes 8 638 bytes 14 1198 bytes 0.782279000 23.0008
383	192.168.29.48:20948 <-> 13.107.213.72:443 6 399 bytes 5 271 bytes 11 670 bytes 8.805759000 0.0120
384	20.195.84.7:443 <-> 192.168.29.48:57676 5 360 bytes 5 324 bytes 10 684 bytes 4.437452000 20.9506
385	142.250.206.46:443 <-> 192.168.29.48:2027 2 108 bytes 2 181 bytes 4 289 bytes 1.919323000 0.0255
386	192.168.29.48:34121 <-> 74.125.200.188:5228 1 70 bytes 1 55 bytes 2 125 bytes 2.843387000 0.0655
387	192.168.29.48:3772 <-> 104.26.2.143:443 1 66 bytes 1 55 bytes 2 121 bytes 9.954065000 0.0362
388	192.168.29.48:16275 <-> 172.253.144.188:5228 1 66 bytes 1 55 bytes 2 121 bytes 13.126529000 0.0657
389	192.168.29.48:25447 <-> 142.250.206.46:443 1 66 bytes 1 55 bytes 2 121 bytes 14.966375000 0.0381
390	192.168.29.48:30014 <-> 142.250.206.46:443 1 70 bytes 1 55 bytes 2 125 bytes 24.625507000 0.0319
391	52.182.143.210:443 <-> 192.168.29.48:57408 0 0 bytes 1 54 bytes 1 54 bytes 0.690553000 0.0000
392	=====

This table lists all TCP conversation output lines as reported by TShark, including per-flow frame counts, byte counts, and duration.

Application Flow Analysis (HTTP)

Application-level HTTP flows detected in the capture. Each row represents a single HTTP request.

No HTTP or application-level flows were extracted from the capture.

Per-Packet Detailed Dissection

Each card below represents one packet from the capture, including frame, Ethernet, IP, and TCP header information, plus protocol-specific details where available (HTTP, PKIX-CRL, etc.).

Frame 1: 192.168.29.48:47934 → 192.168.29.196:8009

TCP

Category	Field	Value
Frame	Time (Relative)	0.000000000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	150
	Identification	0xac14
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	47934
	Destination Port	8009
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	253
	Checksum / Status	0xbccd (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	0.005746000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	c4:a7:2b:e0:bc:aa
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.196
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	150
	Identification	0xb82d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 6
TCP	Source Port	8009
	Destination Port	47934
	Sequence / Ack	Seq: 1, Ack: 111
	Header Length	20
	Window Size	1207
	Checksum / Status	0x2b4c (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.005746000, Δ: 0.005746000

Category	Field	Value
Frame	Time (Relative)	0.046321000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xac15
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	47934
	Destination Port	8009
	Sequence / Ack	Seq: 111, Ack: 111
	Header Length	20
	Window Size	253
	Checksum / Status	0xbc5f (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.046321000, Δ: 0.040575000

Category	Field	Value
Frame	Time (Relative)	0.690553000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.182.143.210
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xaf35
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 94, Proto: 6
TCP	Source Port	443
	Destination Port	57408
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	0
	Checksum / Status	0x0065 (status: 2)
	Flags	0x0014
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	0.782279000 s
	Length	78 bytes
	Captured Length	78 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	172.64.148.235
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	64
	Identification	0x3f56
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 6
TCP	Source Port	443
	Destination Port	55124
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	19
	Checksum / Status	0xa803 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	0.782978000 s
	Length	82 bytes
	Captured Length	82 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	172.64.148.235
	Version	4
	Header Length	20
	Total Length	68
	Identification	0x9ede
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	55124
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 25
	Header Length	20
	Window Size	254
	Checksum / Status	0x1f3b (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000699000, Δ: 0.000699000

Category	Field	Value
Frame	Time (Relative)	0.788517000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	172.64.148.235
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3f57
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 6
TCP	Source Port	443
	Destination Port	55124
	Sequence / Ack	Seq: 25, Ack: 29
	Header Length	20
	Window Size	19
	Checksum / Status	0xbf1f (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.006238000, Δ: 0.005539000

Category	Field	Value
Frame	Time (Relative)	1.919323000 s
	Length	127 bytes
	Captured Length	127 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	142.250.206.46
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	113
	Identification	0x3057
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 116, Proto: 6
TCP	Source Port	443
	Destination Port	2027
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	1045
	Checksum / Status	0xd1fc (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	1.920958000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.206.46
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x58ea
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	2027
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 74
	Header Length	20
	Window Size	255
	Checksum / Status	0x3b1c (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.001635000, Δ: 0.001635000

Category	Field	Value
Frame	Time (Relative)	1.944609000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	142.250.206.46
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3058
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 116, Proto: 6
TCP	Source Port	443
	Destination Port	2027
	Sequence / Ack	Seq: 74, Ack: 2
	Header Length	20
	Window Size	1045
	Checksum / Status	0x73b1 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.025286000, Δ: 0.023651000

Category	Field	Value
Frame	Time (Relative)	1.944787000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.206.46
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x58eb
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	2027
	Destination Port	443
	Sequence / Ack	Seq: 2, Ack: 75
	Header Length	20
	Window Size	255
	Checksum / Status	0x3b1c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.025464000, Δ: 0.000178000

Frame 12: 192.168.29.1 → 192.168.29.48

Eth:ethertype:ip:udp:echo

Category	Field	Value
Frame	Time (Relative)	1.966516000 s
	Length	43 bytes
	Captured Length	43 bytes
	Protocols	eth:ethertype:ip:udp:echo
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.1
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	29
	Identification	0x11e1
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 17

Frame 13: 192.168.29.48 → 142.250.192.110

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.254539000 s
	Length	1288 bytes
	Captured Length	1288 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.192.110
	Version	4
	Header Length	20
	Total Length	1274
	Identification	0x395e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 14: 192.168.29.48 → 142.250.192.110

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.254672000 s
	Length	869 bytes
	Captured Length	869 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.192.110
	Version	4
	Header Length	20
	Total Length	855
	Identification	0x395f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 15: 142.250.192.110 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.263929000 s
	Length	69 bytes
	Captured Length	69 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	142.250.192.110
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	55
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 17

Frame 16: 192.168.29.48 → 142.250.192.110

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.291730000 s
	Length	74 bytes
	Captured Length	74 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.192.110
	Version	4
	Header Length	20
	Total Length	60
	Identification	0x3960
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 17: 142.250.192.110 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.431157000 s
	Length	492 bytes
	Captured Length	492 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	142.250.192.110
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	478
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 17

Frame 18: 142.250.192.110 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.431157000 s
	Length	76 bytes
	Captured Length	76 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	142.250.192.110
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	62
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 17

Frame 19: 142.250.192.110 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.431157000 s
	Length	103 bytes
	Captured Length	103 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	142.250.192.110
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	89
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 17

Frame 20: 192.168.29.48 → 142.250.192.110

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.432762000 s
	Length	77 bytes
	Captured Length	77 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.192.110
	Version	4
	Header Length	20
	Total Length	63
	Identification	0x3961
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 21: 142.250.192.110 → 192.168.29.48

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.463504000 s
	Length	70 bytes
	Captured Length	70 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	142.250.192.110
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	56
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 53, Proto: 17

Frame 22: 192.168.29.48 → 142.250.192.110

Eth:ethertype:ip:udp:data

Category	Field	Value
Frame	Time (Relative)	2.464584000 s
	Length	75 bytes
	Captured Length	75 bytes
	Protocols	eth:ethertype:ip:udp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	142.250.192.110
	Version	4
	Header Length	20
	Total Length	61
	Identification	0x3962
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Category	Field	Value
Frame	Time (Relative)	2.843387000 s
	Length	55 bytes
	Captured Length	55 bytes
	Protocols	eth:ethertype:ip:tcp:data
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	74.125.200.188
	Version	4
	Header Length	20
	Total Length	41
	Identification	0xd12b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	34121
	Destination Port	5228
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	253
	Checksum / Status	0xf12d (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	2.908918000 s
	Length	70 bytes
	Captured Length	70 bytes
	Protocols	eth:ethertype:vlan:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x8100
IP	Source IP	74.125.200.188
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x9a74
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 117, Proto: 6
TCP	Source Port	5228
	Destination Port	34121
	Sequence / Ack	Seq: 1, Ack: 2
	Header Length	32
	Window Size	1046
	Checksum / Status	0xba1a (status: 2)
	Flags	0x0010
	Options	01:01:05:0a:36:74:8b:e8:36:74:8b:e9
	Timing	Rel: 0.065531000, Δ: 0.065531000

Frame 25: 192.168.29.48 → 224.0.0.22

Eth:ethertype:ip:igmp:igmp

Category	Field	Value
Frame	Time (Relative)	3.190813000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:igmp:igmp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	01:00:5e:00:00:16
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	224.0.0.22
	Version	4
	Header Length	24
	Total Length	40
	Identification	0x2944
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 1, Proto: 2

Category	Field	Value
Frame	Time (Relative)	3.303237000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x3481
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 0, Ack: 0
	Header Length	32
	Window Size	65535
	Checksum / Status	0x9388 (status: 2)
	Flags	0x0002
	Options	02:04:05:b4:01:03:03:08:01:01:04:02
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.312990000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x0a37
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 111, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 0, Ack: 1
	Header Length	32
	Window Size	65535
	Checksum / Status	0xde1e (status: 2)
	Flags	0x0012
	Options	02:04:05:a0:01:03:03:08:01:01:04:02
	Timing	Rel: 0.009753000, Δ: 0.009753000

Category	Field	Value
Frame	Time (Relative)	3.313163000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3482
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	1024
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.009926000, Δ: 0.000173000

Category	Field	Value
Frame	Time (Relative)	3.315654000 s
	Length	500 bytes
	Captured Length	500 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	486
	Identification	0x3483
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	1024
	Checksum / Status	0x953a (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.012417000, Δ: 0.002491000

Category	Field	Value
Frame	Time (Relative)	3.323666000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x0a38
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 1, Ack: 447
	Header Length	20
	Window Size	49153
	Checksum / Status	0x5d1e (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.020429000, Δ: 0.008012000

Category	Field	Value
Frame	Time (Relative)	3.326208000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x0a39
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 1, Ack: 447
	Header Length	20
	Window Size	49153
	Checksum / Status	0x3fb9 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.022971000, Δ: 0.002542000

Category	Field	Value
Frame	Time (Relative)	3.326208000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x0a3a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 1461, Ack: 447
	Header Length	20
	Window Size	49153
	Checksum / Status	0x4d8d (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.022971000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.326208000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x0a3b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 2921, Ack: 447
	Header Length	20
	Window Size	49153
	Checksum / Status	0xe4f3 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.022971000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.326208000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x0a3c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 4381, Ack: 447
	Header Length	20
	Window Size	49153
	Checksum / Status	0x5182 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.022971000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.326208000 s
	Length	268 bytes
	Captured Length	268 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	254
	Identification	0x0a3d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 5841, Ack: 447
	Header Length	20
	Window Size	49153
	Checksum / Status	0x11f1 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.022971000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.326403000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3484
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 447, Ack: 1461
	Header Length	20
	Window Size	1024
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.023166000, Δ: 0.000195000

Category	Field	Value
Frame	Time (Relative)	3.326486000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3485
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 447, Ack: 2921
	Header Length	20
	Window Size	1024
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.023249000, Δ: 0.000083000

Category	Field	Value
Frame	Time (Relative)	3.326520000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3486
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 447, Ack: 4381
	Header Length	20
	Window Size	1024
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.023283000, Δ: 0.000034000

Category	Field	Value
Frame	Time (Relative)	3.326543000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3487
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 447, Ack: 5841
	Header Length	20
	Window Size	1024
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.023306000, Δ: 0.000023000

Category	Field	Value
Frame	Time (Relative)	3.326567000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x3488
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 447, Ack: 6055
	Header Length	20
	Window Size	1023
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.023330000, Δ: 0.000024000

Category	Field	Value
Frame	Time (Relative)	3.334598000 s
	Length	134 bytes
	Captured Length	134 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	120
	Identification	0x3489
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 447, Ack: 6055
	Header Length	20
	Window Size	1023
	Checksum / Status	0x93cc (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.031361000, Δ: 0.008031000

Category	Field	Value
Frame	Time (Relative)	3.334953000 s
	Length	688 bytes
	Captured Length	688 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	674
	Identification	0x348a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 527, Ack: 6055
	Header Length	20
	Window Size	1023
	Checksum / Status	0x95f6 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.031716000, Δ: 0.000355000

Category	Field	Value
Frame	Time (Relative)	3.343056000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x0a3e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 6055, Ack: 527
	Header Length	20
	Window Size	49153
	Checksum / Status	0x4528 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.039819000, Δ: 0.008103000

Category	Field	Value
Frame	Time (Relative)	3.343056000 s
	Length	513 bytes
	Captured Length	513 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	499
	Identification	0x0a3f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 6055, Ack: 527
	Header Length	20
	Window Size	49153
	Checksum / Status	0xa6c1 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.039819000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.343196000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x348b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 1161, Ack: 6514
	Header Length	20
	Window Size	1021
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.039959000, Δ: 0.000140000

Category	Field	Value
Frame	Time (Relative)	3.345380000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x0a40
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 6514, Ack: 1161
	Header Length	20
	Window Size	49150
	Checksum / Status	0x40e6 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.042143000, Δ: 0.002184000

Category	Field	Value
Frame	Time (Relative)	3.355944000 s
	Length	945 bytes
	Captured Length	945 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	52.123.129.14
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	931
	Identification	0x0a41
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 112, Proto: 6
TCP	Source Port	443
	Destination Port	38573
	Sequence / Ack	Seq: 6514, Ack: 1161
	Header Length	20
	Window Size	49150
	Checksum / Status	0xd2b6 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.052707000, Δ: 0.010564000

Category	Field	Value
Frame	Time (Relative)	3.356059000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	52.123.129.14
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x348c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	38573
	Destination Port	443
	Sequence / Ack	Seq: 1161, Ack: 7405
	Header Length	20
	Window Size	1024
	Checksum / Status	0x937c (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.052822000, Δ: 0.000115000

Frame 49: 192.168.29.48 → 192.168.29.1

Eth:ethertype:ip:udp:dns

Category	Field	Value
Frame	Time (Relative)	3.549870000 s
	Length	92 bytes
	Captured Length	92 bytes
	Protocols	eth:ethertype:ip:udp:dns
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.1
	Version	4
	Header Length	20
	Total Length	78
	Identification	0x0431
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 50: 192.168.29.48 → 192.168.29.1

Eth:ethertype:ip:udp:dns

Category	Field	Value
Frame	Time (Relative)	3.550603000 s
	Length	92 bytes
	Captured Length	92 bytes
	Protocols	eth:ethertype:ip:udp:dns
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.1
	Version	4
	Header Length	20
	Total Length	78
	Identification	0x0432
	Flags / Fragment Offset	0x00 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 17

Frame 51: 192.168.29.1 → 192.168.29.48

Eth:ethertype:ip:udp:dns

Category	Field	Value
Frame	Time (Relative)	3.556748000 s
	Length	271 bytes
	Captured Length	271 bytes
	Protocols	eth:ethertype:ip:udp:dns
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.1
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	257
	Identification	0x125f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 17

Frame 52: 192.168.29.1 → 192.168.29.48

Eth:ethertype:ip:udp:dns

Category	Field	Value
Frame	Time (Relative)	3.557122000 s
	Length	219 bytes
	Captured Length	219 bytes
	Protocols	eth:ethertype:ip:udp:dns
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.1
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	205
	Identification	0x1260
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 17

Category	Field	Value
Frame	Time (Relative)	3.558561000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x5248
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 0, Ack: 0
	Header Length	32
	Window Size	65535
	Checksum / Status	0xb377 (status: 2)
	Flags	0x0002
	Options	02:04:05:b4:01:03:03:08:01:01:04:02
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.762062000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x2617
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 0, Ack: 1
	Header Length	32
	Window Size	65535
	Checksum / Status	0x12ed (status: 2)
	Flags	0x0012
	Options	02:04:05:a0:01:03:03:08:01:01:04:02
	Timing	Rel: 0.203501000, Δ: 0.203501000

Category	Field	Value
Frame	Time (Relative)	3.762330000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5249
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xb36b (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.203769000, Δ: 0.000268000

Category	Field	Value
Frame	Time (Relative)	3.764038000 s
	Length	1923 bytes
	Captured Length	1923 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	1909
	Identification	0x524a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xb357 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.205477000, Δ: 0.001708000

Category	Field	Value
Frame	Time (Relative)	3.966934000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x2618
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 1, Ack: 1870
	Header Length	20
	Window Size	16385
	Checksum / Status	0x0c5e (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.408373000, Δ: 0.202896000

Category	Field	Value
Frame	Time (Relative)	3.966934000 s
	Length	153 bytes
	Captured Length	153 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	139
	Identification	0x2619
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 1, Ack: 1870
	Header Length	20
	Window Size	16385
	Checksum / Status	0xa9e3 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.408373000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	3.969669000 s
	Length	769 bytes
	Captured Length	769 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	755
	Identification	0x524c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 1870, Ack: 100
	Header Length	20
	Window Size	255
	Checksum / Status	0xb636 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.411108000, Δ: 0.002735000

Category	Field	Value
Frame	Time (Relative)	4.173398000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x261a
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 100, Ack: 2585
	Header Length	20
	Window Size	16382
	Checksum / Status	0xb645 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.614837000, Δ: 0.203729000

Category	Field	Value
Frame	Time (Relative)	4.173398000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x261b
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 1560, Ack: 2585
	Header Length	20
	Window Size	16382
	Checksum / Status	0x6933 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.614837000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.173398000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x261c
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 3020, Ack: 2585
	Header Length	20
	Window Size	16382
	Checksum / Status	0x5b19 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.614837000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.173398000 s
	Length	1514 bytes
	Captured Length	1514 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	1500
	Identification	0x261d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 4480, Ack: 2585
	Header Length	20
	Window Size	16382
	Checksum / Status	0x4ea4 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.614837000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.173398000 s
	Length	581 bytes
	Captured Length	581 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	567
	Identification	0x261e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 5940, Ack: 2585
	Header Length	20
	Window Size	16382
	Checksum / Status	0x2c19 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.614837000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.173821000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x524d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 2585, Ack: 3020
	Header Length	20
	Window Size	255
	Checksum / Status	0xb36b (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.615260000, Δ: 0.000423000

Category	Field	Value
Frame	Time (Relative)	4.173972000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x524e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 2585, Ack: 5940
	Header Length	20
	Window Size	255
	Checksum / Status	0xb36b (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.615411000, Δ: 0.000151000

Category	Field	Value
Frame	Time (Relative)	4.181088000 s
	Length	128 bytes
	Captured Length	128 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	114
	Identification	0x524f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 2585, Ack: 6467
	Header Length	20
	Window Size	253
	Checksum / Status	0xb3b5 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.622527000, Δ: 0.007116000

Category	Field	Value
Frame	Time (Relative)	4.181733000 s
	Length	146 bytes
	Captured Length	146 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	132
	Identification	0x5250
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 2659, Ack: 6467
	Header Length	20
	Window Size	253
	Checksum / Status	0xb3c7 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.623172000, Δ: 0.000645000

Category	Field	Value
Frame	Time (Relative)	4.182342000 s
	Length	545 bytes
	Captured Length	545 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	531
	Identification	0x5251
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 2751, Ack: 6467
	Header Length	20
	Window Size	253
	Checksum / Status	0xb556 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.623781000, Δ: 0.000609000

Category	Field	Value
Frame	Time (Relative)	4.182511000 s
	Length	6004 bytes
	Captured Length	6004 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	5990
	Identification	0x5252
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 3242, Ack: 6467
	Header Length	20
	Window Size	253
	Checksum / Status	0xb357 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.623950000, Δ: 0.000169000

Category	Field	Value
Frame	Time (Relative)	4.376423000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x261f
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 6467, Ack: 3242
	Header Length	20
	Window Size	16379
	Checksum / Status	0xedc5 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.817862000, Δ: 0.193912000

Category	Field	Value
Frame	Time (Relative)	4.376423000 s
	Length	157 bytes
	Captured Length	157 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	143
	Identification	0x2620
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 6467, Ack: 3242
	Header Length	20
	Window Size	16379
	Checksum / Status	0x710b (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.817862000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.376423000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x2621
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 6570, Ack: 6122
	Header Length	20
	Window Size	16385
	Checksum / Status	0xe218 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.817862000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.376423000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x2622
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 6570, Ack: 9192
	Header Length	20
	Window Size	16385
	Checksum / Status	0xd61a (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.817862000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.376423000 s
	Length	116 bytes
	Captured Length	116 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	102
	Identification	0x2623
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 6570, Ack: 9192
	Header Length	20
	Window Size	16385
	Checksum / Status	0x4912 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.817862000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.376768000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5257
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 9192, Ack: 6632
	Header Length	20
	Window Size	253
	Checksum / Status	0xb36b (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.818207000, Δ: 0.000345000

Category	Field	Value
Frame	Time (Relative)	4.377102000 s
	Length	85 bytes
	Captured Length	85 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	71
	Identification	0x5258
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 9192, Ack: 6632
	Header Length	20
	Window Size	253
	Checksum / Status	0xb38a (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.818541000, Δ: 0.000334000

Category	Field	Value
Frame	Time (Relative)	4.437452000 s
	Length	81 bytes
	Captured Length	81 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.84.7
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	67
	Identification	0x28f9
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 42, Proto: 6
TCP	Source Port	443
	Destination Port	57676
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	658
	Checksum / Status	0x6a15 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	4.482594000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.195.84.7
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x50cc
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	57676
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 28
	Header Length	20
	Window Size	254
	Checksum / Status	0x46bd (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.045142000, Δ: 0.045142000

Category	Field	Value
Frame	Time (Relative)	4.521664000 s
	Length	366 bytes
	Captured Length	366 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	40.79.173.41
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	352
	Identification	0x2624
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 105, Proto: 6
TCP	Source Port	443
	Destination Port	26478
	Sequence / Ack	Seq: 6632, Ack: 9223
	Header Length	20
	Window Size	16384
	Checksum / Status	0x2c2c (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.963103000, Δ: 0.144562000

Category	Field	Value
Frame	Time (Relative)	4.576447000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	40.79.173.41
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5259
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26478
	Destination Port	443
	Sequence / Ack	Seq: 9223, Ack: 6944
	Header Length	20
	Window Size	252
	Checksum / Status	0xb36b (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 1.017886000, Δ: 0.054783000

Category	Field	Value
Frame	Time (Relative)	5.021511000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	150
	Identification	0xac16
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	47934
	Destination Port	8009
	Sequence / Ack	Seq: 111, Ack: 111
	Header Length	20
	Window Size	253
	Checksum / Status	0xbccd (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 5.021511000, Δ: 4.975190000

Category	Field	Value
Frame	Time (Relative)	5.027735000 s
	Length	164 bytes
	Captured Length	164 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	c4:a7:2b:e0:bc:aa
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	192.168.29.196
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	150
	Identification	0xb82e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 64, Proto: 6
TCP	Source Port	8009
	Destination Port	47934
	Sequence / Ack	Seq: 111, Ack: 221
	Header Length	20
	Window Size	1207
	Checksum / Status	0x71f4 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 5.027735000, Δ: 0.006224000

Category	Field	Value
Frame	Time (Relative)	5.068899000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	c4:a7:2b:e0:bc:aa
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	192.168.29.196
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xac17
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	47934
	Destination Port	8009
	Sequence / Ack	Seq: 221, Ack: 221
	Header Length	20
	Window Size	252
	Checksum / Status	0xbc5f (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 5.068899000, Δ: 0.041164000

Category	Field	Value
Frame	Time (Relative)	5.193077000 s
	Length	82 bytes
	Captured Length	82 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	20.195.84.7
	Version	4
	Header Length	20
	Total Length	68
	Identification	0x50cd
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	57676
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 28
	Header Length	20
	Window Size	254
	Checksum / Status	0x46d9 (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.755625000, Δ: 0.710483000

Category	Field	Value
Frame	Time (Relative)	5.251821000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	20.195.84.7
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x28fa
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 42, Proto: 6
TCP	Source Port	443
	Destination Port	57676
	Sequence / Ack	Seq: 28, Ack: 29
	Header Length	20
	Window Size	658
	Checksum / Status	0xe361 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.814369000, Δ: 0.058744000

Category	Field	Value
Frame	Time (Relative)	8.805759000 s
	Length	55 bytes
	Captured Length	55 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.107.213.72
	Version	4
	Header Length	20
	Total Length	41
	Identification	0x5665
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	20948
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	252
	Checksum / Status	0xc0a7 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	8.808107000 s
	Length	93 bytes
	Captured Length	93 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.107.213.72
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	79
	Identification	0x8dd1
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 46, Proto: 6
TCP	Source Port	443
	Destination Port	20948
	Sequence / Ack	Seq: 1, Ack: 2
	Header Length	20
	Window Size	103
	Checksum / Status	0x78bc (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.002348000, Δ: 0.002348000

Category	Field	Value
Frame	Time (Relative)	8.808107000 s
	Length	78 bytes
	Captured Length	78 bytes
	Protocols	eth:ethertype:ip:tcp:tls
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.107.213.72
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	64
	Identification	0x8dd2
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 46, Proto: 6
TCP	Source Port	443
	Destination Port	20948
	Sequence / Ack	Seq: 40, Ack: 2
	Header Length	20
	Window Size	103
	Checksum / Status	0x88ac (status: 2)
	Flags	0x0018
	Options	N/A
	Timing	Rel: 0.002348000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	8.808107000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.107.213.72
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x8dd3
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 46, Proto: 6
TCP	Source Port	443
	Destination Port	20948
	Sequence / Ack	Seq: 64, Ack: 2
	Header Length	20
	Window Size	103
	Checksum / Status	0x5168 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.002348000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	8.808107000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.107.213.72
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x8dd4
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 46, Proto: 6
TCP	Source Port	443
	Destination Port	20948
	Sequence / Ack	Seq: 64, Ack: 2
	Header Length	20
	Window Size	103
	Checksum / Status	0x5168 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.002348000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	8.808316000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.107.213.72
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5666
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	20948
	Destination Port	443
	Sequence / Ack	Seq: 2, Ack: 64
	Header Length	20
	Window Size	252
	Checksum / Status	0xc0a6 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.002557000, Δ: 0.000209000

Category	Field	Value
Frame	Time (Relative)	8.808374000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.107.213.72
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5667
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	20948
	Destination Port	443
	Sequence / Ack	Seq: 2, Ack: 65
	Header Length	20
	Window Size	252
	Checksum / Status	0xc0a6 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.002615000, Δ: 0.000058000

Category	Field	Value
Frame	Time (Relative)	8.808404000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.107.213.72
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5668
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	20948
	Destination Port	443
	Sequence / Ack	Seq: 2, Ack: 65
	Header Length	20
	Window Size	252
	Checksum / Status	0xc0a6 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.002645000, Δ: 0.000030000

Category	Field	Value
Frame	Time (Relative)	8.809620000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	13.107.213.72
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x5669
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	20948
	Destination Port	443
	Sequence / Ack	Seq: 2, Ack: 65
	Header Length	20
	Window Size	252
	Checksum / Status	0xc0a6 (status: 2)
	Flags	0x0011
	Options	N/A
	Timing	Rel: 0.003861000, Δ: 0.001216000

Category	Field	Value
Frame	Time (Relative)	8.817741000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.107.213.72
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x8dd5
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 46, Proto: 6
TCP	Source Port	443
	Destination Port	20948
	Sequence / Ack	Seq: 65, Ack: 2
	Header Length	32
	Window Size	103
	Checksum / Status	0x7c29 (status: 2)
	Flags	0x0010
	Options	01:01:05:0a:84:bb:ca:d7:84:bb:ca:d8
	Timing	Rel: 0.011982000, Δ: 0.008121000

Category	Field	Value
Frame	Time (Relative)	8.817741000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	13.107.213.72
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	40
	Identification	0x8dd6
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 46, Proto: 6
TCP	Source Port	443
	Destination Port	20948
	Sequence / Ack	Seq: 65, Ack: 3
	Header Length	20
	Window Size	103
	Checksum / Status	0x5167 (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.011982000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	9.000994000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	140.82.112.22
	Version	4
	Header Length	20
	Total Length	52
	Identification	0xe71d
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26489
	Destination Port	443
	Sequence / Ack	Seq: 0, Ack: 0
	Header Length	32
	Window Size	65535
	Checksum / Status	0xda67 (status: 2)
	Flags	0x0002
	Options	02:04:05:b4:01:03:03:08:01:01:04:02
	Timing	Rel: 0.000000000, Δ: 0.000000000

Category	Field	Value
Frame	Time (Relative)	9.291762000 s
	Length	66 bytes
	Captured Length	66 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:a3:99:5d:b8:56
	Destination MAC	8c:f8:c5:ab:38:df
	Type	0x0800
IP	Source IP	140.82.112.22
	Destination IP	192.168.29.48
	Version	4
	Header Length	20
	Total Length	52
	Identification	0x0000
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 42, Proto: 6
TCP	Source Port	443
	Destination Port	26489
	Sequence / Ack	Seq: 0, Ack: 1
	Header Length	32
	Window Size	65535
	Checksum / Status	0x6a60 (status: 2)
	Flags	0x0012
	Options	02:04:05:9c:01:01:04:02:01:03:03:0a
	Timing	Rel: 0.290768000, Δ: 0.290768000

Category	Field	Value
Frame	Time (Relative)	9.291995000 s
	Length	54 bytes
	Captured Length	54 bytes
	Protocols	eth:ethertype:ip:tcp
	Marked / Ignored	0 / 0
	Encapsulation	1
Ethernet	Source MAC	8c:f8:c5:ab:38:df
	Destination MAC	8c:a3:99:5d:b8:56
	Type	0x0800
IP	Source IP	192.168.29.48
	Destination IP	140.82.112.22
	Version	4
	Header Length	20
	Total Length	40
	Identification	0xe71e
	Flags / Fragment Offset	0x02 (Offset: 0)
	TTL / Protocol	TTL: 128, Proto: 6
TCP	Source Port	26489
	Destination Port	443
	Sequence / Ack	Seq: 1, Ack: 1
	Header Length	20
	Window Size	255
	Checksum / Status	0xda5b (status: 2)
	Flags	0x0010
	Options	N/A
	Timing	Rel: 0.291001000, Δ: 0.000233000