

Site: http://www.example.com

Generated on Tue, 22 Apr 2025 18:01:20

ZAP Version: 2.16.1

ZAP by **Checkmarx** 

## **Summary of Alerts**

Risk Level	Number of Alerts
High	0
Medium	2
Low	1
Informational	0
False Positives:	0

# **Summary of Sequences**

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

#### Alerts

Name	Risk Level	Number of Instances
Content Security Policy (CSP) Header Not Set	Medium	3
Missing Anti-clickjacking Header	Medium	1
X-Content-Type-Options Header Missing	Low	1

### **Alert Detail**

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

URL		http://www.example.com
	Method	GET
	Parameter	
	Attack	
	Evidence	
	Other Info	
URL		http://www.example.com/robots.txt
	Method	GET
	Parameter	
	Attack	
	Evidence	
	Other Info	
URL		http://www.example.com/sitemap.xml
	Method	GET
	Parameter	
	Attack	
	Evidence	
	Other Info	
Instances		3
Solution		Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
		https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy
Reference		https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id		<u>693</u>
WASC Id		15
Plugin Id		10038

Medium		Missing Anti-clickjacking Header
Description		The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL		http://www.example.com
	Method	GET
	Parameter	x-frame-options
	Attack	
	Evidence	
	Other Info	
Instances		1
		Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.
Solution		If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference		https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id		<u>1021</u>
WASC Id		15
Plugin Id		10020
Low		X-Content-Type-Options Header Missing
Description		The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL		http://www.example.com
	Method	GET
	Parameter	x-content-type-options
	Attack	
	Evidence	

Other Info

1

This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

Instances

Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.

Solution

If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.

https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/g

Reference

https://owasp.org/www-community/Security\_Headers

CWE ld <u>693</u>

WASC Id 15

Plugin Id 10021

## **Sequence Details**

With the associated active scan results.