Assignment 4

WOKWI PROGRAM

Assignment Date	29 OCT 2022
Student Name	P.JENIFER PRIYA
Student Roll Number	953419106024
Maximum Marks	2 Marks

PROGRAM

Smart Waste Management System for Metropolitan Cities ASSIGNMENT 4:

Write code and connections in wokwi for ultrasonic sensors.
Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.
Upload document with wokwi share link and images of ibm cloud

CODE

```
#include <WiFi.h>
#include < PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "4yi0vc"
#define DEVICE_TYPE "nodeMcu"
#define DEVICE_ID "Assignment4"
#define TOKEN "123456789"
#define speed 0.034
#define led 14
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Data/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
const int trigpin=5;
const int echopin=18;
String command;
String data="";
long duration;
float dist;
void setup()
 Serial.begin(115200);
 pinMode(led, OUTPUT);
 pinMode(trigpin, OUTPUT);
 pinMode(echopin, INPUT);
 wifiConnect();
 mqttConnect();
void loop() {
 bool isNearby = dist < 100;
 digitalWrite(led, isNearby);
 publishData();
 delay(500);
 if (!client.loop()) {
  mqttConnect();
void wifiConnect() {
 Serial.print("Connecting to "); Serial.print("Wifi");
 WiFi.begin("Wokwi-GUEST", "", 6);
 while (WiFi.status() != WL_CONNECTED) {
  delay(500);
  Serial.print(".");
```

```
Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
void mqttConnect() {
 if (!client.connected()) {
  Serial.print("Reconnecting MQTT client to "); Serial.println(server);
  while (!client.connect(clientId, authMethod, token)) {
    Serial.print(".");
    delay(500);
  initManagedDevice();
  Serial.println();
void initManagedDevice() {
 if (client.subscribe(topic)) {
  // Serial.println(client.subscribe(topic));
  Serial.println("IBM subscribe to cmd OK");
 } else {
   Serial.println("subscribe to cmd FAILED");
void publishData()
 digitalWrite(trigpin,LOW);
 digitalWrite(trigpin,HIGH);
 delayMicroseconds(10);
 digitalWrite(trigpin,LOW);
 duration=pulseIn(echopin,HIGH);
 dist=duration*speed/2;
 if(dist<100){
  String payload = "{\"Normal Distance\":";
  payload += dist;
  payload += "}";
  Serial.print("\n");
  Serial.print("Sending payload: ");
  Serial.println(payload);
  if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish OK");
  if(dist>101 && dist<111){
  String payload = "{\"Alert distance\":";
  payload += dist;
  payload += "}";
  Serial.print("\n");
  Serial.print("Sending payload: ");
  Serial.println(payload);
   if(client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Warning crosses 110cm -- it automatically of the loop");
    digitalWrite(led,HIGH);
   }else {
    Serial.println("Publish FAILED");
 void callback(char* subscribeTopic, byte* payload, unsigned int payloadLength){
 Serial.print("callback invoked for topic:");
 Serial.println(subscribeTopic);
 for(int i=0; i<payloadLength; i++){
  dist += (char)payload[i];
 Serial.println("data:"+ data3);
 if(data3=="lighton"){
  Serial.println(data3);
  digitalWrite(led,HIGH);
 data3="";
```

Output



1) when distance under 100 cm it wil show normal distance





Sending payload: {"Alert distance":106.98}
Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert distance":106.98}
Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert distance":106.98}
Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert distance":106.98}
Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert distance":106.98}
Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert distance":106.98}
Warning crosses 110cm -- it automaticaly of the loop

2) when distance cross 100 cm it wil show ALERT with warning message distance

when it cross above 110 cm it totaly move to iff state once it reduce to 110 it on again

IBM CLOUD OUPUT

Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert distance":106.98}

Recent Events


The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Data	{"Normal Distance":89.95}	json	a few seconds ago
Data	{"Normal Distance":89.95}	json	a few seconds ago
Data	{"Normal Distance":89.95}	json	a few seconds ago
Data	{"Normal Distance":89.95}	json	a few seconds ago
Data	{"Normal Distance":89.95}	json	a few seconds ago

Recent Events

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Data	{"Alert distance":106.98}	json	a few seconds ago
Data	{"Alert distance":107.03}	json	a few seconds ago
Data	{"Alert distance":106.98}	json	a few seconds ago
Data	{"Alert distance":106.98}	json	a few seconds ago
Data	{"Alert distance":106.98}	json	a few seconds ago



Connection Information

Basic connection information about this device.

Device ID Assignment4

Device Type nodeMcu

Date Added 23 Oct 2022 07:20

Added By 953419106015@smartinternz.com

Connection Status Disconnected

Last Connected: 23 Oct 2022 16:57 Client Address: 145.40.94.93 Insecure

Duration: 3 minutes
Data Transferred: 14.4 KB

Recent Events

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Data	{"Normal Distance":92.99}	json	a few seconds ago
Data	{"Normal Distance":92.99}	json	a few seconds ago
Data	{"Normal Distance":92.99}	json	a few seconds ago
Data	{"Normal Distance":92.99}	json	a few seconds ago
Data	{"Normal Distance":92.99}	json	a few seconds ago