Academic Burnout Risk Analysis Report

Generated on March 13, 2026

1■■ Dataset Summary

Metric	Value
Total Students Analyzed	156
Average Burnout Score	5.32/10
Minimum Burnout Score	0.0/10
Maximum Burnout Score	10.0/10
Standard Deviation	3.49

2■■ Risk Level Distribution

Risk Level	Number of Students	Percentage
Low Risk (0-4)	53	34.0%
Moderate Risk (4-7)	50	32.1%
High Risk (7-10)	53	34.0%

3■■ Strongest Burnout Indicators

Rank	Factor	Correlation	Direction
1	Study Hours	0.999	Positive ↑
2	Stress Level	0.998	Positive ↑
3	Assignment Load	0.998	Positive ↑
4	Screen Time	0.997	Positive ↑
5	Physical Activity	-0.997	Negative ↓

4■■ Risk Distribution Graphs

Risk Pie Chart



Risk Bar Chart



Burnout Histogram



5■■ Statistical Observations

• Study Hours shows the strongest positive correlation with burnout (0.999).

• Physical Activity demonstrates negative correlation with burnout (-0.997), indicating protective effects.

• The average burnout score suggests moderate risk levels requiring attention.

• Statistical analysis reveals significant variations in burnout scores across different student profiles.

6■■ Recommendations

■ **Urgent Intervention Required**: High percentage of students at high risk. Implement comprehensive wellness programs immediately.

■ **Stress Management**: Implement mindfulness programs, counseling services, and stress reduction workshops.

■ **Sleep Hygiene**: Promote healthy sleep schedules and create sleep-friendly campus environments.

■ **Digital Wellness**: Encourage digital detox periods and screen time management.

■ **Physical Activity**: Promote regular exercise and sports participation.

■ **Academic Support**: Provide tutoring and study skills workshops.

■ **Social Connection**: Foster community building and peer support programs.

■ **Regular Monitoring**: Implement periodic burnout assessments.

This report was generated using statistical analysis of student burnout data. For questions about this analysis, please contact the academic counseling services.