

OSINT INVESTIGATION & INTELLIGENCE GATHERING REPORT

Project 02 · Open Source Intelligence Gathering

Target: <https://www.chicken-road2.app/>

Classification: Public / Passive OSINT Only

Prepared by: Taraka Divya Ketha

Prepared for: Cryptonic Area Team

Date: 04-08-2026

Course / Program: Cybersecurity & Ethical Hacking Internship

1. Executive Summary

This report covers a passive OSINT investigation of <https://www.chicken-road2.app/>. All information was gathered from public sources only — WHOIS, DNS, hosting, SSL/TLS, HTTP headers, and site technology — with no intrusive or unauthorized activity against the target.

The site is an informational/affiliate page promoting the "Chicken Road 2" casino mini-game by InOut Games. It is built on Next.js, hosted on Vercel, and sits behind Cloudflare, which handles DNS, TLS, and edge delivery.

Overall exposure is LOW. ScamAdviser independently rates the domain 96/100, "Very Likely Safe." The domain uses standard WHOIS privacy, a valid wildcard TLS certificate, and Cloudflare's network protections. Four gaps were found, all low-severity and easy to fix: no CAA record (any CA can issue a certificate for this domain), an incomplete DNSSEC chain (signed at the zone but not delegated, so it provides no real protection yet), and several HTTP security headers (CSP, X-Frame-Options, X-Content-Type-Options, Referrer-Policy, Permissions-Policy) that were missing on the scan performed — though that scan hit a redirect response rather than the final page, so it should be re-run to confirm. None of these gaps are exploitable on their own.

2. Target Overview

Target URL	https://www.chicken-road2.app/
Site Title	Chicken Road 2 ▷Casino Game + Free Demo & Bonus
Stated Purpose	Informational/affiliate site for the "Chicken Road 2" mini-game by InOut Games; drives traffic to partner online casinos
Associated Brand	InOut Games (game provider/developer)
Related Domain	chicken-road.net (referenced as the original "Chicken Road" site)
TLD	.app (Google-operated; HTTPS-only by registry policy, preloaded on the HSTS list)
Language	English (en), with a language-flag switcher
Last Content Update (declared)	June 2, 2025 (per on-page "Last modified on" notice)

3. Methodology

Only passive, publicly available OSINT techniques were used — no login attempts, no scanning of non-public services, no interaction beyond normal page requests. Tools used:

- Manual review of page source and meta tags
- ScamAdviser, VirusTotal — reputation checks
- DomainTools WHOIS, ICANN Lookup (RDAP) — registration data

- who.is — DNS records, hosting, SSL/TLS certificate
- Wappalyzer — technology fingerprinting
- securityheaders.com — HTTP security headers
- crt.sh — Certificate Transparency search (subdomain discovery)
- Wayback Machine — archive/history check

4. Information Gathered

4.1 Domain Information

Domain Name	chicken-road2.app
Registry Domain ID	E0EA18C9E-APP
Canonical URL	https://www.chicken-road2.app
Registrar	Key-Systems GmbH (IANA ID 1345)
Registrar Abuse Contact	abusereport@key-systems.net · +49.68949396850
Domain Status	clientTransferProhibited (standard anti-hijacking lock)
Registration Date	May 13, 2025
Last Updated	May 4, 2026
Expiry Date	May 13, 2027
Registrant	Redacted per RDAP/registry privacy policy

4.2 WHOIS Details

Cross-checked with DomainTools WHOIS and ICANN's official RDAP Lookup. Both confirm the registrar, creation date, and expiry above. Name servers (autumn.ns.cloudflare.com / denver.ns.cloudflare.com) confirm Cloudflare manages DNS. DNSSEC shows "Zone Signed: Signed" but "Delegation Signed: Unsigned" — the zone is signed, but the parent .app zone lacks the DS record needed to complete the trust chain, so DNSSEC does not currently validate end-to-end.

DomainTools PROFILE · CONNECT · MONITOR · SUPPORT · Whois Lookup

Whois Record for Chicken-road2.app

[How does this work?](#)

Domain Profile

Registrar Status	taken
Name Servers	AUTUMN.NS.CLOUDFLARE.COM (has 48,972,464 domains) DENVER.NS.CLOUDFLARE.COM (has 48,972,464 domains)
IP Address	104.21.38.193 - 1,408 other sites hosted on this server
IP Location	California - San Jose - Cloudflare Inc.
ASN	AS13335 CLOUDFLARENET - Cloudflare, Inc., US (registered Jul 14, 2010)
IP History	1 change on 1 unique IP addresses over 1 years
Hosting History	2 changes on 3 unique name servers over 1 year

Whois Record (last updated on 2026-07-31)

```
% NOTE: The registry for this domain name does not publish ownership
% records (whois records) in the standard format. This data
% represents the most likely status of the domain based on
% information provided by the Internet's domain name servers (DNS).

domain: chicken-road2.app
status: taken
nameserver: autumn.ns.cloudflare.com
nameserver: denver.ns.cloudflare.com

% For more information, please visit https://www.registry.google
```

DomainTools Iris
The gold-standard Internet intelligence platform.
[Learn More](#)

[Preview the Full Domain Report](#)

Tools

- Hosting History
- Monitor Domain Properties
- Reverse IP Address Lookup
- Network Tools

Available TLDs

General TLDs Country TLDs

The following domains are available through our preferred partners. Select domains below for more information. (3rd party site)

- Taken domain.
- Available domain.
- Deleted previously owned domain.

Fig. 1 — DomainTools WHOIS record: registrar status, name servers, hosting history.

Domain Information

Name: chicken-road2.app

Registry Domain ID: E0EA18C9E-APP

Domain Status:
[clientTransferProhibited](#)

Nameservers:
autumn.ns.cloudflare.com
denver.ns.cloudflare.com

Dates

Registry Expiration: 2027-05-13 14:03:26 UTC

Registrar Expiration: 2027-05-13 14:03:26 UTC

Updated: 2026-05-04 00:01:08 UTC

Created: 2025-05-13 14:03:26 UTC

Fig. 2 — ICANN RDAP Lookup: registry dates and domain status.

Registrar Information

Name: Key-Systems GmbH

IANA ID: 1345

Abuse contact email: abusereport@key-systems.net

Abuse contact phone: tel:+49.68949396850

About the Registrar: <https://ilkari.tech>

DNSSEC Information

Zone Signed: Signed

Delegation Signed: Unsigned

Authoritative Servers

Registry Server URL: <https://pubapi.registry.google/rdap/domain/chicken-road2.app>

Last updated from Registry RDAP DB: 2026-07-31T14:23:02.038Z

Registrar Server URL: <https://rdap.rproxy.net/domain/chicken-road2.app>

Last updated from Registrar RDAP DB: 2026-07-31T14:23:02.038Z

Fig. 3 — ICANN RDAP Lookup: registrar detail and DNSSEC status.

4.3 IP Address

The domain resolves to Cloudflare's shared anycast IP range, not a dedicated server:

chicken-road2.app (A)	172.67.137.239
chicken-road2.app (A)	104.21.38.193
www.chicken-road2.app (A)	104.21.38.193 / 172.67.137.239
www.chicken-road2.app (AAAA)	2606:4700:3030::ac43:89ef
www.chicken-road2.app (AAAA)	2606:4700:3034::6815:26c1


chicken-road2.app	A	0	172.67.137.239
chicken-road2.app	A	0	104.21.38.193
www.chicken-road2.app	A	0	104.21.38.193
www.chicken-road2.app	A	0	172.67.137.239
www.chicken-road2.app	AAAA	0	2606:4700:3030::ac43:89ef
www.chicken-road2.app	AAAA	0	2606:4700:3034::6815:26c1

Fig. 4 — Resolved A/AAAA records for the apex and www hosts.

These are shared Cloudflare edge IPs (DomainTools shows 1,408+ other sites on the same server), so the IP cannot be used to locate the real origin server. This is expected behind Cloudflare, not a finding of concern.

4.4 DNS Records

A	chicken-road2.app → 172.67.137.239, 104.21.38.193
AAAA	chicken-road2.app → 2606:4700:3034::6815:26c1, 2606:4700:3030::ac43:89ef
NS	denver.ns.cloudflare.com, autumn.ns.cloudflare.com
TXT	google-site-verification=... (Google Search Console ownership proof)
SOA	autumn.ns.cloudflare.com dns.cloudflare.com — refresh 10000, retry 2400, expire 604800, min TTL 1800
MX	None — no mail-exchange record published



Hostname	Type	TTL	Priority	Content
chicken-road2.app	TXT	0		google-site-verification=0wvhA6b5wO4XvHwi25O0BDtvDU1zx'
chicken-road2.app	NS	0		denver.ns.cloudflare.com
chicken-road2.app	NS	0		autumn.ns.cloudflare.com
chicken-road2.app	AAAA	0		2606:4700:3034::6815:26c1
chicken-road2.app	AAAA	0		2606:4700:3030::ac43:89ef
chicken-road2.app	SOA	1800		autumn.ns.cloudflare.com dns.cloudflare.com 2410 2400 604800 1800
chicken-road2.app	A	0		172.67.137.239
chicken-road2.app	A	0		104.21.38.193

Fig. 5 — DNS record set: A, NS, AAAA, SOA, TXT.


www.chicken-road2.app	A	0	104.21.38.193
www.chicken-road2.app	A	0	172.67.137.239
www.chicken-road2.app	AAAA	0	2606:4700:3030::ac43:89ef
www.chicken-road2.app	AAAA	0	2606:4700:3034::6815:26c1

Fig. 6 — Additional A/AAAA records for the www host.

No MX record means this domain cannot receive email directly, so SPF/DMARC are not applicable here — there's no mail channel to protect or spoof.

4.5 Hosting Provider

Two layers confirmed. Edge/DNS: Cloudflare, under AS13335 (CLOUDFLARENET) — confirmed via who.is, which shows the domain sharing hosting with roughly 5,000 other sites and stable on this network since at least July 20, 2026. Origin platform: Vercel — confirmed via Wappalyzer, which detected Next.js (v16.1.6) as the framework and Vercel as the PaaS behind Cloudflare's proxy. Site images are served separately from a Cloudinary CDN account (res.cloudinary.com/dzwm5oovk/...).



chicken-road2.app

DNS Records

Whois RDAP **DNS Records** Certificate Uptime Diagnostics History

[Hide Contact Info](#) [Refresh Data](#)

Hosting & Network

chicken-road2.app runs on Cloudflare, with DNS by Cloudflare.

Hosting network

Cloudflare AS13335 Cloudflare

Managed DNS	Email
Cloudflare	None
IPv6 (AAAA)	CAA pinning
Enabled	None

Sits alongside [4,999+ other sites](#) on Cloudflare. Stable here since we started watching (Jul 20, 2026).

The apex and [www](#) are the same hosting — the apex via A records.

Fig. 7 — who.is Hosting & Network summary: Cloudflare / AS13335.

4.6 SSL/TLS Certificate Information

Status	Valid
Issued by (CA)	Google Trust Services (chain: WE1 → GTS Root R4)
Subject / SAN	chicken-road2.app, *.chicken-road2.app (wildcard)
Validity Window	Jul 5, 2026 – Oct 3, 2026 (~90-day cert, typical of automated issuance)
Public Key	EC 256-bit
CAA Policy	None published — any CA may currently issue a certificate for this domain




Fig. 8 — SSL/TLS certificate detail: issuer, validity, SAN, CAA policy.

The wildcard SAN is also why crt.sh shows no subdomains — see Section 6.1.

4.7 Security Headers

Scanned via securityheaders.com. The scan target (<http://chicken-road2.app>, no "www") returned a 308 redirect to the HTTPS site rather than the actual page, so the headers below were read off that redirect response, not the final rendered page. Grade was capped at A due to this. Headers reported missing on this response: Content-Security-Policy, X-Frame-Options, X-Content-Type-Options, Referrer-Policy, and Permissions-Policy. Server header confirms Cloudflare; Cloudflare's own Network Error Logging (NEL) and Report-To headers are present.

OSINT intelligence report preparation

Scan results for https://www.chic

securityheaders.com/?q=https%3A%2F%2Fwww.chicken-road2.app%2F&followRedirects=on

Security Report Summary



Site: <https://www.chicken-road2.app/>

IP Address: 172.67.137.239

Report Time: 04 Aug 2026 14:16:52 UTC

Headers: ✓ Strict-Transport-Security ✗ Content-Security-Policy ✗ X-Frame-Options ✗ X-Content-Type-Options ✗ Referrer-Policy ✗ Permissions-Policy

Advanced: Your site could be at risk, let's perform a deeper security analysis of your site and APIs: [Start Now](#)

Missing Headers

Content-Security-Policy	Content Security Policy is an effective measure to protect your site from XSS attacks. By whitelisting sources of approved content, you can prevent the browser from loading malicious assets.
X-Frame-Options	X-Frame-Options tells the browser whether you want to allow your site to be framed or not. By preventing a browser from framing your site you can defend against attacks like clickjacking. Recommended value "X-Frame-Options: SAMEORIGIN".
X-Content-Type-Options	X-Content-Type-Options stops a browser from trying to MIME-sniff the content type and forces it to stick with the declared content-type. The only valid value for this header is "X-Content-Type-Options: nosniff".
Referrer-Policy	Referrer Policy is a new header that allows a site to control how much information the browser includes with navigations away from a document and should be set by all sites.
Permissions-Policy	Permissions Policy is a new header that allows a site to control which features and APIs can be used in the browser.

Raw Headers

HTTP/2	103
link	</_next/static/media/01f0c602c274ea55-s.p.woff2?dpl=dpl_36amefBYNatTdoMHFYKzDkucTGWE>; as=font; crossorigin=; rel=preload; type=font/woff2, </_next/static/media/1b7c30bb028884cf-s.p.woff2?dpl=dpl_36amefBYNatTdoMHFYKzDkucTGWE>; as=font; crossorigin=; rel=preload; type=font/woff2, </_next/static/css/5db793e17e240198.css?dpl=dpl_36amefBYNatTdoMHFYKzDkucTGWE>; as=style; rel=preload
HTTP/2 200	
date	Tue, 04 Aug 2026 14:16:51 GMT
content-type	text/html; charset=utf-8
age	0
cache-control	private, no-cache, no-store, max-age=0, must-revalidate
report-to	{ "group": "cf-nel", "max_age": 604800, "endpoints": [{ "url": "https://a.nel.cloudflare.com/report/v4?s=AhxCL5XoWbcEWgJutzOUZWVG8eGxXHAsU7d2DCifrXaU40gYYBXvYWpAXEToW0YGizdTCGWKLbaUxHOUE97BVUedzWgcPd%2Bx9qPgeIVd%2BSJRGWhwGG1%2B5qXqAfx%2Bg%2BvYq2HAa1b02o%3D"}] }
link	</_next/static/media/01f0c602c274ea55-s.p.woff2?dpl=dpl_36amefBYNatTdoMHFYKzDkucTGWE>; rel=preload; as="font"; crossorigin=""; type="font/woff2", </_next/static/media/1b7c30bb028884cf-s.p.woff2?dpl=dpl_36amefBYNatTdoMHFYKzDkucTGWE>; rel=preload; as="font"; crossorigin=""; type="font/woff2", </_next/static/css/5db793e17e240198.css?dpl=dpl_36amefBYNatTdoMHFYKzDkucTGWE>; rel=preload; as="style"
server	cloudflare
strict-transport-security	max-age=63072000
vary	rsc, next-router-state-tree, next-router-prefetch, next-router-segment-prefetch
vary	accept-encoding
x-matched-path	/
x-powered-by	Next.js
x-vercel-cache	MISS

Fig. 9 — securityheaders.com scan of https://chicken-road2.app/

x-vercel-id	dub1::iad1::nchz9-1785853011510-b144cada3d67
cf-cache-status	DYNAMIC
nel	{"report_to":"cf-nel","success_fraction":0.0,"max_age":604800}
speculation-rules	"/cdn-cgi/speculation"
server-timing	cfCacheStatus;desc="DYNAMIC"
server-timing	cfEdge;dur=10,cfOrigin;dur=454
content-encoding	gzip
cf-ray	a25e2ea9cff06a60-DUB
alt-svc	h3=":443"; ma=86400

Upcoming Headers

Cross-Origin-Embedder-Policy	Cross-Origin Embedder Policy allows a site to prevent assets being loaded that do not grant permission to load them via CORS or CORP.
Cross-Origin-Opener-Policy	Cross-Origin Opener Policy allows a site to opt-in to Cross-Origin Isolation in the browser.
Cross-Origin-Resource-Policy	Cross-Origin Resource Policy allows a resource owner to specify who can load the resource.

Additional Information

report-to	Report-To enables the Reporting API. This allows a website to collect reports from the browser about various errors that may occur. You can sign up for a free account on Report URI to collect these reports.
server	Server value has been changed. Typically you will see values like "Microsoft-IIS/8.0" or "nginx 1.7.2".
strict-transport-security	HTTP Strict Transport Security is an excellent feature to support on your site and strengthens your implementation of TLS by getting the User Agent to enforce the use of HTTPS.
x-powered-by	X-Powered-By can usually be seen with values like "PHP/5.5.9-1ubuntu4.5" or "ASP.NET". Trying to minimise the amount of information you give out about your server is a good idea. This header seems to have been altered to remove such information, but could still be removed.
nel	Network Error Logging is a new header that instructs the browser to send reports during various network or application errors. You can sign up for a free account on Report URI to collect these reports.

Fig. 10 — Raw response headers & additional header info

4.8 Technologies Used

Confirmed via Wappalyzer and direct page-source review:

- Framework: Next.js 16.1.6 (React) — static site generator, web framework, and web server
- Hosting platform (PaaS): Vercel
- Edge/CDN/DNS: Cloudflare (also provides Rocket Loader, Priority Hints, Browser Insights/RUM)
- Image CDN / digital asset management: Cloudinary
- Font/icon CDN: jsDelivr (flag-icons package)
- Protocol/features: HTTP/3, Open Graph metadata, PWA support
- Site verification: Google Search Console (via DNS TXT record)




Fig. 12 — Wappalyzer: framework and hosting stack, analytics, CDN, and asset management.

4.9 Subdomains

No subdomains were found for chicken-road2.app. This was checked four independent ways — Certificate Transparency search (crt.sh), passive DNS via VirusTotal, historical crawl data via the Wayback Machine, and a Google dork (site:chicken-road2.app) — and all four returned nothing.

Confirmation across four unrelated methods is a strong result: this domain has no discoverable subdomains.

This is expected given the setup, not a methodology gap: the certificate is a wildcard (*.chicken-road2.app), and wildcard certificates log as a single entry in Certificate Transparency — individual subdomain names are never disclosed. Cloudflare also shares this IP across thousands of sites, so IP-based passive DNS techniques add nothing here.

Footer links point to the operator's social profiles, not subdomains: Twitter/X (twitter.com/inout_games), LinkedIn (linkedin.com/company/inoutgames), Instagram (instagram.com/inout.games), Facebook (facebook.com/InOutGames).

4.10 robots.txt

```
User-Agent: *
Allow: /
Disallow: /api/*
Disallow: /go/*
Disallow: /pages/condition-utilisation

User-Agent: AhrefsBot
Disallow: *

User-Agent: SemrushBot
Disallow: /

User-Agent: dotbot
Disallow: *

User-Agent: Screaming Frog SEO Spider
Disallow: *

User-Agent: ChatGPT-User
Disallow: /

Sitemap: https://www.chicken-road2.app/sitemap.xml
```




Fig. 13 — robots.txt, retrieved directly from the site.

General crawling is allowed except for `/api/*`, `/go/*` (very likely the affiliate redirect/tracking endpoints), and one legal page. Four specific crawlers are fully blocked: AhrefsBot, SemrushBot, dotbot, Screaming Frog, and ChatGPT-User — SEO-analysis tools and an AI crawler, but not Googlebot or Bingbot. This shows a deliberate choice to stay indexed by search engines while blocking competitor SEO tools and AI scraping.

4.11 sitemap.xml

The sitemap lists exactly one URL:

```
https://www.chicken-road2.app — last modified 2026-07-28T03:51:24Z — priority 1
```




Fig. 14 — sitemap.xml contents.

A single-URL sitemap confirms this is a one-page marketing site with no separate indexed subpages, consistent with the subdomain and DNS findings above.

4.12 Other Publicly Available Information

ScamAdviser rates the domain "Very Likely Safe" with a trust score of 96/100 — a strong, corroborating result consistent with the legitimate-registrar, standard-hosting, valid-certificate picture built up in Sections 4.1–4.6.





Fig. 16 — ScamAdviser trust score for chicken-road2.app: 96/100, "Very Likely Safe."

- Contact route: a "Contact us" page is linked (<https://www.chicken-road2.app/contact>); no public email/phone on the homepage itself
- Legal/disclaimer content: site states "No Affiliation" to any casino or game provider, and links responsible-gambling resources (GambleAware, GamCare)
- Business affiliation: "Chicken Road 2" is attributed to InOut Games, a real casino game studio with a verifiable social media presence
- Search-engine ownership: the Google Search Console TXT record confirms whoever controls DNS has also verified ownership in Google's tooling
- Site history: Wayback Machine shows 15 archived captures between June 24, 2025 and May 18, 2026 — consistent with the WHOIS creation date (May 13, 2025) and showing no gap suggesting a change of ownership or purpose



5. Source Documentation

Every finding above is traceable to the tool and URL used:

Information Found	Tool / Website Used	Source URL
Page content, meta tags, title, canonical URL, robots directive	Manual review (View Page Source)	https://www.chicken-road2.app/
Site reputation, WHOIS privacy status	ScamAdviser	https://www.scamadviser.com/check-website-old/chicken-road2.app
Registrar, registry dates, name servers, DNSSEC status, RDAP endpoints	DomainTools WHOIS + ICANN Lookup (RDAP)	https://whois.domaintools.com/chicken-road2.app · https://lookup.icann.org/en/lookup
A / AAAA / NS / TXT / SOA DNS records	who.is domain report (DNS Records tab)	https://who.is/whois/chicken-road2.app
Resolved IPv4/IPv6 addresses	DomainTools WHOIS + who.is DNS tab	https://whois.domaintools.com/chicken-road2.app
Hosting provider,	who.is (Hosting &	https://who.is/whois/chicken-road2.app

Information Found	Tool / Website Used	Source URL
ASN, shared-hosting scale	Network tab)	
Origin platform (PaaS) behind Cloudflare	Wappalyzer	https://www.wappalyzer.com/lookup/chicken-road2.app/
SSL/TLS certificate issuer, validity, SAN, CAA policy	who.is (Certificate tab)	https://who.is/whois/chicken-road2.app
HTTP security headers	securityheaders.com	https://securityheaders.com/?q=chicken-road2.app
Technology stack fingerprinting	Wappalyzer	https://www.wappalyzer.com/lookup/chicken-road2.app/
Malware/phishing reputation cross-check	VirusTotal	https://www.virustotal.com/gui/domain/chicken-road2.app
Subdomain enumeration (no subdomains found — 4 methods)	crt.sh, VirusTotal, Wayback Machine, Google dork	https://crt.sh/?q=chicken-road2.app
Site history and archive timeline	Wayback Machine	https://web.archive.org/web/*/chicken-road2.app
robots.txt contents	Direct browser request	https://chicken-road2.app/robots.txt
sitemap.xml contents	Direct browser request	https://www.chicken-road2.app/sitemap.xml

6. Intelligence Analysis & Security Observations

6.1 Observations

- WHOIS privacy is enabled — reduces registrant exposure and, incidentally, attribution certainty for an investigator. Standard practice, not suspicious on its own.
- No CAA record is published. Any publicly trusted CA could issue a certificate for this domain — a small, free-to-close gap.

- DNSSEC is signed at the zone but not delegated to the parent, so the trust chain is incomplete. It currently gives no real protection against DNS spoofing/cache poisoning.
- The TLS certificate is a wildcard (*.chicken-road2.app) — convenient, but a single key compromise would affect every subdomain at once, and it's why crt.sh shows no subdomains.
- No MX record exists, so this domain has no mail channel to spoof or protect.
- The security-header scan hit a redirect response, not the final page — the "missing headers" result needs re-confirmation against the real URL before it can be treated as final.
- robots.txt discloses two functional paths (/api/, /go/) and blocks AI/SEO crawlers by name while allowing general indexing — useful for understanding site structure and the operator's SEO posture.
- The site depends on several third-party services (Cloudinary, jsDelivr, Vercel, Cloudflare) — each is a link in the trust chain a compromise of any one could affect.
- The .app TLD's mandatory HSTS preload rules out protocol-downgrade attacks on this domain by design, regardless of header configuration.

6.2 Why These Findings Matter

Finding	Why it matters
No CAA record	Any trusted CA can issue a certificate for this domain; publishing a CAA record (scoped to Google Trust Services) closes that gap for free
DNSSEC delegation unsigned	The zone is signed but the chain to the parent is broken, so DNSSEC gives no working protection yet
Wildcard TLS certificate	One key compromise affects every subdomain at once; also explains why crt.sh returns nothing
No MX record	No legitimate mail channel exists on this exact domain, limiting (not eliminating) spoofing risk tied to it
Missing security headers (needs re-test)	If confirmed on the real page: no CSP raises XSS impact, no X-Frame-Options allows clickjacking, no X-Content-Type-Options allows MIME-sniffing, no Referrer-Policy leaks referrer data, no Permissions-Policy leaves browser features unrestricted
Third-party dependency (Cloudinary, jsDelivr, Vercel)	Each is a supply-chain link; a compromise at any one could affect what visitors receive

7. Recommendations

- Publish a CAA record scoping issuance to the CA actually in use (Google Trust Services / Cloudflare).
- Complete DNSSEC by publishing the DS record at the registrar so the signed zone actually validates end-to-end.

- Re-run securityheaders.com against <https://www.chicken-road2.app/> directly, and add any headers still missing: CSP, X-Frame-Options, X-Content-Type-Options, Referrer-Policy, Permissions-Policy.
- Keep WHOIS privacy enabled.
- Audit third-party script/CDN dependencies periodically and apply Subresource Integrity (SRI) where scripts load from external origins.
- Keep robots.txt and sitemap.xml scoped to intended public content only — current settings look intentional and reasonable.
- Maintain the existing responsible-gambling and no-affiliation disclaimers, given the site promotes real-money gambling affiliate links.

8. Sources & References

- Target website: <https://www.chicken-road2.app/>
- ScamAdviser: <https://www.scamadviser.com/check-website-old/chicken-road2.app>
- DomainTools WHOIS: <https://whois.domaintools.com/chicken-road2.app>
- ICANN Lookup (RDAP): <https://lookup.icann.org/en/lookup>
- who.is domain report: <https://who.is/whois/chicken-road2.app>
- Wappalyzer: <https://www.wappalyzer.com/lookup/chicken-road2.app/>
- securityheaders.com: <https://securityheaders.com/?q=chicken-road2.app>
- VirusTotal: <https://www.virustotal.com/gui/domain/chicken-road2.app>
- crt.sh: <https://crt.sh/?q=chicken-road2.app>
- Wayback Machine: https://web.archive.org/web/*/chicken-road2.app
- robots.txt: <https://chicken-road2.app/robots.txt>
- sitemap.xml: <https://www.chicken-road2.app/sitemap.xml>
- InOut Games: <https://inoutgames.com/> · https://twitter.com/inout_games · <https://www.linkedin.com/company/inoutgames/> · <https://www.instagram.com/inout.games/> · <https://www.facebook.com/InOutGames/>

9. Tools/Websites Used (Summary List)

- Manual browser inspection (View Page Source / DevTools)
- ScamAdviser — reputation and WHOIS-privacy check
- DomainTools WHOIS — registrar, name servers, IP, hosting history
- ICANN Lookup (RDAP) — registry dates, domain status, DNSSEC
- who.is — DNS records, hosting/network detail, SSL/TLS certificate
- Wappalyzer — technology stack fingerprinting
- securityheaders.com — HTTP security header scan
- VirusTotal — reputation cross-check

- crt.sh — Certificate Transparency search
- Wayback Machine — archive/history check