


Query Preprocessing and Search



Navigation

- Convert to JSON
Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store
Create and manage embeddings
- Query Preprocessing**
Transform & expand queries
- Vector Search
Semantic vector search
- BM25 Search
Keyword-based search
- Hybrid Search
Combined BM25 + Vector
- Score Fusion
BM25+Vector fusion reranking
- Summarize & Dedup

RAG Pipeline

Home > Query Preprocessing Transform & expand queries

Query Preprocessing & Search

Transform your query through normalization, abbreviation expansion, and synonym generation before searching

Enter Your Query

ER patient registration BP monitoring

Quick Examples:

- UHID patient login issue OTP not working
- TC_027 merge UHID records
- doctor appointment
- password reset OTP verification
- ER patient registration BP monitoring


PREPROCESS QUERY

PIPELINE STEPS **ABBREVIATIONS** **SYNONYM VARIATIONS**

Query Transformation Pipeline

- 1. ORIGINAL QUERY
"ER patient registration BP monitoring"
- 2. NORMALIZATION
"er patient registration bp monitoring"
5 tokens
- 3. ABBREVIATION EXPANSION 2 expansions
"emergency room patient registration blood pressure monitoring"
Expanded:
er → emergency room bp → blood pressure

2 requests 1.5 kB transferred 1.2 kB resources



RAG Pipeline

Home > Query Preprocessing Transform & expand queries

PIPELINE STEPS **ABBREVIATIONS** **SYNONYM VARIATIONS**

Query Transformation Pipeline

- 1. ORIGINAL QUERY
"ER patient registration BP monitoring"
- 2. NORMALIZATION
"er patient registration bp monitoring"
5 tokens
- 3. ABBREVIATION EXPANSION 2 expansions
"emergency room patient registration blood pressure monitoring"
Expanded:
er → emergency room bp → blood pressure

2 requests 1.5 kB transferred 1.2 kB resources

RAG Pipeline - Testleaf

localhost:3000

RAG Pipeline

Home > Query Preprocessing

Transform & expand queries

1 SYNONYM EXPANSION 5 variations

Multiple query variations generated for comprehensive search coverage

1. "emergency room patient registration blood pressure monitoring"
2. "urgent room patient registration blood pressure monitoring"
3. "critical room patient registration blood pressure monitoring"

+ 2 more variations

Processing Metadata

Processing Time	Token Count	Abbreviations	Synonyms
2ms	5	2	4

How Query Preprocessing Works

1. Normalization: Converts text to lowercase, removes special characters, extracts test case IDs
2. Abbreviation Expansion: Expands healthcare abbreviations (UHID → unique health id, OTP → one time)
3. Synonym Expansion: Generates multiple query variations using synonyms (patient → customer/user/ind)
4. Search Execution: Uses all variations to perform comprehensive search with better recall

2 requests 1.5 kB transferred

Network tab: preprocess

Request URL: http://localhost:3001/api/search/preprocess

Request Method: POST

Status Code: 200 OK

Remote Address: [::1]:3001

Referrer Policy: strict-origin-when-cross-origin

Response headers:

- Access-Control-Allow-Origin: *
- Connection: keep-alive
- Content-Length: 1225
- Content-Type: application/json; charset=utf-8
- Date: Sun, 16 Aug 2026 11:21:28 GMT
- Etag: W/"4c9-MVUuZq8RnSOGUhmC8qEmVL+HA"
- Keep-Alive: timeout=5
- X-Powered-By: Express

Request Headers:

- Accept: */*
- Accept-Encoding: gzip, deflate, br, zstd
- Accept-Language: en-US,en;q=0.9,kn;q=0.8
- Connection: keep-alive

RAG Pipeline - Testleaf

localhost:3000

RAG Pipeline

Home > Query Preprocessing

Transform & expand queries

1 SYNONYM EXPANSION 5 variations

Multiple query variations generated for comprehensive search coverage

1. "emergency room patient registration blood pressure monitoring"
2. "urgent room patient registration blood pressure monitoring"
3. "critical room patient registration blood pressure monitoring"

+ 2 more variations

Processing Metadata

Processing Time	Token Count	Abbreviations	Synonyms
2ms	5	2	4

How Query Preprocessing Works

1. Normalization: Converts text to lowercase, removes special characters, extracts test case IDs
2. Abbreviation Expansion: Expands healthcare abbreviations (UHID → unique health id, OTP → one time)
3. Synonym Expansion: Generates multiple query variations using synonyms (patient → customer/user/ind)
4. Search Execution: Uses all variations to perform comprehensive search with better recall

2 requests 1.5 kB transferred

Network tab: preprocess

Response:

```
{
  "original": "ER patient registration BP monitoring",
  "normalized": "er patient registration bp monitoring",
  "abbreviationExpanded": "emergency room patient registration blood pressure monitoring",
  "synonymExpanded": [
    "emergency room patient registration blood pressure monitoring",
    "urgent room patient registration blood pressure monitoring",
    "critical room patient registration blood pressure monitoring",
    "immediate room patient registration blood pressure monitoring",
    "emergency bed patient registration blood pressure monitoring"
  ],
  "metadata": {
    "testCaseIds": [],
    "abbreviationMappings": [
      {
        "abbreviation": "er",
        "expansion": "emergency room",
        "position": 0
      },
      {
        "abbreviation": "bp",
        "expansion": "blood pressure",
        "position": 36
      }
    ]
  },
  "synonymMappings": [

```

Vector Search

The screenshot shows the 'RAG Pipeline' interface with the 'Vector Search' tab selected. The search query is 'ER patient registration BP monitoring'. The search results show 5 results. The network logs on the right show a request to 'search' with a status of 200 and a size of 5.1 kB.

Navigation

- Convert to JSON
- Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store
- Query Preprocessing
- Vector Search**
- BM25 Search
- Hybrid Search
- Score Fusion
- Summarize & Dedup

Query Search

Search through your test cases using semantic similarity with AI embeddings.

Search Query: ER patient registration BP monitoring

Advanced Metadata Filters: SHOW FILTERS

Results Limit: 5 Results

Search Query: "ER patient registration BP monitoring"

Performance: \$0.000001 cost 8 tokens

Found 5 results

Network Logs

Name	Status	Type	Initiator	Size	Time
search	200	shr	QuerySearch	5.1 kB	2.77 s
search	204	preflig	Preflight	0.0 kB	4 ms

The screenshot shows the 'RAG Pipeline' interface with the 'Vector Search' tab selected. The search results are displayed in a table with columns for the search query, score, and type. The network logs on the right show a request to 'search' with a status of 200 and a size of 5.1 kB.

Search Results

Search Query	Score	Type
Nurse Activities - Vital Monitoring	89.3%	Emergency
View - Vitals Monitoring	89.2%	Emergency

Detailed View

Search Query	Score	Type
Nurse Activities - Nurse's Notes - Vital Monitoring - Save	Score: 0.8938	Emergency
Nurse Activities - Nurse's Notes - Vital Monitoring - Save	Score: 0.8938	Emergency
Nurse Activities - Vital Monitoring - Save	Score: 0.8934	Emergency
Nurse Activities - Vital Monitoring - Save	Score: 0.8934	Emergency
View - Vitals Monitoring	Score: 0.8916	Emergency

Network Logs

Name	Status	Type	Initiator	Size	Time
search	200	shr	QuerySearch	5.1 kB	2.77 s
search	204	preflig	Preflight	0.0 kB	4 ms

BM25 Search

RAG Pipeline - Keyword-based search

BM25 Keyword Search

Fast keyword-based search using BM25 algorithm. Best for exact matches, IDs, and specific terms.

Search Query: ER patient registration BP monitoring

Results Limit: 3

SEARCH

SHOW FILTERS

BM25 Search Results: Found 3 test cases in 412ms
Search Type: bm25

Search Results (3)

#1 TC_5604 Score: 15.57

Found 3 results in 412ms

2 requests | 3.0 kB transferred | 2.7 kB resources

RAG Pipeline - Keyword-based search

Search Results (3)

#1 TC_5604 Score: 15.57

Registration/AHC-> Weekly ER Registration Count Report ->View Report

Module: MIS P1 Risk: Low Automated

Description: Verify user should be able to view the Weekly ER Registration Count Report

Steps: 1.Launch the application 2.Login to the application with valid credentials 3.Click on common support service tab and select MIS from dropdown 4.Navigation to Functions-> Registration/AHC-> Weekly ER Registration Count Report 5.Select from Date and To Date from the calendar 6.Click on "View report" button

Expected Results: User can able to see the PopUp Message like Role Resource item(s) updated successfully.

Created: 8/16/2026

#2 TC_5604 Score: 15.57

Registration/AHC-> Weekly ER Registration Count Report ->View Report

Module: MIS P1 Risk: Low Automated

Description: Verify user should be able to view the Weekly ER Registration Count Report

Steps: 1.Launch the application 2.Login to the application with valid credentials 3.Click on common support service tab and select MIS from dropdown 4.Navigation to Functions-> Registration/AHC-> Weekly ER Registration Count Report 5.Select from Date and To Date from the calendar 6.Click on "View report" button

Network Tab Response:

```
{
  "success": true,
  "searchType": "bm25",
  "query": "ER patient registration BP monitoring",
  "filters": {},
  "results": [
    {
      "_id": "6a80ddcbe4983c83083b246",
      "module": "MIS",
      "id": "TC_5604",
      "title": "Registration/AHC-> Weekly ER Registration Count Report",
      "description": "Verify user should be able to view the Weekly ER Registration Count Report",
      "steps": "1.Launch the application\r\n2.Login to the application with valid credentials\r\n3.Click on common support service tab and select MIS from dropdown\r\n4.Navigation to Functions-> Registration/AHC-> Weekly ER Registration Count Report\r\n5.Select from Date and To Date from the calendar\r\n6.Click on \"View report\" button",
      "expectedResults": "User can able to see the PopUp Message like Role Resource item(s) updated successfully.",
      "priority": "P1",
      "risk": "Low",
      "createdAt": "2026-08-15T19:28:28.892Z",
      "score": 15.5686645978125
    },
    {
      "_id": "6a80cb777b384fedf3d16e9",
      "module": "MIS",
      "id": "TC_5604",
      "title": "Registration/AHC-> Weekly ER Registration Count Report",
      "description": "Verify user should be able to view the Weekly ER Registration Count Report",
      "steps": "1.Launch the application\r\n2.Login to the application with valid credentials\r\n3.Click on common support service tab and select MIS from dropdown\r\n4.Navigation to Functions-> Registration/AHC-> Weekly ER Registration Count Report\r\n5.Select from Date and To Date from the calendar\r\n6.Click on \"View report\" button",
      "expectedResults": "User can able to see the PopUp Message like Role Resource item(s) updated successfully.",
      "priority": "P1",
      "risk": "Low",
      "createdAt": "2026-08-15T19:28:28.892Z",
      "score": 15.5686645978125
    }
  ]
}
```

2 requests

Hybrid search

The top screenshot shows the 'RAG Pipeline' interface with the 'Hybrid Search (BM25 + Vector)' section. The search query is 'ER patient registration BP monitoring'. The results limit is set to 2. The search weights are configured as BM25 Weight: 50% and Vector Weight: 50%. The interface shows a green notification: 'Found 2 results (0 in both indexes) in 1073ms'. The network log on the right shows two requests: 'hybrid' (200 status, 2.5 kB transferred) and 'hybrid' (204 status, 0.0 kB transferred).

The bottom screenshot shows the 'Search Results (2)' section. The first result is 'TC_5604' with a 'Hybrid: 50.0%' score and 'Found in: bm25'. The result title is 'Registration/AHC-> Weekly ER Registration Count Report ->View Report'. The description is 'Verify user should be able to view the Weekly ER Registration Count Report'. The steps are: 1. Launch the application 2. Login to the application with valid credentials 3. Click on common support service tab and select MIS from dropdown 4. Navigation to Functions -> Registration/AHC -> Weekly ER Registration Count Report 5. Select from Date and To Date from the calens 6. Click on "View report" button. The expected results are: 'User can able to see the PopUp Message like Role Resourceitem(s) updated successfully'. The score breakdown is: BM25: 100.0% (raw: 15.57), Vector: 0.0% (raw: 0.00), Hybrid: 50.0%. The second result is identical to the first. The network log on the right shows the response for the 'hybrid' request, which is a JSON object containing search details and results.

The screenshot displays a web browser window with two tabs: 'RAG Pipeline - Testleaf' and 'Ask Gemini'. The address bar shows 'localhost:3000'. The main content area of the browser shows the 'RAG Pipeline' application interface. The header is dark blue with the title 'RAG Pipeline' and a settings icon. Below the header, there's a navigation bar with 'Home' and 'Score Fusion'. The main section is titled 'Groq AI Reranking Search' and includes a description: 'Combines BM25 keyword search and Vector semantic search, then uses Groq AI for intelligent semantic reranking and relevance optimization.' There's a search form with a 'Search Query' input field containing 'ER patient registration BP monitoring', 'Top-K Cands' set to 50, and 'Final Limit' set to 10. A blue 'SEARCH' button is present. Below the search form, there's a 'FILTERS' section. The results section shows 'Groq AI Reranking Results: Found 10 test cases ranked by Groq AI' with a 'Timing: Total: 7116ms' and 'Method: BM25 + Vector → Groq AI Semantic Reranking'. At the bottom, there's a comparison bar with 'AFTER RERANKING (FINAL)' and 'BEFORE RERANKING (ORIGINAL)', and a green button that says 'Found 10 results ranked by Groq AI'. On the right side of the browser, the 'Network' tab is active, showing a list of network requests. The first request is 'rerank' with a status of 200, type of 'fetch', and initiator of 'RerankingSearch.js'. The second request is also 'rerank' with a status of 204, type of 'preflight', and initiator of 'Preflight'.

The screenshot displays a web browser window with the RAG Pipeline application running on localhost:3000. The application interface is divided into a header, a main content area, and a sidebar. The header shows the application name 'RAG Pipeline' and a settings icon. The main content area has a navigation bar with 'Home', 'Score Fusion', and 'BM25+Vector fusion reranking'. Below this, there are tabs for 'AFTER RERANKING (FINAL)', 'BEFORE RERANKING (ORIGINAL)', and 'COMPARISON TABLE'. The 'AFTER RERANKING (FINAL)' tab is active, showing a list of results under the heading 'After Groq AI Reranking (10 results)'. Two results are visible: '#1 TC_5604' and '#2 TC_012'. Each result includes a title, a description, and a ranking score. The first result, 'TC_5604', has a title 'Registration/AHC -> Weekly ER Registration Count Report' and a description 'Verify user should be able to view the Weekly ER Registration Count Report'. The second result, 'TC_012', has a title 'International Patient Registration' and a description 'Verify International Patient Registration'. The network tab on the right shows a successful API response for the first result, with a status of 200 and a response body containing details about the registration report.

Summarize & Dedup

Home

Summarize & Dedup

AI summarization & deduplication

Search Summarization & Deduplication

Search, remove duplicates, and generate AI-powered summaries of test cases

Search Query

ER patient registration BP monitoring

Search Type

Vector

Limit

10

Quick Examples:

patient login authentication

merge UHID records

appointment booking

password reset OTP

SEARCH

DEDUPLICATE

SUMMARIZE WITH AI

COPY ALL RESULTS

Dedup Threshold

0.85

Summary Type

Concise

SEARCH RESULT

DEDUPLICATED

AI SUMMARY

2 requests

9.7 kB transferred

9.4 kB resources

Home

Summarize & Dedup

AI summarization & deduplication

Dedup Threshold

0.85

Summary Type

Concise

SEARCH RESULT

DEDUPLICATED

AI SUMMARY

Original Results (10)

COPY AI

TC_3102

Score: 0.8938

Nurse Activities - Nurse's Notes - Vital Monitoring - Save

Verify user able to Save Vital Monitoring

Emergency P1 Priority Functional

TC_3102

Score: 0.8938

Nurse Activities - Nurse's Notes - Vital Monitoring - Save

Verify user able to Save Vital Monitoring

Emergency P1 Priority Functional

2 requests

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

500 ms 1,000 ms 1,500 ms 2,000 ms 2,500 ms

Name	Status	Type	Initiator	Size	Time
search	200	fetch	SummarizationDed	9.7 kB	2.33 s
search	204	preflight	Preflight	0.0 kB	3 ms

1

Headers

Payload

Preview

Response

Initiator

Timing

1

{
 "success": true,
 "query": "ER patient registration BP monitoring",
 "filters": {},
 "results": [
 {
 "_id": "6a80b13be498c83083ba93",
 "module": "Emergency",
 "id": "TC_3102",
 "prerequisites": "1. Triage Process Completed",
 "title": "Nurse Activities - Nurse's Notes - Vital",
 "description": "Verify user able to Save Vital Moni",
 "steps": "1.Launch the Application.\r\n2.Login to t",
 "expectedResults": "Record Saved Successfully Messa",
 "automationManual": "Automated",
 "priority": "P1",
 "createdBy": "Sudashan",
 "createdDate": 45093,
 "lastModifiedDate": 45290,
 "risk": "Critical",
 "version": "v9.0",
 "type": "Functional",
 "createdat": "2025-08-15T19:29:23.185Z",
 "score": 0.8938338756561279
 }
]
}

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Search Summarization & Deduplication

Search, remove duplicates, and generate AI-powered summaries of test cases

Search Query: ER patient registration BP monitoring

Search Type: Vector Limit: 10

Quick Examples: patient login authentication merge UHID records appointment booking password reset OTP

SEARCH DEDUPLICATE SUMMARIZE WITH AI COPY ALL RESULTS

Dedup Threshold: 0.85 Summary Type: Concise Show Duplicates

SEARCH RESULT 10 DEDUPLICATED AI SUMMARY

4 requests 28.9 kB transferred 28.3 kB resources

Name	Status	Type	Initiator	Size	Time
search	204	preflight	Preflight	0.0 kB	3 ms
search	200	fetch	SummarizationDed	9.7 kB	2.33 s
deduplicate	200	fetch	SummarizationDed	19.2 kB	3 ms
deduplicate	204	preflight	Preflight	0.0 kB	3 ms

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

SEARCH RESULT 10 DEDUPLICATED AI SUMMARY

Deduplication Statistics

Original Count	After Deduplication	Duplicates Removed	Reduction
10	4	6	60.0%

Unique Results (4)

COPY ALL UNIQUE

TC_3102 ✓ Unique Score: 0.8938

Nurse Activities - Nurse's Notes - Vital Monitoring - Save

Verify user able to Save Vital Monitoring

Emergency P1 Priority Functional

TC_3118 ✓ Unique Score: 0.8934

Nurse Activities - Vital Monitoring - Save

Verify user able to Save Vital Monitoring

TC_2974 ✓ Unique Score: 0.8916

View - Vitals Monitoring

Verify user able to View Vitals Monitoring

4 requests

Name	Headers	Payload	Preview	Response	Initiator	Timing
search						
search						
deduplicate						
deduplicate						

```
{
  "original": {
    "_id": "6a80be13be4983c83083ba93",
    "module": "Emergency",
    "id": "TC_3102",
    "prerequisites": "1. Triage Process Completed",
    "title": "Nurse Activities - Nurse's Notes - Vital",
    "description": "Verify user able to Save Vital Moni",
    "steps": "1. Launch the Application.\r\n2. login to t",
    "expectedResults": "Record Saved Successfully Messa",
    "automationManual": "Automated",
    "priority": "P1",
    "createdBy": "Sudanshan",
    "createdDate": 45093,
    "lastModifiedDate": 45290,
    "risk": "Critical",
    "version": "v9.0",
    "type": "Functional",
    "createdAt": "2026-08-15T19:29:23.185Z",
    "score": 0.893838756561279
  },
  "_id": "6a80cbb57b394feddf3d1e86",
  "module": "Emergency",
  "id": "TC_3118",
  "prerequisites": "1. Triage Process Completed",
  "title": "Nurse Activities - Vital Monitoring - Save",
  "description": "Verify user able to Save Vital Monitoring",
  "steps": "1. Launch the Application.\r\n2. login to t",
  "expectedResults": "Record Saved Successfully Messa",
  "automationManual": "Automated",
  "priority": "P1",
  "createdBy": "Sudanshan",
  "createdDate": 45093,
  "lastModifiedDate": 45290,
  "risk": "Critical",
  "version": "v9.0",
  "type": "Functional",
  "createdAt": "2026-08-15T19:29:23.185Z",
  "score": 0.893438756561279
}
```


RAG Pipeline - Testleaf

localhost:3000

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Removed Duplicates (6)

TC_3102 Duplicate of TC_3102 100.0% similar
Nurse Activities - Nurse's Notes - Vital Monitoring - Save

TC_3118 Duplicate of TC_3118 100.0% similar
Nurse Activities - Vital Monitoring - Save

TC_2974 Duplicate of TC_2974 100.0% similar
View - Vitals Monitoring

TC_3131 Duplicate of TC_2974 100.0% similar
View - Vitals Monitoring

TC_3131 Duplicate of TC_2974 100.0% similar
View - Vitals Monitoring

TC_3103 Duplicate of TC_3103 100.0% similar
Nurse Activities - Nurse's Notes - Vital Monitoring - View

Network

4 requests

RAG Pipeline - Testleaf

localhost:3000

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Search Summarization & Deduplication

Search, remove duplicates, and generate AI-powered summaries of test cases

Search Query

ER patient registration BP monitoring

Search Type: Vector Limit: 10

Quick Examples: patient login authentication merge UHID records appointment booking password reset OTP

SEARCH DEDUPLICATE SUMMARIZE WITH AI COPY ALL RESULTS

Dedup Threshold: 0.85 Summary Type: Concise Show Duplicates

SEARCH RESULTS 10 DEDUPLICATED AI SUMMARY

Network

6 requests

RAG Pipeline - Testleaf

localhost:3000

RAG Pipeline

Home > Summarize & Dedup

AI summarization & deduplication

Dedup Threshold: 0.85

Summary Type: Concise

Show Duplicates

SEARCH RESULTS 10 DEDUPLICATED AI SUMMARY

AI-Generated Summary

**Search Results Overview – "test cases"

ID	Title (Key Action)	Module	Description	Relevance
TC_3102	Nurse Activities – Nurse's Notes – Vital Monitoring – "Save"	Emergency	Verify user can "save" vital-monitoring data.	89.4 %
TC_3118	Nurse Activities – Vital Monitoring – "Save"	Emergency	Verify user can "save" vital-monitoring data.	89.3 %
TC_2974	**View** – Vitals Monitoring	Emergency	Verify user can "view" vital-monitoring data.	89.2 %
TC_3103	Nurse Activities – Nurse's Notes – Vital Monitoring – "View"	Emergency	Verify user can "view" vital-monitoring data.	89.1 %

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

Name X Headers Payload Preview Response Initiator Timing

search - "summaryType": "concise",
search - "resultCount": 4,
dedupl... - "model": "openai/gpt-oss-120b",
dedupl... - "tokens": {
summa... - "prompt": 789,
summa... - "completion": 323,
summa... - "total": 1112
},
cost: {
"input": "0.000000",
"output": "0.000000",
"total": "0.000000"
},
timestamp: "2026-08-16T11:40:54.057Z"

6 requests

Prompt & Schema

RAG Pipeline - Testleaf

localhost:3000

RAG Pipeline

Home > Prompt & Schema

Configure prompt templates & JSON schemas

JSON SCHEMA PROMPT TEMPLATE TEST & PREVIEW METRICS EVALUATION

Test Prompt Template

Test your prompt template with sample data to see how the AI responds

Test Query / User Story

Given the doctor dashboard is open, when a patient status changes in the system, then the queue list should update automatically within 30 seconds.

Sample Test Cases (JSON)

```
[
  {
    "testCaseId": "TC_305",
    "module": "Laboratory",
    "testCaseTitle": "Lab Report Email Notification - Validated Results",
    "testCaseDescription": "Verify that the system sends email notification to patients when lab test results are validated and marked as complete by the technician.",
    "testSteps": [
      "1. Technician logs into Laboratory module",
      "2. Select pending test for Patient UHID: 123456-7890",
      "3. Enter test results in result_values field",
      "4. Click 'Validate Results' button",
      "5. System marks test status as 'VALIDATED'",
    ]
  }
]
```

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

Name Status Type Initiator Size Time

preprocess	200	fetch	PromptSchemaMar	7.0 kB	7 ms
hybrid	200	fetch	PromptSchemaMar	47.3 kB	3.91 s
user-stories	200	fetch	PromptSchemaMar	8.5 kB	1.45 s
rerank	200	fetch	PromptSchemaMar	7.7 kB	5.91 s
deduplicate	200	fetch	PromptSchemaMar	13.5 kB	3 ms
summarize	200	fetch	PromptSchemaMar	5.6 kB	3.29 s
latest-id	304	fetch	PromptSchemaMar	0.2 kB	1.17 s
test-prompt	200	fetch	PromptSchemaMar	14.8 kB	8.69 s

8 / 15 requests | 105 kB / 105 kB transferred | 103 kB / 103 kB resources

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

RAG Pipeline

Home > Prompt & Schema

Configure prompt templates & JSON schemas

JSON SCHEMA PROMPT TEMPLATE TEST & PREVIEW METRICS EVALUATION

Test Prompt Template

Test your prompt template with sample data to see how the AI responds

Test Query / User Story

Given the doctor dashboard is open, when a patient status changes in the system, then the queue list should update automatically within 30 seconds.

Sample Test Cases (JSON)

```
[
  {
    "testCaseId": "TC_305",
    "module": "Laboratory",
    "testCaseTitle": "Lab Report Email Notification - Validated Results",
    "testCaseDescription": "Verify that the system sends email notification to patients when lab test results are validated and marked as complete by the technician.",
    "testSteps": [
      "1. Technician logs into Laboratory module",
      "2. Select pending test for Patient UHID: 123456-7890",
      "3. Enter test results in result_values field",
      "4. Click 'Validate Results' button",
      "5. System marks test status as 'VALIDATED'",
    ]
  }
]
```

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Waasm Other

5,000 ms 10,000 ms 15,000 ms 20,000 ms 25,000 ms 30,000 ms

Name X Headers Payload Preview Response Initiator Timing

1 {

```
"original": "Dynamic Queue List of AHC (Enhanced Real-Time",
"normalized": "dynamic queue list of ahc enhanced real-time",
"abbreviationExpanded": "dynamic queue list of ahc enhanced",
"synonymExpanded": [
  "dynamic queue list of ahc enhanced real-time filtering",
  "dynamic queue list of ahc enhanced real-time filtering",
  "dynamic queue list of ahc enhanced real-time filtering",
  "dynamic queue list of ahc enhanced real-time filtering",
  "dynamic queue list of ahc enhanced real-time filtering",
  "dynamic queue list of ahc enhanced real-time filtering",
],
"metadata": {
  "testCaseId": [],
  "abbreviationMappings": [],
  "synonymMappings": [
    {
      "term": "wand",
      "synonyms": [
        "unit",
        "department",
        "section"
      ],
      "position": 11
    }
  ]
},
},
```

1/15 request

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

RAG Pipeline

Home > Prompt & Schema

Configure prompt templates & JSON schemas

JSON SCHEMA PROMPT TEMPLATE TEST & PREVIEW METRICS EVALUATION

Test Prompt Template

Test your prompt template with sample data to see how the AI responds

Test Query / User Story

Given the doctor dashboard is open, when a patient status changes in the system, then the queue list should update automatically within 30 seconds.

Sample Test Cases (JSON)

```
[
  {
    "testCaseId": "TC_305",
    "module": "Laboratory",
    "testCaseTitle": "Lab Report Email Notification - Validated Results",
    "testCaseDescription": "Verify that the system sends email notification to patients when lab test results are validated and marked as complete by the technician.",
    "testSteps": [
      "1. Technician logs into Laboratory module",
      "2. Select pending test for Patient UHID: 123456-7890",
      "3. Enter test results in result_values field",
      "4. Click 'Validate Results' button",
      "5. System marks test status as 'VALIDATED'",
    ]
  }
]
```

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Waasm Other

5,000 ms 10,000 ms 15,000 ms 20,000 ms 25,000 ms 30,000 ms

Name X Headers Payload Preview Response Initiator Timing

1 {

```
"success": true,
"searchType": "hybrid",
"query": "Dynamic Queue List of AHC (Enhanced Real-Time F11",
"filters": {},
"weights": {
  "bm25": 0.4,
  "vector": 0.6
},
"results": [
  {
    "_id": "6a80be07be4983c83083b91f",
    "module": "AHC",
    "id": "TC_2688",
    "title": "DynamicQueue->List of AHC Patients",
    "description": "Verify List of Patients In and Out",
    "steps": "1.Launch the application\r\n2.Login to th",
    "expectedResults": "List of AHC Patients In and Out",
    "automationManual": "Manual",
    "priority": "P4",
    "risk": "Low",
    "createdAt": "2006-08-15T19:29:11.268Z",
    "bm25Score": 86.7569589078125,
    "bm25ScoreNormalized": 0.9343711429688864,
    "vectorScore": 0.8333333333333333
  }
]
```

1/15 request

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

Home > Prompt & Schema

Configure prompt templates & JSON schemas

JSON SCHEMA PROMPT TEMPLATE TEST & PREVIEW METRICS EVALUATION

Test Prompt Template

Test your prompt template with sample data to see how the AI responds

Test Query / User Story

Given the doctor dashboard is open, when a patient status changes in the system, then the queue list should update automatically within 30 seconds.

Sample Test Cases (JSON)

```
[
  {
    "testCaseId": "TC_305",
    "module": "Laboratory",
    "testCaseTitle": "Lab Report Email Notification - Validated Results",
    "testCaseDescription": "Verify that the system sends email notification to patients when lab test results are validated and marked as complete by the technician.",
    "testSteps": [
      "1. Technician logs into Laboratory module",
      "2. Select pending test for Patient UHID: 123456-7890",
      "3. Enter test results in result_values field",
      "4. Click 'Validate Results' button",
      "5. System marks test status as 'VALIDATED'",
    ]
  }
]
```

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Waam Other

5,000 ms 10,000 ms 15,000 ms 20,000 ms 25,000 ms 30,000 ms

Name X Headers Payload Preview Response Initiator Timing

1 {

"original": {

"_id": "6a80bddd4b4983c83083b1a8",

"module": "IP Digital",

"id": "TC_5927",

"title": "Patients of Other doctor",

"description": "To view the patients of other doctor",

"steps": "1.Launch the application\r\n2.Login to the application",

"expectedResults": "To view patients list of other doctor",

"priority": "P2",

"risk": "Low",

"be25Score": 92.85063934326172

},

"_id": "6a80be07be4983c83083b91f",

"module": "AHC",

"id": "TC_2688",

"title": "DynamicQueue->List of AHC Patients",

"description": "Verify List of Patients In and Out",

"steps": "1.Launch the application\r\n2.Login to the application",

"expectedResults": "List of AHC Patients In and Out",

"priority": "P4",

"risk": "Low",

"be25Score": 92.85063934326172

}

1 / 15 request

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

Home > Prompt & Schema

Configure prompt templates & JSON schemas

JSON SCHEMA PROMPT TEMPLATE TEST & PREVIEW METRICS EVALUATION

Test Prompt Template

Test your prompt template with sample data to see how the AI responds

Test Query / User Story

Given the doctor dashboard is open, when a patient status changes in the system, then the queue list should update automatically within 30 seconds.

Sample Test Cases (JSON)

```
[
  {
    "testCaseId": "TC_305",
    "module": "Laboratory",
    "testCaseTitle": "Lab Report Email Notification - Validated Results",
    "testCaseDescription": "Verify that the system sends email notification to patients when lab test results are validated and marked as complete by the technician.",
    "testSteps": [
      "1. Technician logs into Laboratory module",
      "2. Select pending test for Patient UHID: 123456-7890",
      "3. Enter test results in result_values field",
      "4. Click 'Validate Results' button",
      "5. System marks test status as 'VALIDATED'",
    ]
  }
]
```

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Waam Other

5,000 ms 10,000 ms 15,000 ms 20,000 ms 25,000 ms 30,000 ms

Name X Headers Payload Preview Response Initiator Timing

1 {

"success": true,

"summary": "Search-Result Analysis - 'test cases'",

"summaryType": "Detailed",

"resultCount": 5,

"model": "openai/gpt-oss-120b",

"tokens": {

"prompt": 892,

"completion": 1192,

"total": 2084

},

"cost": {

"input": "0.000000",

"output": "0.000000",

"total": "0.000000"

},

"timestamp": "2026-08-16T11:52:37.728Z"

}

1 / 15 request

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

RAG Pipeline

Home > Prompt & Schema

Configure prompt templates & JSON schemas

JSON SCHEMA PROMPT TEMPLATE TEST & PREVIEW METRICS EVALUATION

Test Prompt Template

Test your prompt template with sample data to see how the AI responds

Test Query / User Story

Given the doctor dashboard is open, when a patient status changes in the system, then the queue list should update automatically within 30 seconds.

Sample Test Cases (JSON)

```
[
  {
    "testCaseId": "TC_305",
    "module": "Laboratory",
    "testCaseTitle": "Lab Report Email Notification - Validated Results",
    "testCaseDescription": "Verify that the system sends email notification to patients when lab test results are validated and marked as complete by the technician.",
    "testSteps": [
      "1. Technician logs into Laboratory module",
      "2. Select pending test for Patient UHID: 123456-7890",
      "3. Enter test results in result_values field",
      "4. Click 'Validate Results' button",
      "5. System marks test status as 'VALIDATED'",
    ]
  }
]
```

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Waasm Other

5,000 ms 10,000 ms 15,000 ms 20,000 ms 25,000 ms 30,000 ms

Name X Headers Preview Response Initiator Timing

1 {

"success": true,

"latestId": 6354,

"nextId": 6355,

"nextTestCaseId": "TC_6355",

"totalTestCases": 12708

1/15 request

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

RAG Pipeline

Home > Prompt & Schema

Configure prompt templates & JSON schemas

JSON SCHEMA PROMPT TEMPLATE TEST & PREVIEW METRICS EVALUATION

Test Prompt Template

Test your prompt template with sample data to see how the AI responds

Test Query / User Story

Given the doctor dashboard is open, when a patient status changes in the system, then the queue list should update automatically within 30 seconds.

Sample Test Cases (JSON)

```
[
  {
    "testCaseId": "TC_305",
    "module": "Laboratory",
    "testCaseTitle": "Lab Report Email Notification - Validated Results",
    "testCaseDescription": "Verify that the system sends email notification to patients when lab test results are validated and marked as complete by the technician.",
    "testSteps": [
      "1. Technician logs into Laboratory module",
      "2. Select pending test for Patient UHID: 123456-7890",
      "3. Enter test results in result_values field",
      "4. Click 'Validate Results' button",
      "5. System marks test status as 'VALIDATED'",
    ]
  }
]
```

Network

Filter

Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Waasm Other

5,000 ms 10,000 ms 15,000 ms 20,000 ms 25,000 ms 30,000 ms

Name X Headers Payload Preview Response Initiator Timing

1 {

"success": true,

"response": {

"analysis": {

"userStoryTitle": "Dynamic Queue List of ANC (Enhanced)",

"userStoryModule": "ANC - Doctor Dashboard",

"existingCoverageCount": 9,

"gapsIdentified": [

"No test cases for automatic refresh timing verification",

"Missing negative scenarios for filter misuse cases",

"Absence of performance/latency testing for real-time updates",

"No security validation (HIPAA) for unauthorized access",

"Edge-case handling when patient priority changes",

],

"newTestCases": [

{

"testCaseId": "TC_6355",

"module": "ANC - Doctor Dashboard",

"testCaseTitle": "Automatic Queue Refresh with Dynamic Filtering",

"testCaseDescription": "Verify that the dynamic queue refresh works correctly when the doctor is logged in, ANC dashboard is active, and the system handles edge cases.",

"testSteps": [

"1. Launch the application and log in as a doctor.",

"2. Verify the queue list is populated with pending tests.",

"3. Simulate a patient status change (e.g., test completed).",

"4. Verify the queue list updates automatically within 30 seconds.",

"5. Verify that the queue list correctly filters tests based on the selected filter.",

"6. Verify that the queue list correctly handles edge cases (e.g., no pending tests, filter change).",

],

"expectedResults": "Patient X status changes to 'Completed', and the queue list updates accordingly.",

},

],

},

},

1/15 request

Retrieval- API Request

The screenshot shows the 'Variables' tab for the 'RAG MongoDB - Complete Ingestion & Retrieval' workflow. The interface includes a sidebar with a collection tree and a main panel displaying a table of variables.

Variable	Value
baseUrl Backend server base URL	http://localhost:3001
outputFile Auto-set by Upload Excel test script	
jobId Auto-set by Create Embeddings test script	
searchQuery Default search query for all retrieval requests	login functionality test cases
searchLimit Number of results to return	10
dataType testcases userstories	testcases
sheetName Excel sheet name for test cases	Testcases
Add variable	

Vector Search

The screenshot shows the 'Vector Search' API endpoint configuration and its response. The endpoint is a POST request to `{{baseUrl}}/api/search`. The response is a JSON object indicating a successful search.

Request Body:

```
1 {
2   "query": "{{searchQuery}}",
3   "limit": {{searchLimit}},
4   "filters": {
5     "module": "",
6     "priority": "",
7     "risk": "",
8     "automationManual": ""
9   }
10 }
```

Response Body:

```
1 {
2   "success": true,
3   "query": "login functionality test cases",
4   "filters": {
5     "module": "",
6     "priority": "",
7     "risk": "",
8     "automationManual": ""
9   },
10  "results": [
11    {
12      "_id": "6a88be1f8e4983c83883bc9d",
13      "module": "AHC",
14      "id": "TC_2656",
15      "prerequisites": "No Pre-requisite",
16      "title": "MasterSetup->Map Login Counter",
17      "description": "To verify the user able to create Map Login Counter f
```


BM25 Full-Text Search

The screenshot shows the Divya M API client interface. On the left, a sidebar lists collections under 'RAG MongoDB - Complete Ingestion & Retrieval', with 'POST 10. BM25 Full-Text Search' selected. The main panel displays a POST request to `{{baseUrl}}/api/search/bm25`. The request body is a JSON object with the following structure:

```
1 {
2   "query": "{{searchQuery}}",
3   "limit": {{searchLimit}},
4   "filters": {
5     "module": "",
6     "priority": "",
7     "risk": ""
8   },
9   "fields": {
10    "id": "",
11    "title": ""
12  }
13 }
```

The response is a JSON object with the following structure:

```
1 {
2   "success": true,
3   "searchType": "bm25",
4   "query": "login functionality test cases",
5   "filters": {
6     "module": "",
7     "priority": "",
8     "risk": ""
9   },
10  "results": [
11    {
12      "_id": "6a88cb397b384feddf3d9d4e",
13      "module": "Admin",
14      "id": "TC_2981",
15      "title": "Functionality",
16      "description": "To verify the user able to Create a Functionality to the Business module.",
17      "risk": "High"
18    }
19  ]
20 }
```

Hybrid Search (BM25 + Vector)

The screenshot shows the Divya M API client interface. On the left, a sidebar lists collections under 'RAG MongoDB - Complete Ingestion & Retrieval', with 'POST 11. Hybrid Search (BM25 + Vector)' selected. The main panel displays a POST request to `{{baseUrl}}/api/search/hybrid`. The request body is a JSON object with the following structure:

```
1 {
2   "query": "{{searchQuery}}",
3   "limit": {{searchLimit}},
4   "bm25Weight": 0.4,
5   "vectorWeight": 0.6,
6   "filters": {
7     "module": "",
8     "priority": "",
9     "risk": ""
10  },
11  "bm25Fields": {
12    "id": "",
13    "title": ""
14  }
15 }
```

The response is a JSON object with the following structure:

```
1 {
2   "success": true,
3   "searchType": "hybrid",
4   "query": "login functionality test cases",
5   "filters": {
6     "module": "",
7     "priority": "",
8     "risk": ""
9   },
10  "weights": {
11    "bm25": 0.4,
12    "vector": 0.6
13  },
14  "results": [
15    {
16      "_id": "6a88be2bbe4983c83883be5a",
17      "module": "Admin",
18      "id": "TC_2981",
19      "title": "Functionality",
20      "description": "To verify the user able to Create a Functionality to the Business module.",
21      "risk": "High"
22    }
23  ]
24 }
```

Rerank Search (Groq AI LLM Reranking)

The screenshot shows the Postman interface for a REST client. The left sidebar displays a collection of API endpoints under the name "RAG MongoDB - Complete Ingestion & Retrieval". The selected endpoint is "12. Rerank Search (Groq AI LLM Reranking)". The request is a POST to the URL `{{baseUrl}}/api/search/rerank`. The request body is a JSON object with the following structure:

```
1 {
2   "query": "{{searchQuery}}",
3   "limit": {{searchLimit}},
4   "rerankTopK": 50,
5   "filters": {
6     "module": "",
7     "priority": "",
8     "risk": ""
9   }
10 }
```

The response is a 200 OK status with a JSON body containing search results. The response body is a JSON object with the following structure:

```
1 {
2   "success": true,
3   "mode": "groq-only",
4   "query": "login functionality test cases",
5   "filters": {
6     "module": "",
7     "priority": "",
8     "risk": ""
9   },
10  "results": [
11    {
12      "_id": "6a88cb397b384fedf3d9d4e",
13      "module": "Admin",
14      "id": "TC_2901",
15      "title": "Functionality",
16      "description": "To verify the user able to Create a Functionality to the Business module.",
17    }
18  ]
19 }
```

Preprocess Query

The screenshot shows the Postman interface for a REST client. The left sidebar displays a collection of API endpoints under the name "RAG MongoDB - Complete Ingestion & Retrieval". The selected endpoint is "13. Preprocess Query". The request is a POST to the URL `{{baseUrl}}/api/search/preprocess`. The request body is a JSON object with the following structure:

```
1 {
2   "query": "{{searchQuery}}",
3   "options": {
4     "enableAbbreviations": true,
5     "enableSynonyms": true,
6     "maxSynonymVariations": 5,
7     "smartExpansion": false,
8     "preserveTestCaseIds": true
9   }
10 }
```

The response is a 200 OK status with a JSON body containing preprocessed query results. The response body is a JSON object with the following structure:

```
1 {
2   "original": "login functionality test cases",
3   "normalized": "login functionality test cases",
4   "abbreviationExpanded": "login functionality test cases",
5   "synonymExpanded": [
6     "login functionality test cases",
7     "signin functionality test cases",
8     "authenticate functionality test cases",
9     "access functionality test cases",
10    "login functionality test cases"
11  ],
12  "metadata": {
13    "testCaseIds": [],
14    "abbreviationMappings": [],
15    "synonymMappings": []
16  }
17 }
```

Analyse Query

Overview: POST 4. Ctx POST 4. Ctx POST 2. Up POST 2. Up POST 09. Ver POST 10. BM POST 11. Hyb POST 12. Re POST 13. Pre POST 14. Ana

POST `[[baseUrl]] /api/search/analyze` Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☐ JSON Schema Beautify

```
1 {
2   "query": "{{searchQuery}}"
3 }
```

Body Cookies Headers 8 Test Results 200 OK • 5 ms • 781 B Save Response

`{}` JSON Preview Visualize

```
1 {
2   "original": "login functionality test cases",
3   "normalized": "login functionality test cases",
4   "analysis": {
5     "hasTestCasesIds": false,
6     "testCaseIds": [],
7     "hasAbbreviations": false,
8     "abbreviations": [],
9     "hasSynonymOpportunities": true,
10    "synonymOpportunities": [
11      {
12        "term": "login",
13        "synonyms": [
14          "signin",
15          "authenticate",
16          "access",
17          "..."
18        ]
19      }
20    ]
21  }
22 }
```

Connect Git Terminal Console Import Complete The coast is clear! Globals Vault Tools

POST-Retrieval

Summarize Results (Concise)

Overview: POST 4. C POST 4. C POST 2. U POST 2. U POST 09. Ver POST 10. BM POST 11. Hy POST 12. Re POST 13. Pr POST 14. Ar POST 15. Su

POST `[[baseUrl]] /api/search/summarize` Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☐ JSON Schema Beautify

```
1 {
2   "query": "{{searchQuery}}",
3   "summaryType": "concise",
4   "results": [
5     {
6       "id": "TC_0001",
7       "module": "Login",
8       "title": "Verify valid user login",
9       "description": "Test that a valid user can log in successfully",
10      "steps": "1. Navigate to login page\n2. Enter valid credentials\n3. Click Login",
11      "expectedResults": "User is redirected to dashboard",
12      "actualResults": "..."
13    }
14  ]
15 }
```

Body Cookies Headers 8 Test Results 200 OK • 1.28 s • 994 B Save Response

`{}` JSON Preview Visualize

```
1 {
2   "success": true,
3   "summary": "**Search Results Overview (1 entry)**\n\n| ID | Title | Module | Description |\n|----|-----|-----|-----|\n\n**TC_0001** | Verify valid user login | Login | Confirms that a user with correct credentials can successfully log in to the system. |\n\n**Key Takeaway:**\n\nThe sole result is a test case (TC_0001) focused on validating the core login functionality—ensuring that a legitimate user can authenticate and access the application without issues.",
4   "summaryType": "concise",
5   "resultCount": 1,
6   "model": "openai/gpt-oss-120b",
7   "tokens": {
8     "prompt": 104,
9     "completion": 115,
10    "total": 219
11  },
12   "cost": {
13     "input": "0.000000",
14     "output": "0.000000"
15   }
16 }
```

Connect Git Terminal Console Import Complete The coast is clear! Globals Vault Tools

Summarize Results (Detailed)

The screenshot shows the Divya M web interface with the 'Summarize Results (Detailed)' endpoint selected. The request body is a JSON object with the following structure:

```
1 {
2   "query": "{{searchQuery}}",
3   "summaryType": "detailed",
4   "results": [
5     {
6       "id": "TC_0001",
7       "module": "Login",
8       "title": "Verify valid user login",
9       "description": "Test that a valid user can log in successfully",
10      "steps": "1. Navigate to login page\n2. Enter valid credentials\n3. Click Login",
11      "expectedResults": "User is redirected to dashboard",
12      "actualResults": "User is redirected to dashboard"
13    }
14  ]
15 }
```

The response body is a detailed JSON summary of the search results, including a 'summary' field with a detailed analysis of the results.

```
1 {
2   "success": true,
3   "summary": "**Search-Result Analysis - 'login functionality test cases'*\n\nItem | ID | Title | Module | Description |\n-----|----|\n1 | TC_0001 | Verify valid user login | Login | Test that a valid user can log in successfully |\n\n---\n\n1. Quantitative Overview\nMetric | Value |\n-----|----|\nTotal results retrieved | **1** |\nResults with a 'Login' module tag | **1** (100%) |\nResults explicitly mentioning 'valid user' | **1** (100%) |\nResults that include a test-case identifier (TC_) | **1** (100%) |\nResults that contain a clear expected outcome | **1** (100%) |\nBecause only a single record was returned, every metric reaches 100% for the attributes present.\n\n---\n\n2. Qualitative Themes & Patterns\nTheme | Evidence in Result | Frequency |\n-----|----|\nLogin functionality | Module = 'Login' | 1/1 |\nPositive-path testing (valid credentials) | Title 'Verify valid user login'; Description focuses on successful login | 1/1 |\nStructured test-case format | ID 'TC_0001', clear title, module, description | 1/1 |\nVerification of success | 'Test that a valid user can log in successfully' | 1/1 |\nNo negative-path, edge-case, or security-related themes appear in the current set.\n\n---\n\n3. Relevance Assessment\nAspect | Evaluation |\n-----|----|\nQuery-Result Match | The result directly addresses 'login functionality test cases' by providing a concrete test case for the login module. |\nSpecificity | High - the test case is scoped to a single, well-defined scenario (valid user login). |\nCoverage | Limited - only one positive-path case is covered; a comprehensive test-suite would also include invalid credentials, password-reset, logout, session handling, etc. |\n\n---\n\nReferences: Search (Subtask 0.001) - User Login - User returned to the main, but the test is done. For a full test case, see the 'login functionality test cases' document.
```

Deduplicate Results

The screenshot shows the Divya M web interface with the 'Deduplicate Results' endpoint selected. The request body is a JSON object with the following structure:

```
1 {
2   "threshold": 0.05,
3   "results": [
4     {
5       "id": "TC_0001",
6       "title": "Verify valid user login"
7     },
8     {
9       "id": "TC_0002",
10      "title": "Verify valid user login flow"
11    }
12  ]
13 }
```

The response body is a JSON object showing the deduplicated results, with 'original' and 'deduplicated' fields.

```
1 {
2   "original": [
3     {
4       "id": "TC_0001",
5       "title": "Verify valid user login"
6     },
7     {
8       "id": "TC_0002",
9       "title": "Verify valid user login flow"
10    }
11  ],
12   "deduplicated": [
13     {
14       "id": "TC_0001",
15       "title": "Verify valid user login"
16     },
17     {
18       "id": "TC_0002",
19       "title": "Verify valid user login flow"
20     }
21  ]
22 }
```

Test AI Prompt (Groq)

[illegible]

UTILITIES

Get Metadata (Distinct Filter Values)

The screenshot shows the MongoDB Compass interface. On the left, the 'COLLECTIONS' panel lists various collections, with 'UTILITIES' expanded and '19. Get Metadata (Distinct Filter Values)' selected. The main area displays a REST client request to the RAG MongoDB instance. The request is a GET to the endpoint `/api/metadata/distinct` with no body. The response is a 200 OK status with a JSON body containing a list of medical departments: AHC, AT (Admission Module), Admin, BB (Blood Bank), Digital OP, Digital physician, Doctors-Wards, Dynamic Forms, ES (Appointment), Emergency, Human Resources (HR), IP Billing, IP Digital, IP digital, LMK, Laboratory, MIS, MNM, OP Billing, OP-Wards, OT (Operation Theatre) & Cath, Radiology, and Radiographer.

Get Latest Test Case ID

The screenshot shows the Postman interface with the following details:

- Endpoint:** GET `{{baseUrl}}/api/testcases/latest-id`
- Method:** GET
- Body:** none
- Response:** 200 OK, 1.20 s, 363 B
- JSON Body:**

```
1 {
2   "success": true,
3   "latestId": 6354,
4   "nextId": 6355,
5   "nextTestCaseId": "TC_6355",
6   "totalTestCases": 12788
7 }
```

Get Environment Variables

The screenshot shows the Postman interface with the following details:

- Endpoint:** GET `{{baseUrl}}/api/env`
- Method:** GET
- Body:** none
- Response:** 200 OK, 7 ms, 863 B
- JSON Body:**

```
1 {
2   "MONGODB_URI": "mongodb+srv://divi11:58N8mcgJ0TcatYQY@cluster81.uwteqt.mongodb.net/?appName=Cluster81",
3   "DB_NAME": "db_testcases",
4   "COLLECTION_NAME": "testcases",
5   "VECTOR_INDEX_NAME": "vector_index",
6   "BM25_INDEX_NAME": "testcases_bm25",
7   "USER_STORIES_COLLECTION_NAME": "user_stories",
8   "USER_STORIES_VECTOR_INDEX_NAME": "vector_index_userstories",
9   "MISTRAL_API_KEY": "mmc3x3Hay8A2baAJShg01u0uvo92Y",
10  "MISTRAL_EMBEDDING_MODEL": "mistral-embed",
11  "GROQ_API_KEY": "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",
12  "GROQ_RERANK_MODEL": "openai/gpt-oss-120b",
13  "GROQ_SUMMARIZATION_MODEL": "openai/gpt-oss-120b"
14 }
```