


Test Case Generator

Implementation 1- Use Default Langflow chat for web



<script

src="https://cdn.jsdelivr.net/gh/logspace-ai/langflow-embedded-chat@v1.0.7/dist/build/static/js/bundle.min.js">

</script>

<langflow-chat

window_title="TestCaseGenerator"

flow_id="974308c0-19b2-402b-b52c-081f6e7aeabd"

host_url="http://localhost:7860">

</langflow-chat>

0

Run flows

Trigger flows with the Langflow API

Trigger flows with webhooks

Test flows

Import and export flows

Build components with Langflow Assistant

Agents

Use Langflow agents

Configure tools for agents

Model Context Protocol (MCP)

DEVELOP & DEPLOY

Develop

API keys and authentication

CDN. For more information, see the [langflow-embedded-chat repository](#).

For example, the following HTML embeds a chat widget for a **Basic Prompting** template flow hosted on a Langflow server deployed on ngrok:

```
1 <html>
2 <head>
3   <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-chat@mai
4 </head>
5 </body>
6 <langflow-chat>
7   host_url="https://c822-73-64-93-151.ngrok-free.app"
8   flow_id="dcbcd533-859f-4b99-b1f5-16fce884f28f"
9   api_key="$LANGFLOW_API_KEY"
10 ></langflow-chat>
11 </body>
12 </html>
```

When this code is rendered in a live site, it renders as a responsive chatbot. If a user interacts with the

Use a flow ID alias

Embed a flow into a website

Get a langflow-chat snippet

Embed the chat widget with React, Angular, or HTML


Configure the langflow-chat web component

Serve flows through a Langflow MCP server

Run flows with the OpenAI Responses compatible endpoint

See also

```
<html>
<head>
  <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-chat@main/dist/build/static/js/bundle.min.js"></script>
</head>
<body>
  <langflow-chat
    host_url="http://localhost:7860"
    flow_id="974308c0-19b2-402b-b52c-081f6e7aeebd"
    api_key="sk-14FDFrFdNoU8BuUmn7k9s83dGWPitxpwIGjuQYRd6_I"
  ></langflow-chat>
</body>
</html>
```





Chat

We'll reply as soon as we can

Generate test cases for fund transfer

Test Cases for Fund Transfer Feature

(React + Node.js REST API – FinTech Web App)

1. Detailed Test Case Descriptions

TC ID	Title	Preconditions
TC_001	Successful Fund Transfer	• User is logged in. • Source account has balance $\geq$ \$1,000. • Recipient account exists and is active. • Daily transfer limit

Type your message...



TestCaseGeneratorChat.html

File C:/Users/Divya/OneDrive/Documents/genai-docs/Langflow%20API%20Web/TestCaseGeneratorChat.html

Chat

We'll reply as soon as we can

Generate test cases for fund transfer

Test Cases for Fund Transfer Feature

(React + Node.js REST API – FinTech Web App)

1. Detailed Test Case Descriptions

	Test Steps	Expected Result
1.	Navigate to "Transfer Funds" page. 2. Enter valid recipient ID "REC12345". 3. Enter amount "\$500.00".	• API returns HTTP 200 with JSON {status:"success", transactionId:"TXN98765"}
• UI shows confirmation modal "Transfer successful. Transaction ID: TXN98765"
• Source balance decreases by \$500.00; recipient balance increases by \$500.00

Type your message...

TestCaseGeneratorChat.html

File C:/Users/Divya/OneDrive/Documents/genai-docs/Langflow%20API%20Web/TestCaseGeneratorChat.html

×

Chat

We'll reply as soon as we can

Generate test cases for fund transfer

Test Cases for Fund Transfer Feature

(React + Node.js REST API – FinTech Web App)

1. Detailed Test Case Descriptions

Expected Result	Priority	Type
returns HTTP 200 with status: "success", transactionId: "TXN98765". UI shows transaction modal for successful. Transaction ID: TXN98765". Source balance decreases by \$500.00; Target balance increases by \$500.00.	High	Positive

Type your message...

TestCaseGeneratorChat.html

File C:/Users/Divya/OneDrive/Documents/genai-docs/Langflow%20API%20Web/TestCaseGeneratorChat.html

Chat

● We'll reply as soon as we can

generate test cases for login page

Functional Test Cases

TC ID	Title	Preconditions
TC_001	Successful login – happy path	• Active user account user@example.com with password Password123!
• Session store configured
• API endpoint /api/auth/login reachable

Type your message...

Network

Filter

All Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

500 ms 1,000 ms 1,500 ms 2,000 ms 2,500 ms 3,000 ms

Name X Headers Payload Preview Response Initiator Timing

97...

- General
 - Request URL http://localhost:7860/api/v1/run/974308cd-19b2-402b-b52c-081f6e7aeebd
 - Request Method POST
 - Status Code 200 OK
 - Remote Address [::1]:7860
 - Referrer Policy strict-origin-when-cross-origin
 - Response headers
 - Access-Control-Allow-Credentials true
 - Access-Control-Allow-Origin null
 - Content-Length 4587
 - Content-Type application/json

Console

file:///C:/Users/Divya/OneDrive/Documents/genai-docs/Langflow%20API%20Web...
"file:" URLs are treated as unique security origins.

bundle.min.js:1
{message: '**Functional Test Cases**\n\n TC ID | Title | Preco... 'user@example.com' and password 'Password123!' . ', type: 'text'}

TestCaseGeneratorChat.html

File C:/Users/Divya/OneDrive/Documents/genai-docs/Langflow%20API%20Web/TestCaseGeneratorChat.html

Chat

● We'll reply as soon as we can

generate test cases for login page

Functional Test Cases

TC ID	Title	Preconditions
TC_001	Successful login – happy path	• Active user account user@example.com with password Password123!
• Session store configured
• API endpoint /api/auth/login reachable

Type your message...

Network

Filter

All Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

500 ms 1,000 ms 1,500 ms 2,000 ms 2,500 ms 3,000 ms

Name X Headers Payload Preview Response Initiator Timing


97...

- Request Payload
 - View source
 - {input_type: "chat", input_value: "generate test cases for login page", input_type: "chat", input_value: "generate test cases for login page", output_type: "chat", session_id: "2af795df-4128-4958-b3fd-96ea35ed6128"}

Console


file:///C:/Users/Divya/OneDrive/Documents/genai-docs/Langflow%20API%20Web...
"file:" URLs are treated as unique security origins.


bundle.min.js:1
{message: '**Functional Test Cases**\n\n TC ID | Title | Preco... 'user@example.com' and password 'Password123!' . ', type: 'text'}




Implementation 2- Customizing Default Langflow Chat


```
<html>
  <head>
    <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-chat@main/dist/build/static/js/bundle.min.js"></script>
  </head>
  <body>
    <langflow-chat
      window_title="Test case Generator"
      host_url="http://localhost:7860"
      flow_id="974308c0-19b2-402b-b52c-081f6e7aeebd"
      api_key="sk-14FDfrFdNoU8BuUmn7k9s83dGWPitxpwIGjuYRd6_I"
      width="500"
      height="500"
      start_open="true"
      bot_message_style='{ "color": "#333", "backgroundColor": "#27F5DA" }'
      placeholder='Give your input for generating testcases'
      placeholder_sending="Generating testcases"
    ></langflow-chat>
  </body>
</html>
```















Implementation 3- Build a Custom User friendly HTML Page with Langflow chat















AI-Powered Testcase Generator

Generate comprehensive test cases from user stories instantly

Test Case Generation Chat

Copy

Enter your user story...

Send

Test Case Generator

Welcome to Test Case Generator
Powered by Langflow

generate test cases for fund transfer

TC_BT_001

Title: Verify successful fund transfer within daily limit

Preconditions: User is logged in with an active account

Steps:

Ask your question...

Send

Be specific and detailed

Try banking samples first

AI-Powered Testcase Generator

Generate comprehensive test cases from user stories instantly

Test Case Generation Chat

Copy

Enter your user story...

Send

Test Case Generator

Steps:

1. Navigate to Fund Transfer

2. Enter beneficiary details

3. Enter amount within daily limit

4. Submit transaction

Expected Result: Transaction completes successfully and confirmation is shown

TC_BT_002

Title: Fund transfer with beneficiary not found

Preconditions: User is logged in with an active account

Steps:

Ask your question...

Send

Be specific and detailed

Try banking samples first