




Assignment for user-stories-testcase generator



1) User story -tests generator --with vibe coding implement the Jira integration to fetch user stories (both frontend and backend)

Prompt “Implement Jira connection.

1. Add a button in the UI page for connectivity
2. User should be able to connect to jira without any issues
3. After connection user should be able to select the User stories for test case generation
4. After test case generation, user should be able to choose and upload the test cases into Jira without any issues.
5. User should have option to convert the test cases in Gherkins language and upload the them into jira.”







Work item search - Jira

Atlassian account | profile and

User Story to Tests

Ask Gemini

localhost:5173

Jira Settings

Show Jira Settings

Save Jira connection settings separately, then connect and fetch stories.

Story Title *

Enter the user story title...

Description

Additional description (optional)...

Acceptance Criteria *

Enter the acceptance criteria...

Additional Info

Work item search - Jira

Atlassian account | profile and

User Story to Tests

Ask Gemini

localhost:5173

Jira Settings

Hide Jira Settings

Save Jira connection settings separately, then connect and fetch stories.

Jira Base URL

https://divyamani11dec.atlassian.net

Jira Email

divyamani11dec@gmail.com

Jira API Token

Project Key

PRAC

Connect to Jira

Save Jira Settings

Reset Settings

JQL Query

issuetype = Story AND status= "To Do"

Practice - Kanban Board - Jira

Atlassian account | email

User Story to Tests

Atlassian account | security | ap

Ask Gemini

localhost:5173

Jira Login

divyamani11dec@gmail.com

Jira API Token

Project Key

PRAC

Connect to Jira

Save Jira Settings

Reset Settings

Connected to Jira: PRAC (https://divyamani11dec.atlassian.net)

JQL Query

issuetype = Story AND status= "To Do"

Fetch Jira Stories

Practice - Kanban Board - Jira

Atlassian account | email

User Story to Tests

Atlassian account | security | ap

Ask Gemini

localhost:5173

Connected to Jira: PRAC (https://divyamani11dec.atlassian.net)

JQL Query

issuetype = Story AND status= "To Do"

Fetch Jira Stories

Fetches Stories

Issue Key	Title	Status	Actions
PRAC-3	As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.	To Do	Use Story
PRAC-1	As a doctor, I want an automated prescription verification system so that I can review, approve, or modify prescriptions digitally before they are sent to the pharmacy.	To Do	Use Story

Story Title *

Enter the user story title

Practice - Kanban Board - Jira

Atlasian account | email

User Story to Tests

Atlasian account | security | ap

Ask Gemini

localhost:5173

PRAC-1As a doctor, I want an automated prescription verification system so that I can review, approve, or modify prescriptions digitally before they are sent to the pharmacy.

To DoUse Story

Selected Jira Story: PRAC-3

Story Title *

As a billing coordinator, I want the system to automatically verify a patient's insurance coverage and pre-authorize radiology tests before scheduling, so that delays and manual verification errors can be reduced.

Description

Description:
Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record.

Epic:

Acceptance Criteria *

Given a patient is scheduled for a radiology test,
When the billing coordinator selects "Schedule Test",
Then the system should verify insurance eligibility via API.
Given the test requires pre-authorization,
When the request is sent,

Additional Info

Practice - Kanban Board - Jira

Atlasian account | email

User Story to Tests

Atlasian account | security | ap

Ask Gemini

localhost:5173

Generate

Generated Test Cases

Generate Feature FileUpload Test Cases to Jira

10 test case(s) generated • Model: openai/gpt-oss-120b • Tokens: 2451

Test Case ID	Title	Category	Expected Result
TC-001	Verify insurance eligibility for a covered radiology test without pre-authorization	Positive	System calls insurance eligibility API, receives a positive coverage response, and allows scheduling without further prompts
TC-002	Automatic pre-authorization for a radiology test that requires it	Authorization	System stores the authorization ID and approval date in the patient's billing record and confirms scheduling
TC-003	Handle insurance API timeout error during eligibility check	Negative	System displays an error message indicating the eligibility check failed and prevents test scheduling
TC-004	Notify coordinator and patient when test is not covered	Negative	System shows a notification to the coordinator, sends a notification to the patient, and presents alternative payment options

Practice - Kanban Board - Jira

Atlassian account | email

User Story to Tests

Atlassian account | security | ap

Ask Gemini

localhost:5173

Generate

Generated Test Cases

10 test case(s) generated • Model: openai/gpt-oss-120b • Tokens: 2451

Generated Feature File

Upload Test Cases to Jira

Uploaded 10 test case(s) to Jira as sub-tasks

Test Case ID	Title	Category	Expected Result
TC-001	Verify insurance eligibility for a covered radiology test without pre-authorization	Positive	System calls insurance eligibility API, receives a positive coverage response, and allows scheduling without further prompts
TC-002	Automatic pre-authorization for a radiology test that requires it	Authorization	System stores the authorization ID and approval date in the patient's billing record and confirms scheduling
TC-003	Handle insurance API timeout error during eligibility check	Negative	System displays an error message indicating the eligibility check failed and prevents test scheduling

Practice - Kanban Board - Jira

Atlassian account | email

User Story to Tests

Atlassian account | security | ap

Ask Gemini

divyamani11dec.atlassian.net/jira/software/projects/PRAC/boards/35/?selectedIssue=PRAC-3

Jira

Search

Create

See plans

Add epic / PRAC-3

1

Improve Story

Description

Description:
Before scheduling any CT, MRI, or ultrasound procedure, the system should trigger an API call to the insurance provider to check if the procedure is covered under the patient's plan. If authorization is required, it should initiate the pre-authorization process automatically and store the approval ID in the patient record.

Epic:
Financial & Billing Workflows - Insurance Automation

Acceptance Criteria:
Given a patient is scheduled for a radiology test,
When the billing coordinator selects "Schedule Test",
Then the system should verify insurance eligibility via API.

Given the test requires pre-authorization,
When the request is sent,
Then the system should store the authorization ID and approval date in the billing record.

Given a test is not covered,
When the result is received,
Then the system should notify both the coordinator and patient, and offer alternative payment options.

Details

Assignee
Unassigned
Assign to me

Parent
None

Due date
None


Labels
None

Team
None

Start date
None

Reporter
Divya Mani


Development



2) Application is *User story -tests generator*, Add a button option to Generate Feature file for the user stories

Prompt provided “Add a button option to Generate Feature file for the user stories in the framework, clicking on the button should generate the feature file(Gherkins language) corresponding to the test cases that has been generated.”

Output



GitHub

User Story to Tests

+

Ask Gemini

localhost:5173

Additional Info

Any additional information (optional)...

Generate

Generated Test Cases

Generate Feature File

10 test case(s) generated • Model: openai/gpt-oss-120b • Tokens: 2891

Test Case ID	Title	Category	Expected Result
TC-001	Verify queue list auto-refresh updates within 30 seconds after patient status change	Positive	The queue list reflects the updated patient status within 30 seconds of the change
TC-002	Apply Emergency filter and verify only critical patients are shown	Positive	Only patients with critical priority are displayed; routine patients are hidden

User Story to Tests

+

Ask Gemini

localhost:5173

Generated Feature File

Feature: Dynamic Queue List of AHC - Real-Time Filtering
As a ward doctor, I want the queue list to refresh automatically and allow filtering by patient priority so I can attend to high-priority patients first.

Scenario: Queue list refreshes automatically after a patient status change
Given the doctor dashboard is open and the queue list shows patient A with status "Waiting"
When the status of patient A changes to "In Treatment" in the system
Then the queue list updates to show patient A with status "In Treatment" within 30 seconds

Scenario: Auto-refresh works correctly when the queue is empty
Given the doctor dashboard is open and no patients are currently in the queue
When the automatic refresh cycle runs
Then the queue remains empty and no error or warning is displayed

Scenario: Auto-refresh handles a large patient volume without delay
Given the doctor dashboard is open and the queue contains 200 patients
When a patient status changes in the system
Then the queue list reflects the change within 30 seconds and the interface stays responsive



Scenario: Doctor applies the Emergency filter to view only critical patients
Given the doctor dashboard shows a mixed list of critical and routine patients

Model: openai/gpt-oss-120b • Tokens: 1589

Close

Copy to Clipboard

Download .feature



Assignment for AI Browser extension

2) AI BrowserExtension - With vibe coding generate the testscripts in the language selected (tool/language of your choice)

Say--playwright/typescript

GitHub

User Story to Tests

Amazon Sign-In

+

Ask Gemini

amazon.in/ap/signin?openid.return_to=https%3A%2F%2Fwww.amazon.in%2F%3Fref_%3Dnav_ya_signin&openid.identity=http%3A%2F%2Fspecs.openid.net%2Fauth%2F2.0%2FI...

amazon.in

Sign in or create account

Enter mobile number or email

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Buying for work?

Create a free business account

Conditions of Use

Privacy Notice

Help

© 1996–2026, Amazon.com, Inc. or its affiliates

AI Browser Extension for Code Generation

Code Generator

Settings

Supported Language

TypeScript

Browser Engine

Playwright

Select LLM Provider

Groq

Select Model

llama-3.3-70b-versatile

Groq API Key

GitHub

User Story to Tests

Amazon Sign-In

+

Ask Gemini

amazon.in/ap/signin?openid.return_to=https%3A%2F%2Fwww.amazon.in%2F%3Fref_%3Dnav_ya_signin&openid.identity=http%3A%2F%2Fspecs.openid.net%2Fauth%2F2.0%2FI...

amazon.in

Sign in or create account

Enter mobile number or email

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Buying for work?

Create a free business account

Conditions of Use

Privacy Notice

Help

© 1996–2026, Amazon.com, Inc. or its affiliates

AI Browser Extension for Code Generation

Code Generator

Settings

☒ Feature File ☒ Page Class

Reset Chat

Feature: Login to Amazon

Scenario Outline: Successful login with valid credentials

Given I open the login page

When I type "cemail3" into the Email field

And I click the Continue button

Then I should see the password page

Examples:

email	
"test@gmail.com"	
"test@yahoo.com"	
"test@rediffmail.com"	
"siva.kumar@outlook.in"	
"siva.kumar123@gmail.com"	

import { Given, When, Then, Before, After } from '@cucumber/cucumber'

Provide additional information

Code Generator

Settings

☒ Feature File ☒ Page Class Reset Chat

```
import { Given, When, Then, Before, After } from '@cucumber/cucumber'
import { Page, Browser, chromium, expect } from '@playwright/test'
```

```
let browser: Browser;
let page: Page;
```

```
Before(async () => {
  browser = await chromium.launch();
  page = await browser.newPage();
});
```

```
After(async () => {
  await page.close();
  await browser.close();
});
```

```
Given('I open the login page', async () => {
  await page.goto('https://www.amazon.in/ap/signin?openid.return_to');
});
```

```
When('I type {string} into the Email field', async ({email_string}) => {
```

Provide additional information

Code Generator

Settings

☒ Feature File ☒ Page Class Reset Chat

```
Given('I open the login page', async () => {
  await page.goto('https://www.amazon.in/ap/signin?openid.return_t');
});

When('I type {string} into the Email field', async (email: string) => {
  const emailField = page.locator('#ap_email_login');
  await emailField.waitFor({ state: 'visible' });
  await emailField.fill(email);
});

When('I click the Continue button', async () => {
  const continueButton = page.locator('#continue');
  await continueButton.waitFor({ state: 'visible' });
  await continueButton.click();
});

Then('I should see the password page', async () => {
  const passwordPageTitle = page.locator('#ap_password');
  await expect(passwordPageTitle).toBeVisible();
});
```

Provide additional information