

`/v3/api-docs`

Explore

# OpenAPI definition

v0 OAS 3.0

`/v3/api-docs`

## Servers

`http://localhost:8095 - Generated server url`

## Employee Controller

Employee Controller

**POST** `/register` Register Employees

Register Employees

### Parameters

Try it out

Name

Description

**e** \* requiredobject  
(query)

```
{
  "id": 0,
  "name": "string",
  "address": "string",
  "email": "string",
  "phno": "string",
  "designation": "string",
  "salary": 0
}
```



Responses

Code	Description	Links
200	<div><div>OK</div><div>Media type</div><div><div>*/*</div></div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div></div><div>string</div></div>	No links

POST /edit/update Update Employees



Update Employees

Parameters

Try it out

Name	Description
<div><div>e * required</div><div>object</div><div>(query)</div></div>	<div>{   "id": 0,   "name": "string",   "address": "string",   "email": "string",   "phno": "string",   "designation": "string",   "salary": 0 }</div>



Responses

Code	Description	Links
200	OK  Media type <div>*/*</div> Controls Accept header.  Example Value   Schema  string	No links

GET   /delete/{id}   Delete Employee



Delete Employee

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	OK  Media type <div>*/*</div> Controls Accept header.	No links

Code	Description	Links
	<div>Example ValueSchema</div> <div>string</div>	

GET

/ Display Employees

Display Employees

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example ValueSchema</div> <div>string</div>	No links

Schemas

```
Employee {  
  id  
  name  
  address  
  email  
  phno  
  designation  
  salary  
}
```