



/v3/api-docs

Explore

OpenAPI definition

v0 OAS 3.0

/v3/api-docs

Servers

http://localhost:8097 - Generated server url

Patient Controller Patient Controller



POST /updatePatient/{Id} Update Patient



Update Patient

Parameters

Try it out

Name	Description
------	-------------

Id * required

integer(\$int32)
(path)

Name	Description
patient * required object (query)	{ "patientName": "string", "age": "string", "gender": "string", "contact": 0, "address": "string", "medicalHistory": "string", "id": 0 }



Responses

Code	Description	Links
200	OK Media type <div style="border: 1px solid black; padding: 2px; width: fit-content;">/*</div> Controls Accept header. Example Value Schema <code>string</code>	No links



POST /addPatient Add Patients

Add Patients

Parameters

Try it out

Name	Description
------	-------------

patient * required**object**
(query)

```
{  
    "patientName": "string",  
    "age": "string",  
    "gender": "string",  
    "contact": 0,  
    "address": "string",  
    "medicalHistory": "string",  
    "id": 0  
}
```

**Responses**

Code	Description	Links
------	-------------	-------

200	OK	No links
-----	----	----------

Media type

`/*`

Controls Accept header.

Example Value Schema`string`

GET /viewPatient Display Patients

Display Patients

Parameters**Try it out**

No parameters

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

/

Controls Accept header.

Example Value Schema

string

GET /deletePatient/{Id} Delete Patient ^

Delete Patient

Parameters

[Try it out](#)

Name	Description
Id * required integer(\$int32) (path)	<input type="text" value="Id"/>

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

Code	Description	Links
<pre>/*</pre>	Controls Accept header.	

Login Controller

Login Page ^

POST	/register	Register ^
Register		
Parameters Try it out		
Name	Description	
user * required <small>object (query)</small>	<pre>{ "id": 0, "name": "string", "email": "string", "password": "string", "role": "string" }</pre>	
Responses		

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>string</p>	No links

POST	/login	Login	^
------	--------	-------	---

Login

Parameters

Try it out

Name	Description
user * required object (query)	{ "id": 0, "name": "string", "email": "string", "password": "string", "role": "string" }

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>string</p>	No links

Doctor Controller Doctor Controller



POST /addDoctor Add Doctor

Add Doctor

Parameters

Try it out

Name Description

doc * required
object
(query)

```
{  
    "doctorId": 0,  
    "doctorName": "string",  
    "dept": "string"  
}
```

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>string</p>	No links

GET /viewDoctors Show All Doctors ^

Show All Doctors

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>string</p>	No links

Medication Controller Medication Controller



POST /updateMedicine/{Id} Update Medicine ^

Update Medicine

Parameters

[Try it out](#)

Name	Description
------	-------------

Id * required

integer(\$int32)

(path)

medication * required

object

(query)

```
{  
    "dosage": "string",  
    "medicineName": "string",  
    "quantity": 0,  
    "id": 0  
}
```

Responses

Code	Description	Links
------	-------------	-------

200 OK *No links*

Media type

Controls Accept header.

Code	Description	Links
	<p>Example Value Schema</p> <pre>string</pre>	
POST	/addMedicine Add Medicines	
	Add Medicines	
	Parameters	Try it out
Name	Description	
medication * required		
object (query)	<pre>{ "dosage": "string", "medicineName": "string", "quantity": 0, "id": 0 }</pre>	
		
	Responses	
Code	Description	Links
200	OK	<i>No links</i>
	Media type	
	<pre>/*</pre>	
	Controls Accept header.	

Code	Description	Links
------	-------------	-------

Example Value Schema

string

GET /viewMedicine Display Medicines ^

Display Medicines

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
------	-------------	-------

200 OK *No links*

Media type

/

Controls Accept header.

Example Value Schema

string

GET /deleteMedicine/{Id} Delete Medicine ^

Delete Medicine

Parameters

[Try it out](#)

Name	Description
------	-------------

Id * required

integer(\$int32)

(path)

Responses

Code	Description	Links
------	-------------	-------

200 OK

No links

Media type

Controls Accept header.

Example Value Schema

string

Appointment Controller Appointment Controller



POST /updateAppointment/{Id} Update Appointment



Update Appointment

Parameters

[Try it out](#)

Name	Description
------	-------------

Id * required

integer(\$int32)

(path)

Name	Description
appointment * required object <i>(query)</i>	<pre>{ "doctorId": 0, "doctorName": "string", "patientId": 0, "patientName": "string", "appointmentDate": "2024-08-26T14:34:17.847Z", "visitReason": "string", "id": 0 }</pre>



Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

string

POST /addAppointment Add Appointment ^

Add Appointment

Parameters

Try it out

Name	Description
appointment * required object (query)	{ "doctorId": 0, "doctorName": "string", "patientId": 0, "patientName": "string", "appointmentDate": "2024-08-26T14:34:22.264Z", "visitReason": "string", "id": 0 }

//

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

string

GET	/viewAppointment	Display Appointments	^
-----	------------------	----------------------	---

Displays the appointments

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

/*

Controls Accept header.

Example Value Schema

string

GET /deleteAppointment/{Id} Delete Appointment ^

Delete Appointment

Parameters

[Try it out](#)

Name	Description
Id * required integer(\$int32) (path)	<input type="text" value="Id"/>

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

Code	Description	Links
<pre>/*</pre>	Controls Accept header.	

Schemas	^
Patient	
Medicine	
Appointment	
User	
Doctor	