

NORTHSTAR DIAGNOSTICS

Synthetic Laboratory Report - for education and software testing only

Patient ID DEMO-001	Report ID NSD-2025-0815	Specimen Blood
Collection date August 15, 2025	Report date August 16, 2025	Ordering location Northstar Primary Care

LABORATORY RESULTS

Test	Result	Unit	Report reference range	Flag
Vitamin D, 25-Hydroxy	18	ng/mL	30-100	Low
Vitamin B12	310	pg/mL	200-900	Within range
Hemoglobin	13.2	g/dL	12.0-16.0	Within range
White Blood Cell Count	6.4	K/uL	4.0-11.0	Within range
Platelet Count	268	K/uL	150-450	Within range
Hemoglobin A1c	5.8	%	4.0-5.6	High
Glucose	108	mg/dL	70-99	High
Total Cholesterol	218	mg/dL	0-199	High
LDL Cholesterol	142	mg/dL	0-99	High
HDL Cholesterol	48	mg/dL	40-100	Within range
Triglycerides	140	mg/dL	0-149	Within range
Creatinine	0.86	mg/dL	0.50-1.10	Within range
eGFR	92	mL/min/1.73m2	60-120	Within range
ALT	24	U/L	7-35	Within range
AST	22	U/L	10-35	Within range
Thyroid-Stimulating Hormone (TSH)	2.6	mIU/L	0.4-4.5	Within range

REPORT NOTES

- Flags are based only on the reference ranges printed in this synthetic report.
- Reference ranges may vary between laboratories and testing methods.
- Results should be interpreted by a qualified healthcare professional using the patient's complete clinical history.
- This synthetic report contains no symptoms, diagnoses, medications, treatments, diet, or lifestyle information.
- The glucose result is included for software testing; this document does not indicate whether the synthetic patient was fasting.
- This synthetic document does not provide medical advice.

END OF REPORT