

### Assignement-3

Q1] <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Assignement2</title>

<style>

```
ul li:nth-child(even){  
    background-color: rgb(122, 207, 216);  
}
```

</style>

</head>

<body>

<ul type="circle">

<li>Eswatini</li>

<li>Ecuador</li>

<li>Tanzania</li>

<li>Spain</li>

<li>Slovakia</li>

<li>Iraq</li>

</ul>

</body>

</html>

- 
- Eswatini
  - Ecuador
  - Tanzania
  - Spain
  - Slovakia
  - Iraq

Q2]

**<!DOCTYPE html>**

**<html>**

**<head>**

**<style>**

**table {**

**font-family: Arial, sans-serif;**

**border-collapse: collapse;**

**width: 100%;**

**}**

**th, td {**

**border: 1px solid #dddddd;**

**text-align: left;**

**padding: 8px;**

**}**

**th {**

**background-color: black;**

**color: white;**

**}**

```
tr:nth-child(odd) {
    background-color: #f2f2f2;
}
</style>
</head>
<body>

<table>
<tr>
    <th>Country</th>
    <th>Capital</th>
    <th>Language</th>
</tr>
<tr>
    <td>Albania</td>
    <td>Tirana</td>
    <td>Albanian</td>
</tr>
<tr>
    <td>Papua New Guinea</td>
    <td>Port Moresby</td>
    <td>English</td>
</tr>
<tr>
    <td>Latvia</td>
    <td>Riga</td>
```

```
<td>Latvian</td>
</tr>
<tr>
<td>France</td>
<td>Paris</td>
<td>French</td>
</tr>
</table>
```

```
</body>
</html>
```

---

Country	Capital	Language
Albania	Tirana	Albanian
Papua New Guinea	Port Moresby	English
Latvia	Riga	Latvian
France	Paris	French

Q3]

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Grilled Cheese Sandwiches with Bacon and Tomato</title>
  <style>
    body {
```

```
font-family: Arial, sans-serif;  
}
```

```
h1 {  
    font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;  
    font-size: 24px;  
    font-weight: bold;  
}
```

```
ul {  
    list-style-type: none;  
    padding: 0;  
}
```

```
.meat {  
    background-color: #ffcccc; /* light red */  
}
```

```
.vegetable {  
    background-color: #ccffcc; /* light green */  
}
```

```
.dairy {  
    background-color: #ffffcc; /* light yellow */  
}
```

```
#instructions {  
    font-style: italic;  
}  
</style>  
</head>  
<body>  
    <h1>Grilled Cheese Sandwiches with Bacon and Tomato</h1>  
    <h2>Ingredients:</h2>  
    <ul>  
        <li class="meat">Bacon</li>  
        <li class="dairy">Cheddar Cheese Slices</li>  
        <li class="vegetable">Tomato Slices</li>  
        <li class="dairy">Butter</li>  
        <li class="dairy">Mayonnaise</li>  
        <li>8 slices of bread</li>  
    </ul>  
    <h2 id="instructions">Instructions:</h2>  
    <p>1. Cook the bacon until crispy.</p>  
    <p>2. Spread butter on one side of each slice of bread.</p>  
    <p>3. Place a slice of cheese on the unbuttered side of each slice of bread.</p>  
    <p>4. Add bacon and tomato slices on top of the cheese.</p>  
    <p>5. Close the sandwiches with the remaining bread slices, buttered side facing out.</p>  
    <p>6. Heat a skillet over medium heat and grill the sandwiches until golden brown on both sides.</p>  
    <p>7. Serve hot and enjoy!</p>
```

</body>

</html>

## Grilled Cheese Sandwiches with Bacon and Tomato

### Ingredients:

Bacon  
Cheddar Cheese Slices  
Tomato Slices  
Butter  
Mayonnaise  
8 slices of bread

### Instructions:

1. Cook the bacon until crispy.
2. Spread butter on one side of each slice of bread.
3. Place a slice of cheese on the unbuttered side of each slice of bread.
4. Add bacon and tomato slices on top of the cheese.
5. Close the sandwiches with the remaining bread slices, buttered side facing out.
6. Heat a skillet over medium heat and grill the sandwiches until golden brown on both sides.
7. Serve hot and enjoy!

Q4]

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Two Columns Page</title>

<style>

body {

font-family: Arial, sans-serif;

margin: 0;

padding: 0;

}

```
.container {  
    display: flex;  
    width: 100%;  
}
```

```
.left-column {  
    width: 50%;  
    background-color: #f2f2f2; /* light gray */  
    padding: 20px;  
}
```

```
.right-column {  
    width: 50%;  
    background-color: #ccffcc; /* light green */  
    padding: 20px;  
}
```

```
ul {  
    list-style-type: none;  
    padding: 0;  
}
```

```
li {  
    margin-bottom: 10px;  
}
```



```
h2 {
    margin-top: 0;
}
</style>
</head>
<body>
<div class="container">
    <div class="left-column">
        <h2>Best Selling Books on Amazon Kindle</h2>
        <ul>
            <li>1. Book Title 1</li>
            <li>2. Book Title 2</li>
            <li>3. Book Title 3</li>
            <li>4. Book Title 4</li>
            <li>5. Book Title 5</li>
        </ul>
    </div>
    <div class="right-column">
        <h2>My Favorite Celebrities/Athletes</h2>
        <ul>
            <li>1. Celebrity/Athlete Name 1</li>
            <li>2. Celebrity/Athlete Name 2</li>
            <li>3. Celebrity/Athlete Name 3</li>
            <li>4. Celebrity/Athlete Name 4</li>
            <li>5. Celebrity/Athlete Name 5</li>
        </ul>
    </div>
</div>
```

```
    </div>
  </div>
</body>
</html>
```



Q5]

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Sample Webpage with Navbar</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
      margin: 0;
```

```
      padding: 0;
```

```
    }
```

```
    nav {
```

```
      background-color: #b3d9ff; /* light blue */
```

```
padding: 10px 0;  
text-align: center;  
}
```

```
nav ul {  
    list-style-type: none;  
    margin: 0;  
    padding: 0;  
}
```

```
nav ul li {  
    display: inline;  
    margin-right: 20px;  
}
```

```
nav ul li a {  
    text-decoration: none;  
    color: black;  
}
```

```
nav ul li a:hover {  
    background-color: #336699; /* darker blue */  
    color: white;  
    padding: 5px 10px;  
    border-radius: 5px;  
}
```

```
</style>
</head>
<body>
  <nav>
    <ul>
      <li><a href="#">Home</a></li>
      <li><a href="#">About</a></li>
      <li><a href="#">Contact</a></li>
    </ul>
  </nav>

  <!-- Your webpage content goes here -->

</body>
</html>
```

Home About Contact

Q6]

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Spinning Playing Card</title>
  <link rel="stylesheet" href="styles.css">
```

```
</head>
<body>
  <div class="card-container">
    
  </div>
</body>
</html>
```


```
.card-container {
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh; /* Adjust height as needed */
}
```

CSS:

```
.card {
  width: 200px; /* Adjust size as needed */
  height: auto;
  animation: spin 3s linear infinite; /* Change duration as needed */
}
```

```
@keyframes spin {
  from {
    transform: rotate(0deg);
  }
  to {
    transform: rotate(360deg);
  }
}
```

```
}  
  
}
```



Q7]

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
<meta charset="UTF-8">  
<meta name="viewport" content="width=device-width, initial-scale=1.0">  
<title>Homepage</title>  
<link rel="stylesheet" href="style.css">  
</head>  
<body>  
  
<div class="container">  
  <div class="navbar">  
    <a href="index.html">Home</a>  
    <a href="habits.html">Habits</a>  
    <a href="skills.html">Skills</a>  
  </div>  
  <div class="content">  
    <!-- Your content here -->  
    <h1>Welcome to My Homepage!</h1>  
    <p>This is where you can learn more about me and my interests.</p>  
  </div>  
</div>  
  
<footer>  
  <!-- Footer content -->  
<p>&copy; 2024 My Homepage</p>
```

Home  
Habits  
Skills

Q8]

