

EXPERIMENT 1


Code and Output:

Program 1: Implementation of operators.

Code:

```
class Operators{  
    public static void main(String[] args)  
    {  
        int num1 = 10 , num2 = 5 ;  
  
        System.out.println("Two numbers are: " + num1 + " , " + num2 );  
  
        System.out.println("Addition:" + (num1+num2));  
  
        System.out.println("Subtraction:" + (num1-num2));  
  
        System.out.println("Multiplication:" + (num1*num2));  
  
        System.out.println("Division:" + (num1/num2));  
  
        System.out.println("num1 > num2:" + (num1>num2));  
  
        System.out.println("num1 < num2:" + (num1<num2));  
  
        System.out.println("num1 == num2:" + (num1==num2));  
  
        System.out.println("(num1>num2)&&(num1!=num2):" + ((num1>num2)&&(num1!=num2)));  
    }  
}
```

Output:



```
● PS C:\Users\Admin\oop1-> javac Operators.java  
● PS C:\Users\Admin\oop1-> java Operators  
Two numbers are: 10,5  
Addition:15  
Subtraction:5  
Multiplication:50  
Division:2  
num1 > num2:true  
num1 < num2:false  
num1 == num2:false  
(num1>num2)&&(num1!=num2):true
```

Program 2: Arithmetic Operators

Code:

```
import java.util.Scanner;

public class Main1{

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        float a,b,result;

        int choice;

        System.out.println("Enter First number:");

        a=sc.nextFloat();

        System.out.println("Enter Second Number");

        b=sc.nextFloat();

        System.out.println("Arithmetic Operations");

        System.out.println("1.ADDITION");

        System.out.println("2.SUBTRACTION");

        System.out.println("3.DIVISION");

        System.out.println("4.MULTIPLICATION");

        System.out.println("5.MOD");

        System.out.println("Enter choice:");

        choice=sc.nextInt();

        switch (choice) {

            case 1:

                result=a+b;

                System.out.println("Result:" +result);

                break;

            case 2:

                result=a-b;

                System.out.println("Result:" +result);

                break;
```

```

        case 3:
            result=a/b;

            System.out.println("Result:" +result);

            break;
        case 4:
            result=a*b;

            System.out.println("Result:" +result);

            break;
        case 5:
            result=a%b;

            System.out.println("Result:" +result);

            break;
        default:
            System.out.println("Invalid Choice");
    }
    sc.close();
}
}

```

Output:

```

● PS C:\Users\Admin\oop1-> javac Main1.java
● PS C:\Users\Admin\oop1-> java Main1
Enter First number:
50
Enter Second Number
26
Arithmetic Operations
1.ADDITION
2.SUBTRACTION
3.DIVISION
4.MULTIPLICATION
5.MOD
Enter choice:
3
Result:1.9230769


```

Program 3: Method Calling

Code:

```
public class MethodCalling{  
    int Addition(int a , int b ){  
        return a+b;  
    }  
    int multiply(int a , int b){  
        return a*b;  
    }  
    public static void main(String[] args) {  
        MethodCalling obj = new MethodCalling();  
        int sum = obj.Addition(10, 5);  
        int product = obj.multiply(10, 5);  
        System.out.println("Sum = " + sum);  
        System.out.println("Product = " + product);  
    }  
}
```

Output:



```
● PS C:\Users\Admin\oop1-> javac MethodCalling.java  
● PS C:\Users\Admin\oop1-> java MethodCalling  
Sum = 15  
Product = 50
```

