

**RAJ
NIDEC**

PRODUCT CATALOGUE



NIDEC HQ - KYOTO, JAPAN



Raj Elevators (India) Private Limited, founded in 1997 by Mr. K.P. Rajan and headquartered in Mumbai, has over 30 years of experience in the Indian Elevator and Escalator market with manufacturing facilities in Mumbai and Bangalore.

With a team of well trained and experienced engineers and skilled technicians, Raj Elevators has created a niche in the elevator market supplying high quality products and following it up with efficient after-sales service.

Now, in partnership with NIDEC Corporation, we bring to you world class products from Japan.

NIDEC Corporation was founded by Mr. Shigenobu Nagamori in 1973 and its headquarters is located in Kyoto, Japan. NIDEC supplies unparalleled products to global markets and is the world's No. 1 comprehensive motor manufacturer. With an international team consisting of over 100,000 dedicated individuals, the engineering expertise is limitless, from minor components to the most significant structures.

NIDEC Elevator is one of the core business of Nidec Corporation, with its headquarters in California, USA. NIDEC Elevator boasts 8 globally distributed elevator R&D and manufacturing bases



101K

Employees
Globally



347

Companies
Worldwide



\$20.9B

Market
Capitalization

Vertical Building Traffic Solutions



Passenger Elevator

Our passenger elevator has been comprehensively optimised for operational performance, security functions, car design, energy conservation, and consumption reduction. It has been modified several times based on previous products, resulting in excellent performance that exceeds expectations. This elevator is widely used in residential, office buildings, and other locations.



Freight Elevators

Our freight elevator is equipped with high-standard core components and accessories and crafted using delicate manufacturing processes to ensure durable and smooth operation. Its loading span is designed to meet the needs of various places, such as factories, warehouses, logistics centers, supermarkets, airports, and stations.



High Speed Elevator

We provide high speed solutions developed after many years of accumulated experience combined with constant research and development to provide a stable operation and high carrying efficiency. This can meet the demands of fast paced traffic movement in high rises seamlessly moving people to their destination.

Panoramic Elevator

Our panoramic elevators turn vertical travel into a moving viewpoint, wrapping passengers in expansive glass and unfolding architecture like a living storyboard. Precision engineering ensures a smooth, quiet ride while the transparent design floods the cabin with natural light and a sense of openness. Ideal for premium buildings and public places.



Car Lifts

Our car elevator utilizes advanced drive technology to ensure smooth and safe transportation of heavy loads, catering to the requirement of multi-level parking facilities. This elevator is commonly used in large parking lots, automobile shops and other locations.



Hospital Elevator

Our hospital elevators are specifically designed to address the constraints and requirements of a hospital environment, keeping in mind the needs of doctors and patients and ensuring proper accessibility in all use cases. Manufactured to optimise car structure, precise running speed and maximize comfort and stability.



Home Lifts

Our home lifts are designed to occupy minimum footprint and customised to fit in low overhead and low pit conditions. Offering a wide range of design options to match the interiors of your home, make the elevator a perfect accessory to take your home to the next level while providing increased mobility.



All Our Energy at the Service of Sustainability

ISO25745 is an international standard for elevator energy efficiency. It applies to elevators, escalators, and moving walkways and aims to provide a consistent global standard for assessing energy consumption and efficiency. Energy consumption is divided into seven grades, from A to G, with A being the highest level. This measure considers the energy used during elevator operation and while on standby.

We have reduced energy consumption
by up to 75%

At Nidec, we work responsibly and sustainably throughout the entire value chain, designing environmentally friendly mobility solutions and promoting the development of a circular economy.




According to the ISO 25745-2:2015 standard, Nidec is classified as Class A.

Energy Efficiency Class

A plan to reduce elevator energy efficiency

Low energy consumption



High energy consumption

1. High performance PM synchronous gearless traction

The optimized new generation of ultra-low harmonic wave motor produces much lower noise than traditional geared traction system, and energy consumption is reduced by 40%.

2. Full series LED illuminating system

3. Intelligent floor indicator

When the elevator is not in use, the floor indicator in the car will automatically turn off, and the brightness of the hatch indicator will be lowered by 1/3 to reduce energy consumption.

4. Green energy regeneration system

A green energy regeneration system is now available. This system enables the elevator to feed generated power back into the electricity grid, resulting in up to 30% less energy consumption.

WHY CHOOSE US?

Professional in customization of non-standard solutions


Nidec Elevator is an expert in customizing non-standard solutions. It provides services for standard products and excels in specializing in special and non-standard projects

End to End customer support

A specific project manager is responsible for communicating with the project, fully understanding customer's demands, solving possible problems that may arise later, and laying a foundation for the scheme's design.

Global spare parts and after-sales service

Nidec Elevator has eight elevator research and development production bases world-wide and numerous after sales service centers, ensuring more timely resolution of after sales and spare parts supply issues.





Global Footprint for Better Service

With eight elevator R&D and manufacturing bases, we achieve globalization of resources and services.

Nidec operates eight elevator research and development production bases, manufactures equipment, and provides customer services worldwide.

These production plants are structured as self-managed factories, each with its own engineering, procurement logistics, materials transformation, and quality control processes.

The quality of all elevator components is controlled entirely within these production plants, guaranteeing the elevator system is delivered with high standard.

Development History of Nidec Elevator Business Unit

More Than 100 Years
Elevator Technology Background



Traction Machine-IMPERIAL
(Ohio, USA)

1908



Hydraulic Elevator-CANTON
(Ohio, USA)

1946



Traction Machine-KDS
(Foshan Shunde, China)

1960



Control Techniques Inverter - CT
(Wales, UK)

1973



Control System R&D Center - MCE
(California, USA)

1983



Control System - NKET
(Wuxi, China)

1995



Control System Factory - KDM
(Mexico)

2006



Acquired by NIDEC GROUP (JAPAN)

2012



NIDEC Elevator Package - NEQC
(Qingdao, China)

2016

Customisable and Varied Design Options



N-CAB2401

Standard

Ceiling

Hairline stainless steel

Side Wall

Hairline stainless steel

Front Wall

Hairline stainless steel

Rear Wall

Hairline stainless steel

Floor

PVC (Optional)

Car Door

Hairline stainless steel

More colour options



Rose Gold SS



Bronze SS



Champagne Gold SS



Black SS

**N-CAB2402****Optional****Ceiling**

Mirror stainless steel/
Downlight/Belt Light

Side Wall

Hairline etched stainless
steel/ Hairlines stainless
steel.

Front Wall

Hairline stainless steel

Rear Wall

Hairline stainless steel

Floor

PVC (Optional)

Car Door

Hairline stainless steel

More colour options

-  Rose Gold SS
-  Bronze SS
-  Champagne Gold SS
-  Black SS

Customisable and Varied Design Options



N-CAB2403

Optional

Ceiling

Mirror stainless steel/
Downlight

Side Wall

Mirror stainless steel/
Etched stainless steel

Front Wall

Mirror stainless steel

Rear Wall

Mirror stainless steel/
Etched stainless steel

Floor

Marble (Optional)

Car Door

Mirror etched stainless
steel

More colour options



Rose Gold SS



Bronze SS



Champagne Gold SS



Black SS

**N-CAB2404****Optional****Ceiling**

Hairline stainless steel/
Downlight

Side Wall

5WL stainless steel

Front Wall

5WL stainless steel

Rear Wall

5WL stainless steel/
Half-height mirror

Floor

Marble (Optional)

Car Door

Hairline stainless steel

More colour options

Linen Patterns



5WL Patterns

Customisable and Varied Design Options



N-CAB2405

Optional

Ceiling

Rose Gold Mirror stainless steel/ Acrylic/ Downlight

Side Wall

Rose Gold Mirror Etched stainless steel

Front Wall

Rose Gold Mirror stainless steel

Rear Wall

Rose Gold Mirror Etched stainless steel

Floor

Marble (Optional)

Car Door

Rose Gold Mirror Etched stainless steel

More colour options



Regular SS



Champagne Gold SS



Black SS



N-CAB2406

Optional

Ceiling

Mirror stainless steel/
Acrylic/ Downlight

Side Wall

Mirror Stainless Steel/
Wood grain steel plate

Front Wall

Hairline stainless steel

Rear Wall

Mirror stainless steel/
Hairline stainless steel

Floor

PVC (Optional)

Car Door

Hairline stainless steel

More colour options

 Walnut B108

 Oak B145

 Redwood B103

 Beech B105

Customisable and Varied Design Options



N-CAB2407

Panoramic Elevator

Upper and lower cover

Hairline stainless steel

Sightseeing wall

Safety laminated glass

Ceiling

Hairline stainless steel/

Acrylic/ LED lighting

Car wall

Hairline stainless steel/

laminated glass

Handrail

Stainless steel round
tube

Floor

PVC or Marble



N-CAB2408

Panoramic Elevator

Upper and lower cover

Hairline stainless steel

Sightseeing wall

Safety laminated glass

Ceiling

Hairline stainless steel/

Acrylic/ LED lighting

Car wall

Hairline stainless steel/

laminated glass

Handrail

Stainless steel round
tube

Floor

PVC or Marble

Car Operating Panels

N-COP2431 standard

Material

Hairline stainless steel

Button

Nidec standard

Display

Dot matrix/7 segment

TFT LCD (optional)

Installation

Embedded

N-COP2432 standard

Material

Hairline stainless steel

Button

Nidec standard

Display


Dot matrix/7 segment

TFT LCD (optional)

Installation

Embedded

N-COP2431



N-COP2432



N-COP2433



N-COP2434



N-COP2433 Optional

Material: Glass

Installation: Embedded

Button: Touch Sense

N-COP2434 Optional

Material : Hairline stainless steel

Button: BAS231

Installation: Embedded

Display: Dot matrix

Function: Used for Fire elevator,
fire level IPX3

N-COP2435 Optional

Material: Hairline stainless steel



Landing Operating Panel

N-LOP2441



N-LOP2441 Standard

Material: Hairline stainless steel

Button: Optional

N-LOP2442



N-LOP2442 Optional

Material: Hairline stainless steel

Button: Optional

N-LOP2443



N-LOP2443 Optional

Material: Hairline stainless steel

Button: Optional

Installation: Embedded

Hall Lantern / Landing Display



N-LT2451



N-LT2452



N-LT2453



N-DS777



N-DS888

Ceiling

N-RF2441 Standard

Hairline stainless steel
Downlight



N-RF2412 Optional

Mirror stainless steel
Acrylic
Downlight




N-RF2413 Optional

Champagne Gold stainless steel
Acrylic
Downlight




N-RF2414 Optional

Titanium Gold Mirror stainless steel
Downlight



N-RF2415 Optional

Mirror stainless steel
Acrylic
Downlight



Hand Rail



N-HL2421 Standard

Hairline stainless steel handrail (circular arc on both sides)



N-HL2422 Standard

Hairline stainless steel circular handrail



N-HL2423 Standard

Hairline stainless steel flat handrail



N-HL2424 Standard

Hairline stainless steel flat handrail




N-HL2425 Optional


Wood and Titanium combination handrail

Car Floor


PVC Floor




51839




51908



51858




51899



51904

Rubber Floor



Aluminum Floor



Stainless Steel Floor



MS Powder Coated



Marble Floor

N-MF336




N-MF774




N-MF112



N-MF558



N-MF990






Destination Based Dispatching (DBD System)

When a passenger enters a destination floor, the operating panel indicates which car will serve it. Because the destination floor is registered, the passenger does not need to press any button in the car. Furthermore, the system disperses passengers by destination, preventing congestion and minimizing waiting and travelling time.



Nidec-DBD system is based on precision logic dispatch system (iCue)


- Adopt AI artificial intelligence control management system with dynamic and decentralized elevator dispatch waiting during commute hours.
- Midday rush hour mode.
- Group-controller elevator dispatch mode.



Efficient - Comfortable - Safe

- Reduce passenger trip time.
- Improve operational efficiency of elevators.
- Guarantee passenger safety and comfort.
- Enhance passenger satisfaction.

Iconic Projects



1. Arte Plus High-speed, Malaysia, 1365kg, 5m/s
2. Transit City Tower, Canada, 67 Floors, 7.0 m/s
3. MacMillan Building, New York, 3.5 - 5.0 m/s
4. Arte MK, Kuala Lumpur, Malaysia 1365kg 5m/s
5. 50 San Francisco, California, 37 Floors, 4.0 m/s

6. SCO Pearl International Expo Center 2000kg 1.5m/s
7. Rise Tower, Mexico, 86 Floors, 8.0 m/s
8. Afghanistan American Embassy, 1600 - 2000kg, 2.5 m/s
9. T.OP (Torre Obispado), 67 Floors, 7.0 m/s

5



6




7



9





8



RAJ NIDEC STANDARD PRODUCT LINE

From passenger elevators to heavy-load freight elevators, residential to commercial, low speed to high-speed, Raj Nidec Offers users all kinds of product choices to meet a wide range of application needs.






TYPICAL ELEVATOR PARAMETERS

TYPICAL SHAFT AND CAR SIZE (AUTO DOOR PASSENGER LIFT)

CAPACITY	LOAD	SHAFT WIDTH		SHAFT WIDTH		SHAFT DEPTH		CAR WIDTH	CAR DEPTH	CAR AREA	CLEAR OPENING
		UPTO 10 STOPS [SW]		OVER 10 STOPS [SW]		[SD]		[CW]	[CD]	(SQ. M.)	[CO]
	KG	MIN	MAX	MIN	MAX	MIN	MAX				
6	408	1550	1650	1600	1650	1650	1800	1100	1000	1.10	700 X 2100
8	544	1700	1800	1750	1850	1750	1900	1100	1300	1.43	800 X 2100
10	680	1700	1800	1750	1850	2050	2200	1100	1600	1.75	800 x 2100
13	884	1950	2000	2000	2050	2200	2300	1300	1650	2.15	900 x 2100
15	1020	1950	2050	2000	2100	2250	2650	1200	2000	2.40	900 x 2100
16	1088	2150	2200	2200	2250	2200	2300	1500	1650	2.48	1000 x 2100
20	1360	2150	2200	2200	2250	2550	2650	1500	2000	3.00	1000 x 2100

		Speed (m/s)							
		1.0	1.5	1.75	2.0	2.5	3.0	3.5	4.0
MRL	OH(mm)	4800	5000	5500	5500	6000	N/A	N/A	N/A
	Max TR(m)	45	70	80	90	120	N/A	N/A	N/A
	PD(mm)	1500	1800	1800	2000	2400	N/A	N/A	N/A
MRO	OH(mm)	4500	4500	4800	5000	5500	6000	6300	6600
	Max TR(m)	45	70	80	90	120	180	180	180
	PD(mm)	1500	1800	1800	2000	2400	3400	3600	4000





Think Elevator, Think Nidec

Contacts

Mumbai

205, Hari Om Plaza,
M.G. Road, Borivali (East),
Mumbai - 400 066.

+91 8080 845 028
contact@rajelevators.com

Bangalore

#20/27, Kaveri Complex,
Gokula Stage 1, Phase 1,
1st Main Road, Mathikere,
Bangalore - 560 054.

+91 8494 909 414
bangalore@rajelevators.com

RW
ELEVATORS

Nidec
Elevator

The brochure is only for general information of the technical characteristics and configurations of Raj Nidec Elevator, not to be considered as a contract document. In line with the principle of continuous development of products, Raj Elevators / Nidec Elevator reserves the right to change the technical parameters, selection and colour of products. Minor differences between printed and actual colours may exist. For more information, please contact our representative.