
Recovery Phase 3 · full screenshot evidence

72 matched runtime PNGs + separately labelled historical/context diagnostics




C9 is selected by the user. This is a private reconstruction on surviving C5.1, not an identical restoration of the lost C6.2 host.

Current comparisons: identical pose, FOV, lights, viewport, actual DPR1 and Q0. Historical PDF panels are reference-aligned and retain their original compression. Seven inherited visibility hits remain. Real hardware acceptance is pending.

No Stage 3A reconstruction, public promotion, commit, push, merge or deployment.

Public visitor position 1

Protected C5.1



Camera [-18.000, 1.720, -55.000] · yaw 1.227772 · pitch 0.208160 · FOV 58.000 · DPR 1 · Q0

Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

Protected C5.1




Camera [-18.000, 1.720, -62.000] · yaw 1.359703 · pitch 0.215889 · FOV 58.000 · DPR 1 · Q0

Valid public location; existing stall occlusion is retained.

Public visitor position 3

Protected C5.1




Camera [-17.000, 1.720, -69.000] · yaw 1.474323 · pitch 0.229624 · FOV 58.000 · DPR 1 · Q0

Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

Protected C5.1




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Protected C5.1




Camera [-36.000, 4.000, -61.000] · yaw 1.107149 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public close inspection; C9 includes native 3D relief; C8 comparison has unchanged C5.1 geometry.

Along-wall physical depth

Protected C5.1




Camera [-31.000, 3.000, -58.000] · yaw 0.856706 · pitch 0.050337 · FOV 58.000 · DPR 1 · Q0

Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Protected C5.1




Camera [-25.000, 4.000, -70.000] · yaw 1.297788 · pitch 0.227124 · FOV 58.000 · DPR 1 · Q0

Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Protected C5.1




Camera [-17.000, 1.720, -48.000] · yaw 1.304544 · pitch 0.386488 · FOV 58.000 · DPR 1 · Q0

Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Upper rim

Protected C5.1




Camera [-18.000, 1.720, -55.000] · yaw 1.203622 · pitch 0.827055 · FOV 58.000 · DPR 1 · Q0

Valid public location looking upward; original geometry and sky retained.

Rock-to-ground contact

Protected C5.1



Camera [-33.000, 3.000, -66.000] · yaw 1.359703 · pitch -0.138788 · FOV 58.000 · DPR 1 · Q0

Non-public contact inspection; no floor or scree geometry altered.

Hub and scaffold

Protected C5.1




Camera [0.000, 1.720, -51.000] · yaw 0.000000 · pitch 0.116496 · FOV 58.000 · DPR 1 · Q0

Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Protected C5.1




Camera [-32.000, 4.000, -71.000] · yaw 1.592222 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

Protected C5.1



Camera [-30.000, 4.000, -54.000] · yaw 1.074374 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public view of the other native scan/host annulus.

Historical C8 close pose

Protected C5.1




Camera [-42.000, 7.000, -62.000] · yaw 0.927295 · pitch 0.099669 · FOV 58.000 · DPR 1 · Q0

Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Protected C5.1




Camera [0.000, 1.720, -43.000] · yaw 1.116409 · pitch 0.150051 · FOV 58.000 · DPR 1 · Q0

Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Protected C5.1



Camera [-27.000, 1.720, -64.000] · yaw 1.363300 · pitch 0.312817 · FOV 58.000 · DPR 1 · Q0

Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

Protected C5.1




Camera [-1.300, 1.720, -38.000] · yaw -0.040603 · pitch 0.175529 · FOV 58.000 · DPR 1 · Q0

Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

Protected C5.1




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Protected C5.1



Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

Protected C5.1



Camera [-0.900, 165.934, -77.000] · yaw -1.570760 · pitch -1.570796 · FOV 64.000 · DPR 1 · Q0

Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Protected C5.1



Camera [-18.000, 1.720, -55.000] · yaw 1.227772 · pitch 0.208160 · FOV 100.369 · DPR 1 · Q0

Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Protected C5.1




Camera [0.000, 1.720, -51.000] · yaw 0.000000 · pitch 0.116496 · FOV 100.369 · DPR 1 · Q0

Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

Protected C5.1




Camera [-1.300, 1.720, -38.000] · yaw -0.040603 · pitch 0.175529 · FOV 66.980 · DPR 1 · Q0

Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Protected C5.1




Camera [-0.900, 233.848, -77.000] · yaw 0.000000 · pitch -1.570796 · FOV 80.000 · DPR 1 · Q0

Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Recovered C8 · approved 3×




Camera [-18.000, 1.720, -55.000] · yaw 1.227772 · pitch 0.208160 · FOV 58.000 · DPR 1 · Q0

Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

Recovered C8 · approved 3×




Camera [-18.000, 1.720, -62.000] · yaw 1.359703 · pitch 0.215889 · FOV 58.000 · DPR 1 · Q0

Valid public location; existing stall occlusion is retained.

Public visitor position 3

Recovered C8 · approved 3×




Camera [-17.000, 1.720, -69.000] · yaw 1.474323 · pitch 0.229624 · FOV 58.000 · DPR 1 · Q0

Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

Recovered C8 · approved 3×




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Recovered C8 · approved 3×




Camera [-36.000, 4.000, -61.000] · yaw 1.107149 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public close inspection; C9 includes native 3D relief; C8 comparison has unchanged C5.1 geometry.

Along-wall physical depth

Recovered C8 · approved 3×




Camera [-31.000, 3.000, -58.000] · yaw 0.856706 · pitch 0.050337 · FOV 58.000 · DPR 1 · Q0

Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Recovered C8 · approved 3×




Camera [-25.000, 4.000, -70.000] · yaw 1.297788 · pitch 0.227124 · FOV 58.000 · DPR 1 · Q0

Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Recovered C8 · approved 3×




Camera [-17.000, 1.720, -48.000] · yaw 1.304544 · pitch 0.386488 · FOV 58.000 · DPR 1 · Q0

Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Upper rim

Recovered C8 · approved 3×




Camera [-18.000, 1.720, -55.000] · yaw 1.203622 · pitch 0.827055 · FOV 58.000 · DPR 1 · Q0

Valid public location looking upward; original geometry and sky retained.

Rock-to-ground contact

Recovered C8 · approved 3×



Camera [-33.000, 3.000, -66.000] · yaw 1.359703 · pitch -0.138788 · FOV 58.000 · DPR 1 · Q0

Non-public contact inspection; no floor or scree geometry altered.

Hub and scaffold

Recovered C8 · approved 3×




Camera [0.000, 1.720, -51.000] · yaw 0.000000 · pitch 0.116496 · FOV 58.000 · DPR 1 · Q0

Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Recovered C8 · approved 3×




Camera [-32.000, 4.000, -71.000] · yaw 1.592222 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

Recovered C8 · approved 3×



Camera [-30.000, 4.000, -54.000] · yaw 1.074374 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public view of the other native scan/host annulus.

Historical C8 close pose

Recovered C8 · approved 3×




Camera [-42.000, 7.000, -62.000] · yaw 0.927295 · pitch 0.099669 · FOV 58.000 · DPR 1 · Q0

Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Recovered C8 · approved 3×




Camera [0.000, 1.720, -43.000] · yaw 1.116409 · pitch 0.150051 · FOV 58.000 · DPR 1 · Q0

Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Recovered C8 · approved 3×



Camera [-27.000, 1.720, -64.000] · yaw 1.363300 · pitch 0.312817 · FOV 58.000 · DPR 1 · Q0

Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

Recovered C8 · approved 3×




Camera [-1.300, 1.720, -38.000] · yaw -0.040603 · pitch 0.175529 · FOV 58.000 · DPR 1 · Q0

Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

Recovered C8 · approved 3×




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Recovered C8 · approved 3×




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

Recovered C8 · approved 3×




Camera [-0.900, 165.934, -77.000] · yaw -1.570760 · pitch -1.570796 · FOV 64.000 · DPR 1 · Q0

Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Recovered C8 · approved 3×



Camera [-18.000, 1.720, -55.000] · yaw 1.227772 · pitch 0.208160 · FOV 100.369 · DPR 1 · Q0

Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Recovered C8 · approved 3×




Camera [0.000, 1.720, -51.000] · yaw 0.000000 · pitch 0.116496 · FOV 100.369 · DPR 1 · Q0

Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

Recovered C8 · approved 3×




Camera [-1.300, 1.720, -38.000] · yaw -0.040603 · pitch 0.175529 · FOV 66.980 · DPR 1 · Q0

Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Recovered C8 · approved 3×




Camera [-0.900, 233.848, -77.000] · yaw 0.000000 · pitch -1.570796 · FOV 80.000 · DPR 1 · Q0

Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Recovered C9 · native 0.9× / C8 3×




Camera [-18.000, 1.720, -55.000] · yaw 1.227772 · pitch 0.208160 · FOV 58.000 · DPR 1 · Q0

Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

Recovered C9 · native 0.9× / C8 3×




Camera [-18.000, 1.720, -62.000] · yaw 1.359703 · pitch 0.215889 · FOV 58.000 · DPR 1 · Q0

Valid public location; existing stall occlusion is retained.

Public visitor position 3

Recovered C9 · native 0.9× / C8 3×



Camera [-17.000, 1.720, -69.000] · yaw 1.474323 · pitch 0.229624 · FOV 58.000 · DPR 1 · Q0

Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

Recovered C9 · native 0.9× / C8 3×




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Recovered C9 · native 0.9× / C8 3×




Camera [-36.000, 4.000, -61.000] · yaw 1.107149 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public close inspection; C9 includes native 3D relief; C8 comparison has unchanged C5.1 geometry.

Along-wall physical depth

Recovered C9 · native 0.9× / C8 3×




Camera [-31.000, 3.000, -58.000] · yaw 0.856706 · pitch 0.050337 · FOV 58.000 · DPR 1 · Q0

Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Recovered C9 · native 0.9× / C8 3×




Camera [-25.000, 4.000, -70.000] · yaw 1.297788 · pitch 0.227124 · FOV 58.000 · DPR 1 · Q0

Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Recovered C9 · native 0.9× / C8 3×




Camera [-17.000, 1.720, -48.000] · yaw 1.304544 · pitch 0.386488 · FOV 58.000 · DPR 1 · Q0

Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Upper rim

Recovered C9 · native 0.9× / C8 3×




Camera [-18.000, 1.720, -55.000] · yaw 1.203622 · pitch 0.827055 · FOV 58.000 · DPR 1 · Q0

Valid public location looking upward; original geometry and sky retained.

Rock-to-ground contact

Recovered C9 · native 0.9× / C8 3×



Camera [-33.000, 3.000, -66.000] · yaw 1.359703 · pitch -0.138788 · FOV 58.000 · DPR 1 · Q0

Non-public contact inspection; no floor or scree geometry altered.

Hub and scaffold

Recovered C9 · native 0.9× / C8 3×




Camera [0.000, 1.720, -51.000] · yaw 0.000000 · pitch 0.116496 · FOV 58.000 · DPR 1 · Q0

Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Recovered C9 · native 0.9× / C8 3×




Camera [-32.000, 4.000, -71.000] · yaw 1.592222 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

Recovered C9 · native 0.9× / C8 3×




Camera [-30.000, 4.000, -54.000] · yaw 1.074374 · pitch 0.000000 · FOV 58.000 · DPR 1 · Q0

Non-public view of the other native scan/host annulus.

Historical C8 close pose

Recovered C9 · native 0.9× / C8 3×




Camera [-42.000, 7.000, -62.000] · yaw 0.927295 · pitch 0.099669 · FOV 58.000 · DPR 1 · Q0

Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Recovered C9 · native 0.9× / C8 3×




Camera [0.000, 1.720, -43.000] · yaw 1.116409 · pitch 0.150051 · FOV 58.000 · DPR 1 · Q0

Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Recovered C9 · native 0.9× / C8 3×



Camera [-27.000, 1.720, -64.000] · yaw 1.363300 · pitch 0.312817 · FOV 58.000 · DPR 1 · Q0

Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

Recovered C9 · native 0.9× / C8 3×




Camera [-1.300, 1.720, -38.000] · yaw -0.040603 · pitch 0.175529 · FOV 58.000 · DPR 1 · Q0

Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

Recovered C9 · native 0.9× / C8 3×




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Recovered C9 · native 0.9× / C8 3×




Camera [-32.000, 4.000, -59.000] · yaw 1.076855 · pitch 0.326521 · FOV 58.000 · DPR 1 · Q0

Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

Recovered C9 · native 0.9× / C8 3×




Camera [-0.900, 165.934, -77.000] · yaw -1.570760 · pitch -1.570796 · FOV 64.000 · DPR 1 · Q0

Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Recovered C9 · native 0.9× / C8 3×



Camera [-18.000, 1.720, -55.000] · yaw 1.227772 · pitch 0.208160 · FOV 100.369 · DPR 1 · Q0

Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Recovered C9 · native 0.9× / C8 3×




Camera [0.000, 1.720, -51.000] · yaw 0.000000 · pitch 0.116496 · FOV 100.369 · DPR 1 · Q0

Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

Recovered C9 · native 0.9× / C8 3×




Camera [-1.300, 1.720, -38.000] · yaw -0.040603 · pitch 0.175529 · FOV 66.980 · DPR 1 · Q0

Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Recovered C9 · native 0.9× / C8 3×




Camera [-0.900, 233.848, -77.000] · yaw 0.000000 · pitch -1.570796 · FOV 80.000 · DPR 1 · Q0

Actual approved map opening and camera; original coordinates and markers.

Historical C8 · PDF page 6

Original embedded PDF image, not a new renderer capture



1/157 - approved-3x-visitor.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Validated public visitor position1. New default3x build; exact effective camera/DPR/quality in metadata. Camera[-18.000,1.720,-55.000] yaw1.2278 pitch0.2082 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-visitor.png | Meta

Historical C8 · PDF page 7


Original embedded PDF image, not a new renderer capture



2/157 - approved-3x-close.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Non-public close inspection. New default3x build; exact effective camera/DPR/quality in metadata. Camera[-42.000,7.000,-62.000] yaw0.9273 pitch0.0997 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-close.png | Metadata: repor

Historical C8 · PDF page 8


Original embedded PDF image, not a new renderer capture



3/157 - approved-3x-tunnel-exit.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Quarry entrance looking toward the private west-wall study. New default3x build; exact effective camera/DPR/quality in metadata. Camera[0.000,1.720,-43.000] yaw1.1165 pitch0.1510 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/appr

Historical C8 · PDF page 9


Original embedded PDF image, not a new renderer capture



4/157 - approved-3x-behind-left-stalls.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Temporary behind-stall inspection; outside the hub walking polygon. New default3x build; exact effective camera/DPR/quality in metadata. Camera[-27.000,1.720,-64.000] yaw1.3633 pitch0.3128 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17

Historical C8 · PDF page 10


Original embedded PDF image, not a new renderer capture



5/157 - approved-3x-hub.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Public hub spawn looking toward the study. New default3x build; exact effective camera/DPR/quality in metadata. Camera[0.000,1.720,-51.000] yaw1.1273 pitch0.1848 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-hub.png | Metadat

Historical C8 · PDF page 11

Original embedded PDF image, not a new renderer capture




6/157 - approved-3x-portrait.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Portrait aspect390x844; no physical phone claim. Camera[-18.000,1.720,-55.000] yaw1.2278 pitch0.2082 FOV100.36920599534565; viewport390x844; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-portrait.png | Metadata: reports/stage-2c8-approved-3x-202



7/157 - approved-3x-map-portrait.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Actual full-screen Map control; shared coordinates/framing unchanged. Camera[-0.900,233.848,-77.000] yaw0.0000 pitch-1.5708 FOV80; viewport390x844; requestedDPR1; effectiveDPR0.6; Q3; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-map-portrait.png | Metadata: reports/stage-2c

Historical C9 · PDF page 2


Original embedded PDF image, not a new renderer capture



Public visitor 1 Valid public position B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 5


Original embedded PDF image, not a new renderer capture



Medium geological view Non-public inspection, ~18m B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 6


Original embedded PDF image, not a new renderer capture



Close raised rock Non-public inspection, ~7m B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 8

Original embedded PDF image, not a new renderer capture



Southern geological join Non-public inspection B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 11


Original embedded PDF image, not a new renderer capture



Wall-foot contact Non-public contact inspection B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 12

Original embedded PDF image, not a new renderer capture



Hub context Valid public hub position B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 13

Original embedded PDF image, not a new renderer capture



Scaffold context Valid public position B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 14

Original embedded PDF image, not a new renderer capture



Tunnel exit Original tunnel exit diagnostic pose B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 58.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 17


Original embedded PDF image, not a new renderer capture



Public visitor 1 / portrait Valid public position B - approved C8 3x D - C9 native-scale scan 390x844 | FOV 100.4 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 19


Original embedded PDF image, not a new renderer capture



Aerial map Real map camera and markers B - approved C8 3x D - C9 native-scale scan 1366x900 | FOV 64.0 | DPR 1 | Q0 | matched lighting

Historical C9 · PDF page 42


Original embedded PDF image, not a new renderer capture



NEUTRAL GEOMETRY ONLY - Public visitor 1 Temporary diagnostic lights; no fine normal maps or diffuse rock textures.

Historical C9 · PDF page 43


Original embedded PDF image, not a new renderer capture



NEUTRAL GEOMETRY ONLY - Close raised rock Temporary diagnostic lights; no fine normal maps or diffuse rock textures.

Historical C9 · PDF page 44


Original embedded PDF image, not a new renderer capture



Rejected rear-side camera diagnostic Temporary diagnostic lights; no fine normal maps or diffuse rock textures.

Historical C9 · PDF page 45


Original embedded PDF image, not a new renderer capture



Wireframe geometry diagnostic Temporary diagnostic lights; no fine normal maps or diffuse rock textures.


Geometric normals / view-space RGB

Browser-only diagnostic, fine normals and PBR maps disabled; no production shader change.




Runtime wireframe inspection

Non-public close inspection of actual selected LOD geometry; diagnostic only.




Forced LOD0 / identical visitor pose

Diagnostic override of only the local visual LOD. Normal experience retains automatic screen-space selection.




Forced LOD1 / identical visitor pose

Diagnostic override of only the local visual LOD. Normal experience retains automatic screen-space selection.



Forced LOD2 / identical visitor pose

Diagnostic override of only the local visual LOD. Normal experience retains automatic screen-space selection.



Original Aftermovie stage / C9 retained

Actual original stage, crowd and approved lighting. Full-resolution context, not a new stage asset.

