
Selected C9 · recovery review

Native-scale scanned rock 0.9× · approved C8 material 3×



READY FOR VISUAL REVIEW

One bounded native scan is integrated into the surviving continuous quarry. The public C5.1 baseline, lighting, layout and stage remain unchanged.


Important differences: the lost C6.2 host is not recreated, the crop/joins are reconstructed, neighbouring walls remain smoother and some joins still look faceted. Seven inherited visibility hits remain unresolved.

Read the technical report for measured costs, tests and backup restoration. All source PNGs and exact camera metadata are in the gallery. PDFs compress screenshots for phone viewing; no colour grading is applied.


Historical evidence / reconstruction

Original C8 PDF page 6; historical C9 pose is reference-aligned, not certified identical

Historical reference



Current reconstruction under approved dusk




Original PDF image bytes retained; missing old host/mask/crop data prevent a pixel-identical claim.


Historical evidence / reconstruction

Original C9 PDF page 2; historical C9 pose is reference-aligned, not certified identical

Historical reference



Current reconstruction under approved dusk




Original PDF image bytes retained; missing old host/mask/crop data prevent a pixel-identical claim.

Historical evidence / reconstruction

Original C9 PDF page 5; historical C9 pose is reference-aligned, not certified identical

Historical reference



Current reconstruction under approved dusk




Original PDF image bytes retained; missing old host/mask/crop data prevent a pixel-identical claim.


Public visitor position 1

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Valid public walking location; controlled orientation toward the selected sector.

Medium-distance material inspection

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Non-public controlled inspection, approximately 15m; no walking boundary changed.


Close scanned mineral and physical detail

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Non-public close inspection; C9 includes native 3D relief; C8 comparison has unchanged C5.1 geometry.


Along-wall physical depth

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.


Native scan left connection

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Non-public view of the scan/host annulus, distinct from the unchanged sector edge.


Native scan right connection

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Non-public view of the other native scan/host annulus.


Rock-to-ground contact

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Non-public contact inspection; no floor or scree geometry altered.


Upper rim

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Valid public location looking upward; original geometry and sky retained.


Neutral material inspection

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Temporary browser-only neutral lights; same maps, exposure, fog and geometry.


Neutral geometry only

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×



Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Hub and scaffold

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Original public hub spawn and Phase 1 scaffold composition.


Historical tunnel-exit orientation

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.


Behind-left-stalls inspection

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×



Recovered C9 · native 0.9× / C8 3×




Historical behind-stall pose, outside public walking bounds; existing stalls retained.


Aerial map

Matched current C8 / C9 · approved dusk unless explicitly diagnostic

Recovered C8 · approved 3×




Recovered C9 · native 0.9× / C8 3×



Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Recovered C9 · native 0.9× / C8 3× · portrait emulation, not hardware acceptance



Camera [-18.000, 1.720, -55.000] · yaw 1.227772 · pitch 0.208160 · FOV 100.369 · DPR 1 · Q0

Valid public walking location; controlled orientation toward the selected sector.

Aerial map

Recovered C9 · native 0.9× / C8 3× · portrait emulation, not hardware acceptance



Camera [-0.900, 233.848, -77.000] · yaw 0.000000 · pitch -1.570796 · FOV 80.000 · DPR 1 · Q0

Actual approved map opening and camera; original coordinates and markers.

What remains / review decision

Selected C9 direction preserved; no quarry-wide rollout

The new geometry preserves native geological proportions and physical depth without the C6.2 width stretching. Compare the geometry-only page before judging the fine texture.

C5.1 around the crop is smoother than the historical C6.2 host. Colour and grain change at some joins; coastal scallops differ from the angular quarry photographs. These are visible limitations, not hidden engineering successes.

Two of the three requested public viewpoints are stall-occluded. The first is the useful unoccluded visitor-distance comparison. Close inspection cameras do not establish ordinary visitor quality by themselves.

Candidate geometry/UV/tangent/border checks pass. Full-scene visibility remains FAIL_INHERITED for seven unchanged-surface hits. Actual physical laptop/phone performance is pending.

The technical report and complete gallery contain source provenance, exact dimensions, all comparison metadata, loading/frame-time measurements and lifecycle assertions. The Drive checkpoint includes an independently restorable Phase3 overlay on protected Phase1+2.

Stop for user visual review. Stage3A, further quarry sectors, public-default changes and deployment are outside this recovery phase.