Original / recovered / corrected evidence



Current captures are matched; historical embedded PDF images are authentic pre-loss references. Neither successful validation nor this review package grants visual acceptance.

Protected public C5.1 and recovered C8/C9 remain available. New material-only and geological previews preserve approved 3x sampling. No Stage 3A or public promotion.

Public visitor position 1

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public

Camera position [-18.000000, 1.720000, -62.000000]; yaw 1.35970299; pitch 0.21588931; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Public visitor position 3

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public

Camera position [-17.000000, 1.720000, -69.000000]; yaw 1.47432255; pitch 0.22962393; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Protected C5.1 / unchanged public



Camera position [-36.000000, 4.000000, -61.000000]; yaw 1.10714872; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public close inspection; Corrected and recovered modes include native3D relief; material-only comparisons retain C5.1 geometry.

Along-wall physical depth

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public



Camera position [-31.000000, 3.000000, -58.000000]; yaw 0.85670563; pitch 0.05033671; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Protected C5.1 / unchanged public



Camera position [-25.000000, 4.000000, -70.000000]; yaw 1.29778762; pitch 0.22712366; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Protected C5.1 / unchanged public



Camera position [-17.000000, 1.720000, -48.000000]; yaw 1.30454428; pitch 0.38648758; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Broad middle and upper wall

Protected C5.1 / unchanged public



Camera position [-20.000000, 1.720000, -54.000000]; yaw 1.15257200; pitch 0.55404477; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public view of the original35.557m study extent; framing retained across all modes.

Upper rim

Protected C5.1 / unchanged public



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.20362249; pitch 0.82705547; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location looking upward; Original sky retained; candidate rock documented separately.

Rock-to-ground contact

Protected C5.1 / unchanged public



Camera position [-33.000000, 3.000000, -66.000000]; yaw 1.35970299; pitch -0.13878802; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public contact inspection; Original floor and scree unchanged.

Hub and scaffold

Protected C5.1 / unchanged public

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Protected C5.1 / unchanged public



Camera position [-32.000000, 4.000000, -71.000000]; yaw 1.59222162; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

Protected C5.1 / unchanged public



Camera position [-30.000000, 4.000000, -54.000000]; yaw 1.07437357; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the other native scan/host annulus.

Historical C8 close pose

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public



Camera position [-42.000000, 7.000000, -62.000000]; yaw 0.92729522; pitch 0.09966865; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Protected C5.1 / unchanged public



Camera position [0.000000, 1.720000, -43.000000]; yaw 1.11640852; pitch 0.15005104; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Protected C5.1 / unchanged public



Camera position [-27.000000, 1.720000, -64.000000]; yaw 1.36330010; pitch 0.31281708; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

Protected C5.1 / unchanged public

Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral diagnostic / DPR1 / Q0 / Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Protected C5.1 / unchanged public



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral geometry only / DPR1 / Q0 / Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Protected C5.1 / unchanged public

Camera position [-0.900000, 165.933673, -77.000000]; yaw -1.57076003; pitch -1.57079633; FOV 64.00036968449932; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Protected C5.1 / unchanged public

Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Protected C5.1 / unchanged public

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

Protected C5.1 / unchanged public



Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 66.97983708810015; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Protected C5.1 / unchanged public

Camera position [-0.900000, 233.848482, -77.000000]; yaw 0.00000000; pitch -1.57079633; FOV 80; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Recovered C8 / approved 3x scale



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

Recovered C8 / approved 3x scale



Camera position [-18.000000, 1.720000, -62.000000]; yaw 1.35970299; pitch 0.21588931; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Public visitor position 3

Recovered C8 / approved 3x scale



Camera position [-17.000000, 1.720000, -69.000000]; yaw 1.47432255; pitch 0.22962393; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Recovered C8 / approved 3x scale



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Recovered C8 / approved 3x scale



Camera position [-36.000000, 4.000000, -61.000000]; yaw 1.10714872; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public close inspection; Corrected and recovered modes include native3D relief; material-only comparisons retain C5.1 geometry.

Along-wall physical depth

Recovered C8 / approved 3x scale



Camera position [-31.000000, 3.000000, -58.000000]; yaw 0.85670563; pitch 0.05033671; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Recovered C8 / approved 3x scale



Camera position [-25.000000, 4.000000, -70.000000]; yaw 1.29778762; pitch 0.22712366; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Recovered C8 / approved 3x scale



Camera position [-17.000000, 1.720000, -48.000000]; yaw 1.30454428; pitch 0.38648758; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Broad middle and upper wall

Recovered C8 / approved 3x scale



Camera position [-20.000000, 1.720000, -54.000000]; yaw 1.15257200; pitch 0.55404477; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public view of the original35.557m study extent; framing retained across all modes.

Upper rim

Recovered C8 / approved 3x scale



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.20362249; pitch 0.82705547; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location looking upward; Original sky retained; candidate rock documented separately.

Rock-to-ground contact

Recovered C8 / approved 3x scale



Camera position [-33.000000, 3.000000, -66.000000]; yaw 1.35970299; pitch -0.13878802; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public contact inspection; Original floor and scree unchanged.

Hub and scaffold

Recovered C8 / approved 3x scale

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Recovered C8 / approved 3x scale



Camera position [-32.000000, 4.000000, -71.000000]; yaw 1.59222162; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Recovered C8 / approved 3x scale



Camera position [-30.000000, 4.000000, -54.000000]; yaw 1.07437357; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the other native scan/host annulus.

Historical C8 close pose

Recovered C8 / approved 3x scale

Camera position [-42.000000, 7.000000, -62.000000]; yaw 0.92729522; pitch 0.09966865; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Recovered C8 / approved 3x scale



Camera position [0.000000, 1.720000, -43.000000]; yaw 1.11640852; pitch 0.15005104; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Recovered C8 / approved 3x scale



Camera position [-27.000000, 1.720000, -64.000000]; yaw 1.36330010; pitch 0.31281708; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

Recovered C8 / approved 3x scale

Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Recovered C8 / approved 3x scale



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral diagnostic / DPR1 / Q0 / Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Recovered C8 / approved 3x scale



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral geometry only / DPR1 / Q0 / Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Recovered C8 / approved 3x scale

Camera position [-0.900000, 165.933673, -77.000000]; yaw -1.57076003; pitch -1.57079633; FOV 64.00036968449932; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Recovered C8 / approved 3x scale



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Recovered C8 / approved 3x scale

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

Recovered C8 / approved 3x scale



Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 66.97983708810015; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Recovered C8 / approved 3x scale

Camera position [-0.900000, 233.848482, -77.000000]; yaw 0.00000000; pitch -1.57079633; FOV 80; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Rejected recovered C9



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

Rejected recovered C9



Camera position [-18.000000, 1.720000, -62.000000]; yaw 1.35970299; pitch 0.21588931; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Public visitor position 3

Rejected recovered C9



Camera position [-17.000000, 1.720000, -69.000000]; yaw 1.47432255; pitch 0.22962393; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

Rejected recovered C9

Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Rejected recovered C9



Camera position [-36.000000, 4.000000, -61.000000]; yaw 1.10714872; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public close inspection; Corrected and recovered modes include native3D relief; material-only comparisons retain C5.1 geometry.

Along-wall physical depth

Rejected recovered C9



Camera position [-31.000000, 3.000000, -58.000000]; yaw 0.85670563; pitch 0.05033671; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Rejected recovered C9



Camera position [-25.000000, 4.000000, -70.000000]; yaw 1.29778762; pitch 0.22712366; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Rejected recovered C9



Camera position [-17.000000, 1.720000, -48.000000]; yaw 1.30454428; pitch 0.38648758; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Broad middle and upper wall

Rejected recovered C9



Camera position [-20.000000, 1.720000, -54.000000]; yaw 1.15257200; pitch 0.55404477; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public view of the original35.557m study extent; framing retained across all modes.

Upper rim

Rejected recovered C9



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.20362249; pitch 0.82705547; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location looking upward; Original sky retained; candidate rock documented separately.

Rock-to-ground contact

Rejected recovered C9



Camera position [-33.000000, 3.000000, -66.000000]; yaw 1.35970299; pitch -0.13878802; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public contact inspection; Original floor and scree unchanged.

Hub and scaffold

Rejected recovered C9

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Rejected recovered C9



Camera position [-32.000000, 4.000000, -71.000000]; yaw 1.59222162; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

Rejected recovered C9



Camera position [-30.000000, 4.000000, -54.000000]; yaw 1.07437357; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the other native scan/host annulus.

Historical C8 close pose

Rejected recovered C9



Camera position [-42.000000, 7.000000, -62.000000]; yaw 0.92729522; pitch 0.09966865; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Rejected recovered C9



Camera position [0.000000, 1.720000, -43.000000]; yaw 1.11640852; pitch 0.15005104; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Rejected recovered C9



Camera position [-27.000000, 1.720000, -64.000000]; yaw 1.36330010; pitch 0.31281708; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Rejected recovered C9

Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Rejected recovered C9



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral diagnostic / DPR1 / Q0 / Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Rejected recovered C9



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral geometry only / DPR1 / Q0 / Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Rejected recovered C9

Camera position [-0.900000, 165.933673, -77.000000]; yaw -1.57076003; pitch -1.57079633; FOV 64.00036968449932; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Rejected recovered C9



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Rejected recovered C9

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Rejected recovered C9



Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 66.97983708810015; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Rejected recovered C9

Camera position [-0.900000, 233.848482, -77.000000]; yaw 0.00000000; pitch -1.57079633; FOV 80; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Corrected material coverage / same C5.1 mesh



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

Corrected material coverage / same C5.1 mesh



Camera position [-18.000000, 1.720000, -62.000000]; yaw 1.35970299; pitch 0.21588931; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Public visitor position 3

Corrected material coverage / same C5.1 mesh



Camera position [-17.000000, 1.720000, -69.000000]; yaw 1.47432255; pitch 0.22962393; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected material coverage / same C5.1 mesh



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Corrected material coverage / same C5.1 mesh



Camera position [-36.000000, 4.000000, -61.000000]; yaw 1.10714872; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public close inspection; Corrected and recovered modes include native3D relief; material-only comparisons retain C5.1 geometry.

Along-wall physical depth

Corrected material coverage / same C5.1 mesh



Camera position [-31.000000, 3.000000, -58.000000]; yaw 0.85670563; pitch 0.05033671; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Corrected material coverage / same C5.1 mesh



Camera position [-25.000000, 4.000000, -70.000000]; yaw 1.29778762; pitch 0.22712366; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Corrected material coverage / same C5.1 mesh



Camera position [-17.000000, 1.720000, -48.000000]; yaw 1.30454428; pitch 0.38648758; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Broad middle and upper wall

Corrected material coverage / same C5.1 mesh



Camera position [-20.000000, 1.720000, -54.000000]; yaw 1.15257200; pitch 0.55404477; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public view of the original35.557m study extent; framing retained across all modes.

Upper rim

Corrected material coverage / same C5.1 mesh



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.20362249; pitch 0.82705547; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location looking upward; Original sky retained; candidate rock documented separately.

Rock-to-ground contact

Corrected material coverage / same C5.1 mesh



Camera position [-33.000000, 3.000000, -66.000000]; yaw 1.35970299; pitch -0.13878802; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public contact inspection; Original floor and scree unchanged.

Hub and scaffold

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected material coverage / same C5.1 mesh

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Corrected material coverage / same C5.1 mesh



Camera position [-32.000000, 4.000000, -71.000000]; yaw 1.59222162; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected material coverage / same C5.1 mesh



Camera position [-30.000000, 4.000000, -54.000000]; yaw 1.07437357; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the other native scan/host annulus.

Historical C8 close pose

Corrected material coverage / same C5.1 mesh

Camera position [-42.000000, 7.000000, -62.000000]; yaw 0.92729522; pitch 0.09966865; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Corrected material coverage / same C5.1 mesh



Camera position [0.000000, 1.720000, -43.000000]; yaw 1.11640852; pitch 0.15005104; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Corrected material coverage / same C5.1 mesh



Camera position [-27.000000, 1.720000, -64.000000]; yaw 1.36330010; pitch 0.31281708; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected material coverage / same C5.1 mesh

Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected material coverage / same C5.1 mesh



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral diagnostic / DPR1 / Q0 / Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Corrected material coverage / same C5.1 mesh



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral geometry only / DPR1 / Q0 / Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected material coverage / same C5.1 mesh

Camera position [-0.900000, 165.933673, -77.000000]; yaw -1.57076003; pitch -1.57079633; FOV 64.00036968449932; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Corrected material coverage / same C5.1 mesh



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Corrected material coverage / same C5.1 mesh

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected material coverage / same C5.1 mesh



Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 66.97983708810015; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Corrected material coverage / same C5.1 mesh

Camera position [-0.900000, 233.848482, -77.000000]; yaw 0.00000000; pitch -1.57079633; FOV 80; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Corrected C9 geological composition



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Public visitor position 2

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition



Camera position [-18.000000, 1.720000, -62.000000]; yaw 1.35970299; pitch 0.21588931; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Public visitor position 3

Corrected C9 geological composition



Camera position [-17.000000, 1.720000, -69.000000]; yaw 1.47432255; pitch 0.22962393; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location; existing stall occlusion is retained.

Medium-distance material inspection

Corrected C9 geological composition



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public controlled inspection, approximately 15m; no walking boundary changed.

Close scanned mineral and physical detail

Corrected C9 geological composition



Camera position [-36.000000, 4.000000, -61.000000]; yaw 1.10714872; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public close inspection; Corrected and recovered modes include native3D relief; material-only comparisons retain C5.1 geometry.

Along-wall physical depth

Corrected C9 geological composition



Camera position [-31.000000, 3.000000, -58.000000]; yaw 0.85670563; pitch 0.05033671; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public front-side oblique inspection, avoiding the historical behind-cliff camera.

Adjacent left material surface

Corrected C9 geological composition



Camera position [-25.000000, 4.000000, -70.000000]; yaw 1.29778762; pitch 0.22712366; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public inspection of the existing Wall_14/Wall_15 material boundary.

Adjacent right material surface

Corrected C9 geological composition



Camera position [-17.000000, 1.720000, -48.000000]; yaw 1.30454428; pitch 0.38648758; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Controlled orientation toward Wall_15's unchanged rim-side neighbour.

Broad middle and upper wall

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition



Camera position [-20.000000, 1.720000, -54.000000]; yaw 1.15257200; pitch 0.55404477; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public view of the original35.557m study extent; framing retained across all modes.

Upper rim

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.20362249; pitch 0.82705547; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public location looking upward; Original sky retained; candidate rock documented separately.

Rock-to-ground contact

Corrected C9 geological composition



Camera position [-33.000000, 3.000000, -66.000000]; yaw 1.35970299; pitch -0.13878802; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public contact inspection; Original floor and scree unchanged.

Hub and scaffold

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Native scan left connection

Corrected C9 geological composition



Camera position [-32.000000, 4.000000, -71.000000]; yaw 1.59222162; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the scan/host annulus, distinct from the unchanged sector edge.

Native scan right connection

Corrected C9 geological composition



Camera position [-30.000000, 4.000000, -54.000000]; yaw 1.07437357; pitch 0.00000000; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public view of the other native scan/host annulus.

Historical C8 close pose

Corrected C9 geological composition



Camera position [-42.000000, 7.000000, -62.000000]; yaw 0.92729522; pitch 0.09966865; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Non-public pose recorded in the approved historical C8 PDF, FOV58/Q0/DPR1.

Historical tunnel-exit orientation

Corrected C9 geological composition



Camera position [0.000000, 1.720000, -43.000000]; yaw 1.11640852; pitch 0.15005104; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Entrance pose matching historical yaw1.1165/pitch0.1510 to rounding; entrance unchanged.

Behind-left-stalls inspection

Corrected C9 geological composition



Camera position [-27.000000, 1.720000, -64.000000]; yaw 1.36330010; pitch 0.31281708; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Historical behind-stall pose, outside public walking bounds; existing stalls retained.

Tunnel exit and quarry reveal

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition

Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Neutral material inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral diagnostic / DPR1 / Q0 / Temporary browser-only neutral lights; same maps, exposure, fog and geometry.

Neutral geometry only

Corrected C9 geological composition



Camera position [-32.000000, 4.000000, -59.000000]; yaw 1.07685496; pitch 0.32652138; FOV 58; clip 0.1/700. Full pose/quaternion in gallery metadata.

temporary neutral geometry only / DPR1 / Q0 / Temporary neutral diagnostic with all fine textures/normals and vertex colours disabled; actual runtime geometry.

Aerial map

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition

Camera position [-0.900000, 165.933673, -77.000000]; yaw -1.57076003; pitch -1.57079633; FOV 64.00036968449932; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Public visitor position 1

Corrected C9 geological composition



Camera position [-18.000000, 1.720000, -55.000000]; yaw 1.22777239; pitch 0.20815967; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Valid public walking location; controlled orientation toward the selected sector.

Hub and scaffold

Corrected C9 geological composition

Camera position [0.000000, 1.720000, -51.000000]; yaw 0.00000000; pitch 0.11649649; FOV 100.36920599534565; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original public hub spawn and Phase 1 scaffold composition.

Tunnel exit and quarry reveal

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Corrected C9 geological composition



Camera position [-1.300000, 1.720000, -38.000000]; yaw -0.04060267; pitch 0.17552852; FOV 66.97983708810015; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Original protected tunnel-exit pose; entrance/tunnel reconstruction is out of scope.

Aerial map

Corrected C9 geological composition

Camera position [-0.900000, 233.848482, -77.000000]; yaw 0.00000000; pitch -1.57079633; FOV 80; clip 0.1/700. Full pose/quaternion in gallery metadata.

approved dusk / DPR1 / Q0 / Actual approved map opening and camera; original coordinates and markers.

Original C6_original_browser_review.pdf / p1

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-1_original_browser_review.pdf / p1



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-1_original_browser_review.pdf / p1



Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-1_original_browser_review.pdf / p2



Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-1_original_browser_review.pdf / p5



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-1_original_browser_review.pdf / p5



Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-2_original_browser_review.pdf / p2



Panel 4 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-2_original_browser_review.pdf / p3



Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-2_original_browser_review.pdf / p3



Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-2_original_browser_review.pdf / p3



Panel 4 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-2_original_browser_review.pdf / p5



Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 4 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 1 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 2 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 3 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel 4 / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C6-2_original_browser_review.pdf / p10

Panel 1 / original 390x844. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C9_54page_browser_comparison.pdf / p5



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C9_54page_browser_comparison.pdf / p13

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW

Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Panel D / original 390x844. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C9_54page_browser_comparison.pdf / p42



Panel D diagnostic / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel D diagnostic / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.

Original C9_54page_browser_comparison.pdf / p45



Panel D diagnostic / original 1366x900. Authentic original embedded PDF image; pre-loss browser render. Exact historical pose metadata may be incomplete. C9 D is selected; C7 is rejected.



Panel approved3x / original 1200x791. 1/157 - approved-3x-visitor.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Validated public visitor position1. New default3x build; exact effective camera/DPR/quality in metadata. Camera[-18.000,1.720,-55.000] yaw1.2278 pitch0.2082 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-visitor.png | Metadata: reports/stage-2c8-approved-3x-2026-10-17/capture-metadata.json

Panel approved3x / original 1200x791. 2/157 - approved-3x-close.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Non-public close inspection. New default3x build; exact effective camera/DPR/quality in metadata. Camera[-42.000,7.000,-62.000] yaw0.9273 pitch0.0997 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-close.png | Metadata: reports/stage-2c8-approved-3x-2026-10-17/capture-metadata.json



Panel approved3x / original 1200x791. 3/157 - approved-3x-tunnel-exit.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Quarry entrance looking toward the private west-wall study. New default3x build; exact effective camera/DPR/quality in metadata. Camera[0.000,1.720,-43.000] yaw1.1165 pitch0.1510 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-tunnel-exit.png | Metadata: reports/stage-2c8-approved-3x-2026-10-17/capture-metadata.json



Panel approved3x / original 1200x791. 4/157 - approved-3x-behind-left-stalls.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Temporary behind-stall inspection; outside the hub walking polygon. New default3x build; exact effective camera/DPR/quality in metadata. Camera[-27.000,1.720,-64.000] yaw1.3633 pitch0.3128 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-behind-left-stalls.png | Metadata: reports/stage-2c8-approved-3x-2026-10-17/capture-metadata.json

Original c8/C8_approved_3x_scanned_material_162pages.pdf / p10



Panel approved3x / original 1200x791. 5/157 - approved-3x-hub.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Public hub spawn looking toward the study. New default3x build; exact effective camera/DPR/quality in metadata. Camera[0.000,1.720,-51.000] yaw1.1273 pitch0.1848 FOV58; viewport1366x900; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-hub.png | Metadata: reports/stage-2c8-approved-3x-2026-10-17/capture-metadata.json



Panel approved3x / original 390x844. 6/157 - approved-3x-portrait.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Portrait aspect390x844; no physical phone claim. Camera[-18.000,1.720,-55.000] yaw1.2278 pitch0.2082 FOV100.36920599534565; viewport390x844; requestedDPR1; effectiveDPR1; Q0; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-portrait.png | Metadata: reports/stage-2c8-approved-3x-2026-10-17/capture-metadata.json

Panel approved3x / original 390x844. 7/157 - approved-3x-map-portrait.png APPROVED 3x MATERIAL PREVIEW | Approved3x / final default verification Actual full-screen Map control; shared coordinates/framing unchanged. Camera[-0.900,233.848,-77.000] yaw0.0000 pitch-1.5708 FOV80; viewport390x844; requestedDPR1; effectiveDPR0.6; Q3; scale3. Original: reports/stage-2c8-approved-3x-2026-10-17/screenshots/approved-3x-map-portrait.png | Metadata: reports/stage-2c8-approved-3x-2026-10-17/capture-metadata.json



Panel 1 / original 1366x900. Original C8.1 continuity study only; not automatically approved or reconstructed standalone.



Panel 2 / original 1366x900. Original C8.1 continuity study only; not automatically approved or reconstructed standalone.



Panel 1 / original 1366x900. Original C8.1 continuity study only; not automatically approved or reconstructed standalone.



Panel 2 / original 1366x900. Original C8.1 continuity study only; not automatically approved or reconstructed standalone.

Panel 1 / original 1366x900. Original C8.1 continuity study only; not automatically approved or reconstructed standalone.

Panel 2 / original 1366x900. Original C8.1 continuity study only; not automatically approved or reconstructed standalone.

Original C9_54page_browser_comparison.pdf / p3



Panel D / original 1366x900. Original selected C9 D panel extracted from the lower PDF placement. Historical pose reference-aligned; no pixel-identity claim.

Original C9_54page_browser_comparison.pdf / p4

Panel D / original 1366x900. Original selected C9 D panel extracted from the lower PDF placement. Historical pose reference-aligned; no pixel-identity claim.



Panel D / original 1366x900. Original selected C9 D panel extracted from the lower PDF placement. Historical pose reference-aligned; no pixel-identity claim.

Panel D / original 1366x900. Original selected C9 D panel extracted from the lower PDF placement. Historical pose reference-aligned; no pixel-identity claim.

Original C9_54page_browser_comparison.pdf / p18

Panel D / original 390x844. Original selected C9 D panel extracted from the lower PDF placement. Historical pose reference-aligned; no pixel-identity claim.

Panel D / original 1366x900. Original selected C9 D panel extracted from the lower PDF placement. Historical pose reference-aligned; no pixel-identity claim.

Panel D / original 390x844. Original selected C9 D panel extracted from the lower PDF placement. Historical pose reference-aligned; no pixel-identity claim.

Original C7_REJECTED_diagnostic_review.pdf / p2



Panel REJECTED / original 1366x900. Rejected C7 geometric method; historical comparison only, never a correction target.

Geometric normals / view-space RGB

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW



Browser-only diagnostic, fine normals and PBR maps disabled; no production shader change.

Runtime wireframe inspection

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW



Non-public close inspection of actual selected LOD geometry; diagnostic only.

Forced LOD0 / identical visitor pose



Diagnostic override of only the local visual LOD. Normal experience retains automatic screen-space selection.

Forced LOD1 / identical visitor pose



Diagnostic override of only the local visual LOD. Normal experience retains automatic screen-space selection.

Forced LOD2 / identical visitor pose



Diagnostic override of only the local visual LOD. Normal experience retains automatic screen-space selection.

Original Aftermovie stage / C9 retained

BREEZE 2027 / PRIVATE QUARRY FIDELITY REVIEW



Actual original stage, crowd and approved lighting. Full-resolution context, not a new stage asset.