

17. Build a component with increment, ~~counter~~ decrement and reset button showing a running count.

```

import { useState } from 'react';
function counter() {
  const [count, setCount] = useState(0);
  return (
    <div>
      <h2> Counter App </h2>
      <h1> {count} </h1>
      <button onClick={() => setCount(count + 1)}>
        Increment
      </button>
      <button onClick={() => setCount(count - 1)}>
        Decrement
      </button>
    </div>
  );
}

```

② Build a component with text input and button and a list of element below it.

```

import { useState } from 'react';
function text-input-button() {
  const [

```

③ Loggin Toggle

Build a component that shows login button

```
import { useState } from "react"
```

```
function LogginToggle() {
```

```
  const [isLogged in, set isLogged in] =
```

```
    use state (false);
```

```
  return {
```

```
    <div>
```

```
      <h2> Loggin toggle </h2>
```

```
      { isLogged in } {
```

```
        <h2> Welcome you logged in * </h2>
```

```
        <button onClick = { () => set isLogged in (false) } >
```

```
          </button>
```

```
        </div>
```

```
      ) {
```

```
        <button onClick = { () => set isLogged in
```

```
          (false) } >
```

```
          </button>
```

```
      } {
```

```
    </div>
```

```
  };
```

```
  {
```

```
  }
```

```
export default LogginToggle
```


stopwatch.

⑤ Build a stopwatch showing elapsed

```
import { useEffect, useState } from "react";
function Stopwatch() {
  const [sec, setSec] = useState(0);
  const [running, setRunning] = useState(false);
  useEffect(() => {
    if (!running) return;
    const time = setInterval(() => {
      setSecs(prev => prev + 1); 3, 1000;
    }, 1000);
    return () => clearInterval(time);
  }, [running]);
  const reset = () => {
    setSec(0);
    setRunning(false);
  };
  return (

```

che </div> </div>

div { seconds seconds = 1; } </div>

if (running) {

<button onClick={() => setRunning(true)}

Start

</button>

} </div>

<button

</button>

} } </div>

<button onClick={() => setRunning(false)}

Pause </button>

</div>

} </div>

export default Stopwatch