

Fifth edition

K. A. Tsokos

Physics for the IB Diploma

Fifth edition

K. A. Tsokos



CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town,

Singapore, São Paulo, Delhi, Mexico City

Cambridge University Press

The Edinburgh Building, Cambridge CB2 8RU, UK

www.cambridge.org

Information on this title: www.cambridge.org/9780521138215

First, second and third editions © K. A. Tsokos 1998, 1999, 2001 Fourth edition © Cambridge University Press 2005 Fifth edition © Cambridge University Press 2005, 2008

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published by K. A. Tsokos 1998 Second edition 1999 Third edition 2001 Fourth edition published by Cambridge University Press 2005 Fifth edition (full colour version) 2010 6th printing 2012

Printed in the United Kingdom by Latimer Trend

A catalogue record for this publication is available from the British Library

ISBN 978-0-521-13821-5 Paperback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

ACKNOWLEDGEMENTS

We are grateful to the following for permission to reproduce photographs: 76, 526(t), 644 Science Photo Library; 89 Harold Edgerton/Science Photo Library; 255, Bettmann/CORBIS; 256 Reuters; 276 Sheila Terry/Science Photo Library; 315 Richard Megna/Science Photo Library; 400 (Francis Simon), 403 (Segre Collection), 526(b), 725 (Physics Today Collection) American Institute of Physics/Science Photo Library; 464(l) Robert Gendler/Science Photo Library; 464(r) John Walsh/Science Photo Library; 492, 535c Anglo-Australian Observatory/David Malin Images; 535a, b NOAO/Science Photo Library; 733 Stanford Linear Accelerator Center/Science Photo Library; 737a CERN PHOTO/ Frédéric Pitchal/Sygma/CORBIS; 737b David Parker/Science Photo Library; 741 Goronwy Tudor Jones/University of Birmingham/Science Photo Library; 742 CERN/Science Photo Library; 747 Klaus Guldbranden/Science Photo Library: cover image Michael Dunning/Science Photo Library

Contents

Prei		X1	2.2	Motion with constant	
	A note to the reader	xii		acceleration - Core	48
Par	t I Core and AHL	1		Acceleration Measuring speed and acceleration	48 54
				More on graphs	56
Top	ic 1: Physics and physical			-	
n	neasurement	2	2.3	-	63
1.1	The realm of physics – Core	2		Forces and their direction	64
	Orders of magnitude and units	2		Hooke's law	67
	Fundamental interactions	5	2.4	Newton's first law - Core	69
1.2	Uncertainties and errors – Core	8		Newton's first law	69
	Errors of measurement	8		Equilibrium	70
	Significant digits	11	2.5	Newton's second and	
	Line of best fit	12		third laws - Core	76
1.3	Mathematical and graphical			Newton's second law	77
1.0	techniques - Core	14		The inclined plane	82
	Multiplicative changes	14		Newton's third law	83
	Straight-line graphs	15	2.6	Linear momentum - Core	87
	Getting a linear graph	16		The concept of momentum	87
	Interpreting graphs	17		Impulse	89
	Sine curves	18		The law of conservation of	
	Making assumptions	18		momentum	91
1.4	Vectors and scalars - Core	21		Proof of momentum conservation	93
	Vectors	21		Two-dimensional collisions	95
	Multiplication of a vector by a scalar	22	2.7	Work, energy and power - Core	99
	Addition of vectors	22		Work done by a force	99
	Subtraction of vectors	24		Gravitational potential energy	102
	Components of a vector	25		The work-kinetic energy relation	103
1.5	Graphical analysis and			Conservation of energy	104
	uncertainties – Core	31		Frictional forces	107
	Logarithmic functions	31		Power	108
	Propagation of errors	33		Kinetic energy and momentum	110
		200		The problem of least time	112
Тор	ic 2: Mechanics	38	2.8	Circular motion - Core	119
2.1	Kinematic concepts - Core	38		Circular motion and centripetal	
	Displacement and velocity	38		acceleration	119
	Frames of reference	42		Centripetal forces	122
	Graphs for uniform motion	44		Angular momentum	123

iv Contents

2.9	The law of gravitation - Core	127	4.2	Travelling-wave characteristics – Core	216
	Newton's law of gravitation	127		What is a wave?	216
	Gravitational field strength	129		Transverse and longitudinal waves	217
2 10	Projectile motion - AHL	132		Wave pulses	218
2.10	Parabolic motion	132		Travelling waves	218
	Launch at an arbitrary angle	134		Wavefronts	224
	Effect of air resistance forces	134	4.3	Waya phanomana I roflaction and	
	Effect of all resistance forces	136	4.5	Wave phenomena I: reflection and refraction – Core	228
2.11	Motion in a gravitational field – AHL	142		The principle of superposition	228
	Gravitational potential energy	143		Reflection and refraction of waves	231
	Escape velocity	145			234
	Orbital motion	146		Huygens' principle	234
	Equipotential surfaces	149	4.4	Wave phenomena II: diffraction and	
	The binary star system	151		interference – Core	238
				Diffraction	238
Top	ic 3: Thermal properties of matter	158		Interference	240
3.1	Thermal concepts - Core	158	4.5	The Doppler effect - AHL /	
	Temperature	158		SL Option A	24 4
	Heat as energy	159		The Doppler effect	244
	The atomic model of matter	160		**	
2.2	Miles and a second seco	160	4.6	Standing waves - AHL / SL Option A	251
3.2	Thermal properties - Core	163		Standing waves on strings and tubes	251
	Specific heat capacity	163		Resonance and the speed of sound	255
	Change of state	165	4.7	Diffraction - AHL / SL Option A	259
	Measuring specific heats	167		Diffraction	259
	Evaporation	168		Single-slit diffraction	261
	The kinetic theory of gases	169	4.0	<u> </u>	200
3.3	Ideal gases - AHL	174	4.8	Resolution - AHL / SL Option A	267
	Pressure	174		The Rayleigh criterion	267
	The Boyle–Mariotte law	175	4.9	Polarization – AHL / SL Option A	27 1
	The volume-temperature law	176		What is polarization?	271
	The pressure-temperature law	177		Malus's law	272
	The equation of state	178		Polarizers and analysers	27 3
3.4	Thermodynamics - AHL	183		Polarization by reflection	274
J. 4		183		Optical activity	275
	Internal energy			Practical applications of	
	Work done on or by a gas	184		polarization	276
	The first law of thermodynamics	187			
	The second law of thermodynamics	189	Ton	ic 5: Electricity and magnetism	280
	Degradation of energy	192		, and the second	
_			5.1	Electric charge - Core	280
Top	ic 4: Oscillations and waves	195		Properties of electric charge	280
4.1	Simple harmonic motion - Core	195		Coulomb's law for the electric force	285
	Oscillations	195	5.2	Electric field and electric	
	Kinematics of simple harmonic motion	196		potential - Core	289
	Energy in simple harmonic motion	204		Electric field	289
	Damping	207		Electric potential	292
	Forced oscillations and resonance	208		The electronvolt	295

5.3	Electric field and electric			The Rutherford model of the atom	369
	potential - AHL	299		The Bohr model	369
	Electric fields	299		Nuclear structure	370
	Electric potential and energy	300		The forces within the nucleus	371
	Equipotential surfaces	304	6.2	Padioactivity - Coro	37 3
	The connection between electric		0.2	Radioactivity - Core	3/3
	potential and electric field	305		The nature of alpha, beta and	0.50
	Similarities between electricity			gamma radiations	373
	and gravitation	306		Radioactive decay equations	376
		500		The law of radioactive decay	377
5.4	Electric current and electric		6.3	Nuclear reactions - Core	380
	resistance - Core	310		The unified mass unit	380
	Electric current	310		The mass defect and binding energy	381
	Electric resistance	312		Nuclear reactions	384
	Electric power	314		Nuclear fission	385
5.5	Electric circuits - Core	318		Nuclear fusion	385
0.0	Emf	318	6.4	Interactions of matter with	
	Simple electric circuits	320	0.4	energy – AHL / SL Option B	389
	Ammeters and voltmeters	325		The photoelectric effect	389
	Sensors based on the potential	323		De Broglie's wavelength	394
	divider	327			334
	uividei	347	6.5	Quantum theory and the uncertainty	
5.6	Magnetic fields - Core	336		principle - AHL / SL Option B	398
	Magnetic field	336		Atomic spectra	398
	The magnetic force on a current	338		The 'electron in a box' model	399
	The magnetic force on a			The Schrödinger theory	400
	moving charge	339		The Heisenberg uncertainty principle	402
	Ørsted's discovery	341	6.6	Nuclear physics – AHL / SL Option B	407
	The force between two			Scattering experiments and distance	202
	current-carrying wires	343		of closest approach	407
- - -	Electromagnetic induction AIII	250		The mass spectrometer	408
5.7	Electromagnetic induction – AHL	350		Beta decay and the neutrino	409
	A wire moving in a magnetic field	350		Nuclear energy levels	410
	Faraday's law	351		The radioactive decay law	411
	Lenz's law	354		The radioactive accay law	111
	Faraday's disc	356	Тор	ic 7: Energy, power and climate	
5.8	Alternating current - AHL	360	c	hange	415
	The AC generator	360			
	Power in AC circuits	361	7.1	Energy degradation and power	44.5
	The transformer	363		generation - Core	415
	Transformers and power			Degradation of energy	415
	transmission	365		Electricity production	417
				Energy sources	417
Ton	oic 6: Atomic and nuclear physics	367		Fossil fuels	418
				Nuclear power	420
6.1	The atom and its nucleus - Core	367		Solar power	423
	The discovery of the nuclear atom	367		Hydroelectric power	425
	Consequences of the Rutherford			Wind power	427
	(Geiger-Marsden) experiment	368		Wave power	428

vi Contents

7.2	The greenhouse effect and global		A5	Resolution – SL	481
	warming - Core	434	A6	Polarization - SL	481
	The black-body law	434			
	Solar radiation	436	SL C	Option B – Quantum physics	
	The greenhouse effect	438	B1	Quantum physics - SL	482
	Global warming	444	B2	Nuclear physics – SL	482
	Sea level	447	DZ	Nuclear physics SL	702
	Effects of global warming on climate	448	SL C	Option C - Digital technology	
Top	ic 8: Digital technology		C 1	Analogue and digital	400
8.1	Analogue and digital signals - AHL /			signals – SL	48 3
	SL Option C / SL and HL Option F	454	C2	Data capture and imaging using	
	Binary numbers	454		CCDs - SL	483
	Analogue and digital signals	455	C3	Electronics - SL	484
	Compact disks	458			
	Other storage devices	459	C4	The mobile phone system – SL	484
	Advantages of digital storage	461			
8.2	Digital imaging with charge-coupled			Option D – Relativity and particle	
0.4	devices – AHL / SL Option C	463	P	hysics	
	Capacitance	463	D1	Introduction to relativity – SL	485
	The charge-coupled device	464	Do	•	
	CCD imaging characteristics	466	D2	Concepts and postulates of special	405
	Medical uses of CCDs	467		relativity – SL	485
	Medical uses of CCDs	407	D3	Relativistic kinematics – SL	485
Par	rt II Options	47 1	D4	Particles and interactions – SL	486
	The content of Options A-D (except		D5	Quarks - SL	486
	Option A1) is identical to that in the				
	appropriate chapter in the Core and		SL a	nd HL Option E – Astrophysics	
	AHL material, to which the reader is				
	referred (details are given in the text).		E1	Introduction to the universe – SL	405
				and HL	487
SL (Option A – Sight and wave phenome	ena		The solar system	487
A1	The eye and sight – SL	472		Beyond the solar system	489
	The structure of the human eye	472		The motion of the stars	491
	Depth of vision	473	E2	Stellar radiation - SL and HL	494
	Accommodation	474		The energy source of stars	494
	Scotopic and photopic vision	474		Luminosity	495
	Colour	475		Black-body radiation	496
	Colour blindness	476		Stellar spectra	498
	Colour addition	476		The Hertzsprung-Russell diagram	499
	Colour subtraction	477		Types of stars	500
	Perception of colour and light	478	E3	Stellar objects - SL and HL	506
A 73			EO	The parallax method	506
A2	The Doppler effect – SL	480		Absolute and apparent magnitudes	507
A3	Standing waves - SL	480		Spectroscopic parallax	510
A4	Diffraction - SL	480		The Cepheids	511
ALI	DILLIUCTION OF	100		THE OCPHERO	

E4	Cosmology - SL and HL	514	F4	Channels of communication – SL	
	Olbers' paradox	514		and HL	574
	The expanding universe	516		Copper wires	574
	The Big Bang: the creation of space			Wire pairs	575
	and time	517		Coaxial cables	575
	The development of the universe	517		Optic fibres	575
	•			Radio waves	576
E5	Stellar evolution – Extension HL	521		Microwave transmission through	
	Nucleosynthesis	521		free space	577
	Evolutionary paths and stellar			Satellite communications	578
	processes	525			
	Pulsars and quasars	529	F5	Electronics - Extension HL	584
E6	Galaxies - Extension HL	533		The operational amplifier (op-amp)	584
Lo	Types of galaxy	533		The non-inverting amplifier	588
	Galactic motion	536		Reshaping digital pulses – the	
	Hubble's law	537		Schmitt trigger	590
	The evolution of the	337	F6	The mobile phone	
	universe	539	10	system – Extension HL	596
	universe	555		system Latension III	000
SL a	and HL Option F – Communications		SL a	and HL Option G – Electromagnetic	
F1	Radio communication - SL		W	raves	
	and HL	544	G1	Light - SL and HL	598
	Modulation	544		The speed of light	598
	Amplitude modulation (AM)	546		Electromagnetic waves	599
	Frequency modulation (FM)	548		Properties of EM waves	601
	Comparing AM and FM	550		The laser	603
	The AM radio receiver	550			
			G2	Optical instruments – SL and HL	607
F2	Analogue and digital signals – SL			Lenses	607
	and HL	554		Optical instruments	617
	Binary numbers	554		Lens aberrations	620
	Analogue and digital signals	554	G3	Interference and diffraction –	
	Bit rate of a digital signal	554	do	SL and HL	624
	The transmission and reception of			Two-source interference	624
	digital signals	557		Young's two-slit experiment	626
	Time division multiplexing	558		Intensity in two-slit interference	628
	The advantages of digital			Multiple-slit diffraction	629
	communication	558		The diffraction grating	
F3	Optic fibre transmission – SL			The diffraction grating	631
10	and HL	562	G4	X-rays – Extension HL	634
	Total internal reflection	562		The production of X-rays	634
	Optical fibres	564		X-ray diffraction	635
	Dispersion	565	G5	Thin-film interference – Extension	
	Attenuation	567	30	HL	640
	Detection	569		Parallel films	640
	Noise	570		Thin air wedges	641
	Regeneration	571		Measuring small distances	642
	1.0501101411011	U/1	1	TILGOUITIE OTHUI UISLUICUS	UTA

	Option H – Special and		I3	Radiation in medicine – HL Biological effects of radiation	712
g	eneral relativity			and dosimetry	712
H1	The principle of special			Radiation therapy	716
	relativity – HL	644		Radiation therapy	710
	Frames of reference	645			
	The speed of light	647	HL	Option J - Particle physics	
	The principle of special relativity	648	J1	Particles and interactions - HL	718
H2	The effects of special relativity – HL	652		Particles and antiparticles	718
112	Time dilation	652		The elementary particles	719
	Length contraction	657		Quantum numbers	720
	Addition of velocities	659		Antiparticles	720
	Addition of velocities	033		Spin	721
Н3	Consequences of and evidence for			The Heisenberg uncertainty	
	special relativity - HL	663		principle for time and energy	722
	Relativistic energy	663		Virtual particles	723
	Evidence for special relativity	666		Interactions and exchange particles	723
	The Michelson-Morley experiment	667		Feynman diagrams	725
	The constancy of the speed of			The range of an interaction	728
	light	669	TO		
	-		J2	Detectors and accelerators – HL	731
H4	Relativistic mechanics – HL	671		The need for high energies	731
	Momentum and energy			Resolution	732
	(momenergy)	671		Accelerators	733
	A point about units	673		Synchrotron radiation	738
	A free electron cannot absorb			Available energy	738
	(or emit) a photon	674		Detectors	740
H5	General relativity - HL	677	J3	Quarks and leptons – HL	746
	The principle of equivalence	677		Hadrons – baryons and mesons	746
	The tests of general relativity	680		Baryon number	748
	The structure of the theory	682		Strangeness	748
	Black holes	683		The spin of hadrons	749
	Time dilation in general			Colour	749
	relativity	685		Gluons	750
				Confinement	751
ттт	Option I – Biomedical physics			The interaction between nucleons	752
пь	Option 1 - Biomedical physics			Quarks, leptons and the standard	
I1	The functioning of the ear - HL	690		model	752
	The ear	690		Lepton number	753
	Intensity of sound	693		The Higgs particle	753
	Hearing defects	697	T.4		
TO	Madiation atom III	5 00	J4	Experimental evidence for	55 0
I2	Medical imaging – HL	700		the standard model - HL	758
	Properties of radiation	700		Gell-Mann's prediction of the	
	X-ray imaging	702		omega-minus	758
	Other imaging techniques	705		The direct evidence for quarks	758
	Ultrasound	707		Asymptotic freedom	761
	Diagnostic uses of radioactive			The discovery of the Z ⁰ and	
	sources	709		neutral currents	761

				Contents ix
J5	Cosmology and strings – HL The Boltzmann equation	764 764	3 Astronomical data	780
	Matter and antimatter Strings	765 766	4 Some important mathematical results	781
Ph	ysics and the theory of	700	5 Nobel prize winners in physics	782
	knowledge (TOK) - SL and HL	770	Answers to questions	788
Ap	pendices		Glossary of selected terms	819
1	Physical constants	777	Index	832
	Masses of elements and selected isotopes	778		



Preface

Physics is a fundamental science, and those who study it will gain an understanding of the basic laws that govern everything from the very small subatomic to the very large cosmic scale. The study of physics provides us with an unparalleled power of analysis that is useful in the study of the other sciences, engineering and mathematics, as well as in daily life.

This fifth edition of Physics for the IB Diploma follows the previous edition, but contains material for the new syllabus that will be examined for the first time in May 2009. It covers the entire International Baccalaureate (IB) syllabus, including all options at both standard level (SL) and higher level (HL). It includes a chapter on the role of physics in the theory of knowledge (TOK), along with many discussion questions for TOK. Each chapter opens with a list of objectives, which include the important formulae that will be covered in that chapter. The questions at the end of each chapter have been increased, and there are answers at the end of the book for all those involving calculation (and for some others too).

Part I of the book covers the core material and the additional higher level (AHL) material. The title and running heads of each chapter clearly indicate whether the chapter is part of the core or AHL. Part II covers the optional subjects. There are now four options that are available to SL students only (Option A, Sight and wave phenomena; Option B, Quantum physics; Option C, Digital technology; and Option D, Relativity and particle physics). The material for these is the same as the corresponding AHL material, and so these four SL options are neither repeated nor presented separately (except for one chapter, Option A1, The

eye and sight, which is not part of the AHL core). Three options (Option E, Astrophysics; Option F, Communications; and Option G, Electromagnetic waves) are available to both SL and HL students. Finally, there are three options (Option H, Special and general relativity; Option I, Biomedical physics; and Option J, Particle physics) that are available to HL students only.

The division of this book into chapters and sections usually follows quite closely the syllabus published by the International Baccalaureate Organization (IBO). This does not mean, however, that this particular order should be followed in teaching. Within reason, the sections are fairly independent of each other, and so alternative teaching sequences may be used. It must also be stressed that this book is not an official guide to the IB syllabus, nor is this book connected with the IBO in any way.

The book contains many example questions and answers that are meant to make the student more comfortable with solving problems. Some are more involved than others. There are also questions at the end of each chapter, which the student should attempt to answer to test his or her understanding. Even though the IB does not require calculus for physics, I have used calculus, on occasion, in the text and in the questions for the benefit of those students taking both physics and mathematics at higher level. They can apply what they are learning in mathematics in a concrete and well-defined context. However, calculus is not essential for following the book. It is assumed that a student starting a physics course at this level knows the basics of trigonometry and is comfortable with simple algebraic manipulations.

xii Preface

In many questions and examples I have not resisted the temptation to use 10 m s⁻² as the numerical value of the acceleration due to gravity. I have also followed the conventions of symbols used by the IBO in their *Physics Data Booklet*, with one major exception. The *Data Booklet* uses the symbol s for displacement. Almost universally, the symbol s is reserved for distance, and so s stands for distance in this book, not displacement. Also, I have chosen to call initial velocities, speeds, etc. by v_0 rather than the IBO's u.

I wish to thank my wife, Ellie Tragakes, for her great help and support. I am indebted to fellow teacher Wim Reimert for his careful reading of the book and his extensive comments that have improved the book – I thank him sincerely. I would like to thank Geoff Amor, who has edited the new material for the fifth edition, implemented my changes, and made many suggestions for its improvement.

K. A. Tsokos Athens May 2007

A note to the reader

The main text of each chapter contains a number of different features, which are clearly identified by the use of headings or by other typographical means, as outlined below.

Learning outcomes/objectives

These are provided as bullet lists at the beginning of each chapter, and indicate what you will have learned or be able to do when you have finished studying the chapter.

Important results, laws, definitions and significant formulae

Particularly important material, such as important results, laws, definitions and significant formulae, appear in a shaded box.

Example questions

These occur in nearly all of the chapters. They are indicated by the heading 'Example question(s)' and all have a full answer. It is a good idea to attempt to solve these problems before reading the answers. There are over 500 such example questions in this book.

Material for higher level students

This material is highlighted in a shaded box that is labelled 'HL only'.

Material that is outside the IB syllabus

Some material is included that is outside the IB syllabus and will not be examined in the IB exams. It is included here for two reasons. The first is that I believe that it clarifies syllabus material and in some cases it does so in essential ways. The second is that it gives the interested student a more rounded view of the subject that is not bounded by the rigid syllabus content. Such material is highlighted in a shaded box that is labelled 'Supplementary material'. There is also a small amount of other similar material with different labels.

Questions

Each chapter ends with a set of numbered questions. Answers to all those that involve calculation are given at the end of the book. Answers are also provided for some other questions where it is useful for students to be able to check their answers.

Part I Core and AHL

The realm of physics

Physics is an experimental science in which measurements made must be expressed in units. In the International System of units used throughout this book, the SI system, there are seven fundamental units, which are defined in this chapter. All quantities are expressed in terms of these units directly or as a combination of them.

Objectives

By the end of this chapter you should be able to:

- appreciate the order of magnitude of various quantities;
- perform simple order-of-magnitude calculations mentally;
- state the fundamental units of the SI system.

Orders of magnitude and units

How many molecules are there in the sun? This may sound like a very difficult question with which to start a physics textbook, but very basic physics can give us the answer. Before we try to work out the answer, guess what you think the answer is by giving a power of 10. The number of molecules in the sun is 10 to the power . . .?

To answer the question we must first have an idea of the mass of the sun. You may know this, or you can easily look it up (to save you doing this for this example, we can tell you that it is about 10³⁰ kg). Next, you will need to know what the chemical composition of the sun is. It is made up of 75% hydrogen and 25% helium, but as we are only making a rough estimate, we may assume that it is made out of hydrogen entirely. The molar mass of hydrogen is 2 g mol^{-1} and so the sun contains $10^{33}/2 \text{ mol} = 5 \times 10^{33}$ 10³² mol. The number of molecules in one mole of any substance is given by the Avogadro constant, which is about 6×10^{23} , so the sun has around $5 \times 10^{32} \times 6 \times 10^{23} = 3 \times 10^{56}$ molecules. How close was your guess?

The point of this exercise is that, first, we need units to express the magnitude of physical quantities. We must have a consistent set of units we all agree upon. One such set is the International System (SI system), which has seven basic or fundamental units. The units of all other physical quantities are combinations of these seven. These units are presented later in this section. The second point is that we have been able to answer a fairly complicated sounding question without too much detailed knowledge – a few simplifying assumptions and general knowledge have been enough. The third point you may already have experienced. How close was your guess for the number of molecules in the sun? By how much did your exponent differ from 56? Many of you will have guessed a number around 101000 and that is way off. The number 10^{1000} is a huge number – you cannot find anything real to associate with such a number. The mass of the universe is about 10⁵³ kg and so repeating the calculation above we find that the number of hydrogen molecules in the entire universe (assuming it is all hydrogen) is about 10^{79} – a big number to be sure but nowhere near 10¹⁰⁰⁰. Part of learning physics is

to appreciate the magnitude of things – whether they are masses, times, distances, forces or just pure numbers such as the number of hydrogen molecules in the universe. Hopefully, you will be able to do that after finishing this course.

The SI system

The seven basic SI units are:

- 1 The metre (m). This is the unit of distance. It is the distance travelled by light in a vacuum in a time of 1/299 792 458 seconds.
- 2 The kilogram (kg). This is the unit of mass. It is the mass of a certain quantity of a platinumiridium alloy kept at the Bureau International des Poids et Mesures in France.
- 3 The second (s). This is the unit of time. A second is the duration of 9 192 631 770 full oscillations of the electromagnetic radiation emitted in a transition between the two hyperfine energy levels in the ground state of a caesium-133 atom.
- 4 The *ampere* (A). This is the unit of electric current. It is defined as that current which, when flowing in two parallel conductors 1 m apart, produces a force of 2×10^{-7} N on a length of 1 m of the conductors.
- 5 The *kelvin* (K). This is the unit of temperature. It is $\frac{1}{273.16}$ of the thermodynamic temperature of the triple point of water.
- 6 The mole (mol). One mole of a substance contains as many molecules as there are atoms in 12 g of carbon-12. This special number of molecules is called Avogadro's number and is approximately 6.02×10^{23} .
- 7 The candela (cd). This is a unit of luminous intensity. It is the intensity of a source of frequency 5.40×10^{14} Hz emitting $\frac{1}{683}$ W per steradian.

The details of these definitions should not be memorized.

In this book we will use all of the basic units except the last one. Some of these definitions probably do not make sense right now - but eventually they will.

Physical quantities other than those above have units that are combinations of the seven

fundamental units. They have derived units. For example, speed has units of distance over time, metres per second (i.e. m/s or, preferably, $m s^{-1}$). Acceleration has units of metres per second squared (i.e. m/s^2 , which we write as $m s^{-2}$). In other words, we treat the symbols for units as algebraic quantities. Similarly, the unit of force is the newton (N). It equals the combination kg m s^{-2} . Energy, a very important quantity in physics, has the joule (J) as its unit. The joule is the combination N m and so equals (kg m s^{-2} m), or kg m^2 s⁻². The quantity power has units of energy per unit of time and so is measured in $\int s^{-1}$. This combination is called a watt. Thus, $1 \text{ W} = (1 \text{ N m s}^{-1}) = (1 \text{ kg m s}^{-2} \text{ m s}^{-1})$ $= 1 \text{ kg m}^2 \text{ s}^{-3}$.

Occasionally, small or large quantities can be expressed in terms of units that are related to the basic ones by powers of 10. Thus, a nanometre (symbol nm) is 10^{-9} m, a microgram (μg) is 10^{-6} g = 10^{-9} kg, a gigaelectron volt (GeV) equals 10⁹ eV, etc. The most common prefixes are given in Table 1.1.

Power	Prefix	Symbol	Power	Prefix	Symbol
10^{-18}	atto-	a	10 ¹	deka-	da*
10^{-15}	femto-	f	10 ²	hecto-	h*
10^{-12}	pico-	р	10 ³	kilo-	k
10 ⁻⁹	nano-	n	10 ⁶	mega-	M
10^{-6}	micro-	μ	10 ⁹	giga-	G
10 ⁻³	milli-	m	10 ¹²	tera-	T
10^{-2}	centi-	С	10 ¹⁵	peta-	P*
10^{-1}	deci-	d	10 ¹⁸	exa-	
*Rarely	used.				

Table 1.1 Common prefixes.

When we write an equation in physics, we have to make sure that the units of the quantity on the left-hand side of the equation are the same as the units on the right-hand side. If the units do not match, the equation cannot be right. For example, the period T (a quantity with units of time) of a pendulum is related to the length of the pendulum *l* (a quantity with units of

4 Core - Physics and physical measurement

length) and the acceleration due to gravity g (units of acceleration) through

$$T = 2\pi \sqrt{\frac{l}{g}}$$

The units on the right-hand side must reduce to units of time. Indeed, the right-hand side units are

$$\sqrt{\frac{\mathsf{m}}{\mathsf{m}\,\mathsf{s}^{-2}}} = \sqrt{\mathsf{s}^2} = \mathsf{s}$$

as required (note that 2π is a dimensionless constant). The fact that the units on both sides of an equation must match actually offers a powerful method for guessing equations.

For example, the velocity of a wave on a string is related to the length l and mass m of the string, and the tension force F the string is subjected to. How exactly does the velocity depend on these three variables? One guess is to write

$$v = cF^x l^y m^z$$

where c is a numerical constant (a pure number without units) and x, y and z are numbers to be determined. There could be some confusion here because m stands for mass but we also use the symbol m for the metre. To avoid this we will use the notation [M] to stand for the unit of mass, [L] for the unit of length, [T] for the unit of time, etc. Then, looking at the units of the last equation we have that

$$\frac{[L]}{[T]} = ([M][L][T]^{-2})^{x} [L]^{y} [M]^{z}$$
$$[L][T]^{-1} = [M]^{x+z} [L]^{x+y} [T]^{-2x}$$

The two equations match if the exponents of [L], [M] and [T] match – that is, if

$$x + z = 0$$
$$x + y = 1$$
$$-2x = -1$$

These equations imply that

$$x = \frac{1}{2}$$
, $y = \frac{1}{2}$ and $z = -\frac{1}{2}$

In other words, the original formula becomes

$$v = c F^{1/2} l^{1/2} m^{-1/2} = c \sqrt{\frac{F l}{m}}$$

Obviously this method cannot give the value of the dimensionless constant c. To do that we have to learn some physics!

Tables 1.2–1.4 give approximate values for some interesting sizes, masses and time intervals.

Expressing a quantity as a plain power of 10 gives what is called the 'order of magnitude' of that quantity. Thus, the mass of the universe

	Length/m
Distance to edge of observable universe	10^{26}
Distance to the Andromeda galaxy	10 ²²
Diameter of the Milky Way galaxy	10 ²¹
Distance to nearest star	10 ¹⁶
Diameter of solar system	10 ¹³
Distance to sun	10 ¹¹
Radius of the earth	107
Size of a cell	10 ⁻⁵
Size of a hydrogen atom	10^{-10}
Size of a nucleus	10^{-15}
Size of a proton	10 ⁻¹⁵
Planck length	10^{-35}

Table 1.2 Some interesting sizes.

	Mass/kg
The universe	10 ⁵³
The Milky Way galaxy	10 ⁴¹
The sun	10 ³⁰
The earth	10 ²⁴
Boeing 747 (empty)	10 ⁵
An apple	0.25
A raindrop	10 ⁻⁶
A bacterium	10 ⁻¹⁵
Smallest virus	10^{-21}
A hydrogen atom	10^{-27}
An electron	10^{-30}

Table 1.3 Some interesting masses.

	Time/s
Age of the universe	10 ¹⁷
Age of the earth	10 ¹⁷
Time of travel by light to nearby star	108
One year	10 ⁷
One day	10 ⁵
Period of a heartbeat	1
Period of red light	10^{-15}
Time of passage of light across a nucleus	10^{-24}
Planck time	10^{-43}

Table 1.4 Some interesting time intervals.

has an order of magnitude of 10^{53} kg and the mass of the Milky Way galaxy has an order of magnitude of 10^{41} kg. The ratio of the two masses is then simply 10^{12} .

Fundamental interactions

There are four basic or fundamental interactions in physics. However, in 1972, the electromagnetic and weak interactions were unified into one – the electroweak interaction. In this sense, then, we may speak of just three fundamental interactions (see Figure 1.1).




Figure 1.1 The fundamental interactions of physics. Since 1972, the electromagnetic and weak interactions have been shown to be part of a generalized interaction called the electroweak interaction.

Example questions

Let us close this chapter with a few problems similar to the one we started with. These problems are sometimes known as Fermi problems, after the great physicist Enrico Fermi, who was a master in this kind of estimation.

01

How many grains of sand are required to fill the earth? (This is a classic problem that goes back to Aristotle.)

Answer

The radius of the earth is about 6400 km, which we may approximate to 10 000 km. The volume of the earth is thus approximately $8 \times (10 \times 10^6)^3 \text{ m}^3 \approx 8 \times 10^{21} \text{ m}^3$. We are assuming a cubical earth of side equal to twice the radius. This is a simplifying assumption. The true volume is $\frac{4}{3}\pi R^3 = 1.1 \times 10^{21} \text{ m}^3$, which agrees with our estimate (we are only interested in the power of 10 not the number in front). The diameter of a grain of sand varies of course but we will take 1 mm as a fair estimate. Then the number of grains of sand required to fill the earth is

$$\frac{8 \times 10^{21} \text{ m}^3}{(1 \times 10^{-3})^3 \text{ m}^3} = 8 \times 10^{30} \approx 10^{31}$$

\mathbf{Q}^2

Estimate the speed with which human hair grows.

Answer

I cut my hair every 2 months and the barber cuts a length of about 2 cm. The speed is thus

$$\frac{2 \times 10^{-2}}{2 \times 30 \times 24 \times 60 \times 60} \text{ m s}^{-1} \approx \frac{10^{-2}}{3 \times 2 \times 36 \times 10^{4}}$$
$$\approx \frac{10^{-6}}{6 \times 40} = \frac{10^{-6}}{240}$$
$$\approx 4 \times 10^{-9} \text{ m s}^{-1}$$

Q3 ■

If all the people on earth were to hold hands in a straight line, how long would the line be? How many times would it wrap around the earth?

Answer

Assume that each person has his or her hands stretched out to a distance of 1.5 m and that the population of earth is 6×10^9 people. Then the length would be $6 \times 10^9 \times 1.5$ m = 9×10^9 m. The circumference of the earth is $2\pi R \approx 6 \times 6 \times 10^6$ m $\approx 4 \times 10^7$ m and so the line would wrap $\frac{9 \times 10^9}{4 \times 10^7} \approx 200$ times around the equator.

Q4

How many revolutions do the wheels of a car make before it is junked?

Answer

We assume that the car runs 250 000 km before it is junked and that the wheels have a radius of 30 cm. Then the number of revolutions is

$$\frac{2.5 \times 10^8}{2\pi \times 0.3} \approx \frac{2.5}{2 \times 1} 10^8 \approx 10^8$$

Q5

What depth of car tyre wears off with each turn? (This is another classic problem.)

Answer

We assume that a depth of 5 mm wears off every 60 000 km. (These numbers are 'standard' for people who own cars.) Then, for a wheel of radius 30 cm the number of revolutions is (see previous problem) $\frac{6 \times 10^7}{2\pi \times 0.3} \approx \frac{6}{2 \times 1} 10^7 \approx 3 \times 10^7$ and so the wear per revolution is $\frac{5}{3 \times 10^7}$ mm/rev.

QUESTIONS

- Have a look through these questions and answer any that you can. However, don't worry about any you can't answer; leave them for now and come back to them when you reach the end of the course.
 - 1 How long does light take to travel across a proton?
 - 2 How many hydrogen atoms does it take to make up the mass of the earth?
 - **3** What is the age of the universe expressed in units of the Planck time?
 - **4** What is the radius of the earth (6380 km) expressed in units of the Planck length?
 - 5 How many heartbeats are there in the lifetime of a person (75 years)?
 - **6** What is the mass of our galaxy in terms of a solar mass?
 - 7 What is the diameter of our galaxy in terms of the astronomical unit, i.e. the distance between the earth and the sun?

- **8** The molar mass of water is 18 g mol⁻¹. How many molecules of water are there in a glass of water (of volume 0.3 L)?
- **9** Assuming that the mass of a person is made up entirely of water, how many molecules are there in a human body (of mass 60 kg)?
- **10** Assuming the entire universe to be made up of hydrogen gas, how many molecules of hydrogen are there?
- **11** Give an order-of-magnitude estimate of the density of a proton.
- **12** How long does light from the sun take to arrive on earth?
- 13 How many apples do you need to make up the mass of an average elephant?
- **14** How many bricks are used to build an average two-storey family house?
- **15** (a) How many metres are there in 5.356 nm?
 - (b) How many in 1.2 fm?
 - (c) How many in 3.4 mm?
- **16** (a) How many joules of energy are there in 4.834 MJ?
 - (b) How many in 2.23 pJ?
 - (c) How many in 364 GJ?
- 17 (a) How many seconds are there in 4.76 ns?
 - (b) How many in 24.0 ms?
 - (c) How many in 8.5 as?
- **18** What is the velocity of an electron that covers a distance of 15.68 mm in 87.50 ns?
- **19** An electron volt (eV) is a unit of energy equal to 1.6×10^{-19} J. An electron has a kinetic energy of 2.5 eV.
 - (a) How many joules is that?
 - (b) What is the energy in eV of an electron that has an energy of 8.6×10^{-18} J?
- **20** What is the volume in cubic metres of a cube of side 2.8 cm?
- 21 What is the side in metres of a cube that has a volume of 588 cubic millimetres?
- 22 One inch is 2.54 cm and one foot has 12 inches. The acceleration due to gravity is about 9.8 m s⁻². What is it in feet per square second?
- 23 One fluid ounce is a volume of about 2.96×10^{-5} m³. What is the side, in inches, of

- 24 A horsepower (hp) is a unit of power equal to about 746 W. What is the power in hp of a 224 kW car engine?
- **25** Give an order-of-magnitude estimate for the mass of:
 - (a) an apple;
 - (b) this physics book;
 - (c) a soccer ball.
- **26** Give an order-of-magnitude estimate for the time taken by light to travel across the diameter of the Milky Way galaxy.
- 27 A white dwarf star has a mass about that of the sun and a radius about that of the earth. Give an order-of-magnitude estimate of the density of a white dwarf.
- **28** A sports car accelerates from rest to 100 km per hour in 4.0 s. What fraction of the acceleration due to gravity is the car's acceleration?
- **29** Give an order-of-magnitude estimate for the number of electrons in your body.
- **30** Give an order-of-magnitude estimate for the gravitational force of attraction between two people 1 m apart.

- **31** Give an order-of-magnitude estimate for the ratio of the electric force between two electrons 1 m apart to the gravitational force between the electrons.
- 32 The frequency f of oscillation (a quantity with units of inverse seconds) of a mass m attached to a spring of spring constant k (a quantity with units of force per length) is related to m and k. By writing $f = cm^x k^y$ and matching units on both sides show that $f = c\sqrt{\frac{k}{m}}$, where c is a dimensionless constant.
- **33** Without using a calculator *estimate* the value of the following expressions and then compare with the exact value using a calculator:
 - (a) $\frac{243}{43}$;
 - (b) 2.80×1.90 ;
 - (c) $\frac{312 \times 480}{160}$;
 - (d) $\frac{8.99 \times 10^9 \times 7 \times 10^{-6} \times 7 \times 10^{-6}}{(8 \times 10^2)^2};$
 - (e) $\frac{6.6 \times 10^{-11} \times 6 \times 10^{24}}{(6.4 \times 10^6)^2}.$