

WEEK -2

2a.Aim: To design a simple web page using HTML that demonstrates the use of background color, background image, heading styling, and preformatted text

Program:

```
<!DOCTYPE html>

<html>

<head>

    <title>Simple Web Page Demo</title>

    <style>

        /* Background color and image */

        body {

            background-color: lightblue; /* Background color */

            background-image: url("https://wallpaperaccess.com/full/2945044.jpg");

            background-repeat: no-repeat;

            background-size: cover;

            background-attachment: fixed;

            font-family: Arial, sans-serif }

        /* Heading styling */

        h1 {

            color: darkblue;

            text-align: center;

            text-decoration: underline;

            font-size: 40px; }

    
```

```
h2 {  color: darkred;

      margin-left: 20px;}

/* Paragraph styling */

p {  font-size: 18px;

     margin-left: 20px;  }

/* Preformatted text styling */

pre {

  background-color: white;

  padding: 15px;

  border: 2px solid black;

  width: fit-content;

  margin-left: 20px;}

</style>

</head>

<body>

  <h1>Welcome to My Web Page</h1>

  <h2>About This Page</h2>

  <p>This page demonstrates background color, background image, heading styling, and preformatted text in HTML.</p>

  <h2>Sample Preformatted Text</h2>

  <pre>


Name   : Divya sahithi

Course : user interface design

College : Amrita University

</pre></body></html>
```

Output:



Explanation of the tags:

- `<h1>`, `<h2>` → Headings
- `<p>` → Paragraph
- `<pre>` → Preformatted text

2b. Aim : To create a static webpage using only HTML that displays basic information about Amrita Vishwa Vidyapeetham, including a heading descriptive text, background styling through HTML attributes, and a table showing the list of campuses in different states.

Procedure:

```
<!DOCTYPE html>

<html>

  <head>

    <title>Amrita vishwa vidhyapeetam</title>

  </head>

  <body style="background-color:rgb(255, 244, 230);

background-image:url(https://webfiles.amrita.edu/2022/03/nbElb5oz-amrita-amaravati-campus-banner-2022.jpg);

background-size: cover ; background-repeat: no repeat;">

    <h1 style="text-align:center; color:rgb(0, 0, 0);border: 3px solid black;

font-family: 'Times New Roman', Times, serif;"> Amrita vishwa vidhyapeetam</h1>

    <h2 style="text-align: center; color: black;font-family: 'Times New Roman', Times, serif;">

      Amaravathi Campus </h2>

    <pre style="text-align: center;font-family: 'Times New Roman', Times, serif;color:rgb(226, 239, 237);

font-size: large;">

      The Amrita Amaravati campus is a 200-acre, research-driven institution in Andhra Pradesh's greenfield capital.

      Accredited with a NAAC 'A++' grade and ranked among India's top 10 universities by NIRF 2025,

      it offers industry-aligned programs in Engineering, Management, and Sciences.

      Known for its "Education for Life" philosophy, the campus blends

      high-tech infrastructure with ethical values

    </pre>

    <table border="2"; align="center"; cellpadding="5";cellspacing="10"; width="60%";
```


style="background-color:floralwhite;">

<tr>

<th>s.no</th>

<th>campus</th>

<th>location</th>

<th>number</th>

<th>Link</th>

</tr>

<tr>

<td>1.</td>

<td>Amaravathi</td>

<td>kuragallu</td>

<td>+91-8645277800</td>

<td><https://www.amrita.edu/campus/amaravati/></td>

</tr>

<tr>

<td>2.</td>

<td>coiambatore</td>

<td>ettimadai</td>

<td>+91-8645271800</td>

<td><https://www.amrita.edu/campus/coiambatore/></td>

</tr>

<tr>

<td>3.</td>

<td>banglore</td>

```
<td>junnasandra</td>

<td>+91-8645272800</td>

<td>https://www.amrita.edu/campus/banglore/</td>

</tr>

<tr>

<td>4.</td>

<td>amritapuri</td>

<td>vallikavu</td>

<td>+91-8645273800</td>

<td>https://www.amrita.edu/campus/</td>


</tr>

</table>

</body>

</html>
```

Output:



Explanation of the tags:

- `<h1>`, `<h2>` – Heading tags for main title and subtitle.
- `<pre>` – Displays text in preformatted style, preserving spaces and line breaks.
- `<table>` – Creates a table to arrange data in rows and columns.
- Attributes: border, align, cellpadding, cellspacing, width.
- `<tr>` – Defines a table row.
- `<th>` – Table heading cell (bold and centered).
- `<td>` – Table data cell for normal content.
- Inline CSS (style attribute) – Used to set background color, image, font, alignment, and borders.

2cAim: To design a restaurants menu webpage using HTML and displaying menu items in a table format with proper layout and visual styling.

Procedure:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>paradise restaurant - Luxury Edition</title>
```

```
<link href="https://fonts.googleapis.com/css2?family=Playfair+Display:ital@1&display=swap" rel="stylesheet">
```

```
<style>
```

```
body { margin: 0;
```

```
font-family: 'Playfair Display', serif;
```

```
background: url("https://images.unsplash.com/photo-1552566626-52f8b828add9") no-repeat center center fixed;
```

```
background-size: cover;
```

```
color: gold;}
```

```
.header { background: rgba(0, 0, 0, 0.85);
```

```
text-align: center;
```

```
padding: 35px;
```

```
font-size: 40px;
```

```
letter-spacing: 3px;
```

```
font-style: italic;
```

```
color: gold;
```

```
border-bottom: 3px solid; }
```

```
.menu-section { width: 85%;  
  
    margin: 40px auto;  
  
    padding: 25px;  
  
    border-radius: 15px;  
  
    background: rgba(0, 0, 0, 0.75);  
  
    box-shadow: 0 8px 25px rgba(0,0,0,0.8);
```

```
h2 { text-align: center;  
  
    font-style: italic;  
  
    font-size: 28px;  
  
    color: gold;  
  
    border-bottom: 2px solid gold;  
  
    padding-bottom: 10px; }
```

```
table {width: 100%;  
  
    border-collapse: collapse;  
  
    margin-top: 20px;  
  
    font-style: italic;}
```

```
th, td { padding: 14px;  
  
    text-align: center; }
```

```
th { color: gold;  
  
    font-size: 20px;  
  
    border-bottom: 2px solid gold; }
```

```
tr {background: transparent; }
```

```
tr: hover { background: rgba(255, 215, 0, 0.15);
```

```
transition: 0.3s; }
```

```
.price { color: #ffd700;
```

```
font-weight: bold; }
```

```
.footer { text-align: center;
```

```
padding: 20px;
```

```
background: rgba(0,0,0,0.9);
```

```
color: gold;
```

```
font-style: italic;
```

```
border-top: 2px solid gold; }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="header">
```

```
Paradise cuisine ★★★★★
```

```
</div><div class="menu-section">
```

```
<h2>Signature Starters</h2>
```

```
<table>
```

```
<tr>
```

```
<th>Item</th>
```

```
<th>Description</th>
```

```
<th>Price</th>
```

```
</tr>
```

<tr>

<td>Truffle Paneer Bites</td>

<td>Luxury grilled paneer infused with truffle essence</td>

<td class="price">₹320</td>

</tr> <tr>

<td>Royal Chicken Platter</td>

<td>Premium spiced chicken with exotic herbs</td>

<td class="price">₹450</td>

</tr> <tr>

<td>Golden Prawn Tempura</td>

<td>Crispy fried prawns served with signature sauce</td>

<td class="price">₹520</td>

</tr><tr>

<td>Herb Stuffed Mushrooms</td>

<td>Baked mushrooms filled with creamy herbs</td>

<td class="price">₹300</td>

</tr> <tr>

<td>Cheese Stuffed Jalapeños</td>

<td>Spicy jalapeños filled with rich cheese</td>

<td class="price">₹280</td>

</tr>

</table>

</div>

<div class="menu-section">

<h2>Chef’s Special Entrées</h2>

<table> <tr>

<th>Item</th>

<th>Description</th>

<th>Price</th> </tr>

<tr> <td>Imperial Mutton Biryani</td>

<td>Slow-cooked aromatic rice with premium mutton</td>

<td class="price">₹550</td> </tr>

<tr> <td>Golden Cream Pasta</td>

<td>Rich Alfredo sauce with fine herbs</td>

<td class="price">₹380</td> </tr>

<tr> <td>Grilled Salmon Steak</td>

<td>Fresh salmon grilled to perfection</td>

<td class="price">₹650</td> </tr>

<tr> <td>Royal Butter Chicken</td>

<td>Creamy tomato gravy with tender chicken</td>

<td class="price">₹480</td> </tr>

<tr> <td>Luxury Veg Lasagna</td>

<td>Layered pasta with cheese and vegetables</td>

<td class="price">₹420</td> </tr>

</table></div>

```
div class="menu-section">
```

```
<h2>Luxury Desserts</h2>
```

```
<table>
```

```
<tr> <th>Item</th>
```

```
<th>Description</th>
```

```
<th>Price</th>
```

```
</tr><tr>
```

```
<td>Belgian Chocolate Delight</td>
```

```
<td>Premium dark chocolate layered dessert</td>
```

```
<td class="price">₹290</td>
```

```
</tr> <tr>
```

```
<td>Royal Saffron Kulfi</td>
```

```
<td>Traditional saffron-infused frozen dessert</td>
```

```
<td class="price">₹220</td>
```

```
</tr> <tr>
```

```
<td>Strawberry Cheesecake</td>
```

```
<td>Creamy cheesecake topped with strawberries</td>
```

```
<td class="price">₹310</td>
```

```
</tr> <tr>
```

```
<td>Tiramisu Classic</td>
```

```
<td>Italian layered coffee-flavored dessert</td>
```

```
<td class="price">₹350</td>
```

```
</tr></table>
```

```
</div>
```

```
div class="menu-section">
```

```
<h2>Premium Beverages</h2>
```

```
<table> <tr> <th>Item</th>
```

```
<th>Description</th>
```

```
<th>Price</th></tr>
```

```
<tr> <td>Fresh Fruit Mocktail</td>
```

```
<td>Blend of seasonal fruits with sparkling soda</td>
```

```
<td class="price">₹190</td> </tr>
```

```
<tr> <td>Classic Cappuccino</td>
```

```
<td>Rich espresso topped with frothy milk</td>
```

```
<td class="price">₹160</td>
```

```
</tr> <tr>
```

```
<td>Blue Lagoon</td>
```

```
<td>Refreshing citrus drink with blue curacao flavor</td>
```

```
<td class="price">₹210</td>
```

```
</tr> <tr><td>Mint Mojito</td>
```

```
<td>Fresh mint with lime and soda</td>
```

```
<td class="price">₹170</td></tr>
```

```
</table>
```

```
</div><div class="footer">
```


```
Experience Luxury Dining | Contact: 9727727180
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:



Explanation of the tags:

- background: url(...) → Adds wallpaper
- rgba() → Transparent background
- border-radius → Rounded corners
- box-shadow → Shadow effect
- :hover → Effect when mouse moves over row
- font-style: italic → Italic text

<link> → External resource connection

<style> → Internal CSS

<body> → Visible content

<div> → Section container

<h2> → Sub heading

<table> → Creates table

<tr> → Table row

<th> → Table heading

<td> → Table data