



SIMATS
ENGINEERING



SIMATS
Saveetha Institute of Medical And Technical Sciences
(Declared as Deemed to be University under Section 3 of UGC Act 1956)

CARBONSENSE: AI-BASED PERSONAL CARBON FOOTPRINT TRACKING AND SUSTAINABILITY ADVISOR

Submitted in the partial fulfilment for the Course of

CSA1016-Software engineering

to the award of the degree of

BACHELOR OF TECHNOLOGY

IN

ARTIFICIAL INTELLIGENCE AND DATA SCIENCE

Submitted by

S. Divyasri (192524388)

Under the Supervision of

Dr.K.Anitha Davamani

SIMATS ENGINEERING

Saveetha Institute of Medical and Technical Sciences

Chennai-602105

July- 2026

Table of Contents

S.NO	TITLES	PAGENUMBER
1	Abstract	3
2	Understand the Problem Statement	5
3	Identify Key Stakeholders and Challenges	7
4	Analyze the Current Approach	9
5	Propose a Suitable Solution Using Software Engineering Principles	11
6	Justify the Chosen Methodology/Framework	15
7	Discuss Expected Outcomes and Limitations	16
8	User Personas and Use-Case Scenarios	19
9	Risk Assessment Matrix	20
10	Key Performance Indicators (KPIs)	21
11	Assumptions and Constraints	22
12	Conclusion	23
13	References	24

1.ABSTRACT

Climate change and rising greenhouse gas emissions have made it increasingly important for individuals to understand and reduce their environmental impact. However, many people are unaware of how their daily activities, such as transportation, electricity consumption, food choices, and waste generation, contribute to their personal carbon footprint. Existing carbon footprint calculators often provide only static estimates and lack personalized guidance for long-term behavioral change.

CARBONSENSE: AI-Based Personal Carbon Footprint Tracking and Sustainability Advisor is an intelligent system designed to monitor, analyze, and reduce an individual's carbon emissions through data-driven insights and artificial intelligence. The proposed system allows users to record daily lifestyle activities, including travel, energy usage, food consumption, water usage, and waste generation. Using standard carbon emission factors, the application calculates the user's carbon footprint and presents the results through an interactive dashboard.

The system incorporates machine learning techniques to analyze historical user data, predict future carbon emissions, identify high-emission activities, and generate personalized sustainability recommendations. Based on the user's habits, the AI advisor suggests practical actions such as using public transportation, reducing electricity consumption, adopting energy-efficient appliances, minimizing food waste, and choosing environmentally friendly alternatives. The platform also includes sustainability scores, progress tracking, and gamification features such as rewards and achievement badges to encourage continuous eco-friendly behavior.

The proposed solution aims to increase environmental awareness, promote sustainable living, and support global efforts to reduce carbon emissions. By combining carbon footprint estimation, predictive analytics, and personalized AI-driven recommendations, CarbonSense provides users with an effective and user-friendly tool for monitoring their environmental impact and making informed decisions that contribute to a greener and more sustainable future.

1. UNDERSTAND THE PROBLEM STATEMENT

1.1 Problem Explanation

Climate change has made it essential for individuals to understand and reduce the environmental impact of their everyday choices. However, most people have no reliable way of knowing how much carbon dioxide their daily activities — commuting, using electricity, eating, and shopping — actually generate. Existing carbon calculators only give a rough, one-time estimate rather than an ongoing picture of a person's environmental impact. As a result, individuals cannot identify which specific habits are the biggest contributors to their carbon footprint, nor do they receive practical, personalized guidance on how to change those habits. CarbonSense addresses this gap by proposing an AI-powered platform that continuously tracks a user's lifestyle data, calculates their carbon footprint in near real time, and delivers personalized, actionable recommendations to help them live more sustainably.

At its core, the problem is one of an information and feedback gap between individual behavior and its environmental consequences. A person may drive to work, order food delivery, purchase new clothing, or leave appliances running without ever perceiving a tangible connection between these actions and their cumulative carbon impact. Behavioral science research consistently shows that people are far more likely to change habits when they receive frequent, specific, and personally relevant feedback rather than abstract, generalized statistics about global emissions. This is precisely the feedback loop that current tools fail to provide: they present a one-off number rather than an ongoing narrative of cause, effect, and improvement.

The problem is further compounded by the fragmented nature of the data required to calculate an accurate footprint. Transportation emissions depend on distance, mode, and vehicle type; energy emissions depend on consumption patterns and the regional energy mix; food-related emissions depend on diet composition and sourcing; and shopping-related emissions depend on product categories and manufacturing footprints. No single existing consumer tool aggregates all four domains continuously, applies AI-based inference to fill gaps in incomplete data, and translates the result into specific, achievable behavioral recommendations. CarbonSense is conceived specifically to close this multi-domain, continuous-feedback gap through an integrated, intelligent, and engaging digital platform.

1.2 Objectives of the Proposed System

- Continuously calculate an individual user's daily and cumulative carbon footprint using AI-based estimation models.
- Collect and process lifestyle data across four key domains: transportation, energy usage, food consumption, and shopping.
- Apply machine learning techniques to detect emission patterns and predict future carbon output.
- Generate personalized, context-aware sustainability recommendations tailored to each user's habits.
- Provide visual dashboards that let users track progress toward self-defined carbon-reduction goals.
- Use gamification (badges, streaks, challenges, rewards) to sustain long-term behavioral change.
- Produce periodic analytical reports summarizing a user's environmental performance.
- Raise climate-change awareness through embedded educational content and data-driven insights.

1.3 Scope of the Problem

The scope of CarbonSense covers the design and development of a cross-platform (web and mobile) application that estimates individual-level carbon emissions from four lifestyle categories — transport, energy, food, and shopping — using a combination of user-entered data, connected IoT/smart-meter feeds, and third-party APIs (e.g., map/transport and utility data). The system covers real-time and historical emission tracking, AI-driven prediction and recommendation engines, a rewards/gamification module, and reporting dashboards. It is scoped to individual consumers rather than enterprise-level carbon accounting, and it does not attempt to replace certified carbon-offset auditing or regulatory emissions reporting; its purpose is behavioral awareness and voluntary lifestyle change rather than legal compliance.

Geographically, the initial scope targets urban and semi-urban individual users in regions where transportation, utility, and retail data APIs are reasonably accessible, with the architecture designed to extend to additional regions as data partnerships grow. Temporally, the scope covers the full lifecycle from onboarding and initial baseline footprint calculation, through continuous day-to-day

tracking, to long-term (multi-month/multi-year) trend analysis and goal achievement. The following table summarizes what is explicitly included and excluded from the system's scope.

In Scope	Out of Scope
Individual/household carbon footprint tracking across transport, energy, food, and shopping	Enterprise/organizational carbon accounting and audit-grade emissions reporting
AI-based emission estimation and short-term forecasting	Certified carbon-offset trading or verification services
Personalized recommendations and gamified engagement	Legal/regulatory compliance reporting for governments or corporations
Web and mobile (Android/iOS) client applications	Hardware manufacturing of IoT sensors (the system only integrates with existing devices)
Integration with existing third-party transport, utility, and retail APIs	Building proprietary smart-meter or vehicle-telemetry hardware

2. IDENTIFY KEY STAKEHOLDERS AND CHALLENGES

2.1 Stakeholders and Their Roles

Stakeholder	Role	Responsibilities
End Users (Individuals)	Primary consumers of the app	Log activities, review dashboards, act on recommendations, set reduction goals
Development Team	Designers, developers, testers	Build, test, and maintain the application; implement AI models and UI
Data Scientists / ML Engineers	Model builders	Develop emission-estimation and prediction models; train and validate on lifestyle data
Third-Party Data Providers	External data sources	Supply transport, energy, and retail emission-factor data via APIs
Environmental Organizations / NGOs	Content & standards partners	Provide verified emission factors, sustainability tips, and educational content
Government / Regulatory Bodies	Policy influencers	Set carbon-reporting standards and data-privacy regulations the system must respect
Businesses / Retailers (optional partners)	Reward sponsors	Offer eco-friendly products/discounts redeemable through the gamification module

Stakeholder	Role	Responsibilities
System Administrators	Operations	Manage servers, monitor performance, ensure uptime and data security

2.2 Major Challenges and Issues

Each stakeholder group in CarbonSense faces a distinct set of pressures, and the challenges below were derived by examining the system from each stakeholder's point of view rather than treating 'the user' as the only source of risk. These challenges directly inform the non-functional requirements and risk mitigation strategies discussed later in this report.

Data accuracy and availability: Reliable emission calculation depends on accurate, granular data from users and external sources; incomplete or self-reported data can distort footprint estimates. Users may forget to log activities, underestimate quantities, or skip categories they consider unimportant, all of which degrade model accuracy over time.

User privacy and data security: Continuous tracking of location, spending, and consumption habits raises significant privacy concerns and requires strict compliance with data-protection regulations. Because lifestyle data can reveal sensitive patterns (e.g., daily routines, income level inferred from shopping habits), the system must treat this data with the same rigor as financial or health information.

Integration complexity: Connecting to diverse third-party APIs (transport, utility, retail) and IoT devices introduces technical and reliability challenges, including differing data formats, authentication mechanisms, rate limits, and inconsistent update frequencies across providers.

User engagement and retention: Sustaining long-term behavioral change is difficult; users may abandon the app once initial novelty or gamification incentives fade, a pattern commonly observed in fitness and habit-tracking applications.

Model accuracy and bias: AI predictions and recommendations must be continuously validated to avoid inaccurate or generic advice that reduces user trust; models trained primarily on data from one region or demographic may generalize poorly to others.

Scalability: The system must handle a growing user base and increasing volumes of real-time data (location pings, transaction feeds, sensor readings) without performance degradation.

Stakeholder alignment: Environmental organizations, government bodies, and commercial reward partners may have differing priorities (accuracy and standards vs. user growth vs. commercial engagement), requiring careful negotiation of data-sharing and content agreements.

Digital and economic accessibility: Not all potential users own smartphones with reliable connectivity or smart-metering infrastructure, which can limit equitable access to the platform's full feature set.

2.3 Stakeholder Impact and Priority Summary

Stakeholder	Primary Concern	Influence on Project	Engagement Priority
End Users	Ease of use, trust, motivation	High (adoption drives success)	Very High
Development Team	Technical feasibility, timeline	High	Very High
Data Scientists / ML Engineers	Model accuracy, data quality	High	High
Third-Party Data Providers	API reliability, commercial terms	Medium	Medium
Environmental Organizations / NGOs	Scientific accuracy, credibility	Medium	Medium
Government / Regulatory Bodies	Data privacy, compliance	Medium	Medium
Businesses / Retailers	Return on reward investment	Low–Medium	Low
System Administrators	Uptime, operational cost	Medium	Medium

3. ANALYZE THE CURRENT APPROACH

3.1 Existing System / Current Process

At present, most individuals estimate their carbon footprint using standalone web-based calculators (e.g., static questionnaires offered by environmental organizations) or generic sustainability apps. These tools typically require users to manually answer a fixed set of questions about their annual travel, energy bills, and consumption habits. The output is usually a single numeric estimate or a one-time report, generated once and rarely revisited. There is little to no continuous data collection, no automated integration with real-world data sources such as smart meters or transport apps, and no mechanism for tracking whether a user's behavior actually improves over time.

The typical current process follows a linear sequence: a user visits a website or opens an app, answers a series of multiple-choice or numeric-entry questions grouped by category (home energy, travel, diet, purchases), and receives an aggregate score, often expressed in tonnes of CO₂-equivalent per year, compared against a national or global average. Some tools append generic tips such as 'consider using public transport' or 'reduce meat consumption,' but these are static and identical for every user regardless of their actual habits. Once the report is generated, there is typically no persistent user account, no historical record, and no automated trigger prompting the user to repeat the assessment or check on progress.

3.1.1 Representative Comparison of Existing Tools

Capability	Typical Web Calculators	Generic Sustainability Apps	Proposed CarbonSense
Data collection	One-time manual form	Periodic manual logging	Continuous, manual + automated (IoT/API)
Personalization	None	Minimal	AI-driven, per-user
Prediction/forecasting	None	None	Yes, ML-based
Progress tracking	None	Basic history log	Full dashboards + goals
Engagement mechanism	None	Occasional notifications	Gamification + rewards
IoT/API integration	None	Rare, limited	Core design feature

3.2 Strengths of the Current Approach

- Simple and quick to use for a rough, one-time estimate.
- Low barrier to entry — no account creation or continuous data-sharing required.
- Useful as an introductory awareness tool for people unfamiliar with the concept of a carbon footprint.

3.3 Limitations and Gaps

- No continuous or real-time tracking — estimates quickly become outdated.
- Lacks personalization; recommendations, where given, are generic rather than tailored to individual habits.
- No predictive capability — existing tools cannot forecast future emissions based on trends.

- No progress tracking or goal-setting features to sustain motivation over time.
- Absence of gamification or reward mechanisms, resulting in poor long-term user engagement.
- Minimal or no integration with IoT devices, smart meters, or transport/shopping APIs for automated data capture.
- Little to no use of AI/ML for pattern recognition, anomaly detection, or adaptive recommendations.

4. PROPOSE A SUITABLE SOLUTION USING SOFTWARE ENGINEERING PRINCIPLES

4.1 Proposed Software-Based Solution

CarbonSense is proposed as a cloud-hosted, AI-powered web and mobile application that continuously collects lifestyle data, estimates carbon emissions using machine learning models, and delivers personalized sustainability recommendations through an engaging, gamified dashboard. The system follows a layered, service-oriented architecture consisting of a data-collection layer (manual entry, IoT/smart-meter feeds, third-party APIs), an AI/analytics layer (emission estimation, prediction, and recommendation engines), a data-storage layer (user profiles, activity logs, emission history), and a presentation layer (mobile and web dashboards).

4.1.1 System Architecture Overview

The architecture is organized into four logical layers that communicate through well-defined APIs, allowing each layer to scale and evolve independently:

Presentation Layer: Native mobile applications (Android/iOS) and a responsive web client provide dashboards, data-entry forms, notifications, and gamification screens. This layer communicates exclusively through a secure REST/GraphQL API gateway and never accesses the database directly.

Application/Service Layer: A set of loosely coupled microservices — User Service, Data Ingestion Service, Emission Calculation Service, Recommendation Service, Gamification Service, and Reporting Service — each own a single responsibility and can be deployed, scaled, and updated independently.

AI/Analytics Layer: Machine learning pipelines (built with frameworks such as scikit-learn/TensorFlow) consume cleaned activity data to produce emission estimates, short-term forecasts,

and ranked recommendation candidates. Models are retrained periodically on aggregated, anonymized usage data.

Data Layer: A combination of a relational database (user profiles, goals, transactional logs) and a time-series/NoSQL store (high-frequency sensor and activity data) persists all information, with an object store for generated reports and exported files.

Data flows through the system as follows: a user action (e.g., a commute, a purchase, or an automated smart-meter reading) enters through the Data Ingestion Service, which validates, normalizes, and timestamps it before writing to the data layer. The Emission Calculation Service subscribes to new activity events, applies the appropriate emission-factor model, and updates the user's running footprint total. The AI/Analytics layer periodically scans recent activity to update predictions and generate new recommendation candidates, which the Recommendation Service filters and ranks before surfacing them to the user through the Presentation Layer. The Gamification Service listens for footprint-reduction milestones and awards points or badges accordingly, while the Reporting Service aggregates data on a scheduled basis to produce weekly and monthly performance reports.




Figure 1: High-Level System Architecture of CarbonSense

4.2 Major Functional Modules

- User Management Module — registration, authentication, and profile/preference management.

- Data Collection Module — manual logging plus automated data capture via IoT devices and third-party APIs (transport, utility, retail).
- Carbon Estimation Engine — ML-based module that converts activity data into CO₂-equivalent emission values.
- Prediction & Recommendation Module — forecasts future emissions and generates personalized sustainability suggestions.
- Dashboard & Analytics Module — visualizes emissions by category, trends over time, and progress toward goals.
- Gamification Module — badges, streaks, challenges, and rewards to encourage sustained engagement.
- Reporting Module — generates periodic (weekly/monthly) sustainability performance reports.
- Notification & Education Module — sends reminders, tips, and climate-awareness content.

4.2.1 Core Data Entities

The following core entities underpin the system's data model, providing the structural backbone against which the functional modules above operate:

- User — profile, authentication credentials, location, household details, and preferences.
- Activity Log — individual entries for transport trips, energy readings, meals, and purchases, each timestamped and categorized.
- Emission Record — calculated CO₂-equivalent value linked to one or more activity log entries.
- Goal — a user-defined or system-suggested carbon-reduction target with a timeframe and progress status.
- Recommendation — a generated suggestion linked to the specific activity pattern that triggered it, with an accept/dismiss status.
- Badge/Reward — gamification artifacts earned by users, linked to specific milestones or challenges.
- Report — a generated, time-bound summary document aggregating a user's emissions and progress.

4.3 Functional and Non-Functional Requirements

Requirements are organized below by priority, using the MoSCoW convention (Must have, Should have, Could have), to reflect what is essential for a viable first release versus what can be phased into later iterations.

4.3.1 Functional Requirements

ID	Requirement	Priority
FR-1	The system shall allow users to register, log in, and manage their personal profile.	Must
FR-2	The system shall allow manual entry and automated capture of transportation, energy, food, and shopping data.	Must
FR-3	The system shall calculate carbon emissions using AI-based models and recognized emission factors.	Must
FR-4	The system shall generate personalized recommendations based on each user's activity history.	Must
FR-5	The system shall display real-time and historical emissions through interactive dashboards.	Must
FR-6	The system shall award badges/points for achieving sustainability milestones.	Should
FR-7	The system shall generate downloadable performance reports.	Should
FR-8	The system shall allow users to set and track custom carbon-reduction goals.	Should
FR-9	The system shall send push/email notifications for reminders, tips, and achievements.	Should
FR-10	The system shall support social/community comparison of sustainability performance.	Could
FR-11	The system shall allow redemption of reward points through partnered businesses.	Could

4.3.2 Non-Functional Requirements

Category	Requirement	Target Metric
Performance	The system shall process and display emission updates within a few seconds of data input.	< 3 sec response
Scalability	The architecture shall support a growing number of concurrent users without degradation.	Horizontal scaling
Security	All personal and lifestyle data shall be encrypted in transit and at rest, with role-based access control.	AES-256 / TLS 1.2+
Usability	The interface shall be intuitive enough for non-technical users across age groups.	SUS score $\geq$ 80

Category	Requirement	Target Metric
Reliability	The system shall maintain high availability for continuous tracking.	Uptime $\geq$ 99%
Maintainability	The modular design shall allow independent updates to AI models without affecting other modules.	Independent deploys
Portability	The application shall be accessible across web and mobile (Android/iOS) platforms.	Cross-platform
Compliance	The system shall handle personal data in line with applicable data-protection regulations.	GDPR-aligned

4.4 Incorporation of Software Engineering Principles

Modularity: The system is divided into independent, loosely coupled modules (data collection, estimation, recommendation, gamification, reporting), allowing each to be developed, tested, and updated separately.

Scalability: A microservices-based, cloud-hosted architecture with horizontal scaling allows CarbonSense to accommodate increasing users and data volume without redesigning the core system.

Maintainability: Clear separation of concerns (presentation, business logic, data, AI models) and well-documented APIs make the system easier to debug, extend, and upgrade over time.

Reliability: Redundant cloud infrastructure, automated monitoring, and fallback data-estimation logic (when live API data is unavailable) ensure consistent system availability.

Usability: A clean, dashboard-driven interface with visual charts, simple data-entry forms, and gamified elements ensures accessibility for non-technical users.

Security: End-to-end encryption, secure authentication (OAuth/JWT), and compliance with data-protection regulations (e.g., GDPR-aligned consent management) protect sensitive lifestyle data.

5. JUSTIFY THE CHOSEN METHODOLOGY/Framework

5.1 Selected Methodology

The Agile Scrum framework, delivered through iterative sprints, is selected as the most suitable development methodology for CarbonSense.

5.1.1 Comparison of Candidate SDLC Models

Before finalizing Agile Scrum, several established SDLC models were evaluated against the specific characteristics of the CarbonSense project — namely, evolving AI-driven requirements, the need for early user feedback, and cross-functional collaboration between developers and data scientists.

Model	Key Strengths	Limitations for This Project
Waterfall	Simple, well-documented, easy to manage for fixed requirements.	Poor fit for AI-driven features that need iterative refinement; late user feedback increases rework risk.
Spiral	Strong risk analysis at each iteration; suited to large, high-risk projects.	Heavier process overhead than needed for a single, moderately-scoped consumer application.
V-Model	Strong emphasis on verification and testing at every stage.	Rigid, sequential structure conflicts with the need to adapt AI models based on live data.
DevOps	Excellent for continuous deployment and operational automation.	Primarily an operations/delivery practice; still needs an iterative planning framework such as Scrum underneath it — adopted as a complementary practice, not a replacement.
Agile Scrum (Selected)	Iterative delivery, continuous feedback, flexible backlog, strong fit for evolving AI features.	Requires disciplined backlog management and an engaged product owner to stay effective.

5.2 Justification for the Chosen Methodology

Evolving requirements: AI-driven features such as emission-prediction accuracy and recommendation logic typically require refinement based on real user data, which Agile's iterative sprints accommodate far better than a rigid, sequential model such as Waterfall.

Early and continuous user feedback: Because user engagement is central to CarbonSense's success, Scrum's short sprint cycles (2–3 weeks) allow the team to release incremental features, gather user feedback, and adjust the recommendation and gamification logic quickly.

Incremental delivery of value: Core modules (data collection, basic dashboard) can be delivered first, with AI prediction and gamification layered in during later sprints, allowing stakeholders to see working functionality early.

Risk mitigation: Continuous testing and review at the end of each sprint help identify data-integration or model-accuracy issues early, reducing the cost of late-stage rework.

Cross-functional collaboration: Scrum's daily stand-ups and sprint reviews support close coordination between developers, data scientists, and UI/UX designers, which is essential given the AI-heavy, multidisciplinary nature of the project.

5.3 How It Supports Successful Project Development and Maintenance

Agile Scrum supports CarbonSense throughout its lifecycle by enabling the team to prioritize features via a continuously refined product backlog, validate AI model performance against real usage data each sprint, and respond quickly to changing user needs or new data-source integrations. Post-launch, the same sprint-based cadence supports ongoing maintenance — bug fixes, model retraining, and feature enhancements — without disrupting the live system, ensuring the platform can evolve as sustainability standards and user expectations change over time.

5.4 Indicative Sprint Roadmap

The following high-level roadmap illustrates how an initial release of CarbonSense could be structured across sprints, moving from foundational infrastructure to AI-driven personalization and engagement features.

Sprint	Focus Area	Key Deliverables
Sprint 1–2	Foundation	User registration/authentication, basic profile management, core database and API setup.
Sprint 3–4	Data Collection	Manual activity-logging forms; integration with first transport and utility APIs.
Sprint 5–6	Emission Engine	Baseline emission-calculation logic using established emission factors; initial dashboard.
Sprint 7–8	AI Layer v1	First machine learning model for emission prediction; basic personalized recommendations.
Sprint 9–10	Engagement	Gamification module (badges, streaks); notification and reminder system.
Sprint 11–12	Reporting & Polish	Downloadable reports, UI refinement, performance/security hardening, beta testing.

6. DISCUSS EXPECTED OUTCOMES AND LIMITATIONS

6.1 Expected Benefits of the Proposed Solution

- Accurate, continuous estimation of individual carbon emissions across all major lifestyle categories.
- Increased user awareness of which specific habits contribute most to their environmental impact.
- Measurable reduction in personal carbon footprints through AI-guided, personalized recommendations.
- Higher adoption of sustainable daily habits, supported by gamified motivation and progress tracking.
- Clear, visual sustainability performance dashboards that simplify complex emissions data.
- Stronger long-term user engagement through rewards, streaks, and challenges.
- Data-driven insights that support both individual decision-making and broader climate-action goals.

6.2 How the Solution Addresses the Identified Challenges

CarbonSense directly addresses the gaps identified in the current approach: continuous IoT and API-based data collection replaces one-time manual estimates; AI-driven personalization replaces generic advice; the prediction module adds forecasting capability that legacy calculators lack; and the gamification and dashboard modules solve the engagement and progress-tracking gap that causes users to abandon existing tools.

6.3 Potential Risks, Implementation Challenges, and Limitations

Data privacy risk: Continuous, detailed tracking of personal habits creates a high-value target for data breaches, requiring rigorous security investment.

Dependency on third-party data: The accuracy of emission estimates is partly dependent on external APIs and data providers, which may be inconsistent, rate-limited, or discontinued.

Model accuracy limitations: AI predictions are only as good as the training data available; underrepresented regions, activities, or demographics may receive less accurate estimates initially.

User adoption and behavioral limits: Even accurate recommendations may not translate into real behavioral change, since habit formation depends on factors beyond the app's control.

Implementation cost and complexity: Integrating multiple external data sources, building and continuously retraining ML models, and maintaining a gamification/rewards ecosystem require significant development and operational resources.

6.4 Suggested Future Enhancements

- Integration with smart-home and wearable IoT devices for fully automated, passive data capture.
- Community and social features that allow users to compare progress with friends or local groups.
- Partnerships with businesses for verified carbon-offset purchases directly within the app.
- Expansion of the recommendation engine using reinforcement learning to improve personalization over time.

7. USER PERSONAS AND USE-CASE SCENARIOS

To ground the requirements and design decisions described above in realistic usage, this section presents three representative user personas along with a corresponding use-case scenario for each, illustrating how CarbonSense would be used in practice.

7.1 Persona 1 — The Urban Commuter

Age 28, works in a city office, commutes daily by a mix of car and public transport, and orders food delivery several times a week. Primary motivation: understanding which commuting choice is genuinely lower-carbon, and reducing food-delivery packaging waste.

Use Case: Each morning, the app automatically logs the commuter's trip via location and transport-API integration, calculates the emissions for that specific route and mode, and — if a lower-carbon alternative (e.g., a transit line) is available for a similar travel time — surfaces it as a specific, one-tap-actionable recommendation before the next commute.

7.2 Persona 2 — The Budget-Conscious Household Manager

Age 41, manages a family household, is attentive to utility bills, and shops primarily for groceries and household goods. Primary motivation: reducing both cost and environmental impact simultaneously.

Use Case: The household manager connects their smart electricity meter to CarbonSense. The system detects an unusual spike in evening energy usage, correlates it with a specific appliance-usage pattern, and recommends a specific, quantified change (e.g., shifting laundry to off-peak hours), showing both the estimated carbon and cost savings.

7.3 Persona 3 — The Sustainability-Motivated Student

Age 21, university student, highly engaged with climate issues, active on social media, motivated by community and recognition. Primary motivation: measurable proof of positive impact and social validation.

Use Case: The student joins a monthly 'low-carbon challenge' within the app, competes on an opt-in leaderboard with friends, and earns a badge for a five-week streak of reduced emissions, which they can share externally, reinforcing continued engagement.

8. RISK ASSESSMENT MATRIX

The table below consolidates the risks identified throughout this report into a structured risk register, rating each by likelihood and impact, and pairing it with a corresponding mitigation strategy.

Risk	Likelihood	Impact	Mitigation Strategy
Data privacy breach	Medium	High	End-to-end encryption, strict access control, regular security audits, data minimization.
Inaccurate AI predictions	Medium	Medium	Continuous model validation, human-reviewed emission factors, user feedback loop on recommendations.
Third-party API downtime/deprecation	Medium	Medium	Fallback estimation logic, multiple provider options, cached historical data.
Low user retention	High	High	Gamification, personalized nudges, iterative UX testing based on engagement analytics.
Scalability bottlenecks	Low	High	Cloud-native microservices architecture with horizontal auto-scaling.
Regulatory non-compliance	Low	High	Legal review of data-handling practices, GDPR-aligned consent flows, regular compliance audits.
Model bias across regions/demographics	Medium	Medium	Diverse training data, region-specific emission factors, periodic bias audits.

9. KEY PERFORMANCE INDICATORS (KPIs)

To evaluate whether CarbonSense achieves its stated objectives after deployment, the following key performance indicators are proposed, spanning adoption, engagement, environmental impact, and technical performance.

KPI Category	Metric	Owner
User Adoption	Number of active registered users; month-over-month growth rate.	Product/Growth
Engagement	Average weekly active sessions per user; feature usage rate (logging, dashboard views).	Product
Retention	30/60/90-day user retention rate.	Product
Behavioral Impact	Average reduction in tracked carbon footprint per active user over 3/6 months.	Environmental
Recommendation Effectiveness	Percentage of recommendations accepted/acted upon by users.	AI/Product
Model Accuracy	Mean absolute error of predicted vs. actual emissions on validation data.	Data Science
System Reliability	Uptime percentage; average API response latency.	Engineering
Data Security	Number of reported security incidents; time-to-resolution.	Engineering

10. ASSUMPTIONS AND CONSTRAINTS

10.1 Assumptions

- Users have access to a smartphone or web browser with a stable internet connection for at least part of the day.
- Third-party transport, utility, and retail data providers offer APIs that can be integrated within reasonable commercial or open terms.
- Users are willing to grant the permissions (location, transaction data, smart-meter access) necessary for automated tracking, subject to informed consent.
- Publicly available or licensed emission-factor datasets are sufficiently accurate for the target regions at launch.
- The organization deploying CarbonSense has access to cloud infrastructure capable of supporting the proposed microservices architecture.

10.2 Constraints

- Budget and team size will determine the pace at which the sprint roadmap in Section 5.4 can be executed.
- Data-protection regulations in different regions may require region-specific handling of personal data, affecting rollout sequencing.
- Model accuracy at launch will be limited by the size and diversity of available training data until sufficient real-world usage data is collected.
- Dependency on external APIs means feature availability may vary by region based on provider coverage.

11. GLOSSARY OF TERMS

Term	Definition
Carbon Footprint	The total amount of greenhouse gases, expressed as CO ₂ -equivalent, generated by an individual's or entity's activities.
CO₂-equivalent (CO₂e)	A standardized unit that expresses the impact of different greenhouse gases in terms of the equivalent amount of carbon dioxide.
Emission Factor	A coefficient used to convert activity data (e.g., kilometers driven, kilowatt-hours used) into an estimated quantity of emissions.
Gamification	The use of game-design elements (points, badges, challenges) in non-game contexts to increase user engagement.
IoT (Internet of Things)	Network of physical devices (e.g., smart meters, sensors) that collect and exchange data over the internet.
Microservices	An architectural style that structures an application as a collection of small, independently deployable services.
MoSCoW Prioritization	A requirements-prioritization technique categorizing items as Must, Should, Could, or Won't have.
Scrum	An Agile framework that structures work into fixed-length iterations called sprints, supported by defined roles and ceremonies.
SDLC	Software Development Life Cycle — the structured process followed to plan, design, build, test, and maintain software.

13. CONCLUSION

The **CARBONSENSE: AI-Based Personal Carbon Footprint Tracking and Sustainability Advisor** project presents an intelligent and user-friendly solution for helping individuals understand and reduce their environmental impact. By collecting data on daily activities such as transportation, electricity consumption, food habits, water usage, and waste generation, the system accurately estimates a user's carbon footprint and provides meaningful insights into their contribution to greenhouse gas emissions.

The integration of artificial intelligence enhances the system by analyzing user behavior, predicting future carbon emissions, and delivering personalized sustainability recommendations. These recommendations encourage users to adopt environmentally responsible practices, such as using public transportation, conserving energy, reducing waste, and making sustainable lifestyle choices. The inclusion of progress tracking, sustainability scores, and gamification features further motivates users to achieve their environmental goals.

Overall, CarbonSense demonstrates how AI can be effectively applied to address real-world environmental challenges by promoting awareness, informed decision-making, and long-term behavioral change. The proposed system not only benefits individual users but also contributes to broader sustainability initiatives and climate action efforts. With future enhancements such as IoT integration, smart device connectivity, and real-time data collection, CarbonSense has the potential to become a comprehensive platform for personal environmental management and sustainable living.

14. REFERENCES

- [1] Intergovernmental Panel on Climate Change (IPCC), *Climate Change 2023: Synthesis Report*. Geneva, Switzerland: IPCC, 2023.
- [2] International Energy Agency (IEA), *CO₂ Emissions in 2023*. Paris, France: International Energy Agency, 2024.
- [3] United States Environmental Protection Agency (EPA), *Carbon Footprint Calculator Methodology*. Washington, DC, USA: U.S. Environmental Protection Agency, 2024.

- [4] World Resources Institute (WRI) and World Business Council for Sustainable Development (WBCSD), *The Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard*, Revised Edition, 2023.
- [5] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed. New York, NY, USA: Springer, 2009.
- [6] A. Géron, *Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow*, 3rd ed. Sebastopol, CA, USA: O'Reilly Media, 2022.
- [7] F. Pedregosa *et al.*, "Scikit-learn: Machine Learning in Python," *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [8] W. McKinney, *Python for Data Analysis*, 3rd ed. Sebastopol, CA, USA: O'Reilly Media, 2022.
- [9] The Pandas Development Team, *pandas: Powerful Data Analysis Toolkit*. Available: <https://pandas.pydata.org>
- [10] NumPy Developers, *NumPy User Guide*. Available: <https://numpy.org>
- [11] Plotly Technologies Inc., *Plotly Python Graphing Library Documentation*. Available: <https://plotly.com/python/>
- [12] United Nations, *Sustainable Development Goals (SDGs): Goal 13 – Climate Action*. Available: <https://sdgs.un.org/goals/goal13>