DOM5 Page No. Dungashur & Date / / 1BM19CSO54 WAP that wester a user interface to perform, The integer division. The user enters two nos. withe tent field when the tent fields, Neum I and Norm 2, They division of Numland Num 2 is displayed in the Kesult field auhun the Divide button is eliclaed of Num 1 or Num 2 our not an integer, the program mould throw a Number Formal Enpission. If News aure 200, the grogram would throw an Arthundic . Inp Enighan Display the implian in a missay dialog lon. import jaine aut it ; import jana aut event +; public class Division entinds Frame implements Schönlistener ? string may; (enttield num!, num2, ris; Lable 11, 12, 13; Button div! public Division () 1

set huyout ( new Flour hayout ()); Label ("Division", Lubel . RIOHT); 12 = new label ("Dinisor", Label. RIGHT) 13 = Leve Label ("Result", Label, RIGHT) pum 1= run Tent Fild (10); rum 2= new Tent Field (10); no = nem (int Field (10); din = run Button ("DIVIDE"); add (LI) add (num 1); add (L2); add ( num 2);

John Rome Page No. add (L3) add (us) add (div) din add Action histern (this); add Window Listener Com Mephindown public word action Performed (Sation Event ac) ... run 1= Intiger parsent (this hum 1 get num2 = Integer - parset tot ( this . num2-get nsy = "Operation Dunssful");
repaint (); exter (Number Format Enception e) Dystin-out printlnles; nsy = "Number Format Energtion -Non-numeric" > j try 1 if (num 2 = = 0) throw nu Arithanilic Smuption (); (Sictimitie Enception e) { System, out printly 6" tant be directed my zuo 'tels' Scanned with CamScanner

DOM5 Page No. Duyushin Telo BMIGCSOSG = " lant be divided Scanned with CamScanner