aws login account - Yahoo Indi | S3 buckets | S3 | ap-south-1

ap-south-1.console.aws.amazon.com/s3/buckets?region=ap-south-1

aws | Search [Alt+S] | Asia Pacific (Mumbai) | P Divyasri (8557-6278-5885) | P Divyasri

Amazon S3 > Buckets

Successfully created bucket "vcubeamazon-s3-bucket"
To upload files and folders, or to configure additional bucket settings, choose **View details**.

View details

Buckets

General purpose buckets | All AWS Regions | Directory buckets

General purpose buckets (1) Info

Buckets are containers for data stored in S3.

Copy ARN | Empty | Delete | Create bucket

Find buckets by name

Name	AWS Region	Creation date
vcubeamazon-s3-bucket	Asia Pacific (Mumbai) ap-south-1	March 5, 2026, 11:34:41 (UTC+05:30)

Account snapshot Info

View dashboard

Updated daily

Storage Lens provides visibility into storage usage and activity trends.

External access summary Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy | Terms | Cookie preferences

Search | 29°C Sunny | ENG IN | 11:34 05-03-2026

aws login account - Yahoo Indi | Upload objects - S3 bucket vcu

ap-south-1.console.aws.amazon.com/s3/upload/vcubeamazon-s3-bucket?region=ap-south-1

aws | Search [Alt+S] | Ask Amazon Q | Asia Pacific (Mumbai) | P Divyasri (8557-6278-5885) | P Divyasri

Amazon S3

Upload succeeded
For more information, see the **Files and folders** table.

After you navigate away from this page, the following information is no longer available.

Summary

Destination	Succeeded	Failed
s3://vcubeamazon-s3-bucket	1 file, 90.7 KB (100.00%)	0 files, 0 B (0%)

Files and folders | Configuration

Files and folders (1 total, 90.7 KB)

Find by name

1

Name	Folder	Type	Size	Status	Error
arr.jpg	-	image/jpeg	90.7 KB	Succeeded	-

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | 29°C Sunny | ENG IN | 11:37 05-03-2026

aws login account - Yahoo Indi | vcubeamazon-s3-bucket - S3 b | vcubeamazon-s3-bucket.s3.ap

vcubeamazon-s3-bucket.s3.ap-south-1.amazonaws.com/arr.jpg

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
▼<Error>
  <Code>AccessDenied</Code>
  <Message>Access Denied</Message>
  <RequestId>RHSBT5SCW6K1D72D</RequestId>
  <HostId>tr1omtuoPt3kx6myP5vc+UprGCe8Y/8Wi/huSxTI6dCAf4/7rFcYiFYec9eqQ0wfaEgJ5d5a3W9gZ5Jkgve0tu/F13UDIbAm</HostId>
</Error>
```


Search

29°C Sunny

ENG IN

11:45 05-03-2026

aws login account - Yahoo Indi | Edit Block Public Access settin | vcubeamazon-s3-bucket.s3.ap

ap-south-1.console.aws.amazon.com/s3/bucket/vcubeamazon-s3-bucket/property/bpa/edit?region=ap-south-1

Search [Alt+S] Ask Amazon Q | Asia Pacific (Mumbai) | P Divyasri (8557-6278-5885) | P Divyasri

Amazon S3 > Buckets > vcubeamazon-s3-bucket > Edit Block public access (bucket settings)

Edit Block public access (bucket settings) Info

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more

- [ ] **Block *all* public access**
  Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.
  - [ ] **Block public access to buckets and objects granted through *new* access control lists (ACLs)**
    S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
  - [ ] **Block public access to buckets and objects granted through *any* access control lists (ACLs)**
    S3 will ignore all ACLs that grant public access to buckets and objects.
  - [ ] **Block public access to buckets and objects granted through *new* public bucket or access point policies**
    S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
  - [ ] **Block public and cross-account access to buckets and objects through *any* public bucket or access point policies**
    S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Cancel | Save changes

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | 29°C Sunny | ENG IN | 11:46 05-03-2026

aws login account - Yahoo Indi | vcubeamazon-s3-bucket - S3 b | vcubeamazon-s3-bucket.s3.ap

vcubeamazon-s3-bucket.s3.ap-south-1.amazonaws.com/arr.jpg

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
▼<Error>
  <Code>AccessDenied</Code>
  <Message>Access Denied</Message>
  <RequestId>G3Y2Z63WQYTNTQJD</RequestId>
  <HostId>frpSM6s3yAyKuYWyZekNipTAHrGO9muObBGkyPwN7be3sidyNyXC44mt7ZYvGXIDmSBe7SEQpls=</HostId>
</Error>
```


Search

29°C Sunny

ENG IN

11:46 05-03-2026

aws login account - Yahoo Indi | vcubeamazon-s3-bucket - S3 b | vcubeamazon-s3-bucket.s3.ap

ap-south-1.console.aws.amazon.com/s3/buckets/vcubeamazon-s3-bucket?region=ap-south-1&tab=objects

Search [Alt+S] Ask Amazon Q Asia Pacific (Mumbai) P Divyasri

Amazon S3 > Buckets > vcubeamazon-s3-bucket

vcubeamazon-s3-bucket Info

Objects | Metadata | Properties | Permissions

Share "arr.jpg" with a presigned URL

Presigned URLs are used to grant access to an object for a limited time. Learn more

Anyone can access the object with this presigned URL until it expires, even if the bucket, and object are private.

Time interval until the presigned URL expires

Using the S3 console, you can share an object with a presigned URL for up to 12 hours or until your session expires. To create a presigned URL with a longer time interval, use the AWS CLI or AWS SDK. Time intervals for presigned URLs can be restricted by your IAM policy.

- (●) Minutes
- ( ) Hours

Number of minutes

5

Must be a whole number between 1 and 720.

After you create the presigned URL, it's automatically copied to your clipboard.

Cancel | Create presigned URL

Objects (1/1)

Objects are the fundamental entities stored in Amazon S3. You can ... objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix

Actions | Create folder | Upload

Name	Type		Storage class
arr.jpg	jpg	90.7 KB	Standard

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

29°C Sunny ENG IN 11:48 05-03-2026

aws login account - Yahoo Indi | vcubeamazon-s3-bucket - S3 b | vcubeamazon-s3-bucket.s3.ap | arr.jpg (704×1600)

vcubeamazon-s3-bucket.s3.ap-south-1.amazonaws.com/arr.jpg?response-content-disposition=inline&X-Amz-Content-Sha256=UNSIGNED-PAYLOAD&X-Amz-Security-Token=IQoJb3JpZ2luX2...

```java
import java.util.Arrays;
import java.util.Arrays;
import java.util.PriorityQueue;

public class Graph2 {

        static class Edge
            int src;
            int dest;
            int wt;

            public Edge(int src,int dest,int wt){
                this.src = src;
                this.dest = dest;
                this.wt = wt;
            }
        }

        public static void createGraph(Array<int>[]<Edge> graph[]) {
            for(int i=0; i<graph.length; i++) {
            graph[i] = new Array<int>();
            }
            graph[0].add(new Edge(0, 1, 1));
            graph[0].add(new Edge(0, 2, 1));

            graph[1].add(new Edge(1, 0, 1));
            graph[1].add(new Edge(1, 3, 1));

            graph[2].add(new Edge(2, 0, 1));

            graph[3].add(new Edge(3, 1, 1));

            graph[3].add(new Edge(3, 2, 1));
            graph[3].add(new Edge(3, 4, 1));
            }

    public static  class Pair implements Comparable<Pair>{
        int node;
        int dist;

        public Pair(int node,int dist){
            this.node = node;
            this.dist = dist;
        }

        @Override
        public int compareTo(Pair p){
            return this.dist-p.dist;
        }
    }

    public static void dijkstra(Array<int>[]<Edge>[] graph,int src,int V){
        PriorityQueue<Pair> pq = new PriorityQueue<>();
        int[] dist = new int[V];
        boolean[] vis = new boolean[V];
        for (int i = 0; i < V; i++) {
            vis[i]=false;
            dist[i] = Integer.MAX_VALUE;
        }
        }

        pq.add(new Pair(src, 0));
        while (!pq.isEmpty()) {
            Pair curr = pq.remove();
            if (!vis[curr.node]) {
                for (Edge e : graph[curr.node]){
                    int d = e.dest;
                    int w = e.wt;
                    if(dist[d]>e.wt+dist[e]){
                        dist[d] = dist[e]+e.wt;
                        pq.add(new Pair(d,dist[d]));
                    }
                }
            }
        }

        System.out.println(Arrays.toString(dist));
    }
    public static void main(String[] args) {
        int V = 5;
        Array<int>[]<Edge> graph[] = new Array<int>[V];
        createGraph(graph);
        dijkstra(graph, 0, V);
    }
}
```

Search
29°C Sunny
ENG IN
11:48 05-03-2026

AWS Command Line Interface
User Guide for Version 2

- About the AWS CLI
- Get started
  - Prerequisites
  - Install/Update
  - Past releases
  - Build and install from source
  - Amazon ECR Public/Docker
  - Setup
- Configure the AWS CLI
- Authentication and access credentials
- Using the AWS CLI
- AWS CLI examples
- Security
- Migration guide
- Uninstall
- Document History

Install and update re

- We support the AWS C
- Admin rights to install

Install or update the

To update your current inst … e you update to overwrite previo … sion was released, see the AWS CLI v

1. Download and run the … https://awscli.amazona … Alternatively, you can r

```
C:\> msiexec.exe
```

For various parameters that can be used with `msiexec`, see msiexec on the *Microsoft Docs* website. For example, you can use the `/qn` flag for a silent installation.

```
C:\> msiexec.exe /i https://awscli.amazonaws.com/AWSCLIV2.msi /qn
```

2. To confirm the installation, open the **Start** menu, search for `cmd` to open a command prompt window, and at the command prompt use the `aws --version` command.

On this page

- AWS CLI install and update instructions
- Troubleshooting AWS CLI install and uninstall errors
- Next steps

Recommended tasks

Learn about

Understand supported AWS Regions for CloudShell service

How to

Verify Session Manager plugin installation and test access

Install and update the Session Manager plugin on Windows

Recently added to this guide

Search
29°C Sunny
ENG IN
11:52 05-03-2026

aws login account - Yahoo | Create access key | IAM | vcubearnazon-s3-bucket | arr.jpg (704×1600) | aws cli install windows - Y | Installing or updating to t

us-east-1.console.aws.amazon.com/iam/home?region=ap-south-1#/security_credentials/access-key-wizard

aws | Search [Alt+S] | Global | P Divyasri (8557-6278-5885) | P Divyasri

IAM > Security credentials > Create access key

This is the only time that the secret access key can be viewed or downloaded. You cannot recover it later. However, you can create a new access key any time.

Step 1
Alternatives to root user access keys

Step 2
Retrieve access key

Retrieve access key Info

Access key

If you lose or forget your secret access key, you cannot retrieve it. Instead, create a new access key and make the old key inactive.

Access key	Secret access key
AKIA4OP3P2ZOZQPX2G67	********** Show

Access key best practices

- Never store your access key in plain text, in a code repository, or in code.
- Disable or delete access key when no longer needed.
- Enable least-privilege permissions.
- Rotate access keys regularly.

For more details about managing access keys, see the best practices for managing AWS access keys.

Download .csv file | Done

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | 32°C Sunny | ENG IN | 12:02 05-03-2026

Command Prompt

```
Microsoft Windows [Version 10.0.26200.7840]
(c) Microsoft Corporation. All rights reserved.

C:\Users\pdivy>aws configure
AWS Access Key ID [****************QYUM]: AKIA4OP3P2ZOZQPX2G67
AWS Secret Access Key [****************pH4v]: 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
Default region name [None]:
Default output format [None]:

C:\Users\pdivy>cd onedrive\desktop

C:\Users\pdivy\OneDrive\Desktop>cd anisble
The system cannot find the path specified.

C:\Users\pdivy\OneDrive\Desktop>aws s3 ls
2026-03-05 11:34:41 vcubeamazon-s3-bucket

C:\Users\pdivy\OneDrive\Desktop>aws s3 cp s3://vcubeamazon-s3-bucket/arr.jpg arr.jpg
download: s3://vcubeamazon-s3-bucket/arr.jpg to .\arr.jpg

C:\Users\pdivy\OneDrive\Desktop>
```

Search

32°C Sunny

ENG IN

12:10 05-03-2026

aws login accou | Edit bucket polic | vcubeamazon-s | arr.jpg (704×160 | aws cli install wi | Installing or upd | sample s3 bucke | amazon web ser
stackoverflow.com/questions/45306696/s3-bucket-policy-allow-full-access-to-a-bucket-and-all-its-objects

Sign in to stackoverflow.com with google.com
Divya Sri
pdivyasri4@gmail.com
Chatarajupalli. dharani
chatarajupallidharani@gmail.com
Div P

Add a comment

2 Answers

Sorted by: Highest score (default)

49

Permissions against the Bucket are separate to permissions against Objects within the Bucket. Therefore, you must grant permissions to both.

Fortunately, you can write a shorter version to combine bucket-level and object-level permissions:

```
{
  "Id": "BucketPolicy",
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "AllAccess",
      "Action": "s3:*",
      "Effect": "Allow",
      "Resource": [
        "arn:aws:s3:::my-bucket",
        "arn:aws:s3:::my-bucket/*"
      ],
      "Principal": "*"
    }
  ]
}
```

Share Improve this answer Follow

answered Jul 26, 2017 at 0:54
John Rotenstein
273k 28 457 543

Sign up to request clarification or add additional context in comments.

Community activity
5893 users online
12 questions
16 answers
33 comments
109 upvotes
Popular tags
c++ python java atomic c++11 multithreading
Popular unanswered question
Atomics and thread starvation
c++ multithreading c++11 atomic
bartop 10.5k 2,748 days ago
Related

Search
32°C Sunny
ENG IN
12:14 05-03-2026

aws login accou | Edit bucket polic | vcubeamazon-s | arr.jpg (704×160 | aws cli install wi | Installing or upd | sample s3 bucke | amazon web ser

ap-south-1.console.aws.amazon.com/s3/bucket/vcubeamazon-s3-bucket/property/policy/edit?region=ap-south-1

aws | Search [Alt+S] | Asia Pacific (Mumbai) | P Divyasri (8557-6278-5885) | P Divyasri

Amazon S3 > Buckets > vcubeamazon-s3-bucket > Edit bucket policy

Amazon S3

- **Buckets**
  - General purpose buckets
  - Directory buckets
  - Table buckets
  - Vector buckets
- **Access management and security**
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- **Storage management and insights**
  - Storage Lens
  - Batch Operations
- Account and organization settings
- AWS Marketplace for S3

Bucket policy

Policy examples

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more

Bucket ARN

arn:aws:s3:::vcubeamazon-s3-bucket

Policy

```
1  {
2    "Id": "BucketPolicy",
3    "Version": "2012-10-17",
4    "Statement": [
5      {
6        "Sid": "AllAccess",
7        "Action": "s3:*",
8        "Effect": "Allow",
9        "Resource": [
10         "arn:aws:s3:::vcubeamazon-s3-bucket",
11         "arn:aws:s3:::vcubeamazon-s3-bucket/*"
12       ],
13       "Principal": "*"
14     }
15   ]
16 }
```

Edit statement
AllAccess

Remove

Add actions

Choose a service

Search services

Included
S3

Available
AI Operations
AMP
API Gateway
API Gateway V2

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | 32°C Sunny | ENG IN | 12:15 05-03-2026

aws login accou | vcubeamazon-s | vcubeamazon-s | arr.jpg (704×160 | aws cli install wi | Installing or upd | sample s3 bucke | amazon web ser

ap-south-1.console.aws.amazon.com/s3/buckets/vcubeamazon-s3-bucket?region=ap-south-1&tab=permissions

aws | Search [Alt+S] | Asia Pacific (Mumbai) | P Divyasri (8557-6278-5885) | P Divyasri

Amazon S3 > Buckets > vcubeamazon-s3-bucket

Amazon S3

- **Buckets**
  - General purpose buckets
  - Directory buckets
  - Table buckets
  - Vector buckets
- **Access management and security**
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- **Storage management and insights**
  - Storage Lens
  - Batch Operations
- Account and organization settings
- AWS Marketplace for S3

Successfully edited bucket policy.

Bucket policy

Edit | Delete

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more

Copy


```
{
  "Version": "2012-10-17",
  "Id": "BucketPolicy",
  "Statement": [
    {
      "Sid": "AllAccess",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::vcubeamazon-s3-bucket",
        "arn:aws:s3:::vcubeamazon-s3-bucket/*"
      ]
    }
  ]
}
```


CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | 32°C Sunny | ENG IN | 12:16 05-03-2026

ap-south-1.console.aws.amazon.com/s3/bucket/vcubeamazon-s3-bucket/property/website/edit?region=ap-south-1

Amazon S3 > Buckets > vcubeamazon-s3-bucket > Edit static website hosting

settings for the bucket. For more information, see Using Amazon S3 Block Public Access

Index document

Specify the home or default page of the website.

index.hmtl

Error document – *optional*

This is returned when an error occurs.

error.html

Redirection rules – *optional*

Redirection rules, written in JSON, automatically redirect webpage requests for specific content. Learn more

1

© 2026, Amazon Web Services, Inc. or its affiliates.

ap-south-1.console.aws.amazon.com/s3/buckets/vcubeamazon-s3-bucket?region=ap-south-1&tab=properties

Search [Alt+S]

Asia Pacific (Mumbai) | P Divyasri (8557-6278-5885) | P Divyasri

Amazon S3 > Buckets > vcubeamazon-s3-bucket

Amazon S3

- Buckets
  - General purpose buckets
  - Directory buckets
  - Table buckets
  - Vector buckets
- Access management and security
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- Storage management and insights
  - Storage Lens
  - Batch Operations

Account and organization settings

AWS Marketplace for S3

Successfully edited static website hosting.

Tags

You can use tags to track storage costs, organize general purpose buckets, and specify permissions for a general purpose bucket. AWS-generated tags are created by AWS and are read-only. Learn more

S3 Console now uses s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets by default. To use these APIs for tagging, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. Learn more

User-defined tags | AWS-generated tags

User-defined tags (0) Info

Delete | Add new tag

1

Key	Value - *optional*

There are no user-defined tags associated with this bucket.

Add new tag

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

32°C Sunny | ENG IN | 12:39 05-03-2026