Problem List

Submit

Premium

Description | Editorial | Solutions | Submissions

1470. Shuffle the Array

Easy · Topics · Companies · Hint

Given the array `nums` consisting of `2n` elements in the form `[x1,x2,...,xn,y1,y2,...,yn]`.

Return the array in the form `[x1,y1,x2,y2,...,xn,yn]`.

Example 1:

```
Input: nums = [2,5,1,3,4,7], n = 3
Output: [2,3,5,4,1,7]
Explanation: Since x1=2, x2=5, x3=1, y1=3, y2=4, y3=7 then the answer is
[2,3,5,4,1,7].
```

Example 2:

```
Input: nums = [1,2,3,4,4,3,2,1], n = 4
Output: [1,4,2,3,3,2,4,1]
```

Example 3:

```
Input: nums = [1,1,2,2], n = 2
Output: [1,2,1,2]
```

Constraints:

- `1 <= n <= 500`
- `nums.length == 2n`
- `1 <= nums[i] <= 10^3`

6.5K · 164 · 55 Online

Code

Java · Auto

```java
class Solution {
    public int[] shuffle(int[] nums, int n) {
        int[] result=new int[2*n];
        int index=0;
        for(int i=0;i<n;i++) {
            result[index]=nums[i];
            result[index+1]=nums[i+n];
            index+=2;
        }
        return result;
    }
}
```

Saved · Ln 5, Col 19

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 · Case 2 · Case 3

Input

nums =

[2,5,1,3,4,7]

n =

3

Output

31°C Partly sunny · Search · ENG IN · 09:48 29-07-2026

Problem List

Submit

Premium

Description | Editorial | Solutions | Submissions

Example 1:

```
Input: nums = [3,2,2,3], val = 3
Output: 2, nums = [2,2,_,_]
Explanation: Your function should return k = 2, with the first two elements of
nums being 2.
It does not matter what you leave beyond the returned k (hence they are
underscores).
```

Example 2:

```
Input: nums = [0,1,2,2,3,0,4,2], val = 2
Output: 5, nums = [0,1,4,0,3,_,_,_]
Explanation: Your function should return k = 5, with the first five elements of
nums containing 0, 0, 1, 3, and 4.
Note that the five elements can be returned in any order.
It does not matter what you leave beyond the returned k (hence they are
underscores).
```

Constraints:

- `0 <= nums.length <= 100`
- `0 <= nums[i] <= 50`
- `0 <= val <= 100`

5.3K 980 · 230 Online

Code

Java · Auto

```java
class Solution {
    public int removeElement(int[] nums, int val) {
        int k = 0;
        for (int i = 0; i < nums.length; i++) {
            if (nums[i] != val) {
                nums[k] = nums[i];
                k++;
            }
        }
        return k;
    }
}
```

Saved · Ln 10, Col 18

Testcase | >_ Test Result

Accepted Runtime: 0 ms

Case 1 · Case 2

Input

nums =

[3,2,2,3]

val =

3

Output

31°C
Mostly cloudy

Search

ENG
IN

10:00
29-07-2026

Problem List

Submit

Premium

Description | Editorial | Solutions | Submissions

26. Remove Duplicates from Sorted Array

Easy | Topics | Companies | Hint

Given an integer array `nums` sorted in **non-decreasing order**, remove the duplicates **in-place** such that each unique element appears only **once**. The **relative order** of the elements should be kept the **same**.

Consider the number of *unique elements* in `nums` to be `k`. After removing duplicates, return the number of unique elements `k`.

The first `k` elements of `nums` should contain the unique numbers in **sorted order**. The remaining elements beyond index `k - 1` can be ignored.

Custom Judge:

The judge will test your solution with the following code:

```
int[] nums = [...]; // Input array
int[] expectedNums = [...]; // The expected answer with correct length

int k = removeDuplicates(nums); // Calls your implementation

assert k == expectedNums.length;
for (int i = 0; i < k; i++) {
    assert nums[i] == expectedNums[i];
}
```

If all assertions pass, then your solution will be **accepted**.

Example 1:

```
Input: nums = [1,1,2]
Output: 2, nums = [1,2,_]
```

19.5K | 1.1K | 382 Online

Code

Java | Auto

```java
class Solution {
    public int removeDuplicates(int[] nums) {
        if (nums.length == 0) {
            return 0;
        }
        int i = 1;
        for (int j = 1; j < nums.length; j++) {
            if (nums[j] != nums[j - 1]) {
                nums[i] = nums[j];
                i++;
            }
        }
```

Saved | Ln 13, Col 18

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Input

nums =

[1,1,2]

Output

[1,2]

Expected

[1,2]

28°C
Partly sunny

Search

ENG
IN

09:22
05-08-2026

Problem List

Submit

Premium

Description | Editorial | Solutions | Submissions

53. Maximum Subarray

Medium · Topics · Companies

Given an integer array `nums`, find the subarray with the largest sum, and return *its sum*.

Example 1:

```
Input: nums = [-2,1,-3,4,-1,2,1,-5,4]
Output: 6
Explanation: The subarray [4,-1,2,1] has the largest sum 6.
```

Example 2:

```
Input: nums = [1]
Output: 1
Explanation: The subarray [1] has the largest sum 1.
```

Example 3:

```
Input: nums = [5,4,-1,7,8]
Output: 23
Explanation: The subarray [5,4,-1,7,8] has the largest sum 23.
```

Constraints:

- $1 <= nums.length <= 10^5$
- $-10^4 <= nums[i] <= 10^4$

38.2K · 571 · 247 Online

Code

Java · Auto

```java
class Solution {
    public int maxSubArray(int[] nums) {
        int currentSum = nums[0];
        int maxSum = nums[0];
        for (int i = 1; i < nums.length; i++) {
            currentSum = Math.max(nums[i], currentSum + nums[i]);
            maxSum = Math.max(maxSum, currentSum);
        }
        return maxSum;
    }
}
```

Saved · Ln 4, Col 30

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 · Case 2 · Case 3

Input

nums =

[-2,1,-3,4,-1,2,1,-5,4]

Output

6

Expected

6

28°C Partly sunny · Search · ENG IN · 09:33 05-08-2026

Problem List

Submit

Premium

Description | Editorial | Solutions | Submissions

1732. Find the Highest Altitude

Easy · Topics · Companies · Hint

There is a biker going on a road trip. The road trip consists of `n + 1` points at various altitudes. The biker starts his trip on point `0` with altitude equal `0`.

You are given an integer array `gain` of length `n` where `gain[i]` is the **net gain in altitude** between points `i` and `i + 1` for all (`0 <= i < n`). Return *the* ***highest altitude*** *of a point.*

Example 1:

```
Input: gain = [-5,1,5,0,-7]
Output: 1
Explanation: The altitudes are [0,-5,-4,1,1,-6]. The highest is 1.
```

Example 2:

```
Input: gain = [-4,-3,-2,-1,4,3,2]
Output: 0
Explanation: The altitudes are [0,-4,-7,-9,-10,-6,-3,-1]. The highest is 0.
```

Constraints:

- `n == gain.length`
- `1 <= n <= 100`
- `-100 <= gain[i] <= 100`

3.5K · 426 · 25 Online

Code

Java · Auto

```java
class Solution {
    public int largestAltitude(int[] gain) {
        int altitude = 0;
        int maxAltitude = 0;
        for (int g : gain) {
            altitude += g;
            maxAltitude = Math.max(maxAltitude, altitude);
        }
        return maxAltitude;
    }
}
```

Saved · Ln 4, Col 29

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 · Case 2

Input

gain =

[-5,1,5,0,-7]

Output

1

Expected

1

NIFTY +0.05% · Search · ENG IN · 09:39 05-08-2026

Description | Editorial | Solutions | Submissions

49. Group Anagrams

Medium | Topics | Companies

Given an array of strings `strs`, group the anagrams together. You can return the answer in **any order**.

Example 1:

Input: `strs = ["eat","tea","tan","ate","nat","bat"]`

Output: `[["bat"],["nat","tan"],["ate","eat","tea"]]`

Explanation:

- There is no string in strs that can be rearranged to form `"bat"`.
- The strings `"nat"` and `"tan"` are anagrams as they can be rearranged to form each other.
- The strings `"ate"`, `"eat"`, and `"tea"` are anagrams as they can be rearranged to form each other.

Example 2:

Input: `strs = [""]`

Output: `[[""]]`

Example 3:

Input: `strs = ["a"]`

22.4K | 425 | • 371 Online

Code

Java | Auto

```java
class Solution {
    public List<List<String>> groupAnagrams(String[] strs) {
        Map<String, List<String>> map = new HashMap<>();
        for (String str : strs) {
            char[] chars = str.toCharArray();
            Arrays.sort(chars);
            String key = new String(chars);
            map.computeIfAbsent(key, k -> new ArrayList<>()).add(str);
        }
        return new ArrayList<>(map.values());
    }
}
```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 1 ms

Case 1 | Case 2 | Case 3

Input

strs =

`["eat","tea","tan","ate","nat","bat"]`

Output

`[["eat","tea","ate"],["bat"],["tan","nat"]]`

Problem List

Description | Editorial | Solutions | Submissions

347. Top K Frequent Elements

Medium · Topics · Companies

Given an integer array `nums` and an integer `k`, return *the* `k` *most frequent elements*. You may return the answer in **any order**.

Example 1:

Input: nums = [1,1,1,2,2,3], k = 2

Output: [1,2]

Example 2:

Input: nums = [1], k = 1

Output: [1]

Example 3:

Input: nums = [1,2,1,2,1,2,3,1,3,2], k = 2

Output: [1,2]

Constraints:

19.8K · 499 · 360 Online

Code

Java · Auto

```java
class Solution {
    public int[] topKFrequent(int[] nums, int k) {
        Map<Integer, Integer> freq = new HashMap<>();
        for (int num : nums) {
            freq.put(num, freq.getOrDefault(num, 0) + 1);
        }
        List<Integer>[] buckets = new ArrayList[nums.length + 1];
        for (Map.Entry<Integer, Integer> entry : freq.entrySet()) {
            int num = entry.getKey();
            int count = entry.getValue();
            if (buckets[count] == null) {
                buckets[count] = new ArrayList<>();
            }
```

Saved · Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 · Case 2 · Case 3

Input

nums =

[1,1,1,2,2,3]

k =

2

32°C Partly sunny · Search · ENG IN · 11:20 08-08-2026

HackerRank | Prepare > Java > Data Structures > Java Dequeue | Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

In computer science, a double-ended queue (dequeue, often abbreviated to deque, pronounced deck) is an abstract data type that generalizes a queue, for which elements can be added to or removed from either the front (head) or back (tail).

Deque interfaces can be implemented using various types of collections such as `LinkedList` or `ArrayDeque` classes. For example, deque can be declared as:

```
Deque deque = new LinkedList<>();
or
Deque deque = new ArrayDeque<>();
```

You can find more details about Deque here.

In this problem, you are given N integers. You need to find the maximum number of unique integers among all the possible contiguous subarrays of size M.

Note: Time limit is 3 second for this problem.

Input Format

The first line of input contains two integers N and M: representing the total number of integers and the size of the subarray, respectively. The next line contains N space separated integers.

Constraints

$1 \leq N \leq 100000$

$1 \leq M \leq 100000$

$M \leq N$

The numbers in the array will range between $[0, 10000000]$.

Output Format

Print the maximum number of unique integers among all possible contiguous subarrays of

```
        System.out.println(maxUnique);

        sc.close();
    }
}
```

Line: 35 Col: 1

Upload Code as File | Test against custom input | Run Code | Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin) | Download

```
6 3
5 3 5 2 3 2
```

Your Output (stdout)

```
3
```

Expected Output | Download

```
3
```

Search | ENG IN | 08:50 | 12-08-2026

HackerRank | Prepare > Java > Data Structures > Java Hashset   Exit Full Screen View

Problem | Submissions | Leaderboard | Discussions

In computer science, a set is an abstract data type that can store certain values, without any particular order, and no repeated values(Wikipedia). $\{1,2,3\}$ is an example of a set, but $\{1,2,2\}$ is not a set. Today you will learn how to use sets in java by solving this problem.

You are given n pairs of strings. Two pairs (a,b) and (c,d) are identical if $a=c$ and $b=d$. That also implies (a,b) is not same as (b,a). After taking each pair as input, you need to print number of unique pairs you currently have.

Complete the code in the editor to solve this problem.

Input Format

In the first line, there will be an integer T denoting number of pairs. Each of the next T lines will contain two strings seperated by a single space.

Constraints:

- $1 \le T \le 100000$
- Length of each string is atmost 5 and will consist lower case letters only.

Output Format

Print T lines. In the i_{th} line, print number of unique pairs you have after taking i^{th} pair as input.

Sample Input

```
5
john tom
john mary
john tom
mary anna
mary anna
```

```
        System.out.println(set.size());
    }

    }
}
```

Line: 19 Col: 1

Upload Code as File   Test against custom input   Run Code   Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin)   Download

```
5
john tom
john mary
john tom
mary anna
mary anna
```

Your Output (stdout)

```
1
2
2
```

30°C Sunny   Search   ENG IN   09:11 12-08-2026