

#Wearlane — Sprint 1 cart quantities, sizes and totals test results

Site : <https://diyarbekdoskali.github.io/Retake-it-agile-group-1/>

Scope: cart quantities, product sizes, subtotal, delivery and total calculations;
related Jira responsibility CC-6.

Summary

10 planned test cases executed: *10 passed, 0 failed*. No defects observed within the checked cart flows. This is not a claim that the entire application is defect-free.

Desktop results

ID	Steps	Expected result	Actual result	Status
C01	Open the product catalogue and add one product with a selected size to the cart	The selected product and size are added to the cart with quantity 1	Product appeared in the cart with the selected size and quantity 1	Pass
C02	Add the same product and same size to the cart again	The cart combines the repeated addition and increases the quantity instead of creating an incorrect separate item	The cart updated the quantity for the repeated product/size selection.	Pass
C03	Add the same product using two different sizes	Add the same product using two different sizes. Each size is kept as	The two selected sizes were displayed	Pass

		a separate cart item so that the selected sizes are not mixed	separately in the cart	
C04	Increase the quantity of a cart item using the quantity control.	Quantity increases correctly and the item subtotal updates accordingly	Quantity increased and the corresponding subtotal was recalculated	Pass
C05	Decrease the quantity of a cart item.	Quantity decreases correctly and the item subtotal updates accordingly	Quantity decreased and the corresponding subtotal was recalculated	Pass
C06	Remove one product from the cart containing multiple items	Only the selected item is removed, and the remaining cart items stay unchanged	Selected item was removed while the remaining cart items stayed in the cart	Pass
C07	Check the cart subtotal after adding products with different quantities	Subtotal equals the sum of each item's price multiplied by its quantity	Calculated subtotal matched the displayed cart contents and quantities.	Pass
C08	Check delivery cost and the final total with products in the cart	Delivery is displayed correctly and the final total equals subtotal plus the applicable delivery cost	Delivery and final total were displayed and matched the cart calculation	Pass

Cart persistence and empty-cart results

ID	Steps	Expected result	Actual result	Status
C09	Add a product to the cart, refresh the page, and return to the cart	The cart contents, selected size and quantity remain available after refresh	Cart contents, size and quantity remained available after refresh	Pass
C10	Remove all products from the cart	Cart becomes empty and displays the appropriate empty-cart state without incorrect totals or leftover items	Cart displayed the empty-cart state and no product quantity or total remained	Pass

Calculation checks

The following calculations were checked independently during the cart review:

- *Item subtotal = product price × quantity*
- *Cart subtotal = sum of all item subtotals*
- *Total = cart subtotal + applicable delivery cost*
- Changing quantity updates the related subtotal.
- Removing an item updates the subtotal and total.
- Different sizes of the same product remain distinguishable cart items.
- An empty cart does not retain previous product quantities or totals.

Evidence

- [Desktop cart — single product](Wearlane_QA_Cart_Single_Product.jpg)
- [Desktop cart — quantity change](Wearlane_QA_Cart_Quantity.jpg)
- [Desktop cart — different sizes](Wearlane_QA_Cart_Sizes.jpg)

- [Desktop cart — subtotal and total](Wearlane_QA_Cart_Total.jpg)
- [Desktop cart — refreshed cart](Wearlane_QA_Cart_Refresh.jpg)
- [Desktop cart — empty cart](Wearlane_QA_Cart_Empty.jpg)

Review notes

Assigned responsibility — Lourdes Bibang, cart module owner.

The CC-6 review focused specifically on cart behaviour rather than the whole application. The tested areas were:

1. Adding products to the cart.
2. Repeated additions of the same product and size.
3. Keeping different sizes separate.
4. Increasing and decreasing quantities.
5. Removing individual products.
6. Checking subtotal calculations.
7. Checking delivery and final total calculations.
8. Checking cart persistence after refresh.
9. Checking the empty-cart state.

No defects were observed within the checked flows.

This evidence covers the tested cart scenarios only and does not claim that the entire Wearlane application is defect-free.