



54 publications were found using the following terms:

Title: CYP

1. Comparison of DNA from blood and buccal swabs in CYP2D6 genotyping by Affymetrix p450 GeneChip and conventional methods.  
Flockhart, D. A. *et al.* Clinical Pharmacology & Therapeutics 67(2), 99, 2000.
2. Transcriptional regulation of human CYP27 integrates retinoid, peroxisome proliferator-activated receptor, and liver X receptor signaling in macrophages.  
Szanto, A. *et al.* Molecular and Cellular Biology 24(18), 8154-66, 2004.
3. Association between CYP2D6 genotype and tardive dyskinesia in Korean schizophrenics.  
Nikoloff, D. *et al.* The Pharmacogenomics Journal 2(6), 400-7, 2002.
4. Induction of CYP1A1 and CYP1B1 and formation of carcinogen-DNA adducts in normal human mammary epithelial cells treated with benzo[a]pyrene.  
Keshava, C. *et al.* Cancer Lett 221(2), 213-24, 2005.
5. Characterization of human CYP1A1/1A2 induction by DNA microarray and alpha-naphthoflavone.  
Ishida, S. *et al.* Biochemical & Biophysical Research Communications 296(1), 172-7, 2002.
6. Microarray analysis on CYPs expression in pregnant rats after treatment with pregnenolone-16alpha-carbonitrile and phenobarbital..  
Ejiri, N *et al.* Exp Mol Pathol 78(1), 71-7, 2005.
7. Estrogen receptor alpha increases basal and cigarette smoke extract-induced expression of CYP1A1 and CYP1B1, but not GSTP1, in normal human bronchial epithelial cells.  
Han, W. *et al.* Molecular Carcinogenesis 44(3), 202-11, 2005.
8. Reduction in tamoxifen-induced CYP3A2 expression and DNA adducts using antisense technology.  
Mahadevan, B. *et al.* Molecular Carcinogenesis 45(2), 118-25, 2006.
9. A PXR-Mediated Negative Feedback Loop Attenuates the Expression of CYP3A in Response to the PXR Agonist Pregnenalone-16alpha-Carbonitrile.  
Bailey, I. *et al.* Plos One 6(2), NPG, 2011.
10. CYP24A1 Is an Independent Prognostic Marker of Survival in Patients with Lung Adenocarcinoma.  
Chen, G. *et al.* Clinical Cancer Research 17(4), 817-26, 2011.
11. Expression of CYP2S1 in human hepatic stellate cells.  
Marek, C. J. *et al.* FEBS Letters 581(4), 781-6, 2007.
12. CYP2E1 induced by ethanol causes oxidative stress, proteasome inhibition and cytokeratin aggresome (Mallory body-like) formation.  
Bardag-Gorce, F. *et al.* Experimental and Molecular Pathology 81(3), 191-201, 2006.
13. Characterization of androgen-regulated expression of CYP3A5 in human prostate.  
Moilanen, A. M. *et al.* Carcinogenesis 28(5), 916-21, 2007.

14. Sequence variants at CHRN3-CHRNA6 and CYP2A6 affect smoking behavior.  
Thorgeirsson, T. E. *et al.* Nature Genetics 42(5), NPG, 2010.
15. Intestinal flora induces the expression of Cyp3a in the mouse liver.  
Toda, T. *et al.* Xenobiotica 39(4), 323-34, 2009.
16. Recalling P446. P4501A1 (CYP1A1) opting for clinical application.  
Hildebrandt, A. G. *et al.* Drug Metabolism Reviews 39(2-3), 323-41, 2007.
17. Microarray analysis of hepatic gene expression in pyrazole- mediated hepatotoxicity: Identification of potential stimuli of Cyp2a5 induction.  
Nichols, K. D. *et al.* Biochemical Pharmacology 75(2), 538-51, 2008.
18. Prediction of paclitaxel resistance in breast cancer: is CYP1B1\*3 a new factor of influence?  
Mathias, G. *et al.* Pharmacogenomics 9(7), 969-74, 2008.
19. ATF5 is a highly abundant liver-enriched transcription factor that cooperates with constitutive androstane receptor in the transactivation of CYP2B6: Implications in hepatic stress responses.  
Pascual, M. *et al.* Drug Metabolism and Disposition 36(6), 1063-72, 2008.
20. CCAAT/Enhancer-binding protein alpha (C/EBPalpha) and Hepatocyte Nuclear Factor 4alpha (HNF4alpha) Synergistically Cooperate with Constitutive Androstane Receptor to Transactivate the Human Cytochrome P450 2B6 (CYP2B6) Gene: Application to the development of a metabolically competent human hepatic cell model.  
Benet, M. *et al.* Journal of Biological Chemistry 285(37), 28457-71, 2010.
21. The Impact of CYP2D6 Genetic Polymorphisms on Postoperative Morphine Consumption.  
Candiotti, K. A. *et al.* Pain Medicine 10(5), 799-805, 2009.
22. CYP4F2 genetic variant alters required warfarin dose.  
Caldwell, M. D. *et al.* Blood 111(8), 4106-12, 2008.
23. Toxicogenomic analysis of the hepatic effects of perfluorooctanoic acid on rare minnows (Gobiocypris rarus).  
Wei, Y. H. *et al.* Toxicology and Applied Pharmacology 226(3), 285-97, 2008.
24. CYP26A1 knockout embryonic stem cells exhibit reduced differentiation and growth arrest in response to retinoic acid.  
Langton, S. *et al.* Developmental Biology 315(2), 331-54, 2008.
25. Bisphosphonate-related osteonecrosis of the jaw is associated with polymorphisms of the cytochrome P450 CYP2C8 in multiple myeloma: a genome-wide single nucleotide polymorphism analysis.  
Sarasquete, M. E. *et al.* Blood 112(7), 2709-12, 2008.
26. CYP1A1 and MT1K are congener specific biomarker genes for liver diseases induced by PCBs.  
Dutta, S. K. *et al.* Environmental Toxicology and Pharmacology 25(2), 218-21, 2008.
27. Mode of Action Analysis for the Synthetic Pyrethroid Metofluthrin-Induced Rat Liver Tumors: Evidence for Hepatic CYP2B Induction and Hepatocyte Proliferation.  
Deguchi, Y. *et al.* Toxicological Sciences 108(1), 69-80, 2009.
28. Identification and characterization of expressed sequence tags from the liver of rare minnow (Gobiocypris rarus).  
Wei, Y. H. *et al.* Comparative Biochemistry and Physiology D-Genomics & Proteomics 2(4), 356-62, 2007.

29. The Arabidopsis Absciscic Acid Catabolic Gene CYP707A2 Plays a Key Role in Nitrate Control of Seed Dormancy.  
Matakiadis, T. *et al.* Plant Physiology 149(2), 949-60, 2009.
30. The impact of CYP2E1 on the development of alcoholic liver disease as studied in a transgenic mouse model.  
Butura, A. *et al.* Journal of Hepatology 50(3), 572-83, 2009.
31. Dynamic Patterns of Histone Methylation Are Associated with Ontogenic Expression of the Cyp3a Genes during Mouse Liver Maturation.  
Li, Y. *et al.* Molecular Pharmacology 75(5), 1171-9, 2009.
32. The Osteogenic Transcription Factor Runx2 Controls Genes Involved in Sterol/Steroid Metabolism, Including Cyp11a1 in Osteoblasts.  
Teplyuk, N. M. *et al.* Molecular Endocrinology 23(6), 849-61, 2009.
33. Novel Cytochrome P450, cyp6a17, Is Required for Temperature Preference Behavior Drosophila.  
Kang, J. *et al.* Plos One 6(12), NPG, 2011.
34. CYP4F2 genetic variant alters required warfarin dose.  
Caldwell, M. D. *et al.* Blood 111(8), 4106-12, 2008.
35. The AmpliChip(TM) CYP450 Genotyping Test - Integrating a new clinical tool.  
de Leon, J. *et al.* Molecular Diagnosis & Therapy 10(3), 135-51, 2006.
36. Genetic variation of CYP2C19 affects both pharmacokinetic and pharmacodynamic responses to clopidogrel but not prasugrel in aspirin-treated patients with coronary artery disease.  
Varenhorst, C. *et al.* European Heart Journal 30(14), 1744-52, 2009.
37. The impact of pharmacogenomics on postoperative nausea and vomiting: do CYP2D6 allele copy number and polymorphisms affect the success or failure of ondansetron prophylaxis?.  
Candiotti, K. A. *et al.* Anesthesiology 102(3), 543-9, 2005.
38. CYP2D6 genotyping with oligonucleotide microarrays and nortriptyline concentrations in geriatric depression.  
Murphy, G. M., Jr. *et al.* Neuropsychopharmacology 25(5), 737-43, 2001.
39. Relationship of paroxetine disposition to metoprolol metabolic ratio and CYP2D6\*10 genotype of Korean subjects.  
Yoon, Y. R. *et al.* Clinical Pharmacology & Therapeutics 67(5), 567-76, 2000.
40. Comparison of two CYP2D6 genotyping methods and assessment of genotype-phenotype relationships.  
Chou, W. H. *et al.* Clinical Chemistry 49(4), 542-51, 2003.
41. Synergistic increases of metabolism and oxidation-reduction genes on their expression after combined treatment with a CYP1A inducer and andrographolide.  
Chatuphonprasert, W. *et al.* Chemico-Biological Interactions 182(2-3), 233-8, 2009.
42. Drug-metabolising enzymes are down-regulated by hypoxia in differentiated human hepatoma HepaRG cells: HIF-1alpha involvement in CYP3A4 repression.  
Legendre, C. *et al.* European Journal of Cancer 45(16), 2882-92, 2009.
43. Phenobarbital Mediates an Epigenetic Switch at the Constitutive Androstane Receptor (CAR) Target Gene Cyp2b10 in the Liver of B6C3F1 Mice.  
Lempiainen, H. *et al.* Plos One 6(3), NPG, 2011.

44. Sequence variants at CYP1A1-CYP1A2 and AHR associate with coffee consumption.  
Sulem, P. *et al.* Human Molecular Genetics 20(10), 2071-7, 2011.
45. Genome-Wide Meta-Analysis Identifies Regions on 7p21 (AHR) and 15q24 (CYP1A2) As Determinants of Habitual Caffeine Consumption.  
Cornelis, M. C. *et al.* Plos Genetics 7(4), NPG, 2011.
46. Controlled indole-3-acetaldoxime production through ethanol-induced expression of CYP79B2.  
Mikkelsen, M. D. *et al.* Planta 229(6), 1209-17, 2009.
47. Control of plant organ size by KLUH/CYP78A5-dependent intercellular signaling.  
Anastasiou, E. *et al.* Developmental Cell 13(6), 843-56, 2007.
48. Transcriptomic Concentration-Response Evaluation of Valproic Acid, Cyproconazole, and Hexaconazole in the Neural Embryonic Stem Cell Test (ESTn).  
Theunissen, P. T. *et al.* Toxicological Sciences 125(2), 430-8, 2012.
49. The Arabidopsis cytochrome P450 CYP707A encodes ABA 8'-hydroxylases: key enzymes in ABA catabolism.  
Kushiro, T. *et al.* EMBO Journal 23, 1647-56, 2004.
50. The Hepatocarcinogenic Conazoles: Cyproconazole, Epoxiconazole, and Propiconazole Induce a Common Set of Toxicological and Transcriptional Responses.  
Hester, S. *et al.* Toxicological Sciences 127(1), 54-65, 2012.
51. 5-Methoxyleoligin, a Lignan from Edelweiss, Stimulates CYP26B1- Dependent Angiogenesis In Vitro and Induces Arteriogenesis in Infarcted Rat Hearts In Vivo.  
Messner, B. *et al.* Plos One 8(3), NPG, 2013.
52. The Rice Semi-Dwarf Mutant sd37, Caused by a Mutation in CYP96B4, Plays an Important Role in the Fine-Tuning of Plant Growth.  
Zhang, J. *et al.* Plos One 9(2), NPG, 2014.
53. Genome-Wide Pharmacogenomic Study on Methadone Maintenance Treatment Identifies SNP rs17180299 and Multiple Haplotypes on CYP2B6, SPON1, and GSG1L Associated with Plasma Concentrations of Methadone R- and S-enantiomers in Heroin-Dependent Patients.  
Yang, H. C. *et al.* Plos One 11(3), NPG, 2016.
54. Genome-Wide Pharmacogenomic Study on Methadone Maintenance Treatment Identifies SNP rs17180299 and Multiple Haplotypes on CYP2B6, SPON1, and GSG1L Associated with Plasma Concentrations of Methadone R- and S-enantiomers in Heroin-Dependent Patients.  
Yang, H. C. *et al.* Plos Genetics 12(3), NPG, 2016.