DJBILBOX BEATS / HUMPIRE

SHAMAN

Tribal ritual synthesizer: didgeridoo, tribal drums, jaw harp, spirit flute, chant choir, fire pads, bone chimes and earth drones from eight synthesis engines.

Version 1.0 - Windows (VST3) and macOS (VST3 / Audio Unit) - Royalty-free license

Contents

SHAMAN

- Overview
- Quick start in FL Studio
- Interface
- Parameters
- Factory presets
- Production tips
- MIDI, automation and performance
- FAQ

SHAMAN

Tribal ritual synthesizer: didgeridoo, tribal drums, jaw harp, spirit flute, chant choir, fire pads, bone chimes and earth drones from eight synthesis engines.

Type	Synthesizer (instrument)
Format	VST3 64-bit (Windows); VST3 + Audio Unit, universal (macOS)
Brand / developer	HUMPIRE by DJBILBOX BEATS
Version	1.0
Factory presets	70
Latency	0 samples

Overview

SHAMAN is a synthesizer sold under the HUMPIRE brand by DJBILBOX BEATS. It uses no samples. Every sound is generated in real time by one of eight engines: Didgeridoo (a drone with moving formants and a growl), Tribal Drum (a sine with a pitch drop and a noise skin), Jaw Harp (pulses with a “boing” resonance), Spirit Flute (a reed with breath and vibrato), Chant Choir (five saws through vowel formants), Fire Pad (detuned saws with a sub and a breathing filter), Bone Chimes (a dry FM bell with a rattle) and Earth Drone (a fundamental, a fifth and an octave with a slow breathing).

Five character controls (TONE, BODY, BRIGHT, WIDTH, TEXTURE) reshape each engine. The sound then goes through a multimode filter with its own envelope, an amplitude envelope, an LFO and an effects chain: distortion, chorus, ping-pong delay and reverb. The character is earthy and ritual.

SHAMAN targets tribal and world-music beats, cinematic and ritual scoring, Afro and Latin percussion layers and dark ambient intros. 46 presets load in Poly mode with up to 16 voices; 24 load in Mono mode for single-note lines.

Quick start in FL Studio

1. In the **Channel rack**, click **+** and choose **SHAMAN** (vendor **DJBILBOX BEATS**). You can also drag it from the **Plugin database > Generators** browser.
2. The plugin opens on **SHAMAN - Init Patch**: the Didgeridoo engine in Poly mode.
3. Click the **folder icon** at the left of the preset display. Pick a bank, then a preset. You can also step through all 70 presets with the **<** and **>** arrows.
4. Play from your MIDI keyboard or draw notes in the **Piano roll**. The on-screen keyboard covers MIDI notes 36 to 84 (C3 to C7 in FL Studio naming, where middle C is C5).
5. Shape the sound with the main controls:
   - **TONE, BODY, BRIGHT, WIDTH, TEXTURE**: the four small knobs at the upper left and the TEXTURE knob at the upper right, which reshape the selected engine.
   - **CUTOFF**: the cutoff of the filter.
   - **GLIDE**: slide time between notes.
6. Adjust **VOLUME** to set the level, then click the **disk icon** to save your own version.

Interface

The window opens at 1000 x 746 pixels. Drag the bottom-right corner to resize it from 50% to 200%. The proportions stay fixed.

Preset display (top center). From left to right: the folder icon (preset menu), the **<** arrow, the current preset name, the **>** arrow and the disk icon (save). The arrows wrap around from the last preset to the first.

EXPANSION cassette (top left). Clicking the cassette opens an information message about upcoming expansion packs. No expansion content is included with version 1.0.

Logo (top right). The DJBILBOX BEATS name and the DB logo, in the right speaker area.

Center. The shaman artwork, the SHAMAN title and “By Humpire”.

Left speaker. Four small knobs: **TONE, BODY, BRIGHT, WIDTH**. Below them, the **LFO** group: **RATE, AMOUNT, TRANSPOSE** (the global transposition, -12 to +12 semitones; not an LFO control), then the **AMP ENVELOPE** sliders: **ATTACK, DECAY, SUSTAIN, RELEASE**.

Right speaker. Four small knobs: **TEXTURE, RES** (filter resonance), **ENV AMT** (filter envelope depth) and **DLY MIX** (delay level). Below them, **VOLUME, REVERB, CHORUS, DISTORTION**, then the **FILTER ENVELOPE** sliders: **ATK, DEC, SUS, REL** and **VELOCITY**.

Center knobs. The large **GLIDE** and **CUTOFF** knobs sit under the artwork. **DLY TIME** and **DLY FEEDBACK** are on the right edge.

Menu row. Five drop-down menus, each with a caption: **ENGINE** (Waveform), **LFO SHAPE**, **LFO DEST** (Destination), **FILTER TYPE** and **VOICE MODE**.

Wheels. Pitch Bend springs back to the center when you release it. **Modulation** stays where you leave it.

On-screen keyboard. Click a key to play it. Velocity follows the click position: click near the bottom of a key for a louder note. The keyboard covers MIDI notes 36 to 84 (four octaves plus one key). The key labels on screen run from C1 to C5, with middle C labeled C3; in FL Studio naming, where middle C is C5, the same range is C3 to C7. It does not scroll. For notes outside this range, use a MIDI controller or the Piano roll.

Mouse gestures. Drag a knob up or right to increase it. Drag sliders and wheels vertically. Double-click any knob or slider to return it to its default value. The mouse wheel also adjusts controls. A value bubble appears while you drag.

Parameters

Signal flow: engine, then filter, then amplitude envelope (per voice). The voices are summed, then processed by Distortion, Chorus, Delay and Reverb. A DC blocker and a soft limiter protect the output.

SHAMAN exposes 35 automatable parameters. The host name is shown in parentheses when it differs from the panel label.

Parameter	Range	Default	Function
ENGINE (Waveform menu)	Didgeridoo, Tribal Drum, Jaw Harp, Spirit Flute, Chant Choir, Fire Pad, Bone Chimes, Earth Drone	Didgeridoo	Selects the synthesis engine.
TONE	0 to 1	50 %	Character control 1. Engine-dependent (see the table below).
BODY	0 to 1	50 %	Character control 2. Engine-dependent.

Parameter	Range	Default	Function
BRIGHT (Brightness)	0 to 1	50 %	Character control 3 (brightness). Engine-dependent.
WIDTH	0 to 1	30 %	Character control 4. Engine-dependent (detune, vibrato, sweep speed…). It is not a stereo width control.
TEXTURE	0 to 1	20 %	Character control 5. Engine-dependent (noise, click, saturation…).
CUTOFF (Filter)	40 to 18,000 Hz	9,000 Hz	Filter cutoff. The cutoff follows the keyboard by 25% around middle C.
RES (Resonance)	0 to 1	15 %	Filter resonance.
FILTER TYPE (menu)	Low Pass, High Pass, Band Pass	Low Pass	Filter mode (state-variable filter, 12 dB per octave). Band Pass gets a small level boost.
ENV AMT (Filter Env Amount)	0 to 1	0 %	Filter envelope depth. At 100 % the envelope opens the cutoff up to 5 octaves. At 0 the filter envelope has no effect.
ATK (Filter Attack)	0.002 to 3 s	0.002 s	Filter envelope attack time.
DEC (Filter Decay)	0.02 to 4 s	0.3 s	Filter envelope decay time.
SUS (Filter Sustain)	0 to 1	0 %	Filter envelope sustain level.
REL (Filter Release)	0.02 to 4 s	0.3 s	Filter envelope release time.
VELOCITY (Velocity Sensitivity)	0 to 1	50 %	How much note velocity changes the level. 0: all notes at the same level. 1: full velocity response.
ATTACK	0.001 to 5 s	0.01 s	Amplitude envelope attack time.
DECAY	0.01 to 5 s	0.4 s	Amplitude envelope decay time.
SUSTAIN	0 to 1	70 %	Amplitude envelope sustain level.
RELEASE	0.02 to 8 s	0.4 s	Amplitude envelope release time.
VOLUME	0 to 1 (shown in dB)	0.7 (-3.1 dB)	Output level of each voice, before the effects.
GLIDE	0 to 2 s	0 s	Portamento. The value is roughly the slide time in seconds. Each new note slides from the pitch of the previous note, in Mono and in Poly mode. 0 turns glide off.

Parameter	Range	Default	Function
TRANSPOSE	-12 to +12 semitones	0	Global transposition in whole semitones.
RATE (LFO Rate)	0.05 to 20 Hz	4 Hz	LFO speed. Not tempo-synced. The LFO restarts at every new note.
AMOUNT (LFO Amount)	0 to 1	0 %	LFO depth. The mod wheel (on-screen or MIDI CC1) adds up to 0.8 to this value.
LFO SHAPE (LFO Source menu)	Sine, Triangle, Saw, Square, Sample&Hold	Sine	LFO shape. Sample&Hold picks a new random value once per cycle.
LFO DESTINATION (Destination menu)	Pitch, Filter, Amp, Timbre	Pitch	LFO target. Pitch: up to +/-1 semitone (vibrato). Filter: up to +/-3 octaves (wobble). Amp: up to 50% level dip (tremolo). Timbre: moves all five character controls by up to +/-0.5.
VOICE MODE (Mono/Poly menu)	Poly, Mono	Poly	Poly: up to 16 notes at once. Mono: one note at a time, last-note priority.
DISTORTION	0 to 1	0 %	Saturation on the summed output, with automatic level compensation.
CHORUS	0 to 1	0 %	Stereo chorus mix (slow, fixed rate).
DLY MIX (Delay Mix)	0 to 1	0 %	Level of the ping-pong delay.
DLY TIME (Delay Time)	0.05 to 1 s	0.35 s	Delay time in seconds. Not tempo-synced: for a quarter note, use 60 / BPM (0.5 s at 120 BPM); halve it for an eighth note.
DLY FEEDBACK (Delay Feedback)	0 to 0.9	35 %	Number of delay repeats (0 to 90% feedback).
REVERB	0 to 1	25 %	Reverb amount. Higher values also enlarge the room.
Pitch Bend wheel (Pitch Bend)	-1 to +1	0	On-screen pitch bend, +/-2 semitones. Adds to MIDI pitch bend.
Mod Wheel	0 to 1	0 %	On-screen mod wheel. Adds up to +0.8 to the LFO AMOUNT; the larger of this wheel and MIDI CC1 applies.

Character controls by engine

Engine	TONE	BODY	BRIGHT	WIDTH	TEXTURE
Didgeridoo	Formant frequency	Formant level	Low-pass opening	Speed of the formant sweep (0.4 to 4.4 Hz)	Growl (depth and rate, 28 to 68 Hz)
Tribal Drum	Pitch-drop depth	Decay length	Frequency of the skin resonance (0.8 to 3.8 kHz)	Level of the skin	Attack click
Jaw Harp	Depth of the “boing” sweep	Speed of the sweep decay	Resonance frequency	Pulse width	Sharpness of the resonance
Spirit Flute	Breath filter frequency	Breath filter sharpness	Level of the harmonics	Vibrato depth	Breath noise level
Chant Choir	Vowel (a, o, u, i)	Formant level	Low-pass opening	Detune spread of the five saws	Noise
Fire Pad	No effect	Level of a sine one octave below	Breathing low-pass opening	Detune spread of the five saws	Breath noise
Bone Chimes	Modulator ratio (1.4 to 4.5)	Ring length	FM depth	Detune between the two carriers	Rattle (noise) level
Earth Drone	Level of the fifth	Level of the octave	Low-pass opening (breathes slowly)	Speed of the breathing and detune	Noise

Factory presets

SHAMAN includes 70 factory presets in 7 banks of 10. 46 presets load in Poly mode and 24 in Mono mode. Mono presets: Didgeridoo (all 10); Jaw Harp & Drone (5 of 10); Spirit Flute (8 of 10); Chant Choir (1 of 10). 3 presets load with a glide.

Didgeridoo: Earth Didge, Outback Drone, Growl Didge, Wobble Spirit, Deep Breath, Rhythm Didge, Sacred Hum, Bright Didge, Slide Didge, Storm Didge.

Tribal Drums: Tom Low, Tom Mid, Djembe Bass, Djembe Slap, Ritual Taiko, Skin Drum, War Drum, Bongo Hi, Cave Echo, Thunder Skin.

Jaw Harp & Drone: Jaw Harp, Twang Spirit, Mouth Bow, Buzz Rhythm, Cave Jaw, Earth Drone, Stone Circle, Root Pulse, Dark Hollow, Ancestor Hum.

Spirit Flute: Spirit Flute, Breath Flute, Bone Whistle, Shaman Pipe, Mist Flute, Eagle Cry, Hollow Reed, Dream Flute, Overblown, Canyon Wind.

Chant Choir: Chant Ah, Chant Oh, Chant Ee, Elder Voices, Tribe Gather, Whisper Rite, Low Throat, Vowel Sweep, Sky Choir, Ghost Chant.

Fire Pads: Fire Pad, Ember Glow, Campfire, Smoke Rise, Sacred Flame, Dusk Ritual, Sun Dance, Night Watch, Heat Haze, Spirit Smoke.

Bone Chimes: Bone Chimes, Shell Bells, Wood Block, Kalimba Tribe, Rain Stick, Ghost Bells, Marimba Wood, Ritual Gong, Tin Tribe, Dream Chimes.

Loading a preset first resets every parameter to its default value, then applies the preset. The two wheels are not changed.

User presets. Click the disk icon to save the current sound as a `.shpreset` file. The default folder is `DJBILBOX BEATS/SHAMAN/Presets` inside your Documents folder (Windows and macOS). Files in this folder appear in the **User** submenu of the preset menu. Use **Open a .shpreset file…** in the same menu to load a file from another location. The preset display shows the file name.

The host also sees the 70 factory presets as a program list. Your project saves the full state of the plugin, including the preset name.

Production tips

1. **Didgeridoo drones.** Start from **Earth Didge** (Mono). TEXTURE adds the growl and WIDTH sweeps the formant.
2. **Tribal drums.** The Tribal Drums bank loads in Poly. TONE sets the pitch drop and BODY the decay; layer several notes for a drum circle.
3. **Jaw harp.** TONE sets the depth of the “boing” and TEXTURE the sharpness of the resonance.
4. **Spirit flute.** Use **Spirit Flute** or **Eagle Cry**. WIDTH adds vibrato; keep GLIDE small for legato.
5. **Ritual pads.** The Chant Choir and Fire Pads banks are Poly pads. Raise REVERB and the ATTACK slider.
6. **Chimes.** On the Bone Chimes engine, TEXTURE adds a rattle. Use a high TRANSPOSE for small chimes.
7. **Tempo-matched delay.** DLY TIME is in seconds. Use 60 / BPM for a quarter note.

MIDI, automation and performance

Notes and channels. SHAMAN responds to all 128 MIDI notes on any MIDI channel. Velocity controls the level according to the VELOCITY slider.

Polyphony. Up to 16 voices in Poly mode. When you play a 17th note, a voice is taken over and cut immediately. In Mono mode, each new note stops the previous one (last-note priority). Releasing the newest note does not bring back an earlier note that you still hold.

Pitch bend. MIDI pitch bend covers +/-2 semitones. The on-screen Pitch Bend wheel adds another +/-2 semitones.

Mod wheel (CC1). CC1 raises the LFO depth, like the on-screen Modulation wheel. When both are used, the higher value wins. CC1 acts on the notes that are sounding when the message arrives, so move the wheel while you play. For repeatable results in a song, automate the on-screen **Mod Wheel** parameter instead. CC121 (reset all controllers) returns the MIDI mod wheel to zero.

Other MIDI. All Notes Off and All Sound Off messages stop the sound. Aftertouch is ignored.

Automation in FL Studio. All 35 parameters can be automated. Move a control in the plugin, then use **Tools > Last tweaked > Create automation clip**. Use **Tools > Last tweaked > Link to controller** to assign a hardware knob. Level, pitch, bend and cutoff changes are smoothed to avoid clicks.

Latency and tail. The plugin adds no latency (0 samples). It reports a 12-second tail to the host so reverb and delay trails are not cut when rendering.

CPU. SHAMAN uses no samples. Effects set to zero are bypassed and cost no CPU. The plugin works at 44.1, 48, 88.2 and 96 kHz.

FAQ

Is the Tribal Drum a sample? No. It is synthesized: a sine with a pitch drop plus a filtered noise skin.

My chord only plays one note. The VOICE MODE menu is set to Mono, which is the default for the didgeridoo, jaw harp and flute presets. Switch it to Poly (up to 16 voices).

SHAMAN does not appear in FL Studio. Open **Options > Manage plugins**, check that `C:\Program Files\Common Files\VST3` is in the search paths, then click **Find installed plugins**. The plugin is listed as **SHAMAN** under **DJBILBOX BEATS**. It is an instrument: load it in the Channel rack, not in a Mixer insert slot.

Where do I install it on macOS? Copy the VST3 to `/Library/Audio/Plug-Ins/VST3` and the Audio Unit to `/Library/Audio/Plug-Ins/Components`, then rescan plugins in your host. Both are universal builds.

Is the delay tempo-synced? No. Delay time is in seconds (0.05 to 1 s), and the LFO runs in Hz (0.05 to 20 Hz).