

SCORE-SET: A dataset of GuitarPro files for Music Phrase Generation and Sequence Learning

Vishakh Begari

Independent Researcher

Gauting, 82131, Germany

DJENTLEVIBE32168@GMAIL.COM

Editor: Johnny Silverhand

Abstract

A curated dataset of Guitar Pro tablature files (.gp5 format), tailored for tasks involving guitar music generation, sequence modeling, and performance-aware learning is provided. The dataset is derived from MIDI notes in Hawthorne et al. (2019) and Kong et al. (2022) which have been adapted into rhythm guitar tracks. These tracks are further processed to include a variety of expression settings typical of guitar performance, such as bends, slides, vibrato, and palm muting, to better reflect the nuances of real-world guitar playing. Dataset available at Begari (2025).

Keywords: Dataset, Guitar, Tablature, Transformer, Sequence Learning

1 Introduction

Advancements in machine learning have led to significant progress in the field of automatic music generation, particularly with symbolic representations such as MIDI. While datasets like Hawthorne et al. (2019) Gemmeke et al. (2017) Thickstun et al. (2017) Bertin-Mahieux et al. (2011) Peracha (2022) Bradshaw and Colton (2025) Kong et al. (2022) have enabled research in mostly piano music generation, there remains a lack of large-scale, high-quality resources tailored specifically to the guitar—a highly expressive and technically diverse instrument.

Guitar music presents unique challenges for modeling due to its polyphonic nature, alternate tunings, and rich expressive techniques (e.g., bends, slides, palm muting). Existing symbolic music datasets often lack this level of nuance, limiting the development of models capable of learning and generating realistic guitar performance.

To address this gap, curated dataset of Guitar Pro tablature files (.gp5 format) is provided designed for guitar music generation, sequence modeling, and performance-aware learning. The dataset is derived from the MIDI information found in Hawthorne et al. (2019) and Kong et al. (2022), with melodies adapted into rhythm guitar tracks and enriched with expressive elements common in guitar playing.

2 SCORE-SET Dataset

MIDI notes provide information about both pitch and timing, specifying when a note is played, its duration, and its musical pitch. In the context of guitar tablature, the pitch is mapped to an open string and fret position, while the duration is quantized to musical

beats. The guitar used is a 6-string instrument tuned to standard E–B–G–D–A–E. Both single notes and chords are automatically encoded along with their corresponding beat durations.

To begin with, an overview of articulations to be used in the dataset and their tablature is provided. These are deemed essential for capturing the expressive nuances of guitar performance.

2.1 Expressions

Accentuation in playing refer to emphasising specific notes or rhythms to create dynamics and expression in music.

2.1.1 PALM MUTE

Palm mute - A technique of lightly resting the edge of palm on the strings near bridge while plucking or strumming.

2.1.2 BENDS

A bend involves pushing or pulling or pushing a string laterally across the fretboard to raise its pitch.




Figure 1: Bend types and their pitch variations. Horizontal line represents a semitone.

2.1.3 TREMOLO BAR

A tremolo bar or whammy bar is a device attached to the bridge of a guitar that allows bending the pitch of notes by pushing or pulling on the bar.




Figure 2: Tremolo types and their pitch variations.

2.1.4 SLIDE

Smoothly moving up or down the fretboard without lifting off on the string, creating a seamless transition between notes.




Figure 3: Slide types

2.1.5 DEAD NOTE

(muted note or ghost note) Muting the string to produce a percussive sound.

2.1.6 HAMMER ON / PULL OFF

Allows playing 2 notes in succession without picking the second note. Pressing down onto a higher fret to play a note without picking it, producing smooth legato transition between notes. Pulling off a higher fretted note while the lower fret note is still pressed.

2.1.7 VIBRATO

Involves bending and releasing the string rapidly to oscillate the pitch slightly above and below the target note.

2.1.8 HARMONIC - NATURAL

Producing bell-like, chime sound by lightly touching a string at specific points along the fretboard.




Figure 4: Dead note, Hammer On, Vibrato, Natural Harmonic

3 Statistics

For this study, a dataset of guitar tablatures was manually created through transcription of publicly available audio recordings of modern metal songs. The transcriptions were created by ear and focused on guitar expressions used. The expression statistics were calculated over a total of 198656 notes, with approximately 25.39 % of them featuring accents.




Figure 5: Percentages of techniques.

Accents were added to the original dataset at random with the ratios derived from Figure 5. Although the percentages were derived from notes, the Tremolo is an exception in that it is applied to the whole beat which can contain multiple notes.

Acknowledgments and Disclosure of Funding

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

References

- Vishakh Begari. Score-set. <https://github.com/DjgentleViBe/SCORE-SET>, 2025. Accessed: 2025-07-11.
- Thierry Bertin-Mahieux, Daniel P. W. Ellis, Brian Whitman, and Paul Lamere. The million song dataset. In Anssi Klapuri and Colby Leider, editors, *Proceedings of the 12th International Society for Music Information Retrieval Conference, ISMIR 2011, Miami, Florida, USA, October 24-28, 2011*, pages 591–596. University of Miami, 2011. URL <http://ismir2011.ismir.net/papers/OS6-1.pdf>.
- Louis Bradshaw and Simon Colton. Aria-midi: A dataset of piano midi files for symbolic music modeling, 2025. URL <https://arxiv.org/abs/2504.15071>.
- Jort F. Gemmeke, Daniel P. W. Ellis, Dylan Freedman, Aren Jansen, Wade Lawrence, R. Channing Moore, Manoj Plakal, and Marvin Ritter. Audio set: An ontology and

human-labeled dataset for audio events. In *2017 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 776–780, 2017. doi: 10.1109/ICASSP.2017.7952261.

Curtis Hawthorne, Andriy Stasyuk, Adam Roberts, Ian Simon, Cheng-Zhi Anna Huang, Sander Dieleman, Erich Elsen, Jesse Engel, and Douglas Eck. Enabling factorized piano music modeling and generation with the MAESTRO dataset. In *International Conference on Learning Representations*, 2019. URL <https://openreview.net/forum?id=r11YRjC9F7>.

Qiuqiang Kong, Bochen Li, Jitong Chen, and Yuxuan Wang. Giantmidi-piano: A large-scale midi dataset for classical piano music, 2022. URL <https://arxiv.org/abs/2010.07061>.

Omar Peracha. Js fake chorales: a synthetic dataset of polyphonic music with human annotation, 2022. URL <https://arxiv.org/abs/2107.10388>.

John Thickstun, Zaid Harchaoui, and Sham Kakade. Learning features of music from scratch, 2017. URL <https://arxiv.org/abs/1611.09827>.