Lesson 12: Tables

12.1 Introduction to Tables

A table is a convenient way of displaying text, graphics or a combination of both in rows and columns.

Advantages

– control over text layout

– easy to use

Disadvantages

– not all browsers can display

– over-use can cause problems

– non graphical browsers may have serious problems

12.2 Heading Cells

The <TH> element stands for table header. Header cells are identical to data cells, except that they are in bold font and to the center of the cell.

Format: <TH> text </TH>

```
<HTML>
<HEAD><TITLE> EXAMPLE OF TABLE</TITLE>
</HEAD>
<BODY>
<TABLE>
<CAPTION ALIGN=TOP>Information on Cars</CAPTION>
<TR><TH>Car</TH><TD>Ferrari</TD><TD>Toyota</TD><TD>Nissa
n</TD>
</TR>
<TR><TH>Cost</TH><TD>$70000</TD><TD>$40000</TD><TD>$200
00</TD>
</TR>
<TR><TH>Colour</TH><TD>Red</TD><TD>Blue</TD><TD>White</
TD>
</TR>
</TABLE>
</BODY>
</HTML>
```

12.3 Adding Captions

The <CAPTION>..</CAPTION> should appear within the <TABLE> elements but not inside any row or cell definitions. It has attribute ALIGN.

Format: <CAPTION ALIGN=TOP|BOTTOM>text </CAPTION>

```
<HTML>
<HEAD><TITLE> EXAMPLE OF TABLE</TITLE>
</HEAD>
<BODY>
<TABLE BORDER=1 CELLSPACING=3 CELLPADDING=2
WIDTH=80%>
<CAPTION ALIGN=TOP>Information on Cars</CAPTION>
<TR><TH>Car</TH><TD>Ferrari</TD><TD>Toyota</TD><TD>Nissa
n</TD>
</TR>
```

```
<TR><TH>Cost</TH><TD>$70000</TD><TD>$40000</TD><TD>$200
00</TD>
</TR>
<TR><TH>Colour</TH><TD>Red</TD><TD>Blue</TD><TD>White</
TD>
</TR>
</TABLE>
</BODY>
</HTML>
```

12.4 Altering the look of the table

The <TABLE> element has the following attributes:

a. BORDER this instructs the browser to display the table with borders around all table cells.
b. CELLSPACING=num allows the amount of space inserted between individual cells to be altered.
c. CELLPADDING=num allows the amount of space between the border of a cell and the contents of the cells to be altered.
   WIDTH=num or percent. It is used to define the desires width of the table

```
<HTML>
<HEAD><TITLE> EXAMPLE OF TABLE</TITLE>
</HEAD>
<BODY>
<TABLE BORDER=1>
<CAPTION ALIGN=TOP>Information on Cars</CAPTION>
<TR ALIGN=RIGHT
VALIGN=MIDDLE><TH>Car</TH><TD>Ferrari</TD><TD>Toyota</
TD><TD>Nissan</TD>
</TR>
<TR><TH>Cost</TH><TD>$70000</TD><TD>$40000</TD><TD>$200
00</TD>
</TR>
<TR><TH>Colour</TH><TD>Red</TD><TD>Blue</TD><TD>White</
TD>
</TR>
</TABLE>
</BODY>
</HTML>
```

12.5 Altering the look of the Table Row

The <TR> element can use both ALIGN and VALIGN

12.6 Altering the look of a Table Cell

The <TH> heading and <TD> data elements use the following attributes:

a. ALIGN, this controls whether text inside the table cell is aligned to the left, right or centred within the cell.

b. VALIGN, controls whether text inside the table cell is aligned to the top, bottom or vertically centred.

c. NOWRAP, this means that the lines within a cell cannot be broken to fit the width of the cell.
d. COLSPAN, specifies how many columns the cell should span.
e. ROWSPAN, Specifies how many rows the cell should span.

```
<HTML>
<HEAD><TITLE> EXAMPLE OF TABLE</TITLE>
</HEAD>
<BODY>
<TABLE BORDER=1>
<CAPTION ALIGN=TOP>Information on Cars</CAPTION>
<TR ><TH COLSPAN=2
ALIGN=CENTER>Car</TH><TD>Ferrari</TD><TD>Toyota</TD><T
D>Nissan</TD>
</TR>
<TR><TH VALIGN=MIDDLE ROWSPAN=2>Cost</TH><TD
ALIGN=RIGHT>$70000</TD><TD>$40000</TD><TD>$20000</TD>
</TR>
<TR><TH>Colour</TH><TD>Red</TD><TD>Blue</TD><TD>White</
TD>
</TR>
</TABLE>
</BODY>
</HTML>
```

12.7 Nested Tables

Tables can be nested within tables. Consider the following example:

```
<HTML>
<HEAD></HEAD>
<BODY>
<TABLE BORDER=1>
<TR ><TD>This</TD><TD>Is</TD></TR>
<TR><TD>the</TD><TD>first</TD></TR>
<TR><TD>
<TABLE BORDER=3>
<TR><TD>This is a nested</TD></TR>
<TR><TD>table!</TD></TR>
</TABLE>
</TD><TD>table</TD></TR>
<TR></TR>
</TABLE>
</BODY>
</HTML>
```

12.8 Images in Tables

Images can be placed within tables as well as text, consider:

```
HTML>
<HEAD><TITLE> EXAMPLE OF TABLE</TITLE>
</HEAD>
```

```
<BODY>
<TABLE BORDER=1>
<CAPTION ALIGN=TOP>Information on Cars</CAPTION>
<TR ><TH COLSPAN=2
ALIGN=CENTER>Car</TH><TD>Ferrari</TD><TD>Toyota</TD><T
D>Nissan</TD>
</TR>
<TR><TH VALIGN=MIDDLE ROWSPAN=2>Cost</TH><TD
ALIGN=RIGHT>$70000</TD><TD>$40000</TD><TD>$20000</TD>
</TR>
<TR><TH>Colour</TH><TD><IMG SRC="location&file name.gif">
</TD><TD>Blue</TD><TD>White</TD>
</TR>
</TABLE>
</BODY>
</HTML>
```

12.9 Exercise

1. Write an HTML program that produces a table that shows the end of semester timetable for exams.
2. Write an HTML program for your bio-data using tables.