## Lesson 6: Further Text formatting

### 6.1Centering

The element <CENTER> is used to specify that text, graphics and tables should centred on the browser window. The <CENTER> element is an open element. The <CENTER> element implies a <BR> element before and after.

Example:

```
<HTML>

<HEAD>

   <TITLE>This is my web page</TITLE>
   <!--Example of Centering -->

</HEAD>

   <BODY>
This text is not centered
 <CENTER>
This text is centered
 </CENTER>
This text is not

   </BODY>

</HTML>
```

### 6.2 Marquee

This is a tag that creates a scrolling text.
i.e. <marquee>…….</marquee>
It can not be nested and it must have an ending tag.
***Attributes***
-Marquee Align= top/middle/bottom
This align the marquee with the top, middle or bottom of neighboring text line.
-Marquee behavior = scroll/ slide / alternate
This specifies the text behavior.
-Marquee bgcolor = red
Sets the background color of marquee.
-Marquee direction = left/right
This defines the direction in which the text scrolls
-Marquee loop= number/infinitive
This specifies the number of loops as a number value or infinite.
-Marquee scrollamount = number
Sets the number of pixels to move the content for each scroll movement
-Marquee scrolldelay = number
Specifies the delay in milliseconds between successive movement of the marquee content.
-Marquee Hspace = number
Sets the amount of space to clear left or right of the marquee.
-Marquee Vspace= number
Sets the amount of space to clear above or below the marquee.

**Example**

```
<HTML>
<HEAD>
<TITLE> My Web Page </TITLE>
</HEAD>
<BODY>
    <marquee behavior= alternate bgcolor= "white"  hspace= 2
    vspace="4" >Some text here </marquee>
</BODY>
</HTML>
```

### 6.3 No Breaks

The open <NOBR> element is used to specify that the text it surrounds cannot have any line breaks inserted by the web browser. This means that even if the screen is resized during viewing that the line will not be wrapped.

Format:

```
<NOBR>
Text
</NOBR>
```

### 6.4 Word  Breaks

The closed element <WBR> stands for word breaking and is used to define where a line break is required. It is not a commonly used element.

### 6.5 Base Font Size

The empty element <BASEFONT> allows you to change the size of the standard text on the Web page displayed. The element is closed and has a single attribute SIZE which has a valid range of 1-7, with a default of 3. This element is closely linked to the element <FONT SIZE>. The <BASEFONT> element can be inserted multiple times into a single HTML document, but is more commonly only inserted once at the beginning of the <BODY> section.

Example;

```
<HTML>
<HEAD>
<!—example of basefont size-->
</HEAD>
<BODY>
     <BASEFONT SIZE=5>
        The text here is size five
</BODY>
</HTML>
```

### 6.6 Font Size

The open element <FONT> allows the size of the text on the page to be altered.

**<BASEFONT SIZE=4>**
**This paragraph shows some of the font styles available <BR>**

**<FONT SIZE=1>size1 </FONT>**
**<FONT SIZE=3>size3 </FONT>**
**<FONT SIZE=5>size5 </FONT>**
**<FONT SIZE=7>size7 </FONT> <BR>**
**Back to base font size<BR>**
**<FONT SIZE=5 COLOR=red>red </FONT>**
**<FONT SIZE=6 COLOR=blue>blue </FONT>**
**<FONT SIZE=7 COLOR=green>green </FONT><BR>**
**Back to base font**
**</BODY>**
**</HTML>**

### 6.7 Exercises

Design a web page of your town and favorite friend using the elements discussed in this chapter.