Lesson 8: Listing

8.1 Introduction to Lists

This section will introduce you to the concept of lists. A list is a sequence of items, each displayed on a separate line and may be indented from the left margin. Lists can either be numbered or bulleted.

8.2 Unordered List

The open elements<UL> is used to define a list of items which are on separate lines and marked with a bullet. The empty element <LI> is used to define each item within the list.

<UL>
<LI> first list item
<LI> second list item etc.
</UL>

8.3 Unordered List (Type)

Unordered list can be of
TYPE = disc
TYPE = circle
TYPE = square

Example;

```
<HTML>
<HEAD>
<TITLE> My Web Page </TITLE>
</HEAD>
<BODY>
<UL TYPE="square">
<LI> first list item
<LI> second list item
</UL>
</BODY>
</HTML>
```

Example of nested unordered list

```
<HTML>
<HEAD>
<TITLE> example of nested UL </TITLE>
</HEAD>
<BODY>
  <UL>
<LI> first item in the list
<LI> second item in the list
    <UL TYPE="square">
<LI> first list item
<LI> second list item
      </UL>
</UL>
</BODY>
</HTML>
```

8.4 Ordered List

The <OL> element is used to define a numbered list of items. It also uses <LI>

8.5 Ordered List (Type Start)

<OL Type="type" START=number>
Type can be:
1 uses numbers (default)
a uses lower case letters in sequence
A uses upper case letters in sequence
i uses lower case Roman numbering i.e. i ii iii iv etc
I uses upper case Roman numbering i.e. I II III IV etc.
Number defines the starting number or letter

Example

```
<HTML>
<HEAD>
<TITLE> My Web Page </TITLE>
</HEAD>
<BODY>
<OL TYPE="a" START=3>
<LI> first list item
<LI> second list item etc.
</OL>
</BODY>
</HTML>
```

8.6 Menu Lists

Menu lists are **sp**ecified with the <MENU> element and are a form of unordered list. A menu list is a list of items which are supposed to have only one line per item.

```
<HTML>
<HEAD>
<TITLE> example of nested UL </TITLE>
</HEAD>
<BODY>
  <menu>
<LI> first item in the list
<LI> second item in the list
   <menu TYPE="square">
<LI> first list item
<LI> second list item
    </menu>
</menu>
</BODY>
</HTML>
```

8.7 Directory Lists

The <DIR> element is used to format a list of items up to 20 characters in length. This is basically a unordered list.

```
<HTML>
<HEAD>
<TITLE> example of nested DIR </TITLE>
</HEAD>
```

```
<BODY>
  <DIR>
<LI> first item in the list
<LI> second item in the list
   <DIR TYPE="square">
<LI> first list item
<LI> second list item
     </DIR>
</DIR>
</BODY>
</HTML>
```

8.8 Definition Lists

A definition list is a list of terms and corresponding definitions. The element<DL> is used to define a definition list. <DT> the term and <DD> the definition.

```
<HTML>
<HEAD>
<TITLE> My Web Page </TITLE>
</HEAD>
<BODY>
<DL>
<DT> definition term
<DD> definition etc.
</DL>
</BODY>
</HTML>
```

8.9 Exercises

Do the following exercise so that the outcome is as displayed.

EAST AFRICA COUNTRIES AND CITIES

1.KENYA
   i. Nairobi
   ii. Kisumu
  iii. Mombasa

2. UGANDA
   a. Entebe
   b. Kampala
   c. Tororo

3. TANZANIA
   - Dar es salam
   - Arusha
   - Moshi