### VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

Web Programiranje 1 <a href="https://wp1-projekat.netlify.app/index.html">https://wp1-projekat.netlify.app/index.html</a>

UVOD	
Korišćeni programski jezici	2
Korišćeni programski jezici	2
Opis Funkcionalnosti	2
index.html	2
locations.html	
Template	2
ORGANIZACIJA	
Organizaciona šema	4
Mapa Sajta	
Slike stranica i opisi funkcionalnosti	6
Index.html	6
Locations.html	9
KODOVI	10
Index.html	
Locations.html	15
author.html	
Style.css	19
main.js	
jquery.backtothetop.min (JQUERY PLUGIN)	

# **UVOD**

# Korišćeni programski jezici

## Korišćeni programski jezici

- HTML
- CSS (SCSS)
- JavaScript
- JQuery (Scroll To Top Plugin)
- XML

# **Opis Funkcionalnosti**

Za sve stranice je zajedničko dinamičko ispisivanje header-a i footer-a i upotreba Scroll To Top Plugina kao i prost "ruter" koji poziva odredjene funkcije u zavisnosti od putanje stranice koja se poziva.

#### index.html

- Dinamička responzivnost slika
- Dinamički slajder sa slikama koje se 5 sekundi same menjaju
- Dinamički ispisan sadržaj u bloku "About us"
- Dinamičko ispisavanje novosti, kao i modal koji se pojavljuje na dugme "Learn More"
- Dinamičko ispisivanje preporučenih kafa
- Validacija Kontakt Forme

## locations.html


- Dinamičko ispisivanje podataka o sedištu kompanije
- Dinamičko ispisivanje lokacija kafića
- Filtriranje podataka u odnosu na dati unos

# **Template**

Nije korišćen template za ovaj sajt.

# **ORGANIZACIJA**

# Organizaciona šema




## Mapa Sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
    <loc>https://wp1-
projekat.netlify.app/index.html</loc>
    <lastmod>2023-12-11
   <changefreq>daily</changefreq>
    <priority>1</priority>
</url>
<url>
    <loc>https://ph1.netlify.app/contact-us.html</loc>
    <lastmod>2023-12-23
   <changefreq>weekly8</changefreq>
    <priority>0.9</priority>
</url>
<url>
    <loc>https://ph1.netlify.app/author.html</loc>
    <lastmod>2023-12-07</lastmod>
    <changefreq>yearly</changefreq>
    <priority>0.3</priority>
</url>
</urlset>
```


## Slike stranica i opisi funkcionalnosti

#### Index.html

Po učitavnju stranice korisnik vidi dinamčki header i carousel sa pokretnim slikama.



Zatim dolazi u blok "About us" koji je dinamički ispisan i sa formatiranim tekstom tako da svaka pojava "&" bude bude zamenjena tagom "<i>" koji ce obojiti taj karakter crvenom bojom.



Potom sledi blok "News" koji je dinamički ispisan iz objekta .



Klikom na learn more pojaviće se modal koji se može zatvoriti klikom na "x".

Nemanja Đoković 36/22



U bloku "Top Choice" iz objekta se izvlače omiljene kafe kao i slike koje će se prikazati.



U Kontakt formi vrši se validacija podataka

- Ime I Prezime moraju početi velikim slovom i svako sledeće mora da bude malo. U slučaju sa dva ili više imena, imena se razdvajaju razmacima i svako ime mora početi velikim slovom a završiti se malim.
- Email mora da ima "@" karakter I da se završi sa "yahoo.com" ili "gmail.com"
- Grad mora biti izabran
- Poruka mora da bude minimalne duzine od 15 karaktera
- Korisnik mora da se usaglasi sa našim uslovima korišćenja



Forma sa greskama



Footer se dinamički ispisuje, prikazuje se logo, linkovi iz headera kao i naše društvene mreže.



Kad korisnik krene da skroluje od vrha ka dnu pojavljuje se strelica koja će ga vratiti na vrh stranice.




#### Locations.html

Po ulasku u stranicu sa lokacijama korisnik vidi kontakt informacije o stranici kao header.



Potom vidi spisak lokacija koji se prikazuje iz objekta kao i filter opciju, gde korisnik može da filtrira grad u kom imamo kafić ili da proveri da li ima otvorenih kafića u tom gradu ili u svim gradovima, u slučaju da su svi kafići zatvoreni u odredjenom gradu ispisaće se poruka koja kaže da će se uskoro otvoriti kafići.



Footer se dinamički ispisuje, prikazuje se logo, linkovi iz headera kao i naše društvene mreže.



Kad korisnik krene da skroluje od vrha ka dnu pojavljuje se strelica koja će ga vratiti na vrh stranice.



# **KODOVI**

Nemanja Đoković 36/22

#### Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,</pre>
height=device-height, initial-scale=1.0, minimum-
scale=1.0">
    <title>CAFFE & FACTORY - Home of Coffee</title>
    <link rel="stylesheet" href="assets/css/style.css"</pre>
type="text/css">
    <link rel="stylesheet"</pre>
href="assets/css/responsive.css" type="text/css">
    <link rel="icon" type="image/x-icon"</pre>
href="/assets/images/favicon-32x32.png">
    <meta name="description" content="Cafe & Factory,</pre>
place where your morning begins with cup of coffee made
of fresh roasted beans">
    <meta name="keywords" content="Cafe & Factory,</pre>
coffee, beans, turkish">
    <meta name="author" content="Nemanja Djokovic">
</head>
<body>
    <div id="wrapper">
        <header>
            <h1>
                 <a href="index.html">
                     <img src="assets/images/logo-</pre>
edited.png" alt="logo"/>
                 </a>
            </h1>
             <nav>
                <l
```

```
</nav>
       </header>
       <div id="logo-phone">
          <a href="index.html" target="_blank" >
           <img src="assets/images/logo-edited.png"</pre>
class="lazy" alt="logo"/>
             </a>
       </div>
       <div id="carousel">
          <div id="image1" class="image-carousel">
          </div>
          <div id="image2" class="image-carousel">
          </div>
          <div id="image3" class="image-carousel">
          </div>
           <i</pre>
class="fa-solid fa-arrow-left"></i> 
           <i</pre>
class="fa-solid fa-arrow-right"></i> 
      </div>
       <div id="mission">
           About <span</pre>
class="underscore">Us</span>
          <div id="mission-holder">
          <img src="assets/images/esspresso-cup.png"</pre>
alt="coffee-pot" class="lazy">
          <div id="mission-text"></div>
          </div>
       </div>
       <div id="news">
           News
```

```
### style="contact-us-form"

### style="
```

```
<label
for="checkbox_terms">Agree with our ToS</label>
                     </div>
                     <div id="holder">
                     <div id="abs"></div>
                     <input type="submit" id="sub" value</pre>
="SUBMIT" disabled="disabled"/>
                     </div>
                 </form>
                <img src="assets/images/have-a-</pre>
question.png" class="lazy" alt="woman-confused">
            </div>
        </div>
<footer>
</footer>
    </div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1
/jquery.min.js"></script><script</pre>
src="https://kit.fontawesome.com/104d21a00f.js"
crossorigin="anonymous"></script>
<script
src="assets/js/jquery.backtothetop.min.js"></script>
<script src="assets/js/main.js"></script>
```

</body> </html>

#### Locations.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,</pre>
height=device-height, initial-scale=1.0, minimum-
scale=1.0">
    <title>CAFFE & FACTORY - LOCATIONS</title>
    <link rel="stylesheet" href="assets/css/style.css"</pre>
type="text/css">
    <link rel="icon" type="image/x-icon"</pre>
href="/assets/images/favicon-32x32.png">
    <meta name="description" content="Places where you</pre>
can find Cafe & Factory">
    <meta name="keywords" content="Cafe & Factory,</pre>
Beograd, Novi Sad, Obrenovac, Loznica">
    <meta name="author" content="Nemanja Djokovic">
</head>
<body>
    <div id="wrapper">
        <header>
            <h1>
                 <a href="index.html">
                     <img src="assets/images/logo-</pre>
edited.png" alt="logo"/>
                </a>
            </h1>
            <nav>
                 <u1>
                 </nav>
        </header>
```

### <footer>

```
<script src="https://kit.fontawesome.com/104d21a00f.js"
crossorigin="anonymous"></script>
<script
src="assets/js/jquery.backtothetop.min.js"></script>
</html>
```

#### author.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,</pre>
height=device-height, initial-scale=1.0, minimum-
scale=1.0">
    <title>AUTHOR</title>
    <link rel="stylesheet" href="assets/css/style.css"</pre>
type="text/css">
    <link rel="icon" type="image/x-icon"</pre>
href="/assets/images/favicon-32x32.png">
</head>
<body>
    <div id="wrapper">
        <header>
            <h1>
                <a href="index.html">
                     <img src="assets/images/logo-</pre>
edited.png" alt="logo"/>
                 </a>
            </h1>
            <nav>
                 <l
                 </nav>
        </header>
        <div id="logo-phone">
            <a href="index.html" target=" blank" >
```

```
<script src="assets/js/main.js"></script>
<script src="https://kit.fontawesome.com/104d21a00f.js"
crossorigin="anonymous"></script>
```

```
</body>
```

</html>

## Style.css

```
@import
url("https://fonts.googleapis.com/css2?family=Dosis:wgh
t@500&family=Gabarito&display=swap");

* {
   margin: 0px;
   padding: 0px;
   font-family: "Dosis";
}

html {
   font-size: 16px;
   scroll-behavior: smooth;
}
```

```
#wrapper {
 position: relative;
 background-color: #f2f2f2;
#wrapper #backtothetop-fixed {
 color: #001f3f;
 background-color: #f2f2f2;
 box-sizing: border-box;
 padding: 10px;
 display: flex;
 align-items: center;
 justify-content: center;
 position: fixed;
 width: 50px;
 height: 50px;
 text-decoration: none;
 border-radius: 50%;
 font-size: 2rem;
#wrapper header {
 backface-visibility: hidden;
 width: 100%;
```

```
background-color: #001f3f;
 box-sizing: border-box;
  padding: 0px 25px;
 height: 64px;
 position: fixed;
 top: 0px;
 z-index: 50;
 display: flex;
 justify-content: space-between;
 align-items: center;
#wrapper header h1 a {
 display: block;
 display: flex;
 align-items: center;
#wrapper header h1 a img {
 height: 50px;
 padding: 2px 0px;
 box-sizing: border-box;
 margin: 5px 0px;
#wrapper header nav {
 height: 100%;
#wrapper header nav ul {
 height: 100%;
 display: flex;
 justify-content: space-evenly;
 align-items: center;
 list-style-type: none;
#wrapper header nav ul li {
 height: 100%;
 width: -moz-fit-content;
 width: fit-content;
 box-sizing: border-box;
```

```
#wrapper header nav ul li a {
 height: 100%;
 display: block;
 font-size: 1.1rem;
 box-sizing: border-box;
  padding: 10px 15px;
  color: #f2f2f2;
 display: flex;
 align-items: center;
 justify-content: space-evenly;
 text-decoration: none;
 display: flex;
 flex-direction: column;
 align-items: center;
 justify-content: space-evenly;
#wrapper header nav ul li a .fa-solid {
 display: none;
#wrapper header nav ul li a:hover {
 background-color: #002a54;
 border-radius: 2px;
#wrapper header nav ul li.border-btm {
 position: relative;
#wrapper header nav ul li.border-btm::after {
 content: "";
 position: absolute;
 left: 0px;
 bottom: 0px;
 width: 100%;
 border-top: 4px solid #bf1111;
 background-color: #bf1111;
#wrapper #logo-phone {
 display: none;
```

```
#wrapper #carousel {
 margin-top: 64px;
 width: 100%;
 height: 900px;
 overflow: hidden;
 position: relative;
#wrapper #carousel #image1 {
 background-image: url("../images/wallpaper1.jpg");
 height: 100%;
 background-size: cover;
 background-position: center bottom;
 left: 0px;
#wrapper #carousel #image2 {
 background-image: url("../images/wallpaper2_2.jpg");
 left: 100vw;
 height: 100%;
 background-size: cover;
 background-position: center bottom;
#wrapper #carousel #image3 {
 background-image: url("../images/wallpaper3_1.jpg");
 left: 200vw;
 height: 100%;
 background-size: cover;
 background-position: center bottom;
#wrapper #carousel .image-carousel {
 position: absolute;
 width: 100vw;
 transition: left 1s ease;
#wrapper #carousel #prevBtn {
 position: absolute;
 left: 4%;
 top: 50%;
 transform: translate(-50%, -50%);
```

```
color: #f2f2f2;
 font-size: 2rem;
#wrapper #carousel #nextBtn {
 position: absolute;
 left: 96%;
 top: 50%;
 transform: translate(-50%, -50%);
 color: #f2f2f2;
 font-size: 2rem;
#wrapper #carousel .arrow i {
 color: black;
 box-sizing: border-box;
 padding: 5px;
 border: 1px solid white;
 background-color: white;
 border-radius: 50%;
 display: inline-block;
#wrapper #mission {
 box-sizing: border-box;
 padding: 25px;
#wrapper #mission p#header {
 font-size: 2rem;
 font-weight: bold;
 text-align: center;
 width: 100%;
 margin-bottom: 25px;
#wrapper #mission #mission-holder {
 display: flex;
 align-items: center;
 justify-content: space-between;
 width: 80%;
 margin: 0px auto;
```

```
#wrapper #mission #mission-holder img {
 width: 450px;
#wrapper #mission #mission-holder #mission-text {
 width: 60%;
 height: 100%;
#wrapper #mission #mission-holder #mission-text
h1.style-as-p {
 box-sizing: border-box;
 font-size: 1.1rem;
 display: inline;
 font-weight: normal;
#wrapper #mission #mission-holder #mission-text p {
 box-sizing: border-box;
 font-size: 1.1rem;
 padding: 10px;
 text-align: justify;
#wrapper #mission #mission-holder #mission-text
p .weird-and {
 color: #bf1111;
#wrapper #news {
 box-sizing: border-box;
 padding: 0px 25px;
#wrapper #news p#header {
 font-size: 2rem;
 font-weight: bold;
 text-align: center;
 width: 100%;
 margin-bottom: 25px;
#wrapper #news #news-content-wrapper {
 flex-wrap: wrap;
 display: flex;
```

```
justify-content: space-between;
 align-items: center;
#wrapper #news #news-content-wrapper .card {
 border-radius: 25px;
 width: 25%;
 position: relative;
 background-size: cover;
 background-repeat: no-repeat;
 height: 200px;
 border: 1px solid #001f3f;
 padding: 15px;
#wrapper #news #news-content-wrapper .card .submit {
 margin-top: 25px;
 background-color: transparent;
 border: 1px solid #f2f2f2;
 color: #f2f2f2;
 box-sizing: border-box;
 padding: 5px;
 border-radius: 1rem;
 display: inline-block;
 cursor: pointer;
#wrapper #news #news-content-wrapper .card::before {
 content: "";
 position: absolute;
 background: linear-gradient(135deg, rgb(0, 31, 63) 0%
rgb(0, 56, 112) 50%, rgba(0, 42, 84, 0) 50%, rgba(0, 42,
84, 0) 100%);
 width: 100%;
 height: 100%;
 border-radius: 25px;
 top: 0px;
 left: 0px;
#wrapper #news #news-content-wrapper .card .content-
```

```
z-index: 10;
 position: absolute;
#wrapper #news #news-content-wrapper .card .content-
wrap p {
 color: #f2f2f2;
#wrapper #news #news-content-wrapper .card .content-
wrap p.title {
 font-size: 1.3rem;
 margin-bottom: 8px;
#wrapper #news #news-content-wrapper .card .content-
wrap p.sub-title {
 font-size: 1rem;
#wrapper #contact {
 background-color: #f2f2f2;
 margin: 0px auto 0px auto;
 box-sizing: border-box;
 padding-top: 25px;
#wrapper #contact p#header {
 color: #262223;
 font-size: 2rem;
 font-weight: bold;
 text-align: center;
 width: 100%;
 margin-bottom: 25px;
#wrapper #contact p#header .underscore {
  -webkit-text-decoration: underline #bf1111;
          text-decoration: underline #bf1111;
#wrapper #contact #contact-holder {
 display: flex;
 justify-content: space-evenly;
 align-items: flex-end;
```

```
height: -moz-fit-content;
 height: fit-content;
#wrapper #contact #contact-holder img {
 display: block;
#wrapper #contact #contact-holder form {
 display: flex;
 justify-content: flex-start;
 align-items: center;
 flex-direction: column;
 width: 40%;
#wrapper #contact #contact-holder form label {
 margin-top: 12px;
#wrapper #contact #contact-holder form input, #wrapper
#contact #contact-holder form select {
 margin-top: 6px;
 box-sizing: border-box;
 padding: 5px;
 width: 300px;
 height: 30px;
 border-radius: 15px;
 color: #001f3f;
 border: 1px solid #001f3f;
#wrapper #contact #contact-holder form input#sub,
#wrapper #contact #contact-holder form select#sub {
 width: -moz-fit-content;
 width: fit-content;
 box-sizing: border-box;
 margin-top: 12px;
 padding: 4px 12px;
 margin-bottom: 25px;
#wrapper #contact #contact-holder form select {
 margin-top: 12px;
```

```
color: #262223;
#wrapper #contact #contact-holder form p#error city {
 text-align: center;
#wrapper #contact #contact-holder form
textarea#question {
 margin-top: 6px;
 box-sizing: border-box;
 padding: 5px;
 height: 50px;
 width: 300px;
 border-radius: 15px;
 color: #001f3f;
 border: 1px solid #001f3f;
 scrollbar-width: none;
#wrapper #contact #contact-holder form
textarea#question::-webkit-scrollbar {
 display: none;
#wrapper #contact #contact-holder form p {
 margin-top: 6px;
 -webkit-text-decoration: underline #bf1111;
          text-decoration: underline #bf1111;
 padding-bottom: 2px;
 box-sizing: content-box;
#wrapper #contact #contact-holder form #holder {
 position: relative;
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
#wrapper #contact #contact-holder form #holder #abs {
 position: absolute;
 z-index: 5;
```

```
width: 100%;
 height: 100%;
#wrapper #contact #contact-holder form #holder2 {
 display: flex;
 justify-content: flex-start;
 align-items: center;
 width: 300px;
 margin-top: 12px;
#wrapper #contact #contact-holder form #holder2
input[type=checkbox] {
 width: initial;
 padding: 0px;
 height: initial;
 margin-right: 12px;
 margin-top: 0px;
#wrapper #contact #contact-holder form #holder2 label {
 margin-top: 0px;
#wrapper footer {
 display: flex;
 justify-content: space-evenly;
 padding: 25px;
 background-color: #001f3f;
#wrapper footer a {
 height: -moz-fit-content;
 height: fit-content;
#wrapper footer a img {
 display: block;
 height: 50px;
#wrapper footer ul {
 display: flex;
 flex-direction: column;
```

```
list-style-type: none;
#wrapper footer ul li {
 font-size: 1.1rem;
 color: #f2f2f2;
#wrapper footer ul li#footer-head {
 font-size: 1.5rem;
 font-weight: 400;
 color: #f2f2f2;
 letter-spacing: 3px;
 margin-bottom: 5px;
#wrapper footer ul li a {
 font-size: 1.1rem;
 color: #f2f2f2;
 text-decoration: none;
 height: -moz-fit-content;
 height: fit-content;
```

```
.overlay {
 width: 100vw;
 height: 100vh;
 position: fixed;
 z-index: 150;
 top: 0%;
 left: 0%;
 background-color: rgba(0, 42, 84, 0.8);
 display: flex;
 align-items: center;
 justify-content: space-evenly;
.overlay .holder {
 width: 80%;
 height: 60%;
 overflow: hidden;
 background-color: #f2f2f2;
 border-radius: 25px;
```

```
.overlay .holder .holder-header {
 width: 95%;
 margin: 0px auto;
 box-sizing: border-box;
 padding: 10px 5px;
 border-bottom: 1px solid #001f3f;
 display: flex;
 justify-content: space-between;
 align-items: center;
.overlay .holder .modal-body {
 height: 100%;
 box-sizing: border-box;
 padding: 25px 5px;
 margin: 0px auto;
 height: 90%;
 width: 95%;
 overflow-y: auto;
.overlay .holder .modal-body p {
 margin-bottom: 10px;
.overlay .holder .modal-body img {
 margin: 0px auto;
 width: 100%;
 max-width: 600px;
 display: block;
#info {
 width: 90%;
 padding: 0px 25px;
 margin: 0px auto;
 margin-top: 64px;
 box-sizing: border-box;
 display: flex;
```

justify-content: space-between;

align-items: center;

```
height: 380px;
}
#info div .head {
  font-size: 2rem;
  margin-top: 14px;
}
#info div h1 {
  font-size: 2rem;
}
#info div .text {
  font-size: 1.4rem;
  margin-top: 7px;
}
#info img {
  height: 350px;
}
```

```
#location {
 width: 90%;
 margin-left: auto;
 margin-right: auto;
  box-sizing: border-box;
 padding: 25px;
#location .active {
 background-color: red;
  background-color: #001f3f;
 border-radius: 20px;
 color: white;
#location .checkbox {
  display: inline-block;
 margin: 0px 0px 0px 10px;
 box-sizing: border-box;
 max-height: 30px;
 height: 32px;
 display: inline-flex;
 justify-content: center;
  align-items: center;
```

```
padding: 0px 10px;
  cursor: pointer;
#location .checkbox:hover {
 background-color: #001f3f;
 border-radius: 20px;
 color: white;
#location p#filter {
 display: inline-block;
 margin-right: 14px;
#location select {
 width: 200px;
 height: 30px;
 text-align: left;
 border: 1px solid #001f3f;
#location .location_div {
 display: flex;
 flex-direction: row;
 flex-wrap: wrap;
 justify-content: space-between;
 align-items: center;
#location .location_div .nothingOpen {
 font-size: 1.2rem;
 text-align: center;
 width: 100% !important;
 font-style: italic;
 margin-top: 12px;
#location .location_div .locations_card {
 position: relative;
 display: flex;
 align-items: center;
 justify-content: flex-start;
 margin-top: 25px;
```

```
border: 1px solid #001f3f;
 border-radius: 25px;
  box-sizing: border-box;
 padding: 25px;
 width: 39%;
#location .location_div .locations_card .telefon {
 margin-top: 7px;
#location .location_div .locations_card img {
 margin-right: 25px;
 height: 70px;
#location .location_div .locations_card .adr {
 font-size: 1.4rem;
 font-weight: bold;
#location .location div .locations card .vreme {
 font-size: 1rem;
 margin-top: 7px;
#location .location_div .locations_card a {
 color: #262223;
 text-decoration: none;
#location .location_div .locations_card i {
 margin-right: 4px;
#location .location div .locations card .number {
  position: absolute;
 top: 0px;
 left: 0px;
 box-sizing: border-box;
 width: 35px;
 height: 35px;
 transform: translate(-50%, -30%);
 display: flex;
 justify-content: space-evenly;
```

```
align-items: center;
background-color: #001f3f;
border-radius: 50%;
color: #f2f2f2;
}
#location .location_div h1 {
  width: 100%;
}
#location h1 {
  text-align: center;
  font-size: 2rem;
  margin-top: 25px;
}
```

```
#coffee {
 padding: 25px;
 box-sizing: border-box;
 display: flex;
 justify-content: space-between;
 align-items: center;
 flex-wrap: wrap;
#coffee #header {
 font-size: 2rem;
 font-weight: bold;
 text-align: center;
 width: 100%;
 margin-bottom: 25px;
#coffee .coffee card {
 position: relative;
 width: 20%;
#coffee .coffee_card img {
 width: 100%;
#coffee .coffee_card p {
 text-align: center;
 width: 100%;
```

```
position: absolute;
padding: 10px;
box-sizing: border-box;
bottom: 0px;
left: 0px;
color: #f2f2f2;
background-color: #002a54;
border-radius: 25px;
}
```

```
@media screen and (max-width: 1366px) {
  html #mission #mission-holder {
    width: 100% !important;
 html #mission #mission-holder img {
    width: 30%;
 #news-content-wrapper .card {
    background-position: right;
    width: 28% !important;
  }
  #news-content-wrapper .card p.title {
    font-size: 1.1rem !important;
  #news-content-wrapper .card p.sub-title {
    font-size: 0.9rem !important;
 #news-content-wrapper .content-wrap {
    z-index: 5 !important;
  }
@media screen and (max-width: 890px) {
 #news-content-wrapper {
    justify-content: space-evenly;
  #news-content-wrapper .card {
    width: 40% !important;
 #news-content-wrapper .card:first-child {
```

```
width: 98% !important;
   margin-bottom: 25px;
    background-position-x: right;
 #news-content-wrapper .card .content-wrap {
    z-index: 5 !important;
 }
@media screen and (max-width: 768px) {
 html {
    font-size: 14px;
 html header {
    padding: 0px 5px;
 }
 html header h1 img {
    height: 40px;
 html #mission {
   width: 100%;
 html #mission #mission-holder {
   justify-content: space-evenly !important;
   width: 100%;
 html #mission #mission-holder #mission-text {
    width: 100% !important;
 html #mission #mission-holder img {
   display: none;
 html #contact #contact-holder form {
    box-sizing: border-box;
    padding: 0px 0px 25px 0px;
   height: -moz-fit-content;
   height: fit-content;
 html #contact #contact-holder form #sub {
```

```
margin-bottom: 0px !important;
  }
 html #contact #contact-holder img {
    display: none !important;
 html #carousel i {
    font-size: 0.7rem;
 #location {
    width: 100%;
 #location select {
    width: 100px;
 #location .location_div .locations_card {
    width: 45%;
  }
 #location .location div .locations card .adr {
    font-size: 1rem !important;
 #info img {
    height: 150px;
 #coffee .coffee_card {
   width: 45%;
  }
@media screen and (max-width: 480px) {
 html {
    font-size: 12px !important;
 html #logo-phone {
    display: block !important;
    box-sizing: border-box;
    padding: 5px;
    background-color: #001f3f;
  html #logo-phone img {
```

```
display: block;
  height: 50px;
  margin: 0px auto;
html #carousel {
  margin-top: 0px !important;
html #wrapper header {
  position: fixed;
  top: calc(100vh - 64px) !important;
  left: 0px;
  padding: 0px;
html #wrapper header nav {
  width: 100%;
html #wrapper header h1 {
  display: none;
html #wrapper header ul li a {
  padding: 5px 10px;
html #wrapper header ul li a .fa-solid {
  display: block;
html #wrapper #contact #contact-holder {
  width: 100%;
html #wrapper #contact #contact-holder form {
  width: 100%;
  box-sizing: border-box;
  padding: 0 25px 25px 25px;
html #wrapper #contact #contact-holder form #holder2
  width: 100%;
  padding: 0px;
  box-sizing: border-box;
```

```
html #wrapper #contact #contact-holder form
#dropandcheck {
   width: 100%;
    padding: 0px;
    box-sizing: border-box;
 }
 html #wrapper #contact #contact-holder form input,
html #wrapper #contact #contact-holder form textarea,
html #wrapper #contact #contact-holder form select {
   width: 100% !important;
 }
 html #wrapper #contact #contact-holder form input#sub,
html #wrapper #contact #contact-holder form
textarea#sub, html #wrapper #contact #contact-holder
form select#sub {
   width: initial !important;
 html #wrapper #contact #contact-holder form
input[type=checkbox] {
   width: initial !important;
   padding: 0px;
   height: initial;
   margin-right: 12px;
   margin-top: 0px;
 html #wrapper #news-content-wrapper .card {
   width: 90%;
 html #wrapper #news-content-wrapper .card .content-
wrap {
    z-index: 5 !important;
 html #wrapper .overlay .holder {
   width: 100%;
    height: 100%;
    border-radius: 0px;
```

```
html #wrapper #news #news-content-wrapper {
   flex-direction: column;
 html #wrapper #news #news-content-wrapper .card {
   width: 90% !important;
   margin-bottom: 25px;
 }
 html #wrapper #news #news-content-wrapper .card:last-
child {
   margin-bottom: 0px;
 html #wrapper footer {
   margin-bottom: 60px;
   flex-direction: column;
   justify-content: space-evenly;
 html #wrapper footer a {
   margin-bottom: 10px;
 html #wrapper footer a img {
   margin: 0px auto;
 html #wrapper footer ul {
   margin-bottom: 10px;
 }
 #location {
   width: 100%;
 #location .location div {
   justify-content: space-evenly;
 #location .location div .locations card {
   width: 100%;
 #location .location div .locations card .adr {
   font-size: 1rem !important;
 #info {
```

```
width: 100%;
    justify-content: flex-start;
    margin-top: 25px;
    margin-left: 0px;
    margin-right: 0px;
    height: -moz-fit-content;
    height: fit-content;
 #info img {
    display: none;
 #coffee {
    justify-content: center;
 #coffee .coffee_card {
    width: 90%;
 }
 #wrapper #backtothetop-fixed {
    width: 30px;
    height: 30px;
    padding: 2px;
    font-size: 1rem;
}/*# sourceMappingURL=style.css.map */
```

## responsive.css

```
@media screen and (max-width: 1366px) {
 html #mission #mission-holder {
    width: 100% !important;
 html #mission #mission-holder img {
    width: 30%;
 }
@media screen and (max-width: 768px) {
 html {
    font-size: 14px;
  }
 html header {
    padding: 0px 5px;
 html header h1 img {
    height: 40px;
 html #mission #mission-holder {
    justify-content: space-evenly;
 html #mission #mission-holder #mission-text {
    width: 100%;
 html #mission #mission-holder img {
    display: none;
  }
@media screen and (max-width: 480px) {
 html #wrapper header {
    position: fixed;
    z-index: 10;
    top: calc(100vh - 64px);
    left: 0px;
    padding: 0px;
```

```
html #wrapper header nav {
    width: 100%;
 html #wrapper header h1 {
   display: none;
 html #wrapper header ul li a {
    padding: 5px 10px;
 html #wrapper header ul li a .fa-solid {
    display: block;
 }
 html #news-content-wrapper .card .card {
   width: 90%;
 }
 html #news-content-wrapper .card .content-wrap {
    z-index: 5 !important;
 html .overlay .holder {
   width: 100%;
   height: 100%;
   border-radius: 0px;
 html #news #news-content-wraper {
   flex-direction: column;
 html #news #news-content-wraper .card {
   width: 90% !important;
}/*# sourceMappingURL=responsive.css.map */
```

## main.js

```
window.addEventListener("load", function(){
    dinamickiMeni()
    jqueryPluginImp()
    if(this.window.location.pathname=="/" ||
this.window.location.pathname =="/index.html" ){
```

```
animatedCarousel()
    scalableImages()
    addContentAboutUs()
    $(window).resize(function() {

        scalableImages()
     });

    addNews()
    validateContactForm()
    ourCoffee()
}
else if(this.window.location.pathname
=="/locations.html"){
    locationInfo()
```

```
})
```

```
function dinamickiMeni(){
    let stranice = [["Home" , `<i class="fa-solid fa-
mug-hot"></i>`], ["Locations", `<i class="fa-solid fa-</pre>
```

caffeeLocation()

footer()

```
location-dot"></i>` ], ["Author", `<i class="fa-solid")</pre>
fa-user"></i>`]]
    let html stranice =
[ "index.html", "locations.html", "author.html"]
   let mapa = new Map();
    for(let i in stranice){
        if(stranice[i] && html stranice[i]){
            mapa.set( html stranice[i],stranice[i])
        }
    let ul = document.querySelector("ul")
    mapa.forEach((key,value)=>{
        let element = document.createElement("li")
        let a = document.createElement("a")
        a.href = value.toLowerCase()
        element.classList.add("nav-element")
        a.innerHTML += key[1]
        a.innerHTML += key[0];
        if(trenutnaStranicaPodudaraSe(value)){
            element.classList.add("border-btm")
        else if(window.location.pathname =="/" &&
value=="index.html"){
            element.classList.add("border-btm")
        }
        element.appendChild(a)
        ul.appendChild(element)
    })
function trenutnaStranicaPodudaraSe(strana){
    trv{
```

```
let reg = /(?<=\/)[\w\d_\-]+(\.html)$/;</pre>
    if(trenutnaStranica()[0] == strana) return true;
    }catch{
    return false;
function trenutnaStranica(){
    try{
    let trenutna stranica url =
window.location.pathname
    let reg = /(?<=\/)[\w\d \-]+(\.html)$/;</pre>
    return (reg.exec(trenutna_stranica_url))
    }
    catch{
        return 0
    }
function scalableImages(){
    let userWidth = window.innerWidth;
    let carousel = document.getElementById("carousel")
    let image=document.querySelectorAll(".image-
carousel");
    image.forEach((element, broj) => {
        let url =
getComputedStyle(element).backgroundImage.replace('url(
"',"").replace('")',"")
        let img obj = new Image();
        img obj.src = url;
        img obj.onload =function(){
            let height of image = img obj.height;
            let width of image = img obj.width;
            let ratio width = userWidth /
```

width of image;

```
let height of new image = height of image *
ratio width;
            if (height of new image !== 0) {
                carousel.style.height =
height of new image + "px";
            } else {
                carousel.style.height = img_obj.height
+ "px";
            }
    })
function animatedCarousel() {
    let left = document.querySelector("#prevBtn")
    let right = document.querySelector("#nextBtn")
    setInterval( ()=>{
        right.dispatchEvent(new Event("click"));
    },5000 )
    var all slides =
Array.from(document.querySelectorAll(".image-carousel"))
    let amount_of_images = all_slides.length;
    var counter = 1;
    all slides.forEach((element, brojac)=>{
        element.style.left = (brojac *
parseInt(window.innerWidth)) +"px"
    })
   right.addEventListener("click", function() {
        if ( !((counter) == amount_of_images)) {
            all slides.forEach((elem) => {
```

```
} else {
```

```
counter = 1;
all_slides.forEach((elem, i) => {
```

```
})
}

})

left.addEventListener("click", function(){
   if (counter === 1) {
        counter = amount_of_images;
        all_slides.forEach((elem, i) => {
            let screenWidth =
        parseInt(window.innerWidth);
            elem.style.left = (screenWidth * (i -2)) +
"px";
        });

} else {
        all_slides.forEach((elem) => {
            let offset = parseInt(window.innerWidth);
        }
}
```

}

```
function addContentAboutUs(){
    let div_text = document.querySelector("#mission-
text")
    let text = `We're driven by a singular passion:
crafting unparalleled coffee experiences. At Cafe &
Factory, our quest for the finest beans takes us around
the globe, forging relationships with farmers committed
to quality and ethical practices.
```

From these meticulously sourced beans, our expert roasters orchestrate the alchemy, coaxing out exquisite flavors and aromas in our state-of-the-art factory. But our journey doesn't end there.

In our inviting cafés, skilled baristas weave magic, transforming our blends into moments of delight. Beyond serving exceptional coffee, we cultivate connections and a sense of belonging.

Cafe & Factory isn't just about coffee; it's a commitment to community, sustainability, and excellence. We're dedicated to elevating coffee culture, empowering farmers, and paving the way for a greener future.

Join us on this voyage—a tapestry woven with dedication, craftsmanship, and a shared love for exceptional coffee. Together, let's relish each sip and redefine the essence of what coffee means to us all.`

```
text = text.split("\n")
text = text.filter((element)=>
```

```
element.trim() !== ""
)
text.forEach((element)=>{
    let p = document.createElement("p")
    p.innerHTML = element.replace(/&/g,"<span
class='weird-and'>&</span>");
    p.innerHTML = p.innerHTML.replace("Cafe",'<h1
class="style-as-p">Cafe</h1>')
    div_text.appendChild(p)
})
```

Join us for our grand opening extravaganza! Live music will set the tone while you indulge in complimentary coffee tastings featuring our finest brews. Early visitors will also enjoy exclusive discounts, our way of saying thank you for welcoming us into your neighborhood.

This isn't just a café; it's a

hub designed to be an integral part of Radnicka 50.
We're eager to collaborate with neighboring businesses

and residents, creating a space where connections flourish.

Our menu boasts unique offerings crafted exclusively for this locale. From a signature drink paying homage to Radnicka 50's spirit to pastries sourced from local artisans, every item embodies our dedication to this community.

Prepare for immersive experiences! Dive into coffee workshops, tasting sessions, and engaging classes on the art of latte creation. Our staff is poised to welcome you warmly, ensuring each visit is nothing short of delightful.

We're more than a coffee spot—we're your partners in building a connected, vibrant community. Through active involvement in local events and initiatives, we aim to weave ourselves seamlessly into the fabric of Radnicka 50.

Step into our café, savor the finest brews, and be part of the story as we write this exciting new chapter together. Radnicka 50 is not just a location; it's a gathering place where friendships are forged over the shared love for exceptional coffee.

```
` },

1:{title:"BEST TURKISH COFFE",

img:{url:"assets/images/best-turkish-coffee2.jpg",

alt:"turkish-

coffee",backgroundPosition:"right"},subtitle:"Recipe",

content: `
```

Embark on a sensory journey unlike any other with Cafe & Factory's signature

Turkish Coffee. Renowned for its rich history and intense flavors, our Turkish Coffee stands as a testament to the mastery of this ancient brewing tradition.

Crafted meticulously by our expert artisans, each cup of our Turkish Coffee is a harmonious blend of finely ground, premium beans sourced from the heartlands of Turkey. It's a symphony of taste, boasting a robust, full-bodied profile that indulges your palate with every sip.

At Cafe & Factory, we honor tradition while embracing innovation. Our Turkish Coffee is brewed using time-honored methods, ensuring that every cup captures the essence of centuries-old rituals. The result? A beverage that transcends time, bringing forth the bold, authentic flavors cherished across generations.

Experience the allure of tradition and innovation harmoniously dancing in your cup. Whether you savor it slowly or relish its invigorating kick, our Turkish Coffee promises an unparalleled journey through taste and culture.

Indulge in The Best Turkish
Coffee by Cafe & Factory, where each cup is not just a
beverage but a cultural experience—a testament to our
dedication to excellence and the celebration of coffee
in its purest form.

Visit us today and elevate your coffee ritual to new heights with our exquisite Turkish Coffee. Step into our world, where each sip tells a story of tradition, passion, and unparalleled flavor.

```
` },
2:{title:"A Journey from Bean to
Cup",img:{url:"assets/images/how-coffee-is-made.jpg",
```

alt:"how-coffee-ismade",backgroundPosition:"left"},subtitle: "How is
Coffee Made", content:`

Coffee, the elixir of energy and comfort, undergoes a remarkable transformation from bean to cup. Let's embark on an enlightening journey to unveil the intricate process behind this beloved beverage.

It all begins in far-flung coffee plantations, where coffee trees flourish under the sun's nurturing gaze. The journey starts with the cultivation of cherries, each bearing the potential for the exquisite flavors we crave. Farmers, stewards of these lands, meticulously nurture the plants, ensuring optimal growth and ripeness.

Once the cherries reach their peak, it's time for the harvest. This crucial phase demands skilled hands to pluck the ripe cherries, preserving their integrity. The harvested cherries then undergo a meticulous process known as "processing," where the seeds, or coffee beans, are extracted and carefully dried.

From these dried beans emerges a new chapter—roasting. This is where the alchemy happens. Expert roasters, armed with knowledge and finesse, apply heat and precision to unlock the beans' inherent flavors. The transformation from green to aromatic brown marks the birth of distinct profiles—light, medium, or dark roasts—each imparting its unique essence.

Finally, the stage is set for brewing. Ground or whole, the roasted beans are ready

to fulfill their destiny. Whether brewed through pourover, espresso, or French press, the beans release their essence, creating that familiar aroma and taste we adore.

```
At Café & Factory, we celebrate this journey. Our commitment to excellence echoes in every step—from sourcing premium beans to the artistry of roasting and the expert crafting of your perfect cup. Join us in savoring not just coffee but the story woven into each sip—a tale of dedication, precision, and the passion that brings coffee to life.

`}

Object.values(news).forEach((element, i)=>{
    let card = document.createElement("div")
```

```
card.style.backgroundImage =
url(${element.img["url"]}`
       card.style.backgroundPosition
 element.img.backgroundPosition
       card.className="card"
       let content wrap = document.createElement("div")
       content wrap.classList.add("content-wrap")
       let p_title = document.createElement("p")
       p title.classList.add("title")
       p title.innerHTML += element["title"];
       let p_subtitle = document.createElement("p")
       p_subtitle.classList.add("sub-title")
       p subtitle.innerHTML = element["subtitle"];
       content_wrap.appendChild(p_title)
       content wrap.appendChild(p subtitle)
       card.appendChild(content_wrap)
       let sub = document.createElement("div")
```

```
sub.classList.add("submit")
        sub.setAttribute('data-id', i);
        sub.innerText = "Learn more"
        content wrap.appendChild(sub)
        news_block.appendChild(card)
    })
    let sub but = document.querySelectorAll(".submit");
    sub but.forEach((element)=>{
        element.addEventListener("click", function(){
            let body = document.querySelector("body")
            let overlay = document.createElement("div")
            overlay.classList.add("overlay");
            body.appendChild(overlay)
            body.style.overflowY = "hidden" //
zaustavlja srkollovanje kad je aktiviran
            let holder = document.createElement("div")
            holder.classList.add("holder")
            overlay.appendChild(holder)
            let holder header =
document.createElement("div")
            holder header.classList.add("holder-header")
            let title = document.createElement("h2")
            title.classList.add("h2-title")
            let id card = element.getAttribute("data-
id")
            title.innerHTML = news[id card]["title"] //
Dodati logiku
            let x = document.createElement('i')
            x.classList.add("fa-solid", "fa-x")
            holder_header.appendChild(title)
            holder header.appendChild(x)
            holder.appendChild(holder header)
            // modal body
            let modal_body =
```

```
document.createElement("div")
```

```
modal_body.classList.add("modal-body")
            let content = news[this.getAttribute("data-
id")]["content"]
            content = content.split(/\n/g)
            content = content.filter((elem) =>{
                return elem.trim() != ""
            })
            for( paragraph of content){
                let p = document.createElement("p")
                p.innerHTML = paragraph
                modal_body.appendChild(p)
            if(news[id card].hasOwnProperty("img")){
                let img = document.createElement("img")
                img.src = news[id_card].img.url;
                img.alt = news[id_card].img.alt
                modal body.appendChild(img)
            holder.appendChild(modal_body)
            // Create Image
            overlay.appendChild(holder)
            //brise modal
            x.addEventListener("click", function(){
                body.style.overflowY ="scroll"
                overlay.remove()
        })
    })
```

let form = document.querySelector("#contact-us-

form")

function validateContactForm(){

```
let fname = document.querySelector("#name")
    let lname = document.querySelector("#last-name")
    let email = document.querySelector("#email")
    let question = document.querySelector("#question")
    let sub = document.querySelector("#sub")
    let cover = document.querySelector("#abs");
    let dropandcheck =
document.querySelector("#dropandcheck")
    let cb = document.querySelector("#checkbox terms")
    {
        // block for adding select and check
        let sel = document.createElement("select")
        sel.id = "city"
        let nizGradova = ["Beograd", "Sabac", "Novi
Sad", "Nis", "Loznica", "Obrenovac"]
        let opt = document.createElement("option");
        opt.value = 0;
        opt.innerText = "City"
       // opt.setAttribute("disabled", "disabled")
        opt.setAttribute("selected", "selected")
        opt.setAttribute("disabled", "disabled")
        sel.appendChild(opt)
        for(let i in nizGradova){
            opt = document.createElement("option")
            opt.value = Number(i)+1;
            opt.innerText = nizGradova[i]
            sel.appendChild(opt)
        dropandcheck.appendChild(sel)
    let sel = document.querySelector("#city")
    let sel_city_err = () =>{
        let sel = document.querySelector("#city")
        if(Number(sel.value)){
            if(document.querySelector("#error_city"))
document.querySelector("#error city").remove()
        return true;
```

```
else{
        if(!document.querySelector("#error_city")) {
        let city error = document.createElement("p")
        city_error.id = "error_city"
        city error.innerText = "Select a city"
        sel.insertAdjacentElement("afterend" ,
city_error)
        return false;
    }
    let city = () => {
        let city = document.querySelector("#city")
        if(Number(city.value)) return true
        return false
    let name val = () =>{
        let name= document.querySelector("#name")
        let reg = /^[A-Z][a-z]{1,9}(\s[A-Z][a-x])
z]{1,9})*$/
        return reg.test(name.value)
    let lname_val = () =>{
        let lname= document.querySelector("#last-name")
        let reg = /^[A-Z][a-z]{1,9}(\s[A-Z][a-z])
z]{1,9})*$/
        return reg.test(lname.value)
    }
    let email val = () =>{
        let email= document.guerySelector("#email")
        let reg =
/^[\w\d\.\_\$\%\\\+]{3,}@(gmail\.com|yahoo\.com|ict\.ed
u\.rs)$/
        return reg.test(email.value)
    let question val = () =>{
```

```
let question =
document.querySelector("#question")
    if(question.value.length >15){
        return true
    }
    return false
}
let checkedToS = () =>{
    let checkbox =
document.querySelector("#checkbox_terms")
    if(checkbox.checked) return true;
    return false;
}
```

```
cb.addEventListener("input", function(){
    if(this.checked){
        if(document.querySelector("#err_star"))
document.querySelector("#err_star").remove()
    }
    else{
        if(!document.querySelector("#err_star")){
        let star = document.createElement("span")
        star.style.color = "red"
        star.id = "err_star"
        star.innerHTML="*"
        this.insertAdjacentElement("afterend", star)
        }
    }
}
form.addEventListener("input", function(){
    let submit = document.querySelector("#sub")
```

```
if(name_val() && lname_val && email_val() &&
question_val() && sel_city_err() && checkedToS()){
    submit.removeAttribute("disabled")
    if(document.querySelector("#err_sub")){
```

```
document.guerySelector("#err sub").remo
ve();
            cover.style.zIndex = -1;
        }
        else{
            submit.setAttribute("disabled", "disabled")
        }
    })
    cover.addEventListener("click", function(){
        var event = new Event('input', {
            bubbles: true,
            cancelable: true
          });
        let input = form.querySelectorAll("input")
        let text = form.querySelector("textarea")
        let select = form.querySelector("select")
        input.forEach((element)=>{
              element.dispatchEvent(event)
        })
        text.dispatchEvent(event)
        select.dispatchEvent(event)
    })
    sel.addEventListener("blur", function(){
        sel city err()
    })
    sel.addEventListener("input", function(){
        sel_city_err()
    fname.addEventListener("input", function(){
        if(!name val()){
            if(document.querySelector("#err fname")){
```

```
else{
                let err = document.createElement("p")
                err.id = "err fname"
                err.innerText = 'Must start with
capital letter, without special characters and
unnecesary spaces'
                this.insertAdjacentElement("afterend",
err)
            }
        else if(document.querySelector("#err fname")){
            let a =document.querySelector("#err_fname")
            a.remove()
        }
    })
   fname.addEventListener("focus", function(){
        if(!name val()){
            if(document.querySelector("#err fname")){
```

```
}
            else{
                let err = document.createElement("p")
                err.id = "err fname"
                err.innerText = 'Must start with
capital letter, without special characters and
unnecesary spaces'
                this.insertAdjacentElement("afterend",
err)
        }
        else if(document.querySelector("#err_fname")){
            let a =document.querySelector("#err fname")
            a.remove()
        }
    })
    lname.addEventListener("input", function(){
        if(!lname val()){
```

```
if(document.querySelector("#err_lname")){
```

```
else{
                let err = document.createElement("p")
                err.id = "err lname"
                err.innerText = 'Must start with
capital letter, without special characters and
unnecesary spaces'
                this.insertAdjacentElement("afterend",
err)
            }
        else if(document.querySelector("#err lname")){
            let a =document.querySelector("#err lname")
            a.remove()
        }
    })
    lname.addEventListener("focus", function(){
        if(!lname_val()){
            if(document.querySelector("#err lname")){
```

```
}
else{
    let err = document.createElement("p")
    err.id = "err_lname"
    err.innerText = 'Must start with

capital letter, without special characters and
unnecesary spaces'
    this.insertAdjacentElement("afterend",
err)
}
err)
}
else if(document.querySelector("#err_lname")){
    let a =document.querySelector("#err_lname"))
    a.remove()
}
})
email.addEventListener("input", function(){
```

```
if(!email_val()){
   if(document.querySelector("#err_email")){
```

```
}
else{
    let err = document.createElement("p")
    err.id = "err_email"
    err.innerText = 'Wrong format of email'
        this.insertAdjacentElement("afterend",

err)

}
else if(document.querySelector("#err_email")){
    let a =document.querySelector("#err_email")
        a.remove()
    }
})
email.addEventListener("focus", function(){
    if(!email_val()){
        if(document.querySelector("#err_email")){
```

```
}
else{
    let err = document.createElement("p")
    err.id = "err_email"
    err.innerText = 'Wrong format of email'
        this.insertAdjacentElement("afterend",
err)

}
else if(document.querySelector("#err_email")){
    let a =document.querySelector("#err_email"))
    a.remove()
}
})
question.addEventListener("input", function(){
    if(!question val()){
```

```
if(document.querySelector("#err_question"))
            else{
                let err = document.createElement("p")
                err.id = "err question"
                err.innerText = 'Must be at least 15
characters long'
                this.insertAdjacentElement("afterend",
err)
        else
if(document.querySelector("#err_question")){
            let a
=document.querySelector("#err_question")
            a.remove()
        }
    })
    question.addEventListener("focus", function(){
        if(!question val()){
            if(document.querySelector("#err_question"))
            else{
                let err = document.createElement("p")
                err.id = "err_question"
                err.innerText = 'Must be at least 15
characters long'
                this.insertAdjacentElement("afterend",
err)
        }
        else
if(document.querySelector("#err_question")){
            let a
=document.guerySelector("#err guestion")
```

```
a.remove()
}
})

function footer(){
  let footer = document.querySelector('footer')
  let stranice = ["Home" , "Locations" , "Author"]
  let html_stranice =
[ "index.html", "locations.html", "author.html"]
  let mapa = new Map();
```

```
for(let i in stranice){
       if(stranice[i] && html stranice[i]){
           mapa.set( html stranice[i],stranice[i])
        }
   footer.innerHTML = `<a href = 'index.html'><img</pre>
src='assets/images/logo.png' alt='logo'/></a>`</a>`
   let div1 = document.createElement("ul")
   div1.id='links'
   div1.innerHTML = '
head">LINKS'
   mapa.forEach((element, index)=>{
       let li = document.createElement('li')
       let a = document.createElement('a')
       a.href = '/' + index
       a.innerHTML = element
       li.appendChild(a)
       div1.appendChild(li)
   })
   footer.appendChild(div1)
```

```
let div2 = document.createElement("ul")
  let media = ["Instagram","Facebook", "Twitter"]
  let media_links = ["https://www.instagram.com/",
"https://www.facebook.com/", "https://twitter.com/home"]
  div2.innerHTML = 'MEDIA</LI>'
  media.forEach((element,index)=>{
    let li = document.createElement("li")
```

```
let a = document.createElement("a")
    a.href = media_links[index]

    a.innerHTML = element
    li.appendChild(a)
     div2.appendChild(li)
})
footer.appendChild(div2)
```

}

```
function caffeeLocation(){
  let citiesInfo = {
```

```
Beograd: {
 0: {
    address: "Knez Mihailova 1",
    p vreme: "09:00",
    k_vreme: "17:00",
    kontakt: "0645556677",
    rate:5
 },
 1: {
   address: "Terazije 3",
    p_vreme: "10:30",
    k_vreme: "18:00",
    kontakt: "0645556677",
   rate:5
 },
 2: {
    address: "Kralja Petra 7",
    p vreme: "08:00",
    k_vreme: "16:30",
    kontakt: "0645556677",
    rate:4
  },
 3: {
    address: "Vuka Karadzica 13",
    p vreme: "09:45",
```

```
k_vreme: "19:00",
    kontakt: "0645556677",
    rate:5
 },
  4: {
    address: "Nikole Pasica 22",
    p_vreme: "07:30",
    k_vreme: "15:45",
    kontakt: "0645556677",
    rate:4
  }
},
Loznica: {
 0: {
    address: "Trg Jovana Cvijića 5",
    p_vreme: "08:45",
    k_vreme: "16:30",
    kontakt: "0645556677",
   rate:5
  },
  1: {
    address: "Karađorđeva 10",
    p_vreme: "11:00",
    k_vreme: "19:00",
    kontakt: "0645556677",
    rate:5
 },
  2: {
    address: "Vilzonova 21",
    p_vreme: "09:30",
    k_vreme: "17:45",
    kontakt: "0645556677",
    rate:3
  }
},
"Uzice": {
  0: {
    address: "Bulevar Mihajla Pupina 9",
```

```
p_vreme: "08:30",
    k_vreme: "16:45",
    kontakt: "0645556677",
    rate:5
 },
 1: {
    address: "Trg slobode 7",
    p_vreme: "10:15",
    k_vreme: "18:30",
    kontakt: "0645556677",
    rate:4
 },
 2: {
   address: "Masarikova 7",
    p_vreme: "09:00",
    k_vreme: "17:15",
    kontakt: "0645556677",
    rate:5
 },
 3: {
   address: "Gajeva 1",
    p_vreme: "11:30",
    k vreme: "20:00",
    kontakt: "0645556677"
 }
},
Nis: {
 0: {
    address: "Obrenoviceva 11",
    p_vreme: "09:15",
    k_vreme: "17:45",
    kontakt: "0645556677",
    rate:5
  },
 1: {
    address: "Voždova 18",
    p_vreme: "11:30",
    k vreme: "20:00",
```

```
kontakt: "0645556677",
    rate:5
  },
  2: {
    address: "Dušanova 71",
    p_vreme: "08:00",
    k_vreme: "16:00",
    kontakt: "0645556677",
    rate:4
  },
  3: {
    address: "Radnicka 50",
    p_vreme: "10:45",
    k_vreme: "19:30",
    kontakt: "0645556677",
    rate:3
  }
},
Kragujevac: {
  0: {
    address: "Trg 1",
    p_vreme: "09:00",
    k_vreme: "17:30",
    kontakt: "0645556677",
    rate:5
  },
  1: {
    address: "Jadranska 3",
    p_vreme: "08:15",
    k_vreme: "16:45",
    kontakt: "0645556677",
    rate:2
  },
  2: {
    address: "Rujevicka 1",
    p_vreme: "10:30",
    k vreme: "19:00",
    kontakt: "0645556677",
```

```
rate:5
    },
    3: {
      address: "Centar 4",
      p_vreme: "07:45",
      k_vreme: "15:30",
      kontakt: "0645556677",
      rate:3
    }
  },
  Obrenovac: {
    0: {
      address: "Gandijeva 3",
      p_vreme: "08:30",
      k_vreme: "11:00",
      kontakt: "0645556677",
      rate:3
    },
    1: {
      address: "Ulica 4",
      p_vreme: "10:00",
      k_vreme: "11:30",
      kontakt: "0645556677",
      rate:2
    }
  },
  staticElement:{
      number:1
  }
};
let loc = document.querySelector("#location")
let p_filter = document.createElement("p")
p filter.id="filter"
p filter.innerText = "Filter: "
loc.appendChild(p_filter)
let select = document.createElement("select")
let opt def = document.createElement("option")
```

```
opt def.innerHTML="All Cities"
opt_def.value = "All Cities"
select.appendChild(opt def)
Object.keys(citiesInfo).forEach((element)=>{
  if(element != "staticElement"){
  let opt = document.createElement("option")
  opt.value = element
  opt.innerHTML=element
  select.appendChild(opt)
})
loc.appendChild(select)
let OpenNow = document.createElement("p")
OpenNow.classList.add("checkbox")
OpenNow.addEventListener("click", function(){
  this.classList.toggle("active")
  var event = new Event('input', {
      bubbles: true,
      cancelable: true
    });
    select.dispatchEvent(event)
```

```
})
//Provera da li je ukljucen OpenNow
```

```
function checked(){
    let obj = document.querySelector(".active")
    if(obj) return true
    return false
}
OpenNow.innerText = "Open Now"
loc.appendChild(OpenNow)
let city_group_div = document.createElement("div")
city_group_div.id = "cityList"
loc.appendChild(city_group_div)
for(let z in citiesInfo){
```

```
let divCity = document.createElement("div")
        divCity.classList.add("location_div")
        if(z!="staticElement"){
            divCity.classList.add(z);
            let header = document.createElement("h1")
            header.id = z;
            header.innerText = z
            divCity.appendChild(header)
            city_group_div.appendChild(divCity)
        for(const [key,x] of
Object.entries(citiesInfo[z])){
            for(let i in key){
                let card = document.createElement("div")
                card.classList.add("locations_card")
                let podaci =
document.createElement("div")
                // SLIKA
                let img =document.createElement("img")
                img.src = "assets/images/cog.png"
                img.alt = "cog-logo"
                //ulica
                let ulica = document.createElement("h2")
                ulica.classList.add("adr")
                ulica.innerText = x.address
                //vreme
                let vreme = document.createElement("p")
                vreme.innerText = x.p vreme + " " +
x.k vreme
                vreme.classList.add("vreme")
                    //Telefon
                    let telefon =
document.createElement("p")
                    telefon.classList.add("telefon")
```

```
let a = document.createElement("a");
                    let i = document.createElement("i");
                    i.classList.add("fa-solid", "fa-
phone");
                    let span =
document.createElement("span")
                    span.innerText =
encodeURIComponent(x.kontakt)
                    a.appendChild(i)
                    a.appendChild(span)
                    a.href=`tel:${x.kontakt}`
                    telefon.appendChild(a)
                podaci.appendChild(ulica)
                podaci.appendChild(vreme)
                podaci.appendChild(telefon)
                card.appendChild(img)
                card.appendChild(podaci)
                divCity.appendChild(card)
```

```
}
select.addEventListener("input",function(){
    city_group_div.innerHTML ="";
    for(let z in citiesInfo){
        if(z!= this.value && this.value != "All
Cities") continue
```

```
let divCity = document.createElement("div")
    divCity.classList.add("location_div")
    if(z!="staticElement"){
        divCity.classList.add(z);
```

```
let header =
document.createElement("h1")
                header.id = z;
                header.innerText = z
                divCity.appendChild(header)
                city_group_div.appendChild(divCity)
            for(const [key,x] of
Object.entries(citiesInfo[z])){
                if(z=="staticElement") continue;
                for(let i in key){
                    let card =
document.createElement("div")
                    card.classList.add("locations_card")
                    let podaci =
document.createElement("div")
                    if(checked()){
                        let day = new Date()
                        let hours =
parseInt(day.getHours())
                        let minutes =
parseInt(day.getMinutes())
                                 let p_vreme =
(x.p_vreme)
                                 p_vreme =
p_vreme.split(":")
                                 p vreme =
p_vreme.map((element)=>{
                                     return
(parseInt(element))
                                 })
                                 k vreme =
x.k vreme.split(":")
                                 k_vreme.map((element)=>
```

```
return
(parseInt(element))
                                  })
                                  if(p_vreme[0] < hours</pre>
&& hours<k_vreme[0]){}
                                  else if(p_vreme[0] ==
hours){
                                      if(p_vreme[1] >
minutes) continue;
                                  }
                                  else if(k_vreme[0] ==
hours){
                                      if(k_vreme[1] <</pre>
minutes) continue
                                  }
                                  else{
                                      continue;
                                  }
                     // SLIKA
                     let img
=document.createElement("img")
                     img.src = "assets/images/cog.png"
                     img.alt = "cog-logo"
                     //ulica
                     let ulica =
document.createElement("h2")
                     ulica.classList.add("adr")
                     ulica.innerText = x.address
                     //vreme
                     let vreme =
document.createElement("p")
                     vreme.innerText = x.p_vreme + " " +
x.k_vreme
                     vreme.classList.toggle("vreme")
```

```
//Telefon
                    let telefon =
document.createElement("p")
                    telefon.classList.add("telefon")
                    let a = document.createElement("a");
                    let i = document.createElement("i");
                    i.classList.add("fa-solid", "fa-
phone");
                    let span =
document.createElement("span")
                    span.innerText =
encodeURIComponent(x.kontakt)
                    a.appendChild(i)
                    a.appendChild(span)
                    a.href=`tel:x.kontakt`
                    telefon.appendChild(a)
                    podaci.appendChild(ulica)
                    podaci.appendChild(vreme)
                    podaci.appendChild(telefon)
                    card.appendChild(img)
                    card.appendChild(podaci)
                    divCity.appendChild(card)
                }
          checkForEmptyCards()
```

function checkForEmptyCards(){

```
}
function locationInfo(){
```

```
let block = $("#info");
let blockText = $("<div></div>");
let blockImage = $("<img/>");
blockImage.attr("src", "assets/images/woman-
coffee.png");
blockImage.attr("alt", "woman-with-coffee");

let h1 = $("<h1>Headquarters</h1>");

// Address
let address = $("Mije Kovacevica 7");
address.addClass("text");

// Email
let email = $("<h2>Email contact</h2>");
email.addClass("head");
```

```
let emailAddress =
$("email@gm&
#x61;il.com");
   emailAddress.addClass("text");
   // Phone
   let phone = $("<h2>Phone Number:</h2>");
   phone.addClass("head");
   let phoneNumber =
$(`+${encodeURIComponent(3811234567)}`);
   phoneNumber.addClass("text");
   blockText.append(h1, address, email, emailAddress,
phone, phoneNumber);
   block.append(blockText);
   block.append(blockImage);
function ourCoffee(){
   let coffee = {
       Espresso:{
          img:"espresso.png",
          alt: "espresso"
       },
       Doppio:{
          img:"doppio.png",
          alt:"doppio"
        },
       Cortado:{
          img:"cortado.png",
          alt:"cortado"
```

```
},
"Latte Macchiato":{
    img:"latte-macchiato.png",
    alt:"latte-macchiato"
}
```

```
}
let coffee_holder =
document.querySelector("#coffee")
for(const [key,value] of Object.entries(coffee)){

let coffee_card = document.createElement("div")
    coffee_card.classList.add("coffee_card")
    let img = document.createElement("img")
    img.src = `assets/images/${value.img}`
    img.alt = value.alt
    let p =document.createElement("p")
    p.innerHTML = key;
    coffee_card.appendChild(img)
    coffee_card.appendChild(p)
    coffee_holder.appendChild(coffee_card)
```

```
function jqueryPluginImp(){
    let star = document.createElement("a")
    star.id="backtothetop-fixed"
    let i = document.createElement("i")
    i.classList.add("fa-solid","fa-arrow-up")
    star.href="#logo-phone"
    star.setAttribute("data-backtothetop-fixed-fadeIn",
"fast")
    star.setAttribute("data-backtothetop-fixed-fadeOut"
"fast")
    star.setAttribute("data-backtothetop-fixed-scroll-
offset", 200)
    star.setAttribute("data-backtothetop-scrolltop", 0)
    if(window.innerWidth>480){
    star.setAttribute("data-backtothetop-fixed-bottom",
50)
    star.setAttribute("data-backtothetop-fixed-right",
50)}
   else{
```

```
star.setAttribute("data-backtothetop-fixed-
bottom", 84)
    star.setAttribute("data-backtothetop-fixed-right",
20)
    }
    star.appendChild(i)

let wrapper = document.querySelector("#wrapper")
    wrapper.appendChild(star);
}
```

## jquery.backtothetop.min (JQUERY PLUGIN)

```
* jQuery Plugin Back to the Top
 * Version 1.1.8
 * Update: 2022-02-21 07:40:42
 * Copyright 2022 thingsym
 * URI: https://github.com/thingsym/jquery.backtothetop
 * Repository:
https://github.com/thingsym/jquery.backtothetop
 * License: Dual licensed under the MIT and GPLv2
licenses.
 * http://www.opensource.org/licenses/mit-license.php
 * http://www.gnu.org/licenses/gpl-2.0.html
!function(c){c(window).on("load.BackToTheTop",function()
{c('a[href^="#"]').BackToTheTop()}),c.fn.BackToTheTop=f
unction(t){var
o,a,e,i,d,h,f,p,s,n={duration:300,easing:"swing",offset:
0,hash:!0,scrolloffset:0,fadein:"slow",fadeout:"slow",d
isplay:"bottom-
right",top:0,bottom:0,left:0,right:0,zIndex:999,positio
n:"fixed"};c.extend(n,t);c('a[href^="#"]').on("click.Ba
ckToTheTop",function(){var t,o,a,e,i,d=void
0!==c(this).data("backtothetop-
scrolltop")?c(this).data("backtothetop-
scrolltop"):c(this.hash).offset()?c(this.hash).offset()
top: "backtothetop-
fixed"==c(this).attr("id")&&"#"==c(this).attr("href")?0:
null;if(null!==d)return t=void
0===c(this).data("backtothetop-
duration")?n.duration:c(this).data("backtothetop-
duration"),o=void 0===c(this).data("backtothetop-
easing")?n.easing:c(this).data("backtothetop-
easing"),a=void 0===c(this).data("backtothetop-
offset")?n.offset:c(this).data("backtothetop-
offset"),e=void 0===c(this).data("backtothetop-
```

```
hash")?n.hash:c(this).data("backtothetop-
hash"),i=c(this).attr("href"),c("html,body").animate({s
crollTop:d+a},t,o,function(){!0===e&&window.history.pus
hState("","",i)}),!1}),(s=c("a#backtothetop-
fixed"))&&(o=void 0===s.data("backtothetop-fixed-
scroll-offset")?n.scrolloffset:s.data("backtothetop-
fixed-scroll-offset"),a=void 0===s.data("backtothetop-
fixed-fadein")?n.fadein:s.data("backtothetop-fixed-
fadein"),e=void 0===s.data("backtothetop-fixed-
fadeout")?n.fadeout:s.data("backtothetop-fixed-
fadeout"),t=void 0===s.data("backtothetop-fixed-
display")?n.display:s.data("backtothetop-fixed-
display"),i=void 0===s.data("backtothetop-fixed-
top")?n.top:s.data("backtothetop-fixed-top"),d=void
0===s.data("backtothetop-fixed-
bottom")?n.bottom:s.data("backtothetop-fixed-
bottom"),h=void 0===s.data("backtothetop-fixed-
left")?n.left:s.data("backtothetop-fixed-left"),f=void
0===s.data("backtothetop-fixed-
right")?n.right:s.data("backtothetop-fixed-
right"),p=void 0===s.data("backtothetop-fixed-
zindex")?n.zIndex:s.data("backtothetop-fixed-
zindex"),"top-left"==t?f=d="none":"top-
right"==t?h=d="none":"bottom-
left"==t?f=i="none":"bottom-
right"==t&&(h=i="none"),s.css({display:"none"}),c(windo
w).on("scroll.BackToTheTop",function(){c(this).scrollTo
p()>o?(s.css({top:i,bottom:d,left:h,right:f,zIndex:p,po
sition:n.position}),"none"==s.css("display")&&s.fadeIn(
a)):c(this).scrollTop()<=0+o&&"none"!=s.css("display")&
&s.fadeOut(e)}))}}(jOuery);
```