#### VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

## DOKUMENTACIJA

# Web Programiranje PHP 1 MAX SHOES

https:/distortive-hello.ooowebhostapp.com/

https://github.com/DjordjeKnezevic/MaxShoesPHP

Djordje Knezevic - 255/22

#### TABLE OF CONTENTS

1.Uvod	3
1.1 Korisceni programski jezici	3
1.2 Opis funkcionalnosti	3
1.3 Dizajn baze	9
1.4 Template	10
2. Organizacija	10 2.1
Organizaciona sema	10
2.2 Mapa sajta	10
2.3 Slike sajta I opis funkcionalnosti	12
2.3.1 Index.php	12
2.3.2 products.php	20
2.3.3 cart.php	26
2.3.4 profile.php	28
2.3.5 adminpanel.php	30
3. Kodovi	32
3.1 PHP	32
3.1.1 connect.php	32
3.1.2 env.php	33
3.1.3 footer.php	33
3.1.4 head.php	35
3.1.5 loadcart.php	35
3.1.6 modal.php	36
3.1.7 navbar.php	41
3.1.8 cart.php	44
3.1.9 cartmanager.php	45
3.1.10 confirm.php	48
3.1.11 filter.php	49
3.1.12 index.php	51

3.1.13 insertorder.php	54
3.1.14 login.php	55
3.1.15 logout.php	57
3.1.16 products.php	57
3.1.17 register.php	61
3.1.18 profile.php	66
3.1.19 adminpanel.php	70
3.1.20 shoemanager.php	77
3.1.21 anketa.php	87
3.2 CSS	89
3.2.1 Style.css	89
3.2.2 Responsive.css	108
3.3 Javascript	152
3.3.1 Script.js	152

#### 1. Uvod

#### 1.1 Korisceni programski jezici

Jezici korisceni pri izradi sajta su PHP, css, bootstrap, javascript, jQuery i SQL (mysql)

#### 1.2 Opis funkcionalnosti

#### Zajednicko za sve stranice:

Navigacioni meni unutar koga se nalaze:

 Dinamcki odstampan meni linkova. Svi linkovi vode na istu stranicu "products.php" ali u zavisnosti od toga koji link se klikne, drugacije patike ce se prikazati. Meni se stampa iz baze

- Responsive Bootstrap "Burger" koji se pri manjim velicinama ekrana pojavljuje, tipa "offcanvas" koji se, prilikom pritiska na burger, pojavljuje sa leve strane ekrana
- Profil ikonica koja otvara bootstrap modal koji se sastoji iz tri dela koji su:
  - Account modal koji sluzi kao navigacioni meni gde se bira da li ce korisnik da se loguje ili pravi novi nalog (sign up). Kod preostala dva modala ima "div" koji izlazi prilikom submitovanja forme koji oznacava pocetak procesuiranja zahteva I nestaje kada klijent dobije odgovor od servera
  - Login modal na kome ima jednostavna forma za logovanje. Korisnik koristi username ili email kao prvo polje a sifru kao drugo. Prilikom logovanja proverava se inicijalno da li postoji username/email u bazi, ako ne postoji izlazi poruka za to, a ako postoji proverava se sifra da li se slaze sa unetim username-om/email-om. Ako se ne slaze, izlazi poruka za to, a ako se slaze, korisnik ce se ulogovati i prosledice se na stranicu product.php.
  - Sign up modal na kome korisnik pravi svoj nalog. Neophodno je uneti sva polja, prateci pravila koja su navedena, delom preko placeholder-a, delom preko error teksta koji izlazi I napominje korisniku sta nije dobro ukoliko polje nije ispravno popunjeno. Neophodno je I cekirati checkbox "I accept the terms and conditions" da bi korisnik uspesno napravio nalog. Provera unetih podataka se vrsi na klijentskoj I serverskoj strani. Ukoliko su svi uslovi ispunjeni, izaci ce ispod tekst sa zelenom pozadinom koji govori da

je nalog uspesno napravljen, i tacno jednu sekundu nakon toga, korisnik ce biti prosledjen na stranicu products.php i on ce se automatski ulogovati.

- Pojavljivanje I nestajanje celog menija prilikom scrollovanja (nestaje kada se scroll-a dole, pojavljuje se kada se scroll-a gore)
- Ako je korisnik ulogovan, umesto profil ikonice, videce svoj username sa padajucim menijem (Admin ce imati i oznaku "Admin" pored svog username-a) gde ce biti 2 opcije (Ako je korisnik admin, videce i trecu opciju za admin panel), gde je jedna da ide na njegov profil, a druga da se izloguje. Opcija da se izloguje ce izlogovati korisnika i prosledice na index.php stranicu
- Ikonica korpe gde ce, ako je korisnik ulogovan i dodao stavke u korpu, pojaviti brojac koji ukazuje broj dodatih stavki, i te stavke ce se videte na svim stranicama. Ukoliko korisnik nije ulogovan, klikom na tu ikonicu ce izaci modal za logovanje.

Dinamicko stampanje celog Footer-a, ceo iz baze

#### "Index.php":

Dinamicko stampanje naslovnih ("Welcome") slika iz baze Animacija naslovnih ("Welcome") slika, uradjenih preko event-a "animationend" gde se na svakih 5 sekundi pokrene css animacija, tipa fade-out. Nakon zavrsetka animacije, slika koja je nestala se stavlja na dno, a na vrh se postavlja slika iza nje, I tako za sve slike.

Bootstrap-ov Carousel na kome se smenjuju slike (same ili klikom na strelice sa leve ili desne strane Carousel-a ili klikom na bilo koji od malih pravougaonika na dnu. Carousel je delom dinamicki odstampan (strelice I pravougaonici za listanje). Carousel ima 3 patike, svaka vodi na stranicu "products.html" gde se prikazuju informacije o njoj

Dinamicko stampanje "kategorija" (MEN, WOMEN, KIDS, isto iz baze) koje vode na stranicu "products.html" I primenjuju filtre u zavisnosti od kliknutog linka.

#### "Products.php":

Dinamicki odstampane patike sa informacijama o njima (Brand, Model, Price, Img, Category, Shipping, Discount (ako ima)), koje se, u zavisnosti od filtra primenjenog, stampaju sve, ili deo njih.

Sve patike se izvlace iz baze i stavljaju u promenljivu. U slucaju da se primeni filtar, prikazace se filtrirane patike, ponovo izvucene iz baze, a u suprotnom (kada nema filtra), prikazace se iz te promenljive

5 dropdown lista od kojih su 3 dinamcki odstampane, 4 predstavljaju filtre a jedna sortiranje koje korisnik podesava.

Dupli slajder koji se nalazi unutar trece dropdown liste. Napravljen je pomocu dodatnih jQuery plugin-ova (jQuery-ui, jQuery touch -punch I jQuery smoothness tema). Ima dve drske I tekst na kome se ispisuju vrednosti opsega cena

Korpice za svaku patiku kod kojih se dodaje u korpu patika ako je korisnik ulogovan, a otvara modal za registraciju/logovanje ako nije.

Bootstrap-ov tooltip za svaku ikonicu korpu patika, aktiviran preko jQuery-ja. Ima dva tooltip-a, koji se, u zavinosti od toga da li je ikonica kliknuta ili ne, prikazuju.

Filter dugmad koja se pojavljuju prilikom pritiska na bilo koji filtar. Svako dugme se moze zatvoriti I time ukloniti filtar primenjen na patike (nakon klika na dugme "apply filters"). Dugmad se pojavljuju sa leve strane vec odstampanih dugmadi radi lepseg pregleda.

"Clear filters" dugme iliti cistac dugme koje uklanja sve filtre I time brise sva ostala dugmad. On se pojavljuje cim se pojavi barem jedno dugme, bilo kog tipa (brend, kategorija, cena...) I takodje nestaje ako korisnik ukloni sva ostala dugmad.

Filter dugme vezan za cenu se uzivo update-uje kako se podesava cena I prilikom njegovog uklanjanja, vrednosti duplog slajdera se vracaju na pocetnu (o I 300)

Jos jednu "burger" dugme za manje ekrane koje listu filtra izbacuje sa desne strane ekrana

Sortiranje prema ceni ( unutar poslednje dropdown liste ) – Manje ka vise, I vise ka manje i prema imenu, isto manje ka vise i vise ka manje.

Brojac za kolicinu dodatih artikla. Pojavljuje se kada se doda bar 1 artikal, I nestaje ako se uklone svi artikli iz korpe

Animirano obavestenje koje govori o uspesnom dodavanju ili izbacivanju artikla iz korpe

Ako nema ni jedne patike da odgovara kriterijumima filtra, pojavice se obavestenje korisniku o tome

#### "Cart.php":

Dostupno samo ulogovanim korisnicima, pokusaj pristupa stranici od strane ne ulogovanih korisnika ce biti preusmereni na index.php stranicu sa porukom da treba da se uloguju prvo

Unutar glavnog okvira se pojavljuju patike dodate u korpu Svaka patika ima ikonicu kante na kojom se klikom, patika izbacuje iz korpe i brojac automatski update-ovati

Kao i kod products.html-a, ako nema ni jedne patike u korpi, pojavice se obavestenje korisniku o tome

Ispod okvira se nalaze 2 dugmica i brojac ukupne cene u korpi Prvo dugme je za potpuno brisanje korpe

Drugim se zavrsava kupovina ( a samim tim, prazni korpa) i salje na stranicu profile.php gde se nalaze informacije o upravo zavrsenom i prethodnim kupovinama

#### "Profile.php":

Profile stranica je slicna cart-u po funkcionalnosti. Istorija kupovine se prikazuje u glavnom okviru

Ako nista nije kupljeno, pokazace se poruka i link ka stranici sa proizvodima

Informacije o kupovini osim samih patika su i vreme kupovina, ukupna cena kupovine i procenjeno vreme dostave (2 meseca od trenutka kupovine)

#### "Adminpanel.php":


Dostupno samo adminu, svim ostalima ce se prilikom pokusaja pristupa prikazati poruka "Access denied sa kodom 503"

Stranica ima opciju o dodavanju novem updejtovanju postojece patike ili brisanje postojece patike gde mogu da se stave sva polja vezana za tu patiku. Tamo gde su polja neophodna oznaceno je sa "Required" crvenim slovima.

Stranica ima opciju uploadovanja slike (formati jpg, png, jpeg, svi ostali ce izbaciti gresku)

Ukoliko su svi uslovi ispunjeni, izaci ce poruka da je uspesno uneta/updejtovana/izbrisana patika, u suprotnom, izaci ce error modal sa svim greskama koje admin treba da ispravi


#### 1.3 Dizajn baze



## 1.4 Template

Za izradu sajta nije koriscen nikakav Template


- 2. Organizacija
- 2.1 Organizaciona sema




#### 2.2 Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
 <urlset
    xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9"
        http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
    <url>
      <loc>https://distortive-hello.000webhostapp.com/index.php</loc>
      <lastmod>2023-03-19</lastmod>
      <changefreq>daily</changefreq>
      <priority>0.9</priority>
    </url>
    <url>
      <loc>https://distortive-hello.000webhostapp.com/products.php</loc>
      <lastmod>2023-03-19</lastmod>
      <changefreq>daily</changefreq>
      <priority>1</priority>
    </url>
    <url>
      <loc>https://distortive-hello.000webhostapp.com/cart.php</loc>
      <lastmod>2023-03-19</lastmod>
      <changefreq>monthly</changefreq>
      <priority>0.5</priority>
    </url>
    <url>
      <loc>https://distortive-hello.000webhostapp.com/profile.php</loc>
      <lastmod>2023-03-19</lastmod>
      <changefreq>monthly</changefreq>
      <priority>0.7</priority>
    </url>
    <url>
      <loc>https://distortive-hello.000webhostapp.com/adminpanel.php</loc>
      <lastmod>2023-03-19</lastmod>
      <changefreq>yearly</changefreq>
      <priority>0.1</priority>
    </url>
 </urlset>
```


# 2.3 Slike stranica I opis funkcionalnosti2.3.1 Index.php



Na pocetku ulaska na sajt, docekani smo sa velikim slikama radnji patika koje se smenjuju na svakih 5 sekundi. Iznad imamo dinamicki ispisan nav meni koji vode na stranicu products.html, sa primenjenim filtrima u zavisnosti od toga koji se link kliknuo. Gore levo cosak sadrzi logo I brend, a desno-gore su Cart ikonica I profil ikonica. Na sred ekrana je isto naziv brenda I njegov moto.





Klikom na profil ikonicu izbacuje ovaj account modal koji daje dve opcije: "Login" I "Sign up".



Login modal ima dva polja namenjena za logovanju korisnika, Ukoliko korisnik sa zadatim mejlom ili username-om ne postoji, izaci ce poruka da on ne postoji, u suprotnom, proverice se dalje da li je sifra ispravna

Ukoliko sifra nije ispravna, izaci ce obavestenje o tome:






A ukoliko je sve ispravno, izaci ce poruka o uspesnom logovanju i sekundu kasnije ce se korisnik proslediti na products.php stranicu gde ce se pojaviti informacije o ulogovanom korisniku.




Takodje je moguce ici sa login na sign up modal I obrnuto klikom na dugme u donjem-desno uglu.

Sign up modal je komplikovanije prirode jer sadrzi vise polja I dosta detaljniju proveru unetih vrednosti. Svako polje sadrzi placeholder na kome je primer ispravno unetih vrednosti.




Ukoliko korisnik nije uneo nikakve vrednosti u polja I izasao iz njih, ili je kliknuo na dugme "Sign up", svako nepopunjeno polje ce se zacrveniti.




Ukoliko je korisnik uneo nepravilno bilo koje od polja, pa izasao iz njega, ili kliknuo na dugme "Sign Up", izaci ce mu ispod tog polja sta nije u redu

A ukoliko je korisnik uneo sve ispravno, cekirao checkbox "laccept the terms and conditions", I kliknuo na dugme "Sign up", izaci ce mu obavestenje da je uspesno napravio nalog, i da je poslat mejl za verifikaciju naloga na registrovan mejl



Ispod "welcome" dela sajta se nalazi carousel koji sluzi kao "highlight" novih ili popularnih patika. Klikom na bilo koju patiku vodi na stranicu "products.html" gde se ta patika nalazi. Carousel je moguce listati klikom na strelice ili male pravugaonike na dnu.



Ispod Carousel-a se nalazi deo sa akcijama koji isto vodi na stranicu "products.html" sa primenjenim filtrima.



Deo "Kategorije" sluzi kao navigacioni meni, koji, u zavisnosti od toga na koji se klikne, drugaciji filtri se primenjuju na stranici "products.html". On je dinamicki odstampan.

#### **CATEGORIES**

Best offers and selection for each of the categories







Na dnu stranice se nalazi u potpunosti dinamicki odstampan footer (iz json-a ili local storage-a)na kome se nalaze kontakt informacije, facebook/instagram I rss stranice (Samo rss postoji, facebook I instagram vode na njihove pocetne stranice), I informacije o samom sajtu (Autor, Dokumentacija, mapa sajta)





#### 2.3.2 products.php




Navbar je isti kao I za index.html I ima iste funkcionalnosti osim toga sto se prilikom dodavanja patika u korpu, pojavljuje brojac sa brojem dodatih patika, koji nestaje prilikom uklanjanja svih patika iz korpe.


Svaki put kada se patika doda u korpu, korpa ce promeniti boju u crveno I pojavice se notifikacija o uspesnom dodavanju u korpu. Isto tako ce se desiti prilikom uklanjanja artikla iz korpe.





Ispod nav menija se nalazi deo gde korisnik bira filtre za tip patika koje zeli da vidi. Opcije su: Kategorija, Brend, opseg cena, besplatna dostava i "na popustu". Takodje I ima opcija za sortiranje cena i naziva. Vise ka nize, ili obrnuto.






Prve dve, I pretposlednja dropdown lista su dinamicki odstampane a inace sve imaju jQuery slideToggle('fast') animaciju. Treca dropdown lista sadrzi dupli slajder napravljen preko jQuery-evog plugin-a jQuery-ui sa temom "smoothness" I podrskom za touch screen uredjaje preko plugin-a touch-punch (bez ovog poslednjeg slajder ne bi radio na touch screen uredjajima)

```
<link rel="stylesheet"
href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.11.2/themes/smoothness/
jquery-ui.css">
```

Kako se povlace drske tako se menja tekst iznad slajdera




Odmah ispod dela za biranje filtra se nalazi prostor koji se popunjava ( I prazni ) dinamcki prilikom biranja nekih od opcija izabranih u dropdown listama iznad. Primer:





Svaki od ovih filter pravugaonika ima dugme za uklanjanje I time se takodje uklanja filter primenjen na pretragu patika. Takodje se prilikom biranja barem jednog filtra pojavljuje I dugme "Clear filters", koji, pritiskom na njega, uklanja sve ostale filtre, ukljucujuci samog sebe (dugme "clear filters" nestaje cim nema ni jedan filtar izabran)

Nakon toga sledi glavni deo a to je okvir sa samim patikama




Svaka patika ima informacije o njoj kao sto su Slika,Brend, model, cena, cena postarine, i popust, ako ga ima. Svaka patika ima I korpu koja ima bootstrap-ov tooltip gde pise da se moze dodati u korpu I izbaciti iz nje:






Na vrhu stranice prilikom dodavanja i skidanja iz korpe ima brojac koji pokazuje koliko patika je dodato u korpu:




Ukoliko ni jedna patika ne odgovara kriterijumima filtra, izaci ce obavestenje o tome:




2.3.2 cart.php

#### Cart.php je stranica korpe:



Tu se nalaze informacije o dodatim patikama, i jos neke stvari. Na dnu imamo dva dugmeta i brojac o ukupnoj ceni korpe:



Prvo dugme prazni korpu u potpunosti a drugo zavrsava kupovinu ( sto takodje prazni korpu ) i vodi na stranicu profile.php.


#### Svaka patika ima ikonicu kante koja brise tu patiku iz korpe



Ukoliko korpa nema ni jednu patiku, izaci ce obavestenje o tome:

You don't have any items in your cart

#### 2.3.4 profile.php



Profile stranica je stranica namenjena profilu korisnika, odnosno njegovoj istoriji kupovine, po dizajnu je dosta slicna cart.html-u sa malim razlikama. Ovde imaju i informacije o tome kada je obavljena kupovina, kada patike stizu, kao i kolika je cena kupovine bila.

#### Time of purchase:

2023-03-18 19:55:56

#### Total price:

\$320.00

## Estimated delivery

time:

2023-05-18

Ako korisnik nije obavio ni jednu kupovinu izaci ce obavestenje o tome kao i link ka products.html stranici:

# You haven't made any purchases

#### 2.3.5 adminpanel.php

AdminPanel je stranica namenjena adminu. Tu ima opciju da ubaci novu ili updejtuje/izbrise postojecu patiku.


#### Insert Update Delete Choose a shoe to delete Insert a shoe Choose a shoe to update Required! Required! Required! Category: Adidas Adizero XCS Track Spike ( Shoe id: 81 ) Adidas SolarBOOST 19 ( Shoe id: 60 ) Choose a category Brand: Required! Choose a brand Model name (format varchar(50)): Required! Between 3 and 50 characters Shoe price (format Decimal(6,2)): Required! Between 10 and 999 dollars Brand: Adidas Brand: Adidas Discount (format Decimal(3,2), leave blank for no Model: SolarBOOST 19 discounts): Model: Adizero XCS Track Spike Example: 0.70 if you want 30% discount Category: Women Category: Men Discount start date (leave blank for current Price (base): \$160 Price (base): \$65 dd/mm/yyyy, --:-- 🗂 Discount: N/A Discount: N/A Discount end date (leave blank for no date): Shipping: \$6 Shipping: \$24 dd/mm/yyyy, --:-- 🗂 Delete Shoe Shipping price (format Decimal(3,2), leave blank for free Choose what to update Category Between 10 and 999 dollars Image (1 file per shoe, supported formats JPG, Required! Brand Model Browse... No file selected.


#### **Shoe Editor**



Error: Access denied.

Admin po zadatim kriterijumima ubacuje informacije o novoj patiki, tamo gde je oznaceno crvenim slovima "Required!" govori da su ta polja neophodna. Ukoliko admin napravi neku gresku ili ubaci nedozvoljenu vrednost, izaci ce mu obavestenje o tome:





A ukoliko uspesno unese nova patika, ili updejtuje postojeca, izaci ce mu potvrda o tome:

#### 3. Kodovi

#### 3.1 PHP

#### 3.1.1 connect.php

#### 3.1.2 env.php

```
<?php
$MYSQL_DATABASE_HOST = 'maxshoes.cbqf4ibv1izd.eu-central-1.rds.amazonaws.com';
$MYSQL_DATABASE_NAME = 'MaxShoes';
$MYSQL_USER = 'Dzndzo9632139';
$MYSQL PASSWORD = 'sdklj32123lhk';
$PHPMAILER_CLIENTID = "{23575631036-
se2v9n11ggd018d638a2vr07oqmn9kj0.apps.googleusercontent.com}";
$PHPMAILER_CLIENTSECRET = "{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}";
$PHPMAILER_REDIRECT_URI =
'http://localhost:8080/vendor/phpmailer/phpmailer/get_oauth_token.php';
$PHPMAIL_SENDER = 'kneza96123@gmail.com';
$PHPMAIL_PASSWORD = 'byzkvhrfggnyulnd';
$PHP SHA1 STRING = 'fdh345hdsf3';
define("BASEQUERY", "SELECT
p.id AS patika_id,
p.model AS patika_model,
s.src AS slika src,
s.alt AS slika_alt,
k.naziv AS kategorija_naziv,
b.naziv AS brend naziv,
c.vrednost AS bazna_cena,
pop.procenat AS popust,
cp.vrednost AS cena_postarine,
IFNULL((c.vrednost * pop.procenat), c.vrednost) AS snizena_cena
```

```
INNER JOIN (
  SELECT
     patika_id,
  FROM
  WHERE
     datum_pocetka <= NOW() AND (datum_kraja IS NULL OR datum_kraja >= NOW())
) c ON p.id = c.patika_id
LEFT JOIN (
  SELECT
     patika_id,
  FROM
     popust
  WHERE
     datum_pocetka <= NOW() AND (datum_kraja IS NULL OR datum_kraja >= NOW())
) pop ON p.id = pop.patika_id
LEFT JOIN (
  SELECT
     patika_id,
  FROM
     cena_postarine
     datum_pocetka <= NOW() AND (datum_kraja IS NULL OR datum_kraja >= NOW())
) cp ON p.id = cp.patika_id
INNER JOIN kategorija k ON k.id = p.kategorija id
INNER JOIN brend b ON b.id = p.brend_id INNER
JOIN slika s ON s.id = p.slika_id
');
```

#### 3.1.3 footer.php

```
path = i = 2 ? "<path d=" . rez[i]-> vrednost . "'/> <path d=" . rez[i + 1]-> vrednost . "'/> <path d=" . rez[i + 1]-> vrednost .
    />" : "<path d="" . $rez[$i]->vrednost . "'/>";
                  echo $path . "</svg></a>";
            ?>
       </section>
      <section>
            <?php
            for (\$i = 4; \$i < 7; \$i++) {
                  echo "<article>
                         <svg xmlns='http://www.w3.org/2000/svg' width='35' height='35' fill='currentColor' class="' .</pre>
                               $rez[$i]->klasa . " text-light' viewBox='0 0 16 16'>";
                  path = i = 6 ? "<path d=" . rez[i]->vrednost . "'/><path d=" . rez[i]->vrednost . "'
   '/>" : "<path d='" . $rez[$i]->vrednost . "'/>";
                  echo $path . "</svg>
                         " . $rez[$i]->label . "
            ?>
      </section>
      <section>
            <?php
            for (\$i = 8; \$i < 11; \$i++) {
                  if ($i != 10) {
                         echo "<a href="" . $rez[$i]->link . "' class='nav-link'> <h5
                        class='text-light'>" . $rez[$i]->label . "</h5>
                   } else {
                        echo "<a href='sitemap.xml' class='text-light'>
                         <svg xmlns='http://www.w3.org/2000/svg' width='35' height='35' fill='currentColor' class="" .</pre>
                               $rez[$i]->klasa . "' viewBox='0 0 16 16'>
                               <path fill-rule='evenodd'</pre>
                                     d="" . $rez[$i]->vrednost . "' />
            ?>
      </section>
 </footer>
 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"></script>
 <script src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.11.2/jquery-ui.min.js"></script>
                                                                                                                                                                                                                           <script
src="https://cdnjs.cloudflare.com/ajax/libs/jqueryui-touch-punch/0.2.3/jquery.ui.touch-
punch.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/js/bootstrap.bundle.min.js"</pre>
     integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
     crossorigin="anonymous"></script>
<script type="text/javascript" src="Assets/js/script.js"></script>
```

#### 3.1.4 head.php

```
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>MaxShoes</title>
  k rel="shortcut icon" href="Assets/img/logo-icon.jpg" />
  knref="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css"
rel="stylesheet"
     integrity="sha384-
GLhlTQ8iRABdZLl6O3oVMWSktQOp6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
crossorigin="anonymous">
  k rel="stylesheet"
href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.11.2/themes/smoothness/jquery-ui.css">
  k rel="stylesheet" href="Assets/css/style.css">
  link rel="stylesheet" href="Assets/css/responsive.css">
  k rel="preconnect" href="https://fonts.googleapis.com">
  k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  knref="https://fonts.googleapis.com/css2?family=Arimo:wght@600;700&display=swap"
rel="stylesheet">
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css">
</head>
```

#### 3.1.5 Loadcart.php

```
<?php
if (isset($_SESSION['loggedUser'])) {
  $user = $_SESSION["loggedUser"];
  $selectCart = "SELECT k.id, k.user_id, kp.patika_id, k.ukupna_cena
  FROM korpa k LEFT OUTER JOIN korpa_patika kp ON k.id = kp.korpa_id WHERE k.user_id =
$user->id";
  $result = $conn->query($selectCart);
  if ($result->rowCount() < 1) {
     $insertCart = "INSERT INTO korpa(`user id`, `ukupna cena`) VALUES ($user->id, 0)";
     $conn->query($insertCart);
     $newResult = $conn->query($selectCart);
     $_SESSION["cart"] = $newResult->fetch();
  } else {
     $korpa = $result->fetchAll();
     $_SESSION['cart'] = $korpa;
     $brojStavkiUKorpi = count($korpa);
     if ($brojStavkiUKorpi > 0 && $korpa[0]->patika_id != null) {
        echo "<div id='brojac' class='text-dark'>$brojStavkiUKorpi</div>";
     } else {
        echo "<div id='brojac' class='text-dark hide'></div>";
```

?>

# 3.1.6 modal.php

```
<div class="modal fade" id="account-modal" aria-hidden="true" aria-</p>
labelledby="exampleModalToggleLabel" tabindex="-1">
   <div class="modal-dialog modal-dialog-centered"> <div</pre>
     class="modal-content">
        <div class="modal-header">
           <h1 class="modal-title fs-5 text-light"
id="exampleModalToggleLabel">ACCOUNT</h1>
           <button type="button" class="btn-close" data-bs-dismiss="modal" aria-</p>
label="Close"></button>
        </div>
        <div class="modal-body">
           LOGIN OR SIGN UP
        </div>
        <div class="modal-footer">
           <button class="btn" data-bs-target="#login-modal" data-bs-</pre>
toggle="modal">LOGIN </button>
           <button class="btn" data-bs-target="#signup-modal" data-bs-toggle="modal">SIGN
UP</button>
        </div>
     </div>
  </div>
</div>
<div class="modal fade" id="login-modal" aria-hidden="true" aria-</p>
labelledby="exampleModalToggleLabel2" tabindex="-1">
   <div class="modal-dialog modal-dialog-centered"> <div</pre>
     class="modal-content">
        <div class="modal-header">
           <h1 class="modal-title fs-5 text-light" id="exampleModalToggleLabel2">LOGIN</h1> <button
           type="button" class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
        </div>
        <div class="modal-body d-flex flex-column">
           <form id="logovanje-forma">
              <div class="mb-3">
                <label for="login-user-email" class="form-label">Email/Username</label> <input</pre>
                type="text" class="form-control" id="login-user-email">
              </div>
              <div class="mb-3">
                <label for="log-pass" class="form-label">Password</label> <input</pre>
                type="password" class="form-control" id="log-pass">
              </div>
              <button type="submit" class="btn btn-primary" id="loginSubmit">Login
             class="form-text alert alert-danger hide ms-1">This user does not exist </span>
              <span class="form-text alert alert-success hide ms-1">Successfully logged in </span>
           </form>
```

```
<div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center">div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center">div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center"
              id="loginProcess">
              Proccessing request...
               <img src="Assets/img/loading.gif" alt="loading-img" class="img-fluid mx-2 loading-</p>
            </div>
         </div>
         <div class="modal-footer">
            Don't have an account?
            <button class="btn" data-bs-target="#signup-modal" data-bs-toggle="modal">SIGN
UP</button>
         </div>
      </div>
  </div>
</div>
<div class="modal fade" id="signup-modal" aria-hidden="true" aria-</p>
labelledby="exampleModalToggleLabel3" tabindex="-1">
  <div class="modal-dialog modal-lg modal-dialog-centered"> <div</pre>
     class="modal-content">
         <div class="modal-header">
            <h1 class="modal-title fs-5 text-light" id="exampleModalToggleLabel3">SIGN UP</h1> <buton
           type="button" class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
        </div>
         <div class="modal-body">
            <form id="signup-forma">
              <div class="container-sm">
                 <div class="row">
                    <div class="col-md">
                       <div class="formdown">
                          <span class="hide alert alert-danger" id="username-error"></span> </div>
                       <div class="formup">
                          <input type="text" name="signup-username" id="signup-username"</pre>
class="form-control"
                             placeholder="Ex. Mark#321">
                          <label for="signup-username">Username</label> </div>
                    </div>
                     <div class="col-md">
                       <div class="formdown">
                          <span class="hide alert alert-danger" id="password-error"></span> </div>
                       <div class="formup">
                          <input type="password" name="signup-password" id="signup-password"</pre>
                             class="form-control" placeholder="Ex. Mfjdl3k#@1dd">
                          <label for="signup-password">Password</label>
                       </div>
                    </div>
                 </div>
```

```
some text
                <div class="row">
                   <div class="col-md">
                     <div class="formdown">
                        <span class="hide alert alert-danger" id="firstname-error"></span> </div>
                     <div class="formup">
                        <input type="text" name="signup-firstname" id="signup-firstname"</pre>
                           class="form-control" placeholder="Ex. Mark">
                        <label for="signup-firstname">First name</label> </div>
                   </div>
                   <div class="col-md">
                     <div class="formdown">
                        <span class="hide alert alert-danger" id="lastname-error"></span> </div>
                     <div class="formup">
                        <input type="text" name="signup-lastname" id="signup-lastname"</pre>
class="form-control"
                           placeholder="Ex. Marcus">
                        <label for="signup-lastname">Last name</label> </div>
                   </div>
                </div>
                <div class="row">
                   <div class="col-md">
                     <div class="formdown">
                        <span class="hide alert alert-danger" id="email-error"></span> </div>
                     <div class="formup">
                        <input type="email" name="signup-email" id="signup-email" size="24"</pre>
                           class="form-control" placeholder="Ex.
markmarcus123@example.com">
                        <label for="signup-email">Email</label>
                     </div>
                   </div>
                   <div class="col-md">
                     <div class="formdown">
                        <span class="hide alert alert-danger" id="address-error"></span> </div>
                     <div class="formup">
                        <input type="text" name="signup-address" id="signup-address"</pre>
size="25"
                           class="form-control" placeholder="Ex. Zdravka Celara 16"> <label
                        for="signup-address">Address</label>
                     </div>
                   </div>
                </div>
                <div class="row">
                   <div class="col-sm-9">
```

```
<input type="checkbox" class="form-check-input" id="termsAndConditions"</pre>
                        <label class="form-check-label" for="termsAndConditions">I accept the
terms and
                           conditions</label>
                     </div>
                     <div class="col-sm-3">
                        <button type="submit" class="btn btn-primary form-control" id="submit-</pre>
button">Sign
                           Up</button>
                     </div>
                  </div>
                  <div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center">div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center">div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center"
                     id="registerProcess">
                     Proccessing request...
                     <img src="Assets/img/loading.gif" alt="loading-img" class="img-fluid mx-2</pre>
loading-img">
                  </div>
               </div>
            </form>
         </div>
         <div class="modal-footer">
            Already have an account?
            <button class="btn" data-bs-target="#login-modal" data-bs-</pre>
toggle="modal">LOGIN</button>
         </div>
      </div>
   </div>
</div>
 <div class="modal" id="error-modal" aria-hidden="true" aria-</p>
labelledby="exampleModalToggleLabel4" tabindex="-1">
   <div class="modal-dialog modal-dialog-centered d-flex justify-content-center"> <div</pre>
      class="modal-content">
         <div class="modal-header">
            <h1 class="modal-title fs-5" id="exampleModalToggleLabel4">Error</h1> <button
            type="button" class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
         </div>
         <div class="modal-body">
         </div>
      </div>
   </div>
 div class="modal" id="success-modal" aria-hidden="true" aria-labelledby="success-modal-header" (
tabindex="-1">
   <div class="modal-dialog modal-dialog-centered"> <div</pre>
      class="modal-content">
         <div class="modal-header bg-success">
            <h1 class="modal-title m-3" id="success-modal-header"></h1>
```

```
<div class="hide ms-5" id="success-signup">
              <div class="alert alert-success d-flex align-items-center mt-3" role="alert"> <svg</pre>
                xmlns="http://www.w3.org/2000/svg"
                   class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16"
role="img"
                   aria-label="Warning:" width="15px" height="15px"> <path
                      d="M16 8A8 8 0 1 1 0 8a8 8 0 0 1 16 0zm-3.97-3.03a.75.75 0 0 0-
1.08.022L7.477 9.417 5.384 7.323a.75.75 0 0 0-1.06 1.06L6.97 11.03a.75.75 0 0 0 1.079-
.0213.992-4.99a.75.75 0 0 0-.01-1.05z" />
                 </svg>
                 <div>
                   Successfully signed up
                 </div>
              </div>
           </div>
           <button type="button" class="btn-close mx-2" data-bs-dismiss="modal" aria-</pre>
label="Close"></button>
        </div>
        <div class="modal-body alert alert-success">
     </div>
  </div>
</div>
```

#### 3.1.7 Navbar.php

```
<?php
$query = "SELECT * FROM navigacija LEFT OUTER JOIN slika on navigacija.slika_id = slika.id";
$navigacija = $conn->query($query)->fetchAll();
?>
<nav class="navbar navbar-expand-lg dark-blue-bg navbar-meni"> <div
  class="container-fluid">
     <div class="col navbar-brand">
        <button class="navbar-toggler" type="button" data-bs-toggle="offcanvas" data-bs-</pre>
target="#navbarOffcanvasLg"
           aria-controls="navbarOffcanvasLg">
           <span class="navbar-toggler-icon"></span>
        </button>
        <div class="col navbar-brand">
           <a href="/">
             <h1 class="text-light"id="logo-ime"><span class="lgreen">M</span>ax <span
                   class="lgreen">S</span>hoes</h1>
           <a href="/"><img src="Assets/img/logo.jpg" alt="logo" class="ms-4"></a> </div>
     </div>
     <div class="col">
```

```
<div class="offcanvas offcanvas-start" tabindex="-1" id="navbarOffcanvasLg" aria-</pre>
           labelledby="navbarOffcanvasLgLabel">
           ul class="navbar-nav">
             <?php
             foreach ($navigacija as $row) {
                echo "class='nav-item'><a class='nav-link text-light' href='$row->link'>$row-
>naziv</a>";
           </div>
     </div>
     <div class="col icons">
        <a class="text-light" id="glavna-korpa" href=<?php if</pre>
        (isset($_SESSION["loggedUser"]))
          echo "cart.php";
          echo "#account-modal" . " data-bs-toggle='modal'"; ?>><svg
xmlns="http://www.w3.org/2000/svg" width="35"
             height="35" fill="currentColor" class="bi bi-cart3" viewBox="0 0 16 16"> <path
                d="M0 1.5A.5.5 0 0 1 .5 1H2a.5.5 0 0 1 .485.379L2.89 3H14.5a.5.5 0 0 1 .49.598l-1 5a.5.5
0 0 1-.465.4011-9.397.472L4.415 11H13a.5.5 0 0 1 0 1H4a.5.5 0 0 1-.491-.408L2.01
3.607 1.61 2H.5a.5.5 0 0 1-.5-.5zM3.102 4l.84 4.479 9.144-.459L13.89 4H3.102zM5 12a2 2 0 1 0
0 4 2 2 0 0 0 0-4zm7 0a2 2 0 1 0 0 4 2 2 0 0 0 0-4zm-7 1a1 1 0 1 1 0 2 1 1 0 0 1 0-2zm7 0a1 1 0 1
1 0 2 1 1 0 0 1 0-2z" />
           </svg>
           <?php
          include("../includes/loadcart.php");
        <?php
        if (isset($_SESSION["loggedUser"])):
           ?>
           <div class="dropdown text-white mx-3" id="my-profile">
              <a class="dropdown-toggle nav-link" href="#" role="button" aria-expanded="false"</p>
id="profile-ddtoggle">
                echo $_SESSION["loggedUser"]->username;
                if ($_SESSION["loggedUser"]->type == "admin") {
                   echo "(Admin)";
                ?>
```

```
ul class="dropdown-menu lgreen-bg">
               <a class="dropdown-item" href="profile.php">My profile</a> <?php if
               ($_SESSION["loggedUser"]->type == "admin") {
                  echo "<a class='dropdown-item' href='adminpanel.php'>Go to admin
panel</a>";
               } ?>
               <a class="dropdown-item" href="#" id="logout">Logout</a>
          </div>
          <?php
       else:
          ?>
          <a class="text-light" id="profile" data-bs-toggle="modal" href="#account-modal"
role="button"><svg
               xmlns="http://www.w3.org/2000/svg" width="35" height="35" fill="currentColor"
               class="bi bi-person-circle" viewBox="0 0 16 16"> <path d="M11 6a3 3 0 1 1-6 0 3 3 0 0 1
               6 0z"/>
               <path fill-rule="evenodd"</pre>
                  d="M0 8a8 8 0 1 1 16 0A8 8 0 0 1 0 8zm8-7a7 7 0 0 0-5.468 11.37C3.242 11.226
4.805 10 8 10s4.757 1.225 5.468 2.37A7 7 0 0 0 8 1z" />
             </svg>
          <?php
     </div>
  </div>
</nav>
<?php
if (isset($_SESSION["loggedUser"])) {
  $korpa = $_SESSION['cart'];
  echo "<div class='hide' id='isLoggedIn'>";
  foreach ($korpa as $row) {
     echo "" . $row->patika_id . "";
  echo "</div>";
```

## 3.1.8 cart.php

```
<?php
session_start();
if (!isset($_SESSION["loggedUser"])) {</pre>
```

```
header("Location: /index.php?msg=cart-unavailable");
include("../includes/env.php");
include("../includes/connect.php");
<!DOCTYPE html>
<html lang="en">
<?php
include("../includes/head.php")
 <body>
    <?php
  include("../includes/navbar.php");
        <main id="korpa-main" class="d-flex flex-column justify-content-center align-items-center">
     <?php
     include("../includes/modal.php");
     <div class="w-75 border border-dark container d-flex flex-column align-items-center"</p>
id="korpa-drzac">
     </div>
     <div class="row my-2 d-flex flex-row justify-content-around align-items-center w-75"</p>
id="korpa-info">
        <button type="button" class="btn btn-danger w-25" id="clear">Clear cart</button> <h2</pre>
        class="d-inline-block w-50 h-100 text-center text-decoration-underline"
id="total">Total: $
        </h2>
        <button type="button" class="btn btn-primary w-25" id="purchase">Purchase</button>
     </div>
  </main>
  <?php
  include("../includes/footer.php");
 </body>
</html>
```

### 3.1.9 cartmanager.php

```
<?php
session_start();
if (</pre>
```

```
!isset($_SERVER['HTTP_X_REQUESTED_WITH']) ||
strtolower($_SERVER['HTTP_X_REQUESTED_WITH']) != 'xmlhttprequest' |
  !(isset($_POST['shoeToAdd']) || isset($_POST['shoeToRemove']) || isset($_POST['removeAll'])) ) {
  http_response_code(403);
  echo "Error: Access denied.";
include("../includes/env.php");
include("../includes/connect.php");
header('Content-Type: application/json');
$korpa = $_SESSION["cart"];
if (isset($_POST['shoeToAdd'])) {
  $shoeToAdd = $_POST['shoeToAdd'];
  try {
     $stmt = $conn->prepare("INSERT INTO korpa_patika(`korpa_id`, `patika_id`) VALUES
(:korpaId,:patikaId)");
     $stmt->bindParam(':korpaId', $korpa[0]->id);
     $stmt->bindParam(':patikaId', $shoeToAdd['patika_id']);
     $stmt->execute();
     $query = "UPDATE korpa
     SET ukupna_cena = ukupna_cena + (
     SELECT IFNULL(IFNULL((c.vrednost * p.procenat), c.vrednost) + cp.vrednost,
IFNULL((c.vrednost * p.procenat), c.vrednost)) AS uk_cena
     FROM korpa_patika kp
     INNER JOIN cena c ON c.patika_id = kp.patika_id
     LEFT JOIN cena_postarine cp ON cp.patika_id = kp.patika_id
     LEFT JOIN popust p ON p.patika_id = kp.patika_id
     WHERE kp.patika_id = :patikaId AND kp.korpa_id = :korpaId
     WHERE id = :korpaId;";
     $stmt = $conn->prepare($query);
     $stmt->bindParam(':korpaId', $korpa[0]->id);
     $stmt->bindParam(':patikaId', $shoeToAdd['patika_id']);
     $stmt->execute();
  } catch (PDOException $e) {
     http_response_code(500);
     echo json_encode($e->getMessage());
if (isset($_POST['shoeToRemove'])) {
  $shoeToRemove = $ POST['shoeToRemove']:
```

```
try {
     $query = "UPDATE korpa
     SET ukupna_cena = ukupna_cena - (
     SELECT IFNULL(IFNULL((c.vrednost * p.procenat), c.vrednost) + cp.vrednost,
IFNULL((c.vrednost * p.procenat), c.vrednost)) AS uk_cena
     FROM korpa_patika kp
     INNER JOIN cena c ON c.patika_id = kp.patika_id
     LEFT JOIN cena_postarine cp ON cp.patika_id = kp.patika_id
     LEFT JOIN popust p ON p.patika_id = kp.patika_id
     WHERE kp.patika_id = :patikaId AND kp.korpa_id = :korpaId
     WHERE id = :korpaId;";
     $stmt = $conn->prepare($query);
     $stmt->bindParam(':korpaId', $korpa[0]->id);
     $stmt->bindParam(':patikaId', $shoeToRemove['patika_id']); $stmt-
     >execute();
     $stmt = $conn->prepare("DELETE FROM korpa_patika WHERE korpa_id = :korpaId AND
patika_id = :patikaId");
     $stmt->bindParam(':korpaId', $korpa[0]->id);
     $stmt->bindParam(':patikaId', $shoeToRemove['patika_id']); $stmt-
     >execute();
     } catch (PDOException $e) {
        http_response_code(500);
     echo json_encode($e->getMessage());
if (isset($_POST['removeAll'])) {
  try {
     \kappa = \kappa = \kappa = 0
     $query = "UPDATE korpa SET ukupna_cena = 0 WHERE id = $korpaId";
     $conn->query($query);
     $query = "DELETE FROM korpa_patika WHERE korpa_id = $korpaId";
     $conn->query($query);
     } catch (PDOException $e) {
        http_response_code(500);
     echo json_encode($e->getMessage());
try {
  $userId = $korpa[0]->user_id;
  $selectCart = "SELECT k.id, k.user_id, kp.patika_id, k.ukupna_cena
  FROM korpa k LEFT OUTER JOIN korpa_patika kp ON k.id = kp.korpa_id WHERE k.user_id =
$userId":
```

```
$_SESSION['cart'] = $conn->query($selectCart)->fetchAll();
http_response_code(200);
echo json_encode("Success!");
} catch (PDOException $e) {
   http_response_code(500);
echo json_encode($e->getMessage());
}
```

# 3.1.10 confirm.php

```
<?php
session_start();
if (isset($_GET["num"])) {
  include("../includes/env.php");
  include("../includes/connect.php");
  $num = $_GET["num"];
  try {
     $stmt = $conn->prepare("SELECT * FROM user WHERE random_number = :randomNum AND
verified = 0");
     $stmt->bindParam(':randomNum', $num);
     $stmt->execute();
     if (\text{stmt->rowCount}() < 1) {
        http_response_code(403);
        echo "Error: acess denied";
     } else {
        $user = $stmt->fetch();
        $query = "UPDATE user SET verified = 1 WHERE username = '$user->username'"; try {
          $conn->query($query);
          $_SESSION["loggedUser"] = $user;
          http_response_code(200);
          header("Location: /");
           } catch (PDOException $e) {
              http_response_code(500);
          echo $e->getMessage();
  } catch (PDOException $e) {
     http_response_code(403);
     echo "Error: acess denied";
```

```
} else {
    http_response_code(403);
    echo "Error: acess denied";
    exit;
}
```

### 3.1.11 filter.php

```
<?php
if (
  !isset($_SERVER['HTTP_X_REQUESTED_WITH']) |
strtolower($_SERVER['HTTP_X_REQUESTED_WITH']) != 'xmlhttprequest' |
  !isset($_POST['getShoes'])
  http_response_code(403);
  echo "Error: Access denied.";
header('Content-Type: application/json');
include("../includes/env.php");
include("../includes/connect.php");
$query = BASEQUERY;
if (
  isset($_POST['Category']) || isset($_POST['Brand']) || isset($_POST['FreeShipping']) ||
isset($_POST['Keyword'])
  || isset($_POST['OnDiscount']) || isset($_POST['donjaCena']) || isset($_POST['gornjaCena']) ||
isset($_POST['Model']) || isset($_POST['ids'])
  $filterQuery = "WHERE";
  if (isset($_POST['Category'])) {
     $category = $_POST['Category'];
     $filterQuery .= "k.naziv = '$category' AND ";
  if (isset($_POST['Brand'])) {
     $brand = $_POST['Brand'];
     $filterQuery .= "b.naziv = '$brand' AND ";
  if (isset($_POST['Model'])) {
     $model = $_POST['Model'];
     $filterQuery .= "p.model = '$model' AND ";
  if (isset($_POST['FreeShipping'])) {
     $filterQuery .= "cp.vrednost IS NULL AND ";
  if (isset($_POST['OnDiscount'])) {
```

```
$filterQuery .= "pop.procenat IS NOT NULL AND";
  if (isset($_POST['Keyword'])) {
     $keyword = strtolower($_POST['Keyword']);
     $filterQuery .= "CONCAT(b.naziv,' ',p.model) LIKE '%$keyword%' AND ";
  if (isset($_POST['donjaCena']) && isset($_POST['gornjaCena'])) {
     $donjaCena = $_POST['donjaCena'];
     $gornjaCena = $_POST['gornjaCena'];
     $filterQuery .= "IFNULL((c.vrednost * pop.procenat), c.vrednost) <= $gornjaCena AND
     IFNULL((c.vrednost * pop.procenat), c.vrednost) >= $donjaCena AND ";
  if (isset($_POST['ids'])) {
     $ids = implode(",", $_POST['ids']);
     $filterQuery .= "p.id IN ($ids) AND ";
  $filterQuery = substr($filterQuery, 0, strlen($filterQuery) - 4);
  $query .= $filterQuery;
if (isset($_POST['SortBy'])) {
  sort = POST[SortBy];
  $filterQuery = "ORDER BY";
  switch ($sort) {
     case "Price Ascending":
        $filterQuery .= "snizena_cena";
     case "Price Descending":
        $filterQuery .= "snizena_cena DESC";
     case "Name Ascending":
        $filterQuery .= "b.naziv, p.model";
     case "Name Descending":
        $filterQuery .= "b.naziv DESC, p.model DESC";
  $query .= $filterQuery;
try {
  $rez = $conn->query($query)->fetchAll();
  http_response_code(200);
  echo (json_encode($rez));
   } catch (PDOException $e) {
      http_response_code(500);
  echo $e->getMessage();
```

#### 3.1.12 index.php

```
<?php
session_start();
include("../includes/env.php");
include("../includes/connect.php");
<!DOCTYPE html>
<html lang="en">
<?php
include("../includes/head.php")
 <body>
   <?php
  include("../includes/navbar.php");
  <main id="main-page">
     <?php
     include("../includes/modal.php");
     if(isset($_GET["msg"])) {
        if($_GET["msg"] == "cart-unavailable") echo "<p class='hide' id='cart-
unavailable'>Please login or register first before accessing the cart page";
        else if($_GET["msg"] == "profile-unavailable") echo "<p class='hide' id='profile-
unavailable'>Please login or register first before accessing the profile page";
     <section id="welcome-screen">
        <?php
        $query = "SELECT * FROM slika WHERE alt LIKE 'bg-%'";
        $rez = $conn->query($query)->fetchAll();
        foreach ($rez as $row) {
          echo "<img src='$row->src' alt='$row->alt'>";
        ?>
     </section>
     <hgroup id="welcome-title">
        <h1>MAX SHOES</h1>
        <h3>MAXIMUM STYLE, MINIMUM EFFORT
           <h3/>
     </hgroup>
     <section class="container" id="Akcije">
        <div id="menjaj-sliku" class="carousel slide" data-bs-ride="carousel"> <div</pre>
          class="carousel-indicators">
```

```
<?php
  $popularnePatike = array(
     array(
        'model' => 'Lite Show',
        'link' => 'products.php?brand=Asics&model=Lite Show', 'src' =>
        'Assets/img/AsicsLiteShow.jpg', 'alt' => 'AsicsLiteShow'
     ),
     array(
        'model' => 'Metaspeed Sky',
        'link' => 'products.php?brand=Asics&model=Metaspeed Sky', 'src' =>
        'Assets/img/AsicsMetaspeedSky.jpg', 'alt' => 'AsicsMetaspeedSky'
     array(
        'brend' => 'Nike',
        'model' => 'Pegasus Turbo Next Nature',
        'link' => 'products.php?brand=Nike&model=Pegasus Turbo Next Nature', 'src' =>
        'Assets/img/NikePegasusTurboNextNature.jpg', 'alt' => 'NikePegasusTurboNextNature'
  $active = true;
  for ($i = 1; $i < count($popularnePatike) + 1; $i++) { $prev
     =$i - 1;
     echo "<button type='button' data-bs-target='#menjaj-sliku' data-bs-
     slide-to='$prev' aria-label='Slide $i'";
     if ($active)
        echo "class='active' aria-current='true'";
     echo "></button >";
     $active = false;
</div>
<div class="carousel-inner">
  <?php
  $active = true;
  foreach ($popularnePatike as $patika) {
     if ($active)
        echo "<article class='carousel-item active";</pre>
        echo "<article class='carousel-item";
     echo "'><a
     href="" . $patika['link'] . "'><img</pre>
```

```
src="". $patika['src']. "" class='d-block w-100' alt="". $patika['alt']. ""></a> <div
              class='carousel-caption'>
                 <h5>" . $patika['brend'] . "</h5>
                 ". $patika['model'] . "
                $active = false;
              $carouselKontrole = ["prev", "next"];
              $carouselKontroleTekst = ["Previous", "Next"];
              for (\$i = 0; \$i < count(\$carouselKontrole); \$i++) {
                echo "<button class='carousel-control-$carouselKontrole[$i]' type='button' data-bs-
target='#menjaj-sliku'
                   data-bs-slide='$carouselKontrole[$i]'>
              <span class='carousel-control-$carouselKontrole[$i]-icon' aria-</pre>
hidden='true'></span>
                    <span class='visually-hidden'>$carouselKontroleTekst[$i]</span>
                 </button>
           </div>
        <a href="/products.php?brand=Nike&discount=On Discount"><img
src="Assets/img/NikeDiscount.jpg"
              class="img-fluid" alt="NikeDiscount"></a>
     </section>
     <section id="kategorije">
        <hgroup id="kategorije-naslov">
           <h2>CATEGORIES</h2>
           <h5>Best offers and selection for each of the categories</h5>
        </hgroup>
        <div class="container" id="kategorije-kartice">
           <div class="row">
              <?php
              for (\$i = 0; \$i \le 3; \$i++)
                echo "<a href="" . $navigacija[$i]->link . "' class='nav-link col-md-3'> <div
                class='hcontainer " . $navigacija[$i]->klasa . "'>
                    <h3>" . $navigacija[$i]->naziv . "</h3>
                 <img src="" . $navigacija[$i]->src . "" alt="" . $navigacija[$i]->alt . ""> </a>";
              ?>
           </div>
        </div>
     </section>
```

```
</main>
</php
include("../includes/footer.php");
    ?>
</body>
</html>
```

### 3.1.13 insertorder.php

```
<?php
session_start();
if (
  !isset($_SERVER['HTTP_X_REQUESTED_WITH']) |
strtolower($_SERVER['HTTP_X_REQUESTED_WITH']) != 'xmlhttprequest' |
   !(isset($_POST['makeAnOrder']))
) {
  http_response_code(403);
  echo "Error: Access denied.";
include("../includes/env.php");
include("../includes/connect.php");
header('Content-Type: application/json');
$korpa = $_SESSION["cart"];
$conn->beginTransaction();
$current_timestamp = time();
$delivery_timestamp = strtotime('+2 months', $current_timestamp);
$delivery_date = date('Y-m-d', $delivery_timestamp);
try {
  $stmt = $conn->prepare("INSERT INTO `porudzbina` (user_id, ukupna_cena,
procenjen_datum_dostave)
  VALUES (:user_id, :ukupna_cena, :procenjen_datum_dostave)");
  $stmt->bindParam(':user_id', $korpa[0]->user_id);
  $stmt->bindParam(':procenjen_datum_dostave', $delivery_date);
  $stmt->bindParam(':ukupna_cena', $korpa[0]->ukupna_cena);
  $stmt->execute();
  $order_id = $conn->lastInsertId();
  foreach ($korpa as $stavka) {
```

```
$stmt = $conn->prepare("INSERT INTO porudzbina_patika (porudzbina_id, patika_id) VALUES
(:porudzbina_id, :patika_id)");
    $stmt->bindParam(':porudzbina_id', $order_id);
    $stmt->bindParam(':patika_id', $stavka->patika_id);
    $stmt->execute();
}
$conn->commit();
http_response_code(201);
echo json_encode("Successfully made an order");
} catch (PDOException $e) {
    $conn->rollBack();
http_response_code(500);
echo json_encode($e->getMessage());
}
```

#### 3.1.14 login.php

```
<?php
session_start();
if (!isset($_SERVER['HTTP_X_REQUESTED_WITH']) |
strtolower($_SERVER['HTTP_X_REQUESTED_WITH']) != 'xmlhttprequest' |
!isset($_POST['trazeniKorisnik'])) {
  http_response_code(403);
  echo "Error: Access denied.";
include("../includes/env.php");
include("../includes/connect.php");
header('Content-Type: application/json');
$trazeniKorisnik = $_POST["trazeniKorisnik"];
$usernameEmail = $trazeniKorisnik['loginUsernameEmail'];
$password = $trazeniKorisnik['loginPassword'];
  $stmt = $conn->prepare("SELECT * FROM user WHERE email = :usernameEmail OR username
= :usernameEmail");
  $stmt->bindParam(':usernameEmail', $usernameEmail); $stmt-
      if ($stmt->rowCount() < 1) {</pre>
        http_response_code(400);
     echo json_encode("This user does not exist");
  } else {
     $user = $stmt->fetch();
     $hasedPass = sha1($PHP_SHA1_STRING . $password); if
     ($user->password != $hasedPass) {
```

```
http_response_code(400);
echo json_encode("Incorrect password, try again"); exit;

}
if ($user->verified != 1) {
    http_response_code(400);
    echo json_encode("Please verify your account before attempting to log in. Check your registered
email");
    exit;
}

$_SESSION["loggedUser"] = $user;
http_response_code(200);
echo json_encode("success");
}
} catch (PDOException $e) {
    http_response_code(500);
echo json_encode($e->getMessage());
exit;
}

?>
```

# 3.1.15 logout.php

```
<?php
session_start();
if (!isset($_SERVER['HTTP_X_REQUESTED_WITH']) ||
strtolower($_SERVER['HTTP_X_REQUESTED_WITH']) != 'xmlhttprequest' ||
!isset($_SESSION["loggedUser"])) {
   http_response_code(403);
   echo "Error: Access denied.";
   exit;
}
unset($_SESSION["loggedUser"]);
unset($_SESSION["cart"]);
http_response_code(200);
?>
```

### 3.1.16 products.php

```
<?php
session_start();
include("../includes/env.php");
include("../includes/connect.php");
?>
<!DOCTYPE html>
<html lang="en">
<?php
include("../includes/head.php")
 <body>
  include("../includes/navbar.php");
  <main id="second-page">
     <?php
     include("../includes/modal.php");
     <section id="frame">
        <nav class="navbar navbar-expand-lg dark-blue-bg"> <div
          class="container-fluid">
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="offcanvas" data-bs-</p>
              target="#offcanvasDarkNavbar" aria-controls="offcanvasDarkNavbar"> <span
              class="navbar-toggler-icon"></span>
            </button>
            <h3 id="filter-tekst" class="text-light">Filters</h3>
            <div class="offcanvas offcanvas-end dark-blue-bg" tabindex="-1"</pre>
id="offcanvasDarkNavbar"
              aria-labelledby="offcanvasDarkNavbarLabel">
              <div class="offcanvas-header">
                 <h5 class="offcanvas-title text-light"
id="offcanvasDarkNavbarLabel">Filters</h5>
                 <button type="button" class="btn-close" data-bs-dismiss="offcanvas"</pre>
                   aria-label="Close"></button>
              </div>
              <div class="offcanvas-body">
                 <form class="d-flex" id="filter">
                   ul class="navbar-nav flex-grow-1 pe-3">
                      class="dropdown">
                        <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
                           aria-expanded="false">
                           Category
                         <?php</li>
                           $query = "SELECT naziv FROM kategorija";
                           $rez = $conn->query($query)->fetchAll();
                           foreach ($rez as $row) {
                             echo "class='dropdown-item text-light'>$row->naziv";
                           ?>
                         class="dropdown">
                        <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
                           aria-expanded="false">
                           Brand
                        </a>
                         <?php</pre>
                           $query = "SELECT naziv FROM brend";
                          $rez = $conn->query($query)->fetchAll();
                           foreach ($rez as $row) {
                             echo "$row->naziv";
                           ?>
                         class="dropdown">
                        <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
                           aria-expanded="false">
                          Price
```

```
ul class="dropdown-menu padajuci-meni container" id="dropdown-
cena">
                                                          class="dropdown-item">
                                                                <div id="slider-range" data-price-min="0" data-price-max="300"> </div>
                                                     class="dropdown">
                                                     <a class="nav-link dropdown-toggle" href="#" role="button"</pre>
                                                          aria-expanded="false">
                                                          Sort by
                                                     </a>>
                                                     ul class="dropdown-menu padajuci-meni" id="sortiraj-po"> <?php</li>
                                                          $query = "SELECT naziv FROM sortiranje";
                                                          $rez = $conn->query($query)->fetchAll();
                                                          foreach ($rez as $row) {
                                                               echo "class='dropdown-item text-light'>$row->naziv";
                                                           ?>
                                                       class="dropdown">
                                                     <a class="nav-link dropdown-toggle" href="#" role="button"
                                                          aria-expanded="false">
                                                          Other filters
                                                      id="ostali-filtri"> id="ostali-filtri">
                                                          class="d-flex flex-row justify-content-center dropdown-
item"><input
                                                                     type="checkbox" name="" id="on-discount"
                                                                    class="form-check-input me-2 my-0" data-name="On
Discount"><label
                                                                     for="on-discount" class="form-check-label text-white">On
                                                                     Discount</label>
                                                          class="d-flex flex-row justify-content-center dropdown-
item"><input
                                                                     type="checkbox" name="" id="free-shipping"
                                                                    class="form-check-input me-2 my-0" data-name="Free
shipping"><label
                                                                     for="free-shipping" class="form-check-label text-white">Free
                                                                     shipping</label>
                                                           <label</pre>
                                                               for="text-input" class="form-label text-light">Search by
                                                                     keyword:</label>
                                                                <input type="text" class="form-control" id="text-input"</pre>
                                                                    placeholder="Enter text">
```

```
class="dropdown">
                        <button type="button" class="btn" id="apply-filters">Apply
filters</button>
                   </form>
               </div>
            </div>
          </div>
       </nav>
       <section id="filter-display" class="container-sm">
          <button class="btn dark-blue-bg text-light ms-3 filter-dugme hide ukloni-dugme"</p>
id="ukloni-filtre">
            Clear filters
          </button>
       </section>
       <section id="patike-display" class="container">
       </section>
     </section>
     <div class="alert alert-success d-flex align-items-center" role="alert" id="uspesno-dodato"</pre>
style="opacity: 0;">
       <svg xmlns="http://www.w3.org/2000/svg" class="bi bi-exclamation-triangle-fill flex-shrink-0"</pre>
me-2"
         viewBox="0 0 16 16" role="img" aria-label="Warning:" width="15px" height="15px"> <path
            d="M16 8A8 8 0 1 1 0 8a8 8 0 0 1 16 0zm-3.97-3.03a.75.75 0 0 0-1.08.022L7.477
0 0-.01-1.05z"/>
       </svg>
       <div>
         Successfully added to cart
       </div>
     </div>
     <div class="alert alert-success d-flex align-items-center" role="alert" id="uspesno-skinuto"</p>
       style="opacity: 0;">
       <svg xmlns="http://www.w3.org/2000/svg" class="bi bi-exclamation-triangle-fill flex-shrink-0</p>
me-2"
         viewBox="0 0 16 16" role="img" aria-label="Warning:" width="15px" height="15px"> <path
            d="M16 8A8 8 0 1 1 0 8a8 8 0 0 1 16 0zm-3.97-3.03a.75.75 0 0 0-1.08.022L7.477
0 0-.01-1.05z"/>
       </svg>
       <div>
         Successfully removed from cart
       </div>
     </div>
     <div class="alert alert-danger d-flex align-items-center" role="alert" id="ajax-error"> </div>
```

```
</main>
</php
include("../includes/footer.php")
    ?>
</body>
</html>
```

### 3.1.17 register.php

```
<?php
if (!isset($_SERVER['HTTP_X_REQUESTED_WITH']) |
strtolower($_SERVER['HTTP_X_REQUESTED_WITH']) != 'xmlhttprequest' |
!isset($_POST['novKorisnik'])) {
  http_response_code(403);
  echo "Error: Access denied.";
include("../includes/env.php");
include("../includes/connect.php");
header('Content-Type: application/json');
$newUser = $_POST['novKorisnik'];
$username = $newUser['username'];
$password = $newUser['password'];
$firstName = $newUser['firstName'];
$lastName = $newUser['lastName'];
$email = $newUser['email'];
$address = $newUser['address'];
$agreedToTOS = $newUser['agreedToTOS'];
if ($agreedToTOS != "true") {
  http_response_code(400);
  echo json_encode("You must agree to terms of services in order to register"); exit;
$reUsername = [
  "/^[\w\d!@#\$%\^&\*\._]{5,20}$/",
  "/^[A-Z][\w\d!@#\$%\^&\*\._]{4,19}$/"
$porukaUsername = [
  'Username must be between 5 and 20 characters long and must not contain spaces', 'Username
  must start with a capital letter'
$rePassword = [
```

```
"/^[\w\d!@#\$%\^&\*\._]{8,20}$/",
   "/^([\w!@\#\%^\&*._]+[\d]+)|([\d]+[\w!@\#\%\%^\&^*._]+)$/",
   "/^([\w\d]+[!@#\$%\^&\*\._]+)|([!@#\$%\^&\*\._]+[\w\d]+)$/", "/^[A-
   Z][\w\d!@#\$%\^&\*\._]{7,19}$/"
$porukaPassword = [
   'Password must be between 8 and 20 characters long and must not contain spaces', 'Password
   must contain at least 1 number'.
   Password must contain at least 1 of the characters: "!@#$%^&*. ",
   'Password must start with a capital letter'
$reFirstLastName = [
   "/^[\w\dŽĐŠĆČćđčžš]{3,30}$/".
   "/^[A-Z][\w\dŽĐŠĆČćđčžšшђжћчЂШЖЋЧ]{2,29}$/"
$porukaFirstLastName = [
   'Name (First and Last) must be between 3 and 20 characters long and must not contain spaces',
   'Name (First and Last) must start with a capital letter'
reEmail = "/[a-z]{3,29}@[a-z]{3,10}(\.[a-z]{2,5}){1,4}$/";
$porukaEmail = 'Invalid email format (Email must contain "@" and end with a domain name (Ex.
 '.com")))':
$reAddress = [
   ''/^(([A-Z][\w\d\.\]+)|([\d]+\.?))(\s{1}[\w\d\.\-V]+)+$/",
   ''/^(([A-Z][\w\d.\-]+)|([\d]+\.?))(\s{1}[\w\d.\-]+){0,7}$/",
   ''/^(([A-Z][\w\d\.-]+)|([\d]+\.?))(\s{1}[\w\d\..-]+)|([\d]+\.?))(\s{1}[\w\d\..-]+)|([\d]+\..?))(\s{1}[\w\d\..-]+)|([\d]+\..?))(\s{1}[\w\d\..-]+)|([\d]+\...?))(\s{1}[\w\d\..-]+)|([\d]+\...?))(\s{1}[\d]+\d\...+)
$porukaAddress = [
   'Address must start with either a capital letter, or a number',
   'Address must have a maximum of 8 words',
   'Address must include a number (Ex. 2, 6/a, 30/4b, BB)'
];
for (\$i = 0; \$i < count(\$reUsername); \$i++) 
   if (!preg_match($reUsername[$i], $username)) {
      http_response_code(400);
      echo json_encode($porukaUsername[$i]);
for (\$i = 0; \$i < count(\$rePassword); \$i++) {
   if (!preg_match($rePassword[$i], $password)) {
      http_response_code(400);
      echo json_encode($porukaPassword[$i]);
for (\$i = 0; \$i < count(\$reFirstLastName); \$i++) 
   if (!preg_match($reFirstLastName[$i], $firstName)) {
     http_response_code(400);
```

```
echo json_encode($porukaFirstLastName[$i]);
for (\$i = 0; \$i < count(\$reFirstLastName); \$i++) 
  if (!preg_match($reFirstLastName[$i], $lastName)) {
     http_response_code(400);
     echo json_encode($porukaFirstLastName[$i]);
if (!preg_match($reEmail, $email)) {
  http_response_code(400);
  echo json_encode($porukaEmail);
for (\$i = 0; \$i < count(\$reAddress); \$i++) 
  if (!preg_match($reAddress[$i], $address)) {
     http_response_code(400);
     echo json_encode($porukaAddress[$i]);
try {
  $stmt = $conn->prepare("SELECT * FROM user WHERE email = :email");
  $stmt->bindParam(':email', $email); $stmt->execute();
      if ($stmt->rowCount() > 0) {
        http_response_code(400);
     echo json_encode("User with this email already exists"); exit;
  } catch (PDOException $e) {
      http_response_code(500);
  echo json_encode($e->getMessage());
try {
  $stmt = $conn->prepare("SELECT * FROM user WHERE username"); $stmt-
  >bindParam(':username', $username); $stmt->execute();
      if (\text{stmt->rowCount}() > 0) {
        http_response_code(400);
     echo json_encode("User '$username' already exists"); exit;
   } catch (PDOException $e) {
      http_response_code(500);
  echo json_encode($e->getMessage()); exit;
```

```
\text{SrandomNumber} = \text{mt rand}(10000000000000, 999999999999999);
$hashedPass = sha1($PHP_SHA1_STRING . $password);
try {
  $stmt = $conn->prepare("INSERT INTO `user`(`username`, `password`, `first_name`,
  VALUES (:username,:password,:firstName,:lastName,:email,:address,:randomNumber)"); $stmt-
  >bindParam(':username', $username); $stmt->bindParam(':password', $hashedPass);
  $stmt->bindParam(':firstName', $firstName);
  $stmt->bindParam(':lastName', $lastName);
  $stmt->bindParam(':email', $email);
  $stmt->bindParam(':address', $address);
  $stmt->bindParam(':randomNumber', $randomNumber);
  $stmt->execute();
  } catch (PDOException $e) {
     http_response_code(500);
  echo json_encode($e->getMessage());
$PHPMAIL DESTINATION = 'https://distortive-hello.000webhostapp.com/confirm.php'; // env fail
$mailBody = "<a href='$PHPMAIL_DESTINATION?num=$randomNumber'>Click to confirm your
mail</a>":
use League\OAuth2\Client\Provider\Google;
require('dependencies/autoload.php');
require('dependencies/league/oauth2-google/src/Provider/Google.php');
$provider = new Google([
  'clientId' => $PHPMAILER_CLIENTID,
  'clientSecret' => $PHPMAILER_CLIENTSECRET,
]);
PHPMailer\PHPMailer; use
PHPMailer\PHPMailer\Exception;
$mail = new PHPMailer(true);
$mail->isSMTP();
$mail->Host = 'smtp.gmail.com'; //gmail SMTP server
$mail->SMTPAuth = true;
$mail->Host = 'smtp.gmail.com'; //gmail SMTP server
$mail->Username = $PHPMAIL_SENDER; //email
$mail->Password = $PHPMAIL_PASSWORD; //16 character obtained from app password created
$mail->Port = 465; //SMTP port
$mail->SMTPSecure = "ssl";
$mail->setFrom($PHPMAIL_SENDER, 'Auto mail sender');
```

```
$mail->addAddress($email);

$mail->isHTML(true);
$mail->Subject = "Confirmation mail";
$mail->Body = $mailBody;

// Send mail
try {
    $mail->send();
    http_response_code(201); echo
    json_encode("confirm");
} catch (Exception $e) {
    http_response_code(500);
    echo json_encode($mail->ErrorInfo);
}

$mail->smtpClose();
?>
```

# 3.1.18 profile.php

```
<?php
session_start();
if (!isset($_SESSION["loggedUser"])) {
  header("Location: /index.php?msg=profile-unavailable");
include("../includes/env.php");
include("../includes/connect.php");
?>
<!DOCTYPE html>
<html lang="en">
<?php
include("../includes/head.php")
 <body>
   <?php
  include("../includes/navbar.php");
  <main id="profile-main">
     <?php
     include("../includes/modal.php");
     <div class="container d-flex flex-column" id="profile-drzac">
        <?php
        $user = $_SESSION["loggedUser"];
```

```
$userId = $user->id;
       $query = "SELECT * FROM porudzbina p INNER JOIN porudzbina patika pp ON p.id =
pp.porudzbina_id WHERE p.user_id = $userId;";
       $porudzbine = $conn->query($query)->fetchAll();
       porudzbinaId = 0;
       $brojac = 0;
       if (count($porudzbine) == 0) {
          echo "<div class='d-flex flex-column my-3 w-50' id='nema-kupovine'><h1>You haven't
made any purchases</h1>
          <a class='btn btn-primary my-2' href='/products.php'>Go to our shop</a> </div>";
       } else {
          foreach (array reverse($porudzbine) as $porudzbina) {
             $porucenaPatika = BASEQUERY;
             if ($porudzbina->id != $porudzbinaId) {
               if ($brojac != 0) {
                  $brojac = 0;
                  echo "</div><pclass ='hide'>" . $porudzbina->id . "";
               echo "<div class='row my-3 kupovina'><div class='col-md-3 d-flex flex-column
porudzbina-informacije'>
               <div class='mb-2 p-1 rounded'><h2 class='text-decoration-underline'>Time of
purchase:</h2><h4>" . $porudzbina->datum_porudzbine . "</h4></div>
               <div class='mb-2 p-1 rounded'><h2 class='text-decoration-underline'>Total
price:</h2><h4>$" . $porudzbina->ukupna_cena . "</h4></div>
               <div class='mb-2 rounded p-1'><h2 class='text-decoration-underline'>Estimated delivery
time: </h2> <h4>". $porudzbina->procenjen_datum_dostave."</h4> </div>
               </div><div class='col-md-9'>";
               $porudzbinaId = $porudzbina->id;
             $patikaId = $porudzbina->patika_id;
             $porucenaPatika .= "WHERE p.id = $patikaId";
             $patika = $conn->query($porucenaPatika)->fetch();
                 if ($patika->kategorija_naziv == 'Men')
                   $bgColor = 'dark-blue-bg text-white';
             if ($patika->kategorija_naziv == 'Women')
               $bgColor = 'pink-bg text-dark';
             if ($patika->kategorija_naziv == 'Kids')
               $bgColor = 'lgreen-bg text-dark';
             echo "
             <div class='row border stavka my-2 d-flex'>
             <div class='col-md-5 d-flex flex-column border-bottom p-2'>
             patika_model . "</h3>
             <i class='$bgColor p-2 my-1 d-inline-block rounded'>" . $patika->kategorija_naziv .
             </hgroup>
```

```
<div class='col-md-3 d-flex flex-column border-bottom p-2'> <h3</pre>
              class='text-decoration-underline'>Price:</h3>";
              if ($patika->popust != null) {
                echo "<hgroup><h5 class='text-decoration-line-through d-inline text-danger fst-italic'>$".
$patika->bazna_cena
                   "</h5><h5 class='d-inline text-success fw-bold mx-2'>$".
number_format($patika->snizena_cena, 2) . "</h5></hgroup>";
              } else {
                echo "<h5>$" . $patika->bazna_cena . "</h5>";
             echo "+$";
              if ($patika->cena_postarine != null) {
                echo $patika->cena_postarine;
              } else {
                echo "0.00";
             echo "shipping</div>
              <div class='col-md-4 d-flex border-bottom'><img class='img-fluid p-2' src='$patika->slika_src'
alt='$patika->slika_alt'>
              \text{$brojac = 1;}
     </div>
  </main>
  <?php
  include("../includes/footer.php");
</body>
</html>
```

#### 3.1.19 adminpanel.php

```
<?php
session_start();

if (!isset($_SESSION['loggedUser']) || $_SESSION['loggedUser']->type != 'admin') {
   http_response_code(403);
   echo "Error: Access denied.";
   exit;
}

include("../includes/env.php");
include("../includes/connect.php");
```

```
$queryKategorija = "SELECT * FROM kategorija";
$kategorije = $conn->query($queryKategorija)->fetchAll();
$queryBrend = "SELECT * FROM brend";
$brendovi = $conn->query($queryBrend)->fetchAll();
$queryShoes = "SELECT
p.id AS id,
p.model AS model,
b.naziv AS brend
FROM patika p
INNER JOIN brend b ON b.id = p.brend_id
ORDER BY b.naziv, p.model";
$queryShoes = $conn->query($queryShoes)->fetchAll();
?>
<!DOCTYPE html>
<html lang="en">
<?php
include("../includes/head.php")
 <body>
   <?php
  include("../includes/navbar.php");
  <main id="admin-main" class="d-flex justify-content-center"> <?php</pre>
     include("../includes/modal.php");
     if (isset($_GET["errors"])) {
        $errorStr = $_GET["errors"];
        $errors = explode(",", $errorStr);
        echo "<div class='modal modalErrMsg' id='error-modal' aria-hidden='true' aria-
labelledby='exampleModalToggleLabel4' tabindex='-1'>
<div class='modal-dialog modal-dialog-centered d-flex justify-content-center'> <div</p>
  class='modal-content'>
     <div class='modal-header'>
        <h1 class='modal-title fs-5' id='exampleModalToggleLabel4'>Error</h1>
        <button type='button' class='btn-close' data-bs-dismiss='modal' aria-label='Close'</pre>
     <div class='modal-body'>";
        foreach ($errors as $error) {
           echo "": $error . "";
        echo "</div>
```

```
if (isset($_GET["successMsg"])) {
        echo "<div class='modal modalSuccMsg' id='success-modal' aria-hidden='true' aria-
labelledby='success-modal-header' tabindex='-1'>
           <div class='modal-dialog modal-dialog-centered'> <div</pre>
              class='modal-content'>
                 <div class='modal-header bg-success'>
                    <h1 class='modal-title m-3' id='success-modal-header'>Success!</h1> <button</p>
                    type='button' class='btn-close mx-2' data-bs-dismiss='modal' aria-
label='Close'> </button>
                 <div class='modal-body alert alert-success'>"; echo
        $_GET["successMsg"]; echo "</div>
     <div class="d-flex flex-column justify-content-center align-items-center" id="admin-drzac"> <h1</pre>
        class="my-3">Shoe Editor</h1>
        <div class="d-flex justify-content-center" id="shoe-editor">
           <div class="col-md-4 p-3 d-flex flex-column align-items-center border">
              <h3>Insert</h3>
              <h5>Insert a shoe</h5>
              <form action="shoemanager.php" method="post" class="p-2 m-0"</pre>
enctype="multipart/form-data">
                 <div class="form-group my-2">
                    <div class="d-flex justify-content-between"><label</pre>
                         for="category-insert">Category:</label><strong
class="required">Required!</strong>
                    </div>
                    <select class="form-control my-1" name="category-insert" id="category-</pre>
                       <option value="0">Choose a category</option> <?php</pre>
                      foreach ($kategorije as $kategorija) {
                         echo "<option value="" . $kategorija->id . "">" . $kategorija->naziv .
                      ?>
                    </select>
                 </div>
                 <div class="form-group my-2">
                    <div class="d-flex justify-content-between"><label for="brend-</pre>
insert">Brand:</label><strong</pre>
                         class="required">Required!</strong>
```

```
</div>
                    <select class="form-control my-1" name="brand-insert" id="brand-insert"> <option</pre>
                      value="0">Choose a brand</option>
                      <?php
                      foreach ($brendovi as $brend) {
                         echo "<option value=" . $brend->id . "'>" . $brend->naziv . "</option>";
                      ?>
                    </select>
                 </div>
                 <div class="form-group my-2">
                    <div class="d-flex justify-content-between"><label for="model-insert">Model
name (format
                         varchar(50)):</label><strong class="required">Required!</strong> </div>
                    <input type="text" placeholder="Between 3 and 50 characters" name="model-</p>
                      class="form-control my-1" id="model-insert">
                 </div>
                 <div class="form-group my-2">
                    <div class="d-flex justify-content-between"><label for="price-insert">Shoe
price (format
                         Decimal(6,2)):</label><strong class="required">Required!</strong> </div>
                    <input type="number" placeholder="Between 10 and 999 dollars"</p>
name="price-insert"
                      class="form-control my-1" id="price-insert">
                 </div>
                 <div class="form-group my-2 border p-2">
                    <label for="discount-insert">Discount (format Decimal(3,2), leave blank for no
                      discounts):</label>
                    <input type="number" step="0.01" placeholder="Example: 0.70 if you want</p>
30% discount"
                          name="discount-insert" class="form-control my-1" id="">
                    <label for="discount-insert-start-date">Discount start date (leave blank for
current
                      timestamp):</label>
                    <input type="datetime-local" name="discount-insert-start-date"</pre>
                      id="discount-insert-start-date">
                   <label for="discount-insert-end-date">Discount end date (leave blank for no
date):</label>
                    <input type="datetime-local" name="discount-insert-end-date" id="discount-insert-end-</pre>
                 </div>
                 <div class="form-group my-2">
                    <label for="shipping-insert">Shipping price (format Decimal(3,2), leave blank
for free
                      shipping):</label>
                   <input type="number" placeholder="Between 10 and 999 dollars"</pre>
name="shipping-insert'
                      class="form-control my-1" id="shipping-insert">
```

```
</div>
                 <div class="form-group my-2">
                   <div class="d-flex justify-content-between"><label for="file-insert">Image (1
file per
                        shoe, supported formats JPG, PNG, JPEG):</label><strong
class="required">Required!</strong>
                   </div>
                   <input type="file" name="file-insert" class="form-control-file my-1" id="file-</pre>
insert">
                </div>
                <input type="submit" name="insertShoe" value="Insert Shoe" id="insertShoe" class="btn</pre>
                   btn-primary form-control my-1">
                 <div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center"</p>
                   id="insertProcess">
                   Proccessing request...
                   <img src="Assets/img/loading.gif" alt="loading-img" class="img-fluid mx-2</pre>
loading-img">
                </div>
              </form>
           </div>
           <div class="col-md-4 p-3 d-flex flex-column align-items-center border">
              <h3>Update</h3>
              <h5>Choose a shoe to update</h5>
              <div class="form-group my-2">
                <div class="d-flex justify-content-between"><label for="shoeid-</pre>
update">Shoe:</label><strong
                      class="required">Required!</strong>
                </div>
                <select class="form-control my-1" name="shoeid-update" id="shoeid-update"> <option</pre>
                   value="0">Choose a shoe</option>
                   foreach ($queryShoes as $shoes) {
                      echo "<option value="" . $shoes->id . "">" . $shoes->brend . " " . $shoes->model . "
 Shoe id: ". $shoes->id.")</option>";
                   ?>
                 </select>
              </div>
              <div id="shoe-update-display" class="container d-flex flex-column my-2 p-0"> </div>
              <h5 class="mt-2">Choose what to update</h5>
              <div class="form-group p-2 mt-1 mb-3 border-bottom" id="update-filters"> <div</pre>
                class="form-check p-2">
                   <input type="checkbox" class="form-check-input" id="category-chb-update"> <label</pre>
                   class="form-check-label" for="category-chb-update">Category</label>
                 </div>
                <div class="form-check p-2">
                   <input type="checkbox" class="form-check-input" id="brand-chb-update"> <label</pre>
                   class="form-check-label" for="brand-chb-update">Brand</label>
```

```
</div>
                <div class="form-check p-2">
                   <input type="checkbox" class="form-check-input" id="model-chb-update"> <label</pre>
                   class="form-check-label" for="model-chb-update">Model</label>
                </div>
                <div class="form-check p-2">
                   <input type="checkbox" class="form-check-input" id="price-chb-update"> <label</pre>
                   class="form-check-label" for="price-chb-update">Shoe price</label>
                </div>
                <div class="form-check p-2">
                   <input type="checkbox" class="form-check-input" id="disc-chb-update"> <label</pre>
                   class="form-check-label" for="disc-chb-update">Discount</label>
                </div>
                <div class="form-check p-2">
                   <input type="checkbox" class="form-check-input" id="shipping-chb-update"> <label</pre>
                   class="form-check-label" for="shipping-chb-update">Shipping
price</label>
                </div>
                <div class="form-check p-2">
                   <input type="checkbox" class="form-check-input" id="img-chb-update"> <label</pre>
                   class="form-check-label" for="img-chb-update">Image</label>
                </div>
              </div>
              <form action="shoemanager.php" method="post" class="p-2 m-0"</pre>
enctype="multipart/form-data"
                id="update-form">
                <input type="text" name="id-update" id="id-selected" class="hide">
           <input type="submit" name="updateShoe" value="Update Shoe" id="updateShoe"</pre>
             class="btn btn-primary form-control my-1">
           <div class="hide alert alert-info mt-3 d-flex justify-content-between align-items-center"</p>
             id="updateProcess">
              Proccessing request...
              <img src="Assets/img/loading.gif" alt="loading-img" class="img-fluid mx-2 loading-</p>
           </div>
              </form>
           </div>
           <div class="col-md-4 p-3 d-flex flex-column align-items-center border">
             <h3>Delete</h3>
              <h5>Choose a shoe to delete</h5>
              <div class="form-group my-2">
                <div class="d-flex justify-content-between"><label for="shoeid-</pre>
delete">Shoe:</label><strong
                      class="required">Required!</strong>
                <select class="form-control my-1" name="shoeid-delete" id="shoeid-delete"> <option</pre>
                   value="0">Choose a shoe</option>
                   <?php
                   foreach ($queryShoes as $shoes) {
```

```
echo "<option value="" . $shoes->id . "">" . $shoes->brend . " " . $shoes->model . "
 Shoe id: " . $shoes->id . " )</option>";
                       ?>
                    </select>
                </div>
                <div id="shoe-delete-display" class="container d-flex flex-column p-0"> </div>
                <form action="shoemanager.php" method="post" class="p-2 m-0 w-100"> <input</pre>
                type="text" name="id-delete" id="id-selected-delete" class="hide">
                               <input type="submit" name="deleteShoe" value="Delete Shoe"</pre>
                                 class="btn btn-primary form-control my-2" id="deleteShoe">
                    <div class="hide alert alert-info d-flex justify-content-between align-items-center">div class="hide alert alert-info d-flex justify-content-between align-items-center">div class="hide alert alert-info d-flex justify-content-between align-items-center"
processing mt-2"
                       id="deleteProcess">
                       Proccessing request...
                       <img src="Assets/img/loading.gif" alt="loading-img" class="img-fluid mx-2</pre>
loading-img">
                    </div>
                </form>
             </div>
         </div>
      </div>
   </main>
   <?php
   include("../includes/footer.php");
 <br/>/body>
</html>
```

## 3.1.20 shoemanager.php

```
<!php
session_start();

if (
    !isset($_SESSION['loggedUser']) || $_SESSION['loggedUser']->type != 'admin' ||
    !(isset($_POST['insertShoe']) || isset($_POST['updateShoe']) || isset($_POST['deleteShoe']))) {
    http_response_code(403);
    echo "Error: Access denied.";
    exit;
}

include("../includes/env.php");
include("../includes/connect.php");

function getParsedUrl()
{
```

```
$referrer = $_SERVER['HTTP_REFERER'];
  $path = parse_url($referrer, PHP_URL_PATH);
  $filename = basename($path);
  $relativePath = "/" . $filename;
  return $relativePath;
if (isset($_POST['insertShoe'])) {
  \frac{\text{serrArr}}{\text{or}} = [];
  if (!isset($_POST['category-insert']) || $_POST['category-insert'] == 0) {
     array_push($errArr, "You must choose a category");
  } else {
     $category = $_POST['category-insert'];
  if (!isset($_POST['brand-insert']) || $_POST['brand-insert'] == 0) {
     array_push($errArr, "You must choose a brand");
  } else {
     $brand = $_POST['brand-insert'];
  if (!isset($ POST['model-insert']) | strlen($ POST['model-insert']) < 3 | strlen($ POST['model-insert'])
     array_push($errArr, "Model must be between 3 and 50 characters long");
     $model = $_POST['model-insert'];
  if (!isset($_POST['price-insert'] ) || $_POST['price-insert'] < 10 || $_POST['price-insert'] > 999) {
     array_push($errArr, "Shoe price must be between 10 and 999 dollars");
   } else {
     $price = $_POST['price-insert'];
  if (isset($_POST['discount-insert']) && $_POST['discount-insert'] != null) { if
     ($_POST['discount-insert'] < 0.01 || $_POST['discount-insert'] > 0.99) {
        array_push($errArr, "Discount must be between 0.01 and 0.99 multiplier");
     } else {
        $discount = $_POST['discount-insert'];
     if (isset($_POST['discount-insert-start-date']) && $_POST['discount-insert-start-date'] != null)
        $discountStartDate = $_POST['discount-insert-start-date'];
        $tmpDate = new DateTime($discountStartDate);
        $discountStartDateInsert = $tmpDate->format('Y-m-d H:i:s');
        $dateStart = strtotime($discountStartDate);
        \text{$now = time();}
        if ($dateStart < $now) {</pre>
           array_push($errArr, "Discount start date can't be in the past ");
     if (isset($_POST['discount-insert-end-date']) && $_POST['discount-insert-end-date'] != null) {
        $discountEndDate = $_POST['discount-insert-end-date'];
        $tmpDate = new DateTime($discountEndDate);
        $discountEndDateInsert = $tmpDate->format('Y-m-d H:i:s');
```

```
$dateEnd = strtotime($discountEndDate);
        \text{$now = time();}
        if ($dateEnd < $now) {</pre>
           array_push($errArr, "Discount end date can't be in the past ");
     if (
        isset($_POST['discount-insert-start-date']) && $_POST['discount-insert-start-date'] != null
&&
        isset($ POST['discount-insert-end-date']) && $ POST['discount-insert-end-date'] != null ) {
        if ($dateEnd < $dateStart) {</pre>
           array_push($errArr, "Discount end date can't be before the start date");
  if (isset($_POST['shipping-insert']) && $_POST['shipping-insert'] != null) { if
     ($_POST['shipping-insert'] < 0 || $_POST['shipping-insert'] > 999) {
        array_push($errArr, "Shipping price can't be less than 0 and more than 999 dollars");
        $shipping = $_POST['shipping-insert'];
  if (!isset($ FILES['file-insert']) || $ FILES['file-insert']['error'] != 0) {
     array_push($errArr, "Error uploading image file");
  } else {
     $file = $_FILES['file-insert'];
     $fileName = $file['name'];
     $fileTmpName = $file['tmp_name'];
     $fileSize = $file['size'];
     $fileNameSubstr = explode(".", $fileName);
     $file_ext = strtolower(end($fileNameSubstr));
     $extensions = array("jpeg", "jpg", "png");
     if (in_array($file_ext, $extensions) === false) {
        array_push($errArr, "Extension not allowed, please choose a JPG, JPEG or PNG file.");
     } else if ($fileSize > 2097152) {
        array_push($errArr, 'File size must be less than 2 MB');
  if (count(\$errArr) > 0) {
     $errorStr = "?errors=" . implode(",", $errArr);
     $relativePath = getParsedUrl();
     header("Location: " . $relativePath . $errorStr);
  } else {
     $conn->beginTransaction();
     try {
        $query = "SELECT src FROM slika WHERE id = (SELECT MAX(id) FROM slika)";
        $slikaIme = $conn->query($query)->fetch()->src; $baseName = explode(".",
        $slikaIme)[0];
        $fileNewName = substr($baseName, strlen($baseName) - 6, 4); $num
        = (int) substr($baseName, strlen($baseName) - 2, 2);
```

```
$num++:
        $fileNewName .= "$num" . "." . $file_ext;
        $targetPath = "Assets/img/shoes/" . $fileNewName;
        move_uploaded_file($fileTmpName, $targetPath);
        $alt = $brand . " " . $model;
        $insertIntoSlika = "INSERT INTO `slika`(`src`, `alt`) VALUES (:src,:alt)";
        $stmt = $conn->prepare($insertIntoSlika);
        $stmt->bindParam(':src', $targetPath);
        $stmt->bindParam(':alt', $alt);
        $stmt->execute();
        $imgId = $conn->lastInsertId();
        $insertIntoPatika = "INSERT INTO `patika`(`brend id`, `model`, `kategorija id`, `slika id`)
VALUES (:brand,:model,:category,:img)";
        $stmt = $conn->prepare($insertIntoPatika);
        $stmt->bindParam(':brand', $brand);
        $stmt->bindParam(':model', $model);
        $stmt->bindParam(':category', $category);
        $stmt->bindParam(':img', $imgId);
        $stmt->execute();
        $patikaId = $conn->lastInsertId();
        $insertIntoCena = "INSERT INTO `cena`(`patika id`, `vrednost`) VALUES (:patikaId,
vrednost)";
        $stmt = $conn->prepare($insertIntoCena);
        $stmt->bindParam(':patikaId', $patikaId);
        $stmt->bindParam(':vrednost', $price);
        $stmt->execute();
       if (isset($discount)) {
          if (isset($discountStartDate) && isset($discountEndDate)) {
             $insertIntoPopust = "INSERT INTO `popust`(`patika_id`, `procenat`,
datum_pocetka`, `datum_kraja`) VALUES (:patikaId, :procenat, :datumPocetka, :datumKraja)";
             $stmt = $conn->prepare($insertIntoPopust);
             $stmt->bindParam(':datumPocetka', $discountStartDateInsert);
             $stmt->bindParam(':datumKraja', $discountEndDateInsert);
           } else if (isset($discountStartDate) && !isset($discountEndDate)) {
             $insertIntoPopust = "INSERT INTO `popust`(`patika id`, `procenat`,
datum_pocetka`) VALUES (:patikaId, :procenat, :datumPocetka)";
             $stmt = $conn->prepare($insertIntoPopust);
             $stmt->bindParam(':datumPocetka', $discountStartDateInsert);
           } else if (!isset($discountStartDate) && isset($discountEndDate)) {
             $insertIntoPopust = "INSERT INTO `popust`(`patika id`, `procenat`, `datum kraja`)
VALUES (:patikaId, :procenat, :datumKraja)";
             $stmt = $conn->prepare($insertIntoPopust);
             $stmt->bindParam(':datumKraja', $discountEndDateInsert);
             $insertIntoPopust = "INSERT INTO `popust`(`patika id`, `procenat`) VALUES
:patikaId, :procenat)";
             $stmt = $conn->prepare($insertIntoPopust);
```

```
$stmt->bindParam(':patikaId', $patikaId);
          $stmt->bindParam(':procenat', $discount);
          $stmt->execute();
        if (isset($shipping)) {
           $insertIntoCenaPostarine = "INSERT INTO `cena_postarine`(`patika_id`, `vrednost`)
VALUES (:patikaId, :vrednost)";
          $stmt = $conn->prepare($insertIntoCenaPostarine); $stmt-
          >bindParam(':patikaId', $patikaId); $stmt-
           >bindParam(':vrednost', $shipping); $stmt->execute();
        $conn->commit();
        $relativePath = getParsedUrl();
        header("Location: " . $relativePath . "?successMsg=Successfully inserted new shoe");
     } catch (PDOException $e) {
        $conn->rollBack();
        http_response_code(500);
        echo $e->getMessage();
if (isset($_POST['updateShoe'])) {
  if (!isset($ POST['id-update'] == 0) { $errorStr
     = "?errors=You must select a shoe to update";
     $relativePath = getParsedUrl();
     header("Location: " . $relativePath . $errorStr);
  } else {
     $idUpdate = $_POST['id-update'];
     \frac{\text{serrArr}}{\text{or}} = [];
     if (
        !isset($_POST['category-update']) && !isset($_POST['brand-update']) &&
!isset($_POST['model-update']) && !isset($_POST['price-update']) &&
        !isset($_POST['discount-update']) && !isset($_POST['shipping-update']) &&
!isset($_FILES['file-update'])
     ) {
        $errorStr = "?errors=You must select something to update";
        $relativePath = getParsedUrl();
        header("Location: " . $relativePath . $errorStr);
     if (isset($_POST['category-update'])) {
        if ($_POST['category-update'] == 0) {
           array_push($errArr, "You must choose a category");
        } else {
          $category = $_POST['category-update'];
```

```
if (isset($_POST['brand-update'])) {
        if ($_POST['brand-update'] == 0) {
           array_push($errArr, "You must choose a brand");
        } else {
           $brand = $_POST['brand-update'];
     if (isset($_POST['model-update'])) {
        if (strlen($_POST['model-update']) < 3 || strlen($_POST['model-update']) > 50) {
           array_push($errArr, "Model must be between 3 and 50 characters long");
        } else {
           $model = $_POST['model-update'];
     if (isset($_POST['price-update'])) {
        if ($_POST['price-update'] < 10 || $_POST['price-update'] > 999) {
           array_push($errArr, "Shoe price must be between 10 and 999 dollars");
        } else {
           $price = $_POST['price-update'];
     if (isset($_POST['discount-update'])) {
        if (($_POST['discount-update'] < 0.01 || $_POST['discount-update'] > 0.99) &&
$_POST['discount-update'] != null) {
           array_push($errArr, "Discount must be between 0.01 and 0.99 multiplier");
           $discount = $_POST['discount-update'];
     if (isset($_POST['shipping-update'])) {
        if (($_POST['shipping-update'] < 0 || $_POST['shipping-update'] > 999) &&
$_POST['shipping-update'] != null) {
           array_push($errArr, "Shipping price can't be less than 0 or more than 999 dollars");
        } else {
           $shipping = $_POST['shipping-update'];
     if (isset($_FILES['file-update'])) {
        if ($_FILES['file-update']['error'] != 0) {
           array_push($errArr, "Error uploading image file");
        } else {
           $file = $_FILES['file-update'];
           $fileName = $file['name'];
           $fileTmpName = $file['tmp_name'];
           $fileSize = $file['size'];
           $fileNameSubstr = explode(".", $fileName);
           $file_ext = strtolower(end($fileNameSubstr));
           $extensions = array("jpeg", "jpg", "png");
           if (in_array($file_ext, $extensions) === false) {
              array_push($errArr, "Extension not allowed, please choose a JPG, JPEG or PNG file.");
```

```
} else if ($file_size > 2097152) {
             array_push($errArr, 'File size must be less than 2 MB');
    if (count(\$errArr) > 0) {
       $errorStr = "?errors=" . implode(",", $errArr);
       $relativePath = getParsedUrl();
       header("Location: " . $relativePath . $errorStr);
       $conn->beginTransaction();
       try {
          if (isset($category)) {
             $updatePatika = "UPDATE `patika` SET `kategorija_id`=:category WHERE id =
:idUpdate";
             $stmt = $conn->prepare($updatePatika);
             $stmt->bindParam(':category', $category);
             $stmt->bindParam(':idUpdate', $idUpdate);
             $stmt->execute();
          if (isset($brand)) {
             $updatePatika = "UPDATE `patika` SET `brend_id`=:brand WHERE id = :idUpdate";
             $stmt = $conn->prepare($updatePatika);
             $stmt->bindParam(':brand', $brand);
             $stmt->bindParam(':idUpdate', $idUpdate);
             $stmt->execute();
          if (isset($model)) {
             $updatePatika = "UPDATE `patika` SET `model`=:model WHERE id = :idUpdate"; $stmt
             = $conn->prepare($updatePatika); $stmt->bindParam(':model', $model);
             $stmt->bindParam(':idUpdate', $idUpdate);
             $stmt->execute();
          if (isset($file)) {
             $query = "SELECT src FROM slika WHERE id = (SELECT MAX(id) FROM slika)";
             $slikaIme = $conn->query($query)->fetch()->src; $baseName = explode(".",
             $slikaIme)[0];
             $fileNewName = substr($baseName, strlen($baseName) - 6, 4); $num
             = (int) substr($baseName, strlen($baseName) - 2, 2); $num++;
             $fileNewName .= "$num" . "." . $file_ext;
```

```
$targetPath = "Assets/img/shoes/" . $fileNewName;
             move_uploaded_file($fileTmpName, $targetPath);
             $alt = $fileNewName;
             $insertIntoSlika = "INSERT INTO `slika`(`src`, `alt`) VALUES (:src,:alt)";
             $stmt = $conn->prepare($insertIntoSlika);
             $stmt->bindParam(':src', $targetPath);
             $stmt->bindParam(':alt', $alt);
             $stmt->execute();
             $imgId = $conn->lastInsertId();
             $updatePatika = "UPDATE `patika` SET `slika_id`=:slikaId WHERE id = :idUpdate"; $stmt
             = $conn->prepare($updatePatika); $stmt->bindParam(':slikaId', $imgId);
             $stmt->bindParam(':idUpdate', $idUpdate);
             $stmt->execute();
          if (isset($price)) {
             $datumKraja = date('Y-m-d H:i:s');
             $updatePreviousPrice = "UPDATE `cena` SET `datum_kraja` = :datumKraja WHERE
patika_id = :idUpdate";
             $stmt = $conn->prepare($updatePreviousPrice);
             $stmt->bindParam(':idUpdate', $idUpdate);
             $stmt->bindParam(':datumKraja', $datumKraja);
             $stmt->execute();
             $updateCurrentPrice = "INSERT INTO `cena`(`patika_id`, `vrednost`) VALUES
:idUpdate, :vrednost)";
             $stmt = $conn->prepare($updateCurrentPrice);
             $stmt->bindParam(':vrednost', $price);
             $stmt->bindParam(':idUpdate', $idUpdate);
             $stmt->execute();
          if (isset($discount)) {
             $selectPreviousDiscount = "SELECT * FROM `popust` WHERE patika_id = :idUpdate"; $stmt
             = $conn->prepare($selectPreviousDiscount); $stmt->bindParam(':idUpdate', $idUpdate); $stmt-
             >execute();
             if ($stmt->rowCount() > 0) {
               $datumKraja = date('Y-m-d H:i:s');
               $updatePreviousDiscount = "UPDATE `popust` SET `datum_kraja` = :datumKraja
WHERE patika_id = :idUpdate";
               $stmt = $conn->prepare($updatePreviousDiscount);
               $stmt->bindParam(':idUpdate', $idUpdate);
               $stmt->bindParam(':datumKraja', $datumKraja);
                $stmt->execute();
             if ($discount != null) {
```

```
$updateCurrentDiscount = "INSERT INTO `popust`(`patika_id`, `procenat`)
VALUES (:idUpdate, :procenat)";
                $stmt = $conn->prepare($updateCurrentDiscount); $stmt-
                >bindParam(':procenat', $discount); $stmt-
                >bindParam(':idUpdate', $idUpdate); $stmt->execute();
          if (isset($shipping)) {
             $datumKraja = date('Y-m-d H:i:s');
             $updatePreviousShippingPrice = "UPDATE `cena_postarine` SET `datum_kraja`=
:datumKraja WHERE patika_id = :idUpdate";
             $stmt = $conn->prepare($updatePreviousShippingPrice);
             $stmt->bindParam(':idUpdate', $idUpdate);
             $stmt->bindParam(':datumKraja', $datumKraja);
             $stmt->execute();
             $updateCurrentShippingPrice = "INSERT INTO `cena_postarine`(`patika_id`,
vrednost`) VALUES (:idUpdate, :vrednost)";
             $stmt = $conn->prepare($updateCurrentShippingPrice); $stmt-
             >bindParam(':vrednost', $shipping); $stmt-
             >bindParam(':idUpdate', $idUpdate); $stmt->execute();
          $conn->commit();
          $relativePath = getParsedUrl();
          header("Location: " . $relativePath . "?successMsg=Successfully updated a shoe");
        } catch (PDOException $e) {
          $conn->rollBack();
          http_response_code(500);
          echo $e->getMessage();
if (isset($_POST['deleteShoe'])) {
  if (!isset($_POST['id-delete']) || $_POST['id-delete'] == null || $_POST['id-delete'] == 0) { $errorStr
     = "?errors=You must select a shoe to delete";
     $relativePath = getParsedUrl();
     header("Location: " . $relativePath . $errorStr);
    } else {
      try {
        $idDelete = $_POST['id-delete'];
        $deleteQuery = "DELETE FROM patika WHERE id=:idDelete";
        $stmt = $conn->prepare($deleteQuery); $stmt-
        >bindParam(':idDelete', $idDelete); $stmt->execute();
        $relativePath = getParsedUrl();
```

```
header("Location: " . $relativePath . "?successMsg=Successfully deleted shoe with an id of $idDelete");

} catch (PDOException $e) {
    $conn->rollBack();
    http_response_code(500);
    echo $e->getMessage();
    }
}

?>
```

## 3.2.21 anketa.php

```
<?php
session start();
if (
  !isset($_SERVER['HTTP_X_REQUESTED_WITH']) ||
strtolower($ SERVER['HTTP X REQUESTED WITH']) != 'xmlhttprequest' ||
  !isset($_POST['submitVote']) || !isset($_SESSION["loggedUser"]) || !isset($_POST["idGlas"])
) {
  http_response_code(403);
  echo "Error: Access denied.";
header('Content-Type: application/json');
include("../includes/env.php");
include("../includes/connect.php");
$userId = $ SESSION["loggedUser"]->id;
$idGlas = $_POST["idGlas"];
$query = "SELECT * FROM anketa WHERE user id = $userId";
$rez = $conn->query($query);
if($rez->rowCount() > 0) {
  http_response_code(400);
  echo json_encode("You have already voted");
try {
  $query = "INSERT INTO `anketa`(`user id`, `brend id`) VALUES (:userId,:idGlas)";
  $stmt = $conn->prepare($query);
  $stmt->bindParam(':userId', $userId);
  $stmt->bindParam(':idGlas', $idGlas);
  $stmt->execute();
  $query2 = "SELECT brend.id,COUNT(anketa.brend_id) as broj_glasova FROM `brend` LEFT
OUTER JOIN `anketa`
  ON brend.id = anketa.brend id
  GROUP BY brend.id;";
  $rez = $conn->query($query2)->fetchAll();
```

```
http_response_code(201);
echo json_encode($rez);
} catch (PDOException $e) {
  http_response_code(500);
  echo json_encode($e->getMessage());
}
```

```
.dark-blue-bg {
background-color: #222E50;
.pink-bg {
background-color: #FFC0CB;
.lgreen-bg {
background-color: #BCD8C1;
.navbar-meni {
height: 100px;
width: 100%;
position: absolute;
top: 0px;
z-index: 40;
.is-fixed {
position: fixed;
transform: translate3d(0, -100%, 0);
transition: transform 0.3s_ease, visibility 0s_0.3s_linear;
.scroll-up {
transform: translate3d(0, 0, 0);
.navbar-meni .navbar-nav {
font-size: 1.7em;
.navbar-meni_.navbar-brand {
display: flex;
align-items: center;
margin-left: 0.5em;
font-style: italic;
.navbar-meni .navbar-brand h1 {
display: inline-block;
margin-right: 0.35em;
.lgreen {
color: #BCD8C1;
```

```
font-size: 1.5em;
.lgreen-lg {
color: #BCD8C1;
font-size: 1.8em;
.navbar-meni .navbar-brand img {
width: 50px;
border-radius: 40%_10%;
.navbar-meni_.navbar-brand_img:hover {
box-shadow: 0px_0px_30px #BCD8C1;
transition: 0.2s;
.navbar-meni .navbar-brand h1:hover {
text-shadow: Opx Opx 40px #BCD8C1;
transition: 0.2s;
.navbar-meni .nav-item {
margin: 0px 0.5em;
.navbar-meni_.nav-item:hover,
.navbar-meni .navbar-toggler:hover {
text-shadow: 0px_0px_25px #BCD8C1, 0px_0px_25px #BCD8C1;
transition: 0.2s;
.icons {
display: flex;
flex-direction: row-reverse;
.icons svq {
margin-right: 25px;
.icons svg:hover {
color: #BCD8C1 !important;
transition: 0.2s;
```

```
.navbar-toggler {
background-color: #BCD8C1;
margin-right: 2em;
.navbar-meni .navbar-collapse {
display: inline-block;
.navbar-meni .offcanvas {
background-color: #222E50;
width: 30% !important;
height: 300px;
border-radius: Opx Opx 10% Opx;
#glavna-korpa {
position: relative;
#brojac {
width: 25px;
height: 25px;
background-color: #BCD8C1;
border-radius: 50%;
position: absolute !important;
top: -15%;
right: 30%;
font-size: 1em;
display: flex;
justify-content: center;
align-items: center;
#my-profile ul li a:hover {
background-color: #222E50;
color: white;
#profile-ddtoggle {
margin-top: 6px;
font-size: 1.2vw;
#profile-ddtoggle:hover {
color: #BCD8C1;
```

#welcome-screen { height: 90.5vh; #welcome-screen\_img { position: absolute; width: 100%; height: auto; min-height: 30%; max-height: 90.5vh; #welcome-screen\_img:nth-of-type(1) { animation-name: fader; animation-delay: 5s; animation-duration: 1s; z-index: 10; #welcome-screen\_img:nth-of-type(2) { z-index: 5; #welcome-screen\_img:nth-of-type(n + 3) { display: none; @keyframes\_fader { from { opacity: 1.0; opacity: 0.0; 

```
#welcome-title_h1 {
color: black;
font-size: 5em;
font-style: italic;
#welcome-title_h3 {
color: black;
#welcome-title {
width: 50vw;
height: 30vh;
display: flex;
justify-content: center;
align-items: center;
flex-direction: column;
position: absolute;
top: 20vh;
left: 25vw;
z-index: 30;
#Akcije {
height: 900px;
width: 60%;
margin: Opx auto;
box-shadow: 0px_0px_30px #222E50, 0px_0px_30px #222E50;
padding: 0px;
.carousel,
.carousel-inner,
carousel-item,
.carousel-item_img {
width: 100% !important;
height: 100% !important;
.carousel-item:nth-child(2) .carousel-caption, .carousel-
item:nth-child(3) .carousel-caption
```

```
color: black;
#Akcije_.img-fluid {
width: 100%;
box-shadow: 0px_0px_30px #222E50, 0px_0px_30px #222E50;
#kategorije {
margin-top: 500px;
height: 650px;
background-image: url("../img/ShoesFooter.jpg");
background-repeat: no-repeat;
background-position: center_bottom_Opx;
background-repeat: repeat-x;
#kategorije_hgroup {
display: flex;
justify-content: center;
align-items: center;
flex-direction: column;
text-align: center;
#kategorije-naslov_h2 {
font-size: 3em;
margin-bottom: 20px;
#kategorije-naslov_h5 {
font-size: 1.5em;
#kategorije-kartice {
margin-top: 50px;
#kategorije-kartice_.row {
display: flex;
justify-content: space-around;
```

```
#kategorije-kartice_.row_.col-md-3 {
display: flex;
justify-content: center;
align-items: center;
flex-direction: column;
text-align: center;
box-shadow: 0px_0px_20px #222E50;
transition: transform 0.3s, box-shadow 0.3s;
#kategorije-kartice_.row_.col-md-3:hover {
transform: scale(1.1);
transition: 0.3s;
#kategorije-kartice_.row_.col-md-3:first-of-type:hover {
transition: 0.3s;
box-shadow: 0px_0px_30px #222E50, 0px_0px_30px #222E50;
#kategorije-kartice_.row_.col-md-3:nth-last-of-type(2):hover {
transition: 0.3s;
box-shadow: 0px_0px_30px #FFC0CB, 0px_0px_30px #FFC0CB;
#kategorije-kartice_.row_.col-md-3:last-of-type:hover {
transition: 0.3s;
box-shadow: 0px_0px_30px #BCD8C1, 0px_0px_30px #BCD8C1;
#kategorije-kartice_.row_.col-md-3_.hcontainer {
margin-bottom: 20px;
width: 100%;
padding-top: 5px;
#kategorije-kartice .row .col-md-3 img {
width: 70%;
height: 7<u>0%;</u>
 footer {
display: flex;
```

```
justify-content: space-between;
height: 200px;
footer_section {
width: 25%;
display: flex;
flex-direction: column;
justify-content: space-around;
align-items: center;
footer_section:nth-child(2) {
border-left: 1px solid #BCD8C1;
border-right: 1px solid #BCD8C1;
width: 50%;
footer section article {
display: flex;
justify-content: center;
align-items: center;
flex-wrap: wrap;
footer_section_article_
margin: Opx Opx Opx 10px;
footer_a:hover,
footer h5:hover {
color: #BCD8C1 !important;
.modal-header,
.modal-footer {
background-color: #222E50;
.modal-body {
display: flex;
justify-content: space-around;
```

```
#account-modal_.modal-footer {
display: flex;
justify-content: space-between;
.btn-close {
background-colo<u>r:</u> white;
opacity: 1 !important;
.btn-close:hover {
background-color: #BCD8C1;
.hide {
display: none_!important;
#signup-modal_.alert-danger {
padding: 4px;
line-height: 2em;
#login-modal .alert-danger {
padding: 10px;
.error-border {
border: 1px solid red;
box-shadow: 0px 0px 5px red;
.modal-footer .btn {
background-color: white;
.modal-footer_.btn:hover {
background-color: #BCD8C1;
#signup-forma {
width: 100%;
```

```
#signup-forma_.container-sm {
padding-left: 6px;
padding-right: 6px;
#signup-forma_.container-sm_.row{
padding-left: 2px;
padding-right: 2px;
#signup-forma .row .col-md {
margin-bottom: 25px;
#signup-forma .row .col-sm-9,
.row_.col-sm-3 \{
display: flex;
flex-direction: row-reverse;
justify-content: center;
#signup-forma .row .col-md {
display: flex;
flex-direction: column-reverse;
justify-content: flex-end;
#signup-forma .row .col-md .formup {
display: flex;
flex-direction: row-reverse;
align-items: center;
#signup-forma_.row_.col-md_.formdown
margin-top: 15px;
#signup-forma_.row_.col-md_label,
.row .col-sm-9 label {
margin-right: 20px;
#signup-forma .row .col-sm-3 {
justify-content: flex-start;
```

```
#signup-forma .row .col-sm-9 {
justify-content: flex-end;
align-items: center;
#signup-forma .row .alert-success {
padding: 10px;
#error-modal .modal-content {
width:80%;
#error-modal .modal-header {
background-color: rgba(255, 0, 0, 0.5);
#error-modal .modal-header button:hover{
background-color: rgba(255, 0, 0, 0.6);
#error-modal_.modal-body {
background-color: rgba(255, 0, 0, 0.2);
display: flex;
flex-wrap: wrap;
#success-modal .modal-header {
padding:0px;
#success-modal_.modal-header_button{
margin-right: 0px;
#success-modal .modal-body {
margin-bottom: 0px;
#success-signup {
margin: 0px;
.processing {
padding: 5px;
margin-bottom: 5px;
width: 100%;
.processing
margin: 0px;
.loading-img {
max-height: 30px;
```

```
#second-page {
height: 1500px;
background-color: white;
box-shadow: inset_0px_0px_250px #BCD8C1;
display: flex;
justify-content: center;
align-items: center;
#frame {
overflow: hidden;
border: 2px solid #222E50;
box-shadow: 0px_0px_20px #222E50;
background-color: white;
width: 80%;
height: 80%;
padding: 0px;
#ukloni-filtre {
cursor: pointer;
transition: 0.3s;
#ukloni-filtre:hover {
background-color: #444F72;
transition: 0.3s;
#no-shoes {
height:10%;
#no-shoes_h2
font-size: 2vw;
#frame .container-fluid {
padding: 0px;
height: 100%;
```

```
#frame_.navbar {
padding: 0px;
position: relative;
height: 70px;
margin-bottom: 15px;
#frame_.navbar-toggler {
margin: 0.5em;
margin-left: 1em;
color: black;
#frame .navbar-nav .btn {
background-color: #BCD8C1;
#filter {
width: 100%;
height: 100%;
margin: 0px;
#frame .navbar-nav {
display: flex;
justify-content: space-around_!important;
align-items: center !important;
padding: 0px !important;
#frame_.navbar-nav_li {
width: 100%;
display: flex;
flex-direction: column;
align-items: center;
#frame_.navbar-nav_li_
color: white;
#frame_.offcanvas {
height: 70%;
width: 40% !important;
border-radius: 0px_0px_0px_5%;
```

```
#frame_.offcanvas-header {
border-bottom: 1px solid #BCD8C1;
#frame_.offcanvas-body {
padding: 0px;
.padajuci-meni {
left: 3% !important;
margin-top: 54px !important;
border: Opx;
border-top: 1px_dotted #BCD8C1;
border-radius: 0px 0px 10% 10%;
width: 90%;
background-color: #222E50;
.padajuci-meni_li:hover {
color: black !important;
background-color: #BCD8C1;
.padajuci-meni_li {
margin-top: 5px;
margin-bottom: 5px;
cursor: pointer;
#filter-tekst {
display: none;
#apply-filters {
color:#222E50;
#apply-filters:hover {
box-shadow: 0px 0px 10px #BCD8C1;
```

```
#dropdown-cena {
height: 80px;
#dropdown-cena_li {
cursor: auto;
#dropdown-cena_li_
margin-bottom: 20px;
font-size: 0.9em;
line-height: 0.8em;
#dropdown-cena_li:hover, #ostali-filtri_li:hover {
background-color: #222E50;
color:white !important;
#amount {
font-size: 1.1em;
#filter-display {
display: flex;
flex-wrap: wrap;
overflow: auto;
border-bottom: 1px_dotted #222E50;
.filter-dugme {
margin-bottom: 15px;
height: 45px;
display: flex;
align-items: center;
justify-content: center;
.filter-dugme:hover {
background-color: #222E50;
cursor: auto;
```

```
.ui-slider {
font-size: 0.7em;
width: 85%;
.ui-slider-handle {
background-blend-mode: multiply;
font-size: 1.7em;
top: -0.5em_!important;
.ui-slider-range {
background-color: #BCD8C1;
background-blend-mode: multiply;
span.ui-slider-handle.ui-state-default.ui-corner-all:first-of-type_{
border-radius: 1px 50% 50% 1px;
background-color: white;
cursor: pointer;
span.ui-slider-handle.ui-state-default.ui-corner-all:last-of-type_
 border-radius: 50% 1px 1px 50%;
background-color: white;
cursor: pointer;
.plava {
color:blue;
.crvena {
color: red;
#patike-display {
height: 92%;
overflow-y: auto;
display: flex;
justify-content: space-around;
```

```
flex-wrap: wrap;
.shoe {
max-width: 300px;
min-width: 200px;
max-height: 420px;
margin-left: 5px;
margin-right: 5px;
box-shadow: 0 4px 5px -3px #222E50;
border-bottom: 2px_solid #222E50;
transition: 0.1s;
text-align: center;
position: relative;
padding-bottom: 20px;
/* cursor:pointer; */
.shoe:hover {
transition: 0.1s;
box-shadow: 0_4px_5px_-3px #222E50, 0_4px_10px_-3px #222E50;
#free-shipping-img {
width:17%;
position: absolute;
bottom:3%;
left:3%;
#free-shipping-img:hover {
transform: scale(1.1);
transition: 0.3s;
.shoe img:hover {
transform: scale(1.07);
transition: 0.3s;
.shoe_img {
width: 95%;
transition: 0.3s;
margin: Opx auto;
margin-top: 5px;
.shoe_strong {
```

```
font-size: 1.1em;
.shoe_
display: block;
margin-top: 10px;
margin-bottom: 10px;
#text-shipping {
margin: Opx;
.shoe_
position: absolute;
bottom: 4%;
right: 4%;
border-bottom: 1px_solid #222E50;
padding-bottom: 10px;
box-shadow: 0_4px_1px_-3px #222E50;
cursor: pointer;
#shoe-price {
font-size: 1.15em;
margin-bottom: 10px;
#shoe-price_strong {
font-size: 0.97em;
#shoe-price___{{}} {
margin-bottom: 0px;
#uspesno-dodato,
#uspesno-skinuto {
position: fixed;
bottom: -12%;
left: 80%;
 #korpa-main {
min-height: 90vh;
```

```
#korpa-drzac {
height:70vh;
margin-top: 100px;
overflow-y: auto;
overflow-x: hidden;
.stavka {
width: 100%;
max-height: 300px;
position: relative;
.stavka .col-md-5 {
min-height: 100px;
.stavka_h2 {
font-size: 2vw;
.obrisi-stavku {
position: absolute;
top:5%;
right:0.5%;
font-size: 2vw;
cursor: pointer;
max-width: 50px !important;
max-height: 50px_!important;
#korpa-info_button {
font-size: 1vw;
```

```
#profile-main, #admin-main{
min-height: 90vh;

#profile-drzac {
height:100%;
overflow-y: auto;
overflow-x: hidden;
margin: 0px;
margin-top: 100px;

.kupovina {
```

```
#admin-drzac {
  width:90% !important;
  overflow-y: auto;
  margin-top: 100px;
.required {
  font-weight: 700 !important;
  font-style: italic !important;
  color: red;
#modalErrMsg {
  position: absolute;
  top:50%;
  left:50%;
  transform:translate(-50%, -50%);
#slika-update-drzac img {
max-height:200px;
#update-form {
  min-width: 70% !important;
```

## 3.2.2 Responsive.css @media(orientation: landscape) { .shoe { font-size: 1.65vh; .

```
.shoe {
font-size: 2.1vw;
@media(min-width: 1400px) {
#frame {
max-width: 2000px_!important;
@media(max-width: 1300px) {
#korpa-info button {
font-size: 2vw;
@media(orientation: landscape) and (max-height:800px) {
\#welcome-title \overline{\ }
top: 25vh_!important;
#welcome-screen {
height: 90vh !important;
#Akcije {
height: 95vh_!important;
width: 70%;
.navbar-meni .offcanvas {
width: 40% !important;
#kategorije {
margin-top: 500px;
@media(orientation: landscape) and (max-height:500px) {
.navbar-meni_.navbar-nav {
font-size: 1.2em;
```

```
.carousel-caption {
margin-bottom: 0px;
padding-bottom: 0px;
#kategorije {
margin-top: 200px;
#kategorije-naslov_h2 {
font-size: 2em;
margin-bottom: 10px;
#kategorije-naslov_h5 {
font-size: 1em;
@media(orientation: landscape) and (max-height:400px) {
.navbar-meni .navbar-nav {
font-size: 1.2em;
.carousel-caption {
margin-bottom: 0px;
padding-bottom: 0px;
@media(orientation: landscape) and (max-height:350px) {
.navbar-meni .offcanvas {
height: 250px;
width: 50%_!important;
.navbar-meni .navbar-nav {
font-size: 1.1em;
@media(orientation: landscape) and (max-height:310px) {
.navbar-meni .offcanvas {
height: 220px;
```

```
.navbar-meni .offcanvas ul {
margin-top: 10px !important;
.navbar-meni_.navbar-nav {
font-size: 1em;
@media(orientation: portrait) and (max-width:500px) {
#kategorije {
background-size: 200%;
@media(max-width:1258px) {
#welcome-title h1 {
font-size: 4em;
#welcome-title_h3 {
font-size: 1.5em;
#welcome-title {
top: 10vh;
#profile-ddtoggle {
margin-top: 8px;
font-size: 1.4vw;
@media(max-width:1800px) {
#kategorije {
margin-top: 450px;
@media(max-width:1600px) {
#kategorije {
margin-top: 400px;
```

```
@media(max-width:1500px) {
#kategorije {
margin-top: 360px;
@media(max-width:1400px) {
#kategorije {
margin-top: 350px;
@media(max-width:1250px) {
#kategorije {
margin-top: 320px;
@media(max-width:1197px) {
.shoe {
margin-top: 15px_!important;
.stavka h2 {
font-size: 2.5vw;
@media(max-width:1072px) {
#welcome-title h1 {
font-size: 3em;
#welcome-title_h3 {
font-size: 1.2em;
.navbar-meni_.navbar-nav {
font-size: 1.4em;
@media(max-width:1037px) {
.nav-item {
```

```
margin-left: 8px;
margin-right: 10px;
.icons {
margin-left: 5px;
.icons svg {
margin-right: 20px;
#no-shoes_h2 {
font-size: 3vw;
@media(max-width:991px) {
.navbar-brand_h1,
.navbar-toggler,
.navbar-brand_img,
.icons {
margin-bottom: 20px;
.navbar-meni .offcanvas {
margin-top: 100px;
box-shadow: -4px_-5px_3px_0px #BCD8C1 inset;
.navbar-meni .offcanvas ul {
margin-top: 30px;
.navbar-meni .offcanvas ul li {
display: flex;
flex-direction: column;
justify-content: space-around;
border-bottom: 1px solid #BCD8C1;
.navbar-meni_.offcanvas_ul_li:first-child {
border-top: 1px_solid #BCD8C1;
```

```
#welcome-screen {
height: 50vh;
#Akcije {
height: 40vh;
#frame_.navbar-nav { justify-content:
flex-start !important;
#frame .navbar-nav li {
margin-bottom: 20px;
margin-top: 10px;
#frame .offcanvas {
box-shadow: 4px_-5px_3px_0px #BCD8C1 inset;
.padajuci-meni {
margin-top: -20px !important;
box-shadow: 0 4px 1px -3px #BCD8C1;
padding-right: 10px;
#filter-tekst {
display: inline-block;
margin-top: 10px;
#frame_.container-fluid {
justify-content: flex-start;
.padajuci-meni {
width: 80%;
@media(max-width:911px) {
#profile-ddtoggle {
margin-top: 8px;
```

```
font-size : 2 vw;
}
}
@media ( max-width :809 px) {
.shoe
max-width : 400 px
max-height : 500 px
margin-top : 20 px_!important ;
.obrisi-stavku
top :8 %;
right :-92 %;
font-size : 3 vw;
}
#nema-kupovine
width : 100% !important;
}
@media ( max-width :794 px) {
footer svg
height : 30px_;
width : 30 px;
}
footer h5
font-size : 1.1 em;
}
}
@media ( max-width :784 px) {
.shoe {
width : 250px;
}
@media ( max-width :775 px) {
.navbar-brand h1,
.navbar-toggler ,
.navbar-brand img,
.icons {
margin-bottom : Opx ;
```

```
.navbar-toggler {
margin-right: 20px;
.row .col-md-3 {
margin-bottom: 20px;
@media(max-width:767px) {
.shoe {
width: 220px;
.stavka {
max-height: 500px;
.stavka img {
max-width: 220px;
.stavka h2 {
font-size: 3.5vw;
.obrisi-stavku {
top:4%;
right:-90%;
font-size: 4vw;
@media(max-width:710px) {
footer svg {
height: 25px;
width: 25px;
footer
font-size: 0.9em;
footer_h5 {
font-size: 1em;
#profile-ddtoggle {
margin-top: 8px;
```

```
font-size: 3vw;
@media(max-width:684px) {
#welcome-title h1 {
font-size: 2.5em;
#welcome-title_h3 {
font-size: 1.1em;
@media(max-width:650px) {
.navbar-brand_button {
margin: Opx;
.navbar-brand img {
margin-left: 5px !important;
.lgreen {
font-size: 2em;
#no-shoes_h2 {
font-size: 5vw;
@media(max-width:626px) {
#welcome-title h1 {
font-size: 2em;
#welcome-title_h3 {
font-size: 1em;
#welcome-title {
top: 80px;
#korpa-info_button {
font-size: 2.6vw;
#korpa-info_h2 {
```

```
font-size: 4vw;
@media(max-width:609px) {
.shoe {
width: 220px;
.shoe__ {
font-size: 0.5em;
bottom: 4%;
.stavka h2 {
font-size: 4.5vw;
@media(max-width:584px) {
@media(max-width:575px) {
#signup-forma .row .col-sm-9 {
margin-bottom: 30px;
@media(max-width:566px) {
#welcome-title h1 {
font-size: 1.5em;
#welcome-title_h3 {
font-size: 0.8em;
footer {
font-size: 0.8em;
footer_h5 {
font-size: 0.9em;
.obrisi-stavku {
```

```
top:3%;
right:-88%;
font-size: 5vw;
@media(max-width:533px) {
.icons svg {
width: 30px;
height: 30px;
margin-right: 10px;
#brojac {
width:20px;
height:20px;
right:15%;
font-size: 0.9em;
.navbar-toggler {
margin-right: 15px;
.navbar-brand {
margin-right: Opx;
.navbar-brand_img {
margin-left: 15px !important;
carousel-caption h5,
.carousel-caption
font-size: 0.5em;
#my-profile .dropdown-menu {
right: -70%;
@media(max-width:500px) {
footer {
height: 150px;
footer_svg {
```

```
height: 20px;
width: 20px;
footer_h5 {
font-size: 0.8em;
#dropdown-cena {
width: 90%;
#frame_.offcanvas {
width: 60% !important;
@media(max-width:456px) {
.navbar-meni {
height: 80px;
padding-top: 5px;
.navbar-brand {
margin-left: 5px;
.navbar-toggler {
margin-left: 0px;
margin-right: 5px !important;
.navbar-brand img {
width:35px !important;
margin-left: 0px !important;
#welcome-title_h1 {
font-size: 1em;
#welcome-title_h3 {
font-size: 0.6em;
```

```
#welcome-title {
top: 5vh;
.stavka_h2 {
font-size: 5.5vw;
.obrisi-stavku {
top:2%;
right:-85%;
font-size: 6vw;
@media(max-width:420px) {
footer p {
font-size: 0.7em;
footer_h5 {
font-size: 0.7em;
#profile-ddtoggle {
margin-top: 8px;
font-size: 3.5vw;
#my-profile {
margin-right:10px !important;
@media(max-width:373px) {
.container-fluid {
padding-left: 6px;
padding-right: 6px;
.navbar-brand {
margin-left: 2px !important;
.icons {
margin-left: 2px_!important;
margin-right: 0px_!important;
```

```
.icons a svg {
margin-right :5px !important;
}
.navbar-brand {
margin-right :5px !important;
.navbar-toggler-icon
font-size : 0.5 em ;
.navbar-brand _img
width : 40px ;
}
footer _p
font-size : 0.55 em;
}
footer h5
font-size : 0.6 em ;
#brojac {
width :18 px;
height : 18px ;
right :10 %;
top :-8%;
#korpa-info_button {
font-size : 2.5 vw ;
}
@media ( max-width : 340px) {
#welcome-title h1 {
font-size : 1 em ;
#welcome-title h3
font-size : 0.5 em ;
}
}
@media ( max-width :1300 px ) and (max-height :800px ) {
```

```
#kategorije {
margin-top: 350px;
height: 600px;
#Akcije {
height: 70vh;
#uspesno-dodato,
#uspesno-skinuto {
left: 75%;
@media(max-width:1100px) and (max-height:1000px)
{ #welcome-screen
height: 60vh_!important;
#Akcije {
height: 65vh_!important;
@media(max-width:1100px) and (max-height:900px) {
#welcome-screen {
height: 90vh_!important;
#Akcije {
height: 90vh_!important;
#welcome-title {
top: 25vh !important;
#kategorije {
margin-top: 300px;
@media(max-width:1100px) and (max-height:766px) {
#Akcije {
```

```
width: 75%;
height: 50vh_!important;
#welcome-screen {
height: 45vh !important;
@media(max-width:1000px) and (max-height:1000px)
{ #welcome-screen
height: 70vh_!important;
#Akcije {
height: 70vh_!important;
#welcome-title {
top: 15vh !important;
#kategorije {
margin-top: 300px;
height: 550px;
@media(max-width:1000px) and (max-height:900px) {
#welcome-screen {
height: 80vh_!important;
#Akcije {
height: 70vh;
#welcome-title {
top: 25vh !important;
@media(max-width:1000px) and (max-height:750px) {
#welcome-screen {
height: 85vh_!important;
```

```
#Akcije {
height: 85vh;
#welcome-title {
top: 25vh !important;
@media(max-width:1000px) and (max-height:500px) {
#welcome-screen {
height: 90vh_!important;
#welcome-title {
top: 35vh!important;
.carousel-caption {
margin-bottom: Opx;
padding-bottom: 0px;
#kategorije {
margin-top: 250px;
height: 500px;
#kategorije-naslov_h2 {
font-size: 2.5em;
margin-bottom: 10px;
#kategorije-naslov_h5 {
font-size: 1.3em;
@media(max-width:900px) and (max-height:1100px) {
#kategorije {
margin-top: 250px;
height: 550px;
```

```
#welcome-screen {
height: 50vh !important;
#Akcije {
height: 50vh !important;
#welcome-title {
top: 10vh !important;
.shoe___{
padding-bottom: 5px;
.shoe svg{
width: 25px;
height: 35px;
@media(max-width:900px) and (max-height:900px) {
#welcome-screen {
height: 70vh !important;
#Akcije {
height: 75vh_!important;
#welcome-title {
top: 20vh !important;
@media(max-width:900px) and (max-height:500px) {
#uspesno-dodato,
#uspesno-skinuto {
left: 67%;
font-size: 0.8em;
width: 250px;
```

```
@media(max-width:900px) and (max-height:400px) {
#welcome-screen {
height: 90vh !important;
#Akcije {
height: 100vh_!important;
@media(max-width:800px) and (max-height:1300px) {
#welcome-screen {
height: 40vh_!important;
#kategorije {
margin-top: 250px;
height: 550px;
#welcome-title {
top: 5vh !important;
#uspesno-dodato,
#uspesno-skinuto {
left: 60%;
@media(max-width:800px) and (max-height:1000px) {
#welcome-screen {
height: 60vh_!important;
#kategorije {
margin-top: 250px;
height: 550px;
#Akcije {
height: 65vh_!important;
#welcome-title {
```

```
top: 15vh_!important;
@media(max-width:800px) and (max-height:600px) {
#kategorije {
margin-top: 250px;
height: 500px;
#welcome-screen {
height: 90vh !important;
#welcome-title {
top: 30vh !important;
#Akcije {
height: 100vh !important;
@media(max-width:800px) and (max-height:500px) {
#kategorije {
margin-top: 220px;
height: 500px;
#welcome-screen {
height: 90vh !important;
#welcome-title {
top: 35vh !important;
#Akcije {
height: 100vh_!important;
@media(max-width:800px) and (max-height:400px) {
#kategorije {
```

```
margin-top: 220px;
height: 500px;
#welcome-screen {
height: 90vh !important;
#welcome-title {
top: 45vh !important;
@media(max-width:750px) and (max-height:1000px) {
#welcome-screen {
height: 55vh_!important;
#Akcije {
height: 60vh_!important;
#welcome-title {
top: 10vh !important;
@media(max-width:750px) and (max-height:1000px) {
#kategorije {
margin-top: 250px;
height: 550px;
#welcome-screen {
height: 55vh !important;
#Akcije {
height: 60vh_!important;
#welcome-title {
top: 10vh !important;
```

```
@media(max-width:750px) and (max-height:600px) {
#welcome-screen {
height: 85vh !important;
#welcome-title {
top: 25vh !important;
#Akcije {
height: 95vh_!important;
@media(max-width:750px) and (max-height:400px) {
#kategorije {
margin-top: 250px;
height: 1450px;
@media(max-width:700px) and (max-height:400px) {
#kategorije {
margin-top: 200px;
height: 1450px;
@media(max-width:600px) and (max-height:1000px) {
#welcome-screen {
height: 45vh_!important;
#Akcije {
height: 45vh;
#welcome-title {
top: 10vh !important;
#kategorije {
```

```
margin-top: 200px;
height: 1500px;
#kategorije-naslov_h2 {
font-size: 2em;
margin-bottom: 10px;
#kategorije-naslov_h5 {
font-size: 1.2em;
.shoe {
font-size: 3vw;
@media(max-width:600px) and (max-height:800px) {
#welcome-screen {
height: 45vh_!important;
#Akcije {
height: 45vh;
#welcome-title {
top: 10vh !important;
.carousel-caption {
margin-bottom: 0px;
padding-bottom: 0px;
#kategorije {
margin-top: 220px;
#kategorije-naslov_h2 {
font-size: 2em;
margin-bottom: 10px;
#kategorije-naslov_h5 {
```

```
font-size: 1em;
@media(max-width:600px) and (max-height:700px) {
#welcome-screen {
height: 60vh_!important;
#welcome-title {
top: 20vh !important;
#Akcije {
height: 65vh_!important;
#kategorije {
margin-top: 180px;
height: 1450px;
@media(max-width:600px) and (max-height:500px) {
#welcome-screen {
height: 90vh_!important;
#welcome-title {
top: 35vh !important;
#Akcije {
height: 85vh_!important;
#kategorije {
margin-top: 180px;
height: 1450px;
```

```
height: 90vh_!important;
#welcome-title {
top: 45vh !important;
#kategorije {
margin-top: 180px;
@media(max-width:575px) and (max-height:600px) {
#kategorije-kartice | .row | .col-md-3 {
width: 80%;
#kategorije {
height: 950px;
Qmedia(max-width:550px) and (max-height:500px) { \#welcome-screen \#
height: 80vh_!important;
#welcome-title {
top: 30vh !important;
#Akcije {
height: 80vh_!important;
Qmedia(max-width:550px) and (max-height:400px) { \#welcome-screen \#
height: 90vh_!important;
#welcome-title {
top: 40vh !important;
```

```
#Akcije {
height: 85vh !important;
}
}
@media(max-width :500px )and (max-height:1000px) {
#welcome-screen {
height: 35vh !important;
#Akcije {
height: 50vh !important;
#welcome-title {
top:5vh!important;
}
.carousel-caption
margin-bottom : Opx ;
padding-bottom : 0px;
}
.navbar-meni .offcanvas
width : 50% !important;
}
#kategorije {
margin-top : 180 px;
height: 1270px;
}
#kategorije-naslov h2
font-size : 2em;
margin-bottom : 10px;
#kategorije-naslov h5
font-size : 1em;
#uspesno-dodato ,
#uspesno-skinuto {
left : 45 %;
```

```
font-size : 0.9em;
width: 250px;
}
.shoe {
max-height : 350 px;
}
}
@media ( max-width :500 px ) and (max-height :900px ) {
#welcome-screen
height: 45vh !important;
}
#Akcije {
height: 45vh;
}
#welcome-title
top : 10vh_!important ;
.carousel-caption
margin-bottom : Opx ;
padding-bottom : 0px;
#kategorije
margin-top : 180 px;
#kategorije-naslov h2
font-size : 2 em;
margin-bottom : 10px;
#kategorije-naslov h5
font-size : 1 em;
}
}
@media ( max-width :500 px ) and (max-height
:700px ) { #welcome-screen
```

```
height: 45vh_!important;
#Akcije {
height: 50vh;
#welcome-title {
top: 10vh !important;
.carousel-caption {
margin-bottom: Opx;
padding-bottom: 0px;
#main-page {
margin-top: 80px;
.navbar-meni .offcanvas {
margin-top: 80px;
height: 50vh !important;
#Akcije {
height: 45vh;
#welcome-title {
top: 15vh !important;
#kategorije {
margin-top: 150px;
@media(max-width:500px) and (max-height:500px) {
```

```
#welcome-screen {
height: 70vh !important;
#welcome-title {
top: 20vh !important;
#Akcije {
height: 70vh !important;
@media(max-width:500px) and (max-height:400px) {
#welcome-screen {
height: 87vh_!important;
#welcome-title {
top: 40vh !important;
#Akcije {
height: 80vh !important;
@media(max-width:450px) and (max-height:1000px) {
#welcome-screen {
height: 30vh !important;
#Akcije {
height: 30vh;
#welcome-title {
top: 5vh !important;
.carousel-caption {
margin-bottom: Opx;
padding-bottom: 0px;
```

```
.navbar-meni .offcanvas {
width: 50% !important;
#kategorije {
margin-top: 170px;
#kategorije-naslov_h2 {
font-size: 1.8em;
margin-bottom: 10px;
#kategorije-naslov_h5 {
font-size: 0.9em;
@media(max-width:450px) and (max-height:900px) {
#welcome-screen {
height: 30vh_!important;
#Akcije {
height: 35vh;
@media(max-width:450px) and (max-height:850px) {
#welcome-screen {
height: 35vh_!important;
#Akcije {
height: 40vh_!important;
#welcome-title {
top: 10vh !important;
.carousel-caption {
margin-bottom: 0px;
padding-bottom: 0px;
```

```
#kategorije {
margin-top: 150px !important;
@media(max-width:450px) and (max-height:766px) {
#welcome-screen {
height: 40vh_!important;
#Akcije {
height: 50vh_!important;
#welcome-title {
top: 10vh !important;
@media(max-width:450px) and (max-height:700px) {
#welcome-screen {
height: 40vh_!important;
#Akcije {
height: 50vh;
#welcome-title {
top: 10vh !important;
@media(max-width:450px) and (max-height:650px)
#welcome-screen {
height: 45vh_!important;
#Akcije {
height: 55vh;
#welcome-title {
top: 10vh !important;
```

```
@media(max-width:450px) and (max-height:600px) {
#welcome-screen {
height: 50vh !important;
#Akcije {
height: 55vh_!important;
#welcome-title {
top: 15vh !important;
Qmedia(max-width:450px) and (max-height:500px) { \#welcome-screen \{
height: 60vh !important;
#Akcije {
height: 65vh_!important;
#welcome-title {
top: 20vh !important;
@media(max-width:450px) and (max-height:400px) {
#welcome-screen {
height: 80vh_!important;
#Akcije {
height: 80vh;
#welcome-title {
top: 30vh !important;
```

```
@media(max-width:400px)and (max-height:1000px) {
#Akcije {
height: 35vh !important;
}
@media(max-width:400px )and (max-height:900px ) {
#Akcije {
height: 30vh !important;
#kategorije
margin-top : 150 px;
#uspesno-dodato ,
#uspesno-skinuto {
left : 42 % ;
font-size : 0.7em;
width : 200px ;
}
}
@media ( max-width :400 px ) and (max-height
:850 px ) { #welcome-screen
height : 32vh !important;
#Akcije {
height : 35vh !important;
}
#welcome-title
top : 8vh_!important ;
#kategorije
margin-top : 150 px;
}
}
@media ( max-width :400 px ) and (max-height
:800 px ) { #welcome-screen
height: 35 vh !important;
}
```

```
#Akcije {
height: 35vh_!important;
#welcome-title {
top: 8vh !important;
.carousel-caption {
margin-bottom: Opx;
padding-bottom: 0px;
#kategorije {
margin-top: 120px_!important;
height: 1100px;
#kategorije-naslov_h2 {
font-size: 1.5em;
margin-bottom: 10px;
#kategorije-naslov_h5 {
font-size: 0.8em;
@media(max-width:400px) and (max-height:766px) {
#welcome-screen {
height: 35vh_!important;
#Akcije {
height: 40vh_!important;
#welcome-title {
top: 10vh !important;
Qmedia(max-width:400px) and (max-height:700px) { \#welcome-screen = \{
```

```
height: 40vh_!important;
#Akcije {
height: 45vh_!important;
#welcome-title {
top: 10vh !important;
@media(max-width:400px) and (max-height:650px) {
#welcome-screen {
height: 42vh_!important;
#Akcije {
height: 50vh_!important;
#welcome-title {
top: 12vh !important;
Qmedia(max-width:400px) and (max-height:600px) { \#welcome-screen = \{
height: 45vh_!important;
#Akcije {
height: 55vh_!important;
#welcome-title {
top: 12vh !important;
#kategorije {
margin-top: 120px;
height: 950px;
```

```
@media(max-width:400px) and (max-height:550px) {
\#welcome-screen\overline{\ }
height: 55vh_!important;
#Akcije {
height: 60vh_!important;
#welcome-title {
top: 20vh !important;
#kategorije {
margin-top: 120px;
height: 950px;
<code>@media(max-width:400px)</code> and <code>(max-height:500px) {</code> \#welcome-screen <math display="inline">\overline{\{}
height: 55vh !important;
#Akcije {
height: 60vh_!important;
#welcome-title {
top: 12vh !important;
Qmedia(max-width:360px) and (max-height:800px) { \#welcome-screen = \{
height: 30vh_!important;
#Akcije {
height: 30vh_!important;
#welcome-title {
top: 10vh !important;
```

```
@media(max-width:360px) and (max-height:766px) {
#welcome-screen {
height: 35vh_!important;
#Akcije {
height: 40vh_!important;
#welcome-title {
top: 10vh !important;
Qmedia(max-width:360px) and (max-height:700px) { \#welcome-screen {
height: 37vh_!important;
#Akcije {
height: 42vh_!important;
#welcome-title {
top: 10vh !important;
@media(max-width:360px) and (max-height:640px) {
#welcome-screen {
height: 40vh_!important;
#Akcije {
height: 45vh_!important;
#welcome-title {
top: 10vh !important;
@media(max-width:360px) and (max-height:600px) {
```

```
#welcome-screen {
height: 45vh !important;
#Akcije {
height: 50vh !important;
#welcome-title {
top: 10vh !important;
@media(max-width:360px) and (max-height:550px) {
#welcome-screen {
height: 47vh_!important;
#Akcije {
height: 55vh !important;
#welcome-title {
top: 10vh !important;
@media(max-width:350px) and (max-height:900px) {
#welcome-screen {
height: 30vh_!important;
#Akcije {
height: 30vh !important;
#welcome-title {
top: 8vh !important;
@media(max-width:350px) and (max-height:766px) {
#welcome-screen {
height: 32vh_!important;
```

```
#Akcije {
height: 35vh_!important;
#welcome-title {
top: 10vh !important;
@media(max-width:350px) and (max-height:700px) {
#welcome-screen {
height: 35vh !important;
#Akcije {
height: 40vh !important;
#welcome-title {
top: 10vh !important;
@media(max-width:350px) and (max-height:650px) {
#welcome-screen {
height: 40vh_!important;
#Akcije {
height: 45vh !important;
#welcome-title {
top: 10vh !important;
@media(max-width:350px) and (max-height:600px) {
#welcome-screen {
height: 43vh_!important;
#Akcije {
height: 50vh_!important;
```

```
}
#welcome-title {
top: 10vh !important;
}
@media (max-width:350px )and (max-height:\overline{500}px) {
#welcome-screen {
height: 47vh!important;
#Akcije {
height :50vh !important;
#welcome-title {
top: 15vh !important;
#kategorije {
height: 900 px!important;
}
}
@media (max-width:350px )and (max-height:450px) {
#welcome-screen {
height:50vh!important;
#Akcije {
height :55vh !important;
#welcome-title {
top: 15vh !important;
}
}
@media (max-width:330px )and (max-height:700\overline{px}) {
#welcome-screen {
height : 35 vh !important ;
}
#Akcije
```

```
height: 40vh_!important;
#welcome-title {
top: 10vh !important;
@media(max-width:330px) and (max-height:630px) { \#welcome-screen \#
height: 40vh !important;
#Akcije {
height: 40vh_!important;
@media(max-width:330px) and (max-height:550px) {
#welcome-screen {
height: 45vh_!important;
#Akcije {
height: 45vh_!important;
@media(orientation: landscape) and (max-width:766px)
{ #kategorije
height: 1450px;
@media(orientation: landscape) and (max-width:575px)
{ #kategorije
height: 1300px;
@media(orientation: landscape) and (max-width:550px)
{ #kategorije
height: 1250px;
```

```
@media(orientation: landscape) and (max-width:500px)
{ #kategorije
height: 1200px;
@media(orientation: landscape) and (max-width:450px)
{ #kategorije
height: 1100px;
@media(orientation: portrait) and (max-width:1000px)
{ #kategorije
height: 550px_!important;
margin-top: 250px;
@media(orientation: portrait) and (max-width:766px) {
#kategorije {
height: 1450px !important;
@media(orientation: portrait) and (max-width:600px) {
#kategorije {
height: 1450px !important;
@media(orientation: portrait) and (max-width:576px) {
#kategorije {
height: 1300px_!important;
@media(orientation: portrait) and (max-width:500px) {
#kategorije {
height: 1150px_!important;
margin-top: 150px;
```

```
@media(orientation: portrait) and (max-width:450px) {
#kategorije {
height: 1050px !important;
@media(orientation: portrait) and (max-width:400px) {
#kategorije {
height: 950px !important;
@media(orientation: portrait) and (max-width:350px) {
#kategorije {
height: 900px_!important;
@media(orientation: portrait) and (max-width:576px) and (min-height:601px)
#kategorije {
height: 1450px_!important;
@media(orientation: portrait) and (max-width:500px) and (min-height:601px)
#kategorije {
height: 1300px_!important;
@media(orientation: portrait) and (max-width:450px) and (min-height:601px)
#kategorije {
height: 1200px_!important;
\emptysetmedia(orientation: portrait) and \overline{(}max-width:400px) and \overline{(}min-height:601px)
#kategorije {
height: 1100px_!important;
```

143

```
@media(orientation: portrait) and (max-width:350px) and (min-height:601px)
#kategorije {
height: 1000px_!important;

@media(max-height:840px) {
#frame .offcanvas {
height: 90%;

@media(max-height:740px) {
#frame .offcanvas {
height: 100%;
```

## 3.3 Javascript3.3.1 script.js

```
NESTAJANJE) let lastScroll = 0;
navbar = document.querySelector('.navbar-meni'); const
validateHeader = () = > {
  const windowY = window.scrollY: const
  windowH = window.innerHeight; if
  (windowY > windowH - 1400) {
     navbar.classList.add('is-fixed');
  } else {
     navbar.classList.remove('is-fixed');
  if (windowY < lastScroll) {</pre>
     navbar.classList.add('scroll-up');
  } else {
     navbar.classList.remove('scroll-up');
  lastScroll = windowY;
window.addEventListener('scroll', validateHeader);
$('#profile-ddtoggle').click(function () {
  $(this).next().slideToggle('fast');
})
let logoutDugme = document.querySelector('#logout')
if (logoutDugme) {
  logoutDugme.addEventListener('click', async function () { await
     ajaxCall("logout.php", "post"); window.location.href =
     "/index.php";
let logovanjeForma = document.querySelector('#logovanje-forma');
let uspesnoLogovanje = document.querySelector('#logovanje-forma .alert-success'); let
usernameEmailLoginPolje = document.querySelector('#login-user-email');
let passwordLoginPolje = document.querySelector('#log-pass'); let
loginDugme = document.getElementById("loginSubmit");
logovanjeForma.addEventListener('submit', async (event) => {
  event.preventDefault();
  let loginUsernameEmail = usernameEmailLoginPolje.value; let
  loginPassword = passwordLoginPolje.value; let trazeniKorisnik =
     loginUsernameEmail,
     loginPassword
  loginDugme.disabled = true;
  document.getElementById("loginProcess").classList.remove("hide");
```

```
let res = await ajaxCall("login.php", "post", {
     trazeniKorisnik
   });
   document.getElementById("loginProcess").classList.add("hide");
   uspesnoLogovanje.classList.remove("hide");
   setTimeout(() => {
     window.location.href = "/products.php";
   }, 1000);
let signupForma = document.querySelector('#signup-forma');
signupForma.addEventListener('submit', (event) => {
   event.preventDefault();
})
A const reUsername = [
  /^[\w\d!@#\$%\^&\*\._]{5,20}$/,
  /^[A-Z][\w\d!@#\$%\^&\*\._]{4,19}$/
];
const porukaUsername = [
   'Username must be between 5 and 20 characters long and must not contain spaces', 'Username
   must start with a capital letter'
1;
let signupUsername = document.getElementById('signup-username'); let
usernameError = document.getElementById('username-error');
signupUsername.addEventListener('blur', () => {
   regexProvera(signupUsername, usernameError, reUsername, porukaUsername);
})
const rePassword = [
  /^[\w\d!@#\$%\^&\*\. ]{8,20}$/,
  /^([\w!@#$%^&*._]+[\d]+)|([\d]+[\w!@#\$%\^&\*\._]+)$/,
   /^([\w\d]+[!@#\$%\^&\*\._]+)|([!@#\$%\^&\*\._]+[\w\d]+)$/, /^[A-
   Z][\w\d!@#\$%\^&\*\._]{7,19}$/
];
const porukaPassword = [
   'Password must be between 8 and 20 characters long and must not contain spaces', 'Password
   must contain at least 1 number'.
   'Password must contain at least 1 of the characters: "!@#$%^&*._",
   'Password must start with a capital letter'
];
let passwordError = document.getElementById('password-error'); let
signupPassword = document.getElementById('signup-password');
signupPassword.addEventListener('blur', () => {
   regexProvera(signupPassword, passwordError, rePassword, porukaPassword);
})
```

```
let dodatanReFirstLastName = /^[A-
Z]([\w\dŽĐŠĆČćđčžšшђжћчЂШЖЋЧ]{2,29}[\d!@#\$%\^&\*\._]+)|([\d!@#\$%\^&\*\._]+[\w\dŽĐŠ
ĆČćđčžšшђжћчЪШЖЋЧ]{2,29})$/;
  const reFirstLastName = [
     /^[\w\dŽĐŠĆČćđčžš]{3,30}$/,
     /^[A-Z][\w\dŽĐŠĆČćđčžšшђжћчЂШЖЋЧ]{2,29}$/
  1;
  const porukaFirstLastName = [
     'Name (First and Last) must be between 3 and 20 characters long and must not contain spaces',
     'Name (First and Last) must start with a capital letter'
  ];
  let dodatnaPorukaFirstLastName = 'Name (First and Last) must not contain any numbers or characters:
 !@#$%^&*. ''':
  let firstNameError = document.getElementById('firstname-error');
  let signupFirstName = document.getElementById('signup-firstname');
  let lastNameError = document.getElementById('lastname-error');
  let signupLastName = document.getElementById('signup-lastname');
  signupFirstName.addEventListener('blur', () => {
     regexProvera(signupFirstName, firstNameError, reFirstLastName, porukaFirstLastName,
dodatanReFirstLastName, dodatnaPorukaFirstLastName);
  })
  signupLastName.addEventListener('blur', () => {
     regexProvera(signupLastName, lastNameError, reFirstLastName, porukaFirstLastName,
dodatanReFirstLastName, dodatnaPorukaFirstLastName); })
  const reEmail = [/^[a-z]d]._[{3,29}@[a-z]{3,10}(.[a-z]{2,5}){1,4}$/]; const
  porukaEmail = [
     'Invalid email format (Email must contain "@" and end with a domain name (Ex. ".com")))'
  ];
  let emailError = document.getElementById('email-error'); let
  signupEmail = document.getElementById('signup-email');
  signupEmail.addEventListener('blur', () => {
     regexProvera(signupEmail, emailError, reEmail, porukaEmail);
  })
  // PROVERA ISPRAVNOSTI
  ADRESE const reAddress = [
     /^{((A-Z)[\w\d\.\-]+)|([\d]+\.?))(\s{1}[\w\d\.\-V]+)+$/,}
     /^{((A-Z)[\w\d.\-]+)[(\d]+\.?))(\s{1}[\w\d\..\-]+){0,7}$/,
     /^(([A-Z][\w\d\.\-]+)|([\d]+\.?))(\s{1}[\w\d\.\-]+)|
]+){0,7}\s(([\d]{1,3}((\c([\d]{1,2}[\w]?)|([\w]{1,2}))|([\w]))?)|((BB)|(bb)))$/];
  const porukaAddress = [
     'Address must start with either a capital letter, or a number',
     'Address must have a maximum of 8 words'.
     'Address must include a number (Ex. 2, 6/a, 30/4b, BB)'
  ];
  let addressError = document.getElementById('address-error');
```

```
let signupAddress = document.getElementById('signup-address');
  signupAddress.addEventListener('blur', () => {
     regexProvera(signupAddress, addressError, reAddress, porukaAddress); });
  let tacCheckbox = document.getElementById('termsAndConditions'); let
  submitButton = document.getElementById('submit-button');
  const objektiPoljeNiz = [signupUsername, signupPassword, signupFirstName, signupLastName,
signupEmail, signupAddress];
  const objektiErrorNiz = [usernameError, passwordError, firstNameError, lastNameError,
emailError, addressError];
  const regexIzrazi = [reUsername, rePassword, reFirstLastName, reFirstLastName, reEmail,
reAddress];
  const porukeNiz = [porukaUsername, porukaPassword, porukaFirstLastName,
porukaFirstLastName, porukaEmail, porukaAddress]
  let greska = false;
  submitButton.addEventListener('click', async () => { if
     (!tacCheckbox.checked) {
        tacCheckbox.classList.add('error-border');
        greska = true;
     } else {
        greska = false;
        tacCheckbox.classList.remove('error-border');
       for (let i = 0; i < 6; i++) {
         if (i == 2 || i == 3) {
           regexProvera(objektiPoljeNiz[i], objektiErrorNiz[i], regexIzrazi[i], porukeNiz[i],
dodatanReFirstLastName, dodatnaPorukaFirstLastName)
            if (tmpGreska) {
                greska = true;
        } else {
           regexProvera(objektiPoljeNiz[i], objektiErrorNiz[i], regexIzrazi[i], porukeNiz[i])
           if (tmpGreska) {
             greska = true;
     if (!greska) {
        let novKorisnik = {
           username: signupUsername.value,
           password: signupPassword.value,
           firstName: signupFirstName.value,
           lastName: signupLastName.value,
           email: signupEmail.value,
           address: signupAddress.value,
           agreedToTOS: tacCheckbox.checked
        document.getElementById("registerProcess").classList.remove("hide")
        submitButton.disabled = true;
```

```
let msg = await ajaxCall("register.php", "post", {
          novKorisnik
       });
       if (msg == "confirm") {
          document.getElementById("registerProcess").classList.add("hide")
          document.getElementById('success-signup').classList.remove('hide');
          $('#success-modal .modal-body').html(`A confirmation mail has been sent to
'${signupEmail.value}"`);
          $('#success-modal .modal-header h1').html("");
          $('#success-modal').show();
          $('body').click(function () {
             $('#success-modal').hide();
          })
          submitButton.disabled = true;
 });
 let url = document.location.pathname;
 if (url == "/" ||
    url == "/index.php" ||
    url == "/#") {
    let welcomeScreen = document.getElementById("welcome-screen"); let
    bgSlike = welcomeScreen.getElementsByTagName("img"); for (let i = 0; i < 0)
    bgSlike.length; i++) {
       bgSlike[i].addEventListener("animationend", () => {
          welcomeScreen.appendChild(bgSlike[0]);
       });
    let cartUnavailableMsg = document.getElementById("cart-unavailable");
    let profileUnavailableMsg = document.getElementById("profile-unavailable"); if
    (cartUnavailableMsg) {
       toggleErrorModal(cartUnavailableMsg.textContent);
    } else if (profileUnavailableMsg) {
       toggleErrorModal(profileUnavailableMsg.textContent);
 if (url == "/products.php") {
    function shuffle(niz) {
       let trenutniIndex = niz.length,
```

```
randomIndex;
  while (trenutniIndex != 0) {
     randomIndex = Math.floor(Math.random() * trenutniIndex);
     trenutniIndex--;
        [niz[trenutniIndex], niz[randomIndex]] = [
          niz[randomIndex], niz[trenutniIndex]
     ];
  return niz;
BAZE let getShoes = true;
var allShoes = await ajaxCall("filter.php", "post", {
  getShoes
});
allShoes = shuffle(konvertujPatike(allShoes));
KORPE $(document).ready(function () {
  $('body').tooltip({
     selector: '#patike-display article a' });
});
let prvaCenaGranica = 0,
  drugaCenaGranica = 300;
let stampajCene = true;
$(document).ready(function () { let
  $slider = $("#slider-range");
        let priceMin = $slider.attr("data-price-min"),
          priceMax = $slider.attr("data-price-max");
  $slider.slider({
     range: true,
     min: priceMin,
     max: priceMax,
     step: 5,
     values: [priceMin, priceMax],
     slide: function (event, ui) {
        let opseg = "$" + ui.values[0] + " - $" + ui.values[1];
        $("#amount").text("Price range: " + opseg);
        if (stampajCene) {
           dugmadFilter = $('.filter-dugme');
           StampajDugme(opseg, dugmadFilter, "Price range")
        stampajCene = false;
        let dugme = $('.filter-dugme:contains("Price range")')
```

```
if (dugme.length != 0) {
                dugme.contents()[0].textContent = "Price range: " + opseg
              prvaCenaGranica = ui.values[0]
              drugaCenaGranica = ui.values[1]
        });
        $("#amount").text("Price range: $" + $slider.slider("values", 0) + " - $" +
$slider.slider("values", 1));
     });
     let filterDisplay = document.getElementById('filter-display')
     let ukloniFiltre = document.getElementById('ukloni-filtre');
     var dugmadFilter = document.querySelectorAll('.filter-dugme');
     DUGMADI const listaBrendova = document.querySelectorAll('#brendovi .dropdown-item');
     const listaSortiranja = document.querySelectorAll(\#sortiraj-po .dropdown-item');
     const listaKategorija = document.querySelectorAll('#kategorije-opcije .dropdown-item'); const
     listaDodatnihFiltra = document.querySelectorAll('#ostali-filtri
input[type="checkbox"]');
     const inputText = document.querySelector('#text-input'); const
     applyFilters = document.querySelector('#apply-filters');
     applyFilters.addEventListener('click', function () {
        glavniFiltar();
     })
     inputText.addEventListener("input", function () {
        let text = inputText.value;
        let stampaj = true;
        dugmadFilter = document.querySelectorAll('.filter-dugme');
        dugmadFilter.forEach(dugme => {
           if (dugme.textContent.split(": ")[0] == "Keyword") {
              dugme.firstChild.textContent = `Keyword: ${text}`
              stampaj = false;
             if (text == "") {
                dugme.remove();
        })
        if (stampaj) StampajDugme(text, dugmadFilter, "Keyword");
        dugmadFilter = document.querySelectorAll('.filter-dugme'); if
        (dugmadFilter.length < 2) SakrijCistac();
     })
     let kategorijeTekst = Array.from(listaKategorija).map(kategorija => kategorija.textContent)
     let brendoviTekst = Array.from(listaBrendova).map(kategorija => kategorija.textContent)
     let sortirajTekst = Array.from(listaSortiranja).map(kategorija => kategorija.textContent)
```

```
document.querySelector('#ostali-filtri').addEventListener('click', function (e) {
  e.stopPropagation();
})
listaDodatnihFiltra.forEach(function (filtar) {
  filtar.addEventListener('change', function () {
     let imeFiltra = filtar.dataset.name;
     dugmadFilter = document.querySelectorAll('.filter-dugme'); if
     (filtar.checked) {
        StampajDugme(imeFiltra, dugmadFilter);
     } else {
        $(`.filter-dugme:contains(${imeFiltra})`).remove(); if
        (dugmadFilter.length < 3) SakrijCistac();</pre>
})
function dodajEventDdListama(listaOpcija, listaTekstova, key) { for
  (let i = 0; i < listaOpcija.length; <math>i++) {
     listaOpcija[i].addEventListener('click', function () { dugmadFilter =
        document.querySelectorAll('.filter-dugme'); let opcija =
        listaOpcija[i].textContent;
        let stampaj = true;
        for (let i = 0; i < dugmadFilter.length; <math>i++) {
           if (listaTekstova.includes(dugmadFilter[i].textContent.split(': ')[1])) {
              dugmadFilter[i].firstChild.textContent = `${key}: ${opcija}` stampaj =
        if (stampaj) {
           StampajDugme(opcija, dugmadFilter, key);
     })
FILTRE $(document).ready(function () {
  let $dropdowns = $('#filter .nav-link')
  $dropdowns.click(function () {
     $(this).next().slideToggle('fast');
     $dropdowns.not(this).next().slideUp('fast');
  })
  $(document).click(function () { $('#filter
     .padajuci-meni').slideUp('fast');
  $("#filter .nav-link, #dropdown-cena").click(function (e) {
     e.stopPropagation();
  })
```

```
SLAJDER-A function ResetSlider() {
        $(document).ready(function () {
           stampajCene = true;
          let $slider = $("#slider-range");
          $slider.slider({
             values: [0, 300]
          $("#amount").text("Price range: $0 - $300");
        })
     let patikeDisplay = document.getElementById('patike-display')
     function UkloniRoditelja(dugme) {
        dugmadFilter = document.querySelectorAll('.filter-dugme');
        if (dugme.parentElement.textContent.split('')[0] == "Price") ResetSlider(); if
        (dugme.parentElement.textContent == "Free shipping") $('#free-
shipping').prop('checked', false);
        if (dugme.parentElement.textContent == "On Discount") $('#on-discount').prop('checked',
       if (dugme.parentElement.textContent.split(': ')[0] == "Keyword") $('#text-input').val("");
        dugme.parentElement.remove();
        if (dugmadFilter.length == 2) {
          SakrijCistac();
     function SakrijCistac(nizFilterDugmadi = null) {
        ukloniFiltre.classList.add('hide');
        if (nizFilterDugmadi) {
           ResetSlider()
          $('#free-shipping').prop('checked', false);
          $('#on-discount').prop('checked', false);
          $('#text-input').val("");
           while (filterDisplay.childNodes.length > 2) {
             filterDisplay.removeChild(filterDisplay.firstChild);
        stampajPatike(allShoes);
        patikeDisplay.style.height = "92%"
     function StampajDugme(opcija, nizFilterDugmadi, key = null) { let
        filterDugme = document.createElement('button');
        filterDugme.classList.add('btn', 'dark-blue-bg', 'text-light', 'ms-3', 'filter-dugme');
```

```
filterDugme.textContent = key? `${key}: ${opcija}` : `${opcija}` let
  closeDugme = document.createElement('button');
  closeDugme.classList.add('btn-close', 'ms-2', 'ukloni-dugme');
  closeDugme.addEventListener('click', function () {
     UkloniRoditelja(closeDugme, nizFilterDugmadi);
   })
  filterDugme.appendChild(closeDugme);
   filterDisplay.insertBefore(filterDugme, nizFilterDugmadi[0])
  ukloniFiltre.classList.remove('hide');
  if (window.innerWidth < 531) {
     patikeDisplay.style.height = "75%"
       } else if (window.innerWidth < 869) {
          patikeDisplay.style.height = "80%"
   } else if (window.innerWidth < 1000) {
     patikeDisplay.style.height = "85%"
   } else {
     patikeDisplay.style.height = "87%"
let dugmeSakrijCistaca = document.querySelector('#ukloni-filtre');
dugmeSakrijCistaca.addEventListener('click', function () {
  SakrijCistac(dugmadFilter)
})
PATIKA async function glavniFiltar() {
  let data = \{\};
  dugmadFilter = document.querySelectorAll('.filter-dugme'); if
  (dugmadFilter.length < 1) return dugmadFilter.forEach(dugme =>
     let filtar = dugme.textContent.split(': ')[0]
     let filtar2 = dugme.textContent.split(': ')[1]
     if (filtar2 == undefined || filtar == "Keyword") { if
        (filtar == 'Free shipping') {
           data["FreeShipping"] = true;
        } else if (filtar == 'On Discount') {
           data["OnDiscount"] = true;
        } else if (filtar == "Keyword") {
           data[filtar] = filtar2;
     } else {
        if (filtar2.substring(0, 1) == "$") {
           data["donjaCena"] = prvaCenaGranica;
           data["gornjaCena"] = drugaCenaGranica;
        } else if (filtar == "Sort By") {
           data["SortBy"] = filtar2;
        } else {
           data[filtar] = filtar2;
```

```
})
       data.getShoes = true;
       let filtriranePatike = konvertujPatike(await ajaxCall("filter.php", "post", data));
       stampajPatike(filtriranePatike);
     async function stampajPatike(shoeList) {
       let svePatike = document.querySelectorAll('.shoe')
       svePatike.forEach(patika => {
          patika.remove()
       let idDodatihPatika = Array.from(document.querySelectorAll('.shoe-data')).map(el =>
parseInt(el.textContent));
       if (shoeList.length == 0) {
          patikeDisplay.innerHTML =
             `<div class="alert alert-danger mt-3 p-4 rounded-pill d-flex align-items-center justify-content-
center text-center" id="no-shoes">
          <h2>Sorry, no shoes matching your filters</h2></div>`; return;
       patikeDisplay.innerHTML = ";
       for (let shoe of shoeList) {
          let bgColor;
          if (shoe.kategorija_naziv == 'Men') bgColor = 'dark-blue-bg text-white';
          if (shoe.kategorija_naziv == 'Women') bgColor = 'pink-bg text-dark';
          if (shoe.kategorija_naziv == 'Kids') bgColor = 'lgreen-bg text-dark';
          patikeDisplay.innerHTML += `
          <article class="shoe mt-4 container">
          <img src="${shoe.slika_src}" alt="${shoe.slika_alt}" class="img-fluid"> <strong class="d-</pre>
          block">${shoe.brend naziv} ${shoe.patika model}</strong> <i class="d-inline-block"
          ${bgColor} w-75 rounded">${shoe.kategorija_naziv}</i> <div id="shoe-price">
          ${shoe.popust?
             "$" +
shoe.bazna_cena +
             "" + "$" + shoe.snizena_cena + "<strong
            class='d-inline text-black fst-italic'>(" + Math.round((1 - shoe.popust) *
100) + "% off!)</strong>":
             "$" + shoe.bazna_cena + ""
          ${shoe.cena postarine? "<i id='text-shipping' class='bg-dark d-inline-block text-white p-3
rounded-pill'>Shipping: $" + shoe.cena_postarine + "</i>":
          '<img src="Assets/img/free-shipping.png" alt="free shipping" class="img-fluid" id="free-
shipping-img">'}
          <a data-bs-toggle="tooltip" data-bs-placement="top" data-bs-title="Add to cart"</pre>
class="korpa-roditeli">
```

```
<svg data-id="${shoe.patika_id}" xmlns="http://www.w3.org/2000/svg" width="30"</pre>
height="30" fill="currentColor" class="bi bi-cart3 korpa
${idDodatihPatika.includes(shoe.patika_id)?'crvena': 'plava'}" viewBox="0 0 16 16" data-bs-
title="Remove from cart">
     <path d="M0 1.5A.5.5 0 0 1 .5 1H2a.5.5 0 0 1 .485.379L2.89 3H14.5a.5.5 0 0 1 .49.598l-1 5a.5.5 0 0 1-</p>
.465.4011-9.397.472L4.415 11H13a.5.5 0 0 1 0 1H4a.5.5 0 0 1-.491-.408L2.01 3.607 1.61 2H.5a.5.5 0 0 1-.5-
.5zM3.102 41.84 4.479 9.144-.459L13.89 4H3.102zM5 12a2 2 0 1 0 0 4 2 2 0 0 0 0-4zm7 0a2 2 0 1 0 0 4 2 2 0
        if (document.getElementById("isLoggedIn")) {
           dodajEventKorpama(shoeList);
        } else {
           $('.korpa-roditelj').attr("data-bs-toggle",
                                                        "modal");
           $('.korpa-roditelj').attr("href", "#account-modal");
     const queryString = window.location.search;
     const urlParams = new URLSearchParams(queryString); const
     categoryUrl = urlParams.get('category'); const brandUrl =
     urlParams.get('brand');
     const modelUrl = urlParams.get('model');
     const discountUrl = urlParams.get('discount');
     if (categoryUrl) {
        StampajDugme(categoryUrl, dugmadFilter, 'Category');
     if (modelUrl) {
        StampajDugme(modelUrl, dugmadFilter, 'Model');
     if (brandUrl) {
        StampajDugme(brandUrl, dugmadFilter, 'Brand');
     if (discountUrl) {
        $('#on-discount').prop('checked', true);
        StampajDugme(discountUrl, dugmadFilter);
     dodajEventDdListama(listaBrendova, brendoviTekst, 'Brand');
     dodajEventDdListama(listaKategorija, kategorijeTekst, 'Category');
     dodajEventDdListama(listaSortiranja, sortirajTekst, 'Sort By');
     if (categoryUrl | modelUrl | brandUrl | discountUrl) {
        glavniFiltar();
     } else {
        stampajPatike(allShoes);
```

```
else if (url == "/cart.php") {
     let total = 0:
     let idDodatihPatika = Array.from(document.querySelectorAll('.shoe-data')).map(el =>
parseInt(el.textContent));
     let data = {
        getShoes: true,
        ids: idDodatihPatika
      var stavkeUKorpi;
     if (idDodatihPatika[0]) {
        stavkeUKorpi = konvertujPatike(await ajaxCall("filter.php", "post", data));
      function stampajKorpu(stavkeUKorpi) {
        total = 0;
        let korpaDrzac = document.querySelector('#korpa-drzac'); let
        totalText = document.getElementById('total'); if (!stavkeUKorpi ||
        stavkeUKorpi.length == 0) {
           korpaDrzac.innerHTML = `<div class="alert alert-danger mt-3 p-4 rounded-pill d-flex align-
items-center justify-content-center text-center" id="no-shoes">
           <h2>You don't have any items in your cart</h2></div>`;
           totalText.innerHTML = `Total: $0.00`
           document.querySelectorAll('#korpa-info button').forEach(button => {
              button.disabled = true:
           })
        document.querySelectorAll('#korpa-info button').forEach(button => {
           button.disabled = false;
        })
        let html = ";
        for (let stavka of stavkeUKorpi) {
           total += stavka.cena_postarine ? stavka.snizena_cena + stavka.cena_postarine :
stavka.snizena_cena;
           let bgColor;
           if (stavka.kategorija_naziv == 'Men') bgColor = 'dark-blue-bg text-white'; if
           (stavka.kategorija naziv == 'Women') bgColor = 'pink-bg text-dark'; if
           (stavka.kategorija_naziv == 'Kids') bgColor = 'lgreen-bg text-dark'; html += `
           <i class="fa-solid fa-trash obrisi-stavku" data-id="${stavka.patika_id}"></i>
           <div class="col-md-5 d-flex flex-column border-bottom p-2">
           <a href="https://www.brend_naziv">\footnotesia.com/decoration-underline">\footnotesia.com/stavka.brend_naziv}
${stavka.patika_model}</h2>
           <i class="${bgColor} p-2 my-1 d-inline-block</pre>
rounded">${stavka.kategorija_naziv}</i>
```

```
<div class="col-md-3 d-flex flex-column border-bottom p-2"> <h2</pre>
           class="text-decoration-underline">Price:</h2> ${ stavka.popust ?
             "<hgroup><h5 class='text-decoration-line-through d-inline text-danger fst-italic'>$" +
stavka.bazna_cena +
             "</h5>" + "<h5 class='d-inline text-success fw-bold mx-2'>$" +
stavka.snizena_cena + "</h5></hgroup>":
             "<h5>$" + stavka.bazna_cena + "</h5>"
           +$${stavka.cena_postarine? stavka.cena_postarine: '0.00'} shipping </div>
           <div class="col-md-4 d-flex border-bottom">
           <img class="img-fluid p-2" src="${stavka.slika_src}" alt="${stavka.slika_alt}">
        totalText.innerHTML = `Total: $${total}.00`;
        korpaDrzac.innerHTML = html;
        dodajEventKantama(stavkeUKorpi);
     function dodajEventKantama(stavkeUKorpi) {
        document.querySelectorAll('.obrisi-stavku').forEach(dugme => {
          dugme.addEventListener('click', async function () {
             let shoeToRemove = stavkeUKorpi.find(stavka => stavka.patika_id ==
dugme.dataset.id);
             stavkeUKorpi = stavkeUKorpi.filter(stavka => stavka.patika_id !=
shoeToRemove.patika_id);
             await ajaxCall("cartmanager.php", "post", {
                shoeToRemove
             });
             stampajKorpu(stavkeUKorpi);
             stampajBrojac(stavkeUKorpi.length, -1)
          })
        })
     async function brisiSveIzKorpe() {
        let removeAll = true;
        await ajaxCall("cartmanager.php", "post", {
          removeAll
        });
        stavkeUKorpi = [];
        stampajKorpu(stavkeUKorpi);
        stampajBrojac(0, -1)
     document.querySelector('#clear').addEventListener('click', brisiSveIzKorpe)
     document.querySelector('#purchase').addEventListener('click', async function () {
```

```
let makeAnOrder = true;
     await ajaxCall("insertorder.php", "post", {
        makeAnOrder
     });
     brisiSveIzKorpe();
     $('#success-modal .modal-body').html("Purchase successfull, redirection to profile page...");
     $('#success-modal .modal-header h1').html("Success!");
     $('#success-modal').show();
     setTimeout(function () {
        window.location.href = "profile.php";
     }, 1000);
  })
  stampajKorpu(stavkeUKorpi);
else if (url == "/adminpanel.php") {
  let modalErrMsg = document.querySelector('.modalErrMsg'); if
  (modalErrMsg) {
     modalErrMsg.style.display = 'block';
     modalErrMsg.addEventListener('click', function () {
        modalErrMsg.style.display = 'none';
     });
  let modalSuccMsg = document.querySelector('.modalSuccMsg'); if
  (modalSuccMsg) {
     modalSuccMsg.style.display = 'block';
     modalSuccMsg.addEventListener('click', function () {
        modalSuccMsg.style.display = 'none';
     });
  document.getElementById("insertShoe").addEventListener("click", function () {
     document.getElementById("insertProcess").classList.remove("hide");
  })
  document.getElementById("updateShoe").addEventListener("click", function () {
     document.getElementById("updateProcess").classList.remove("hide");
  })
  document.getElementById("deleteShoe").addEventListener("click", function () {
     document.getElementById("deleteProcess").classList.remove("hide");
  var allShoes = konvertujPatike(await ajaxCall("filter.php", "post", {
     getShoes: true
  }));
  const distinctCategories = [...new Set(allShoes.map(obj => obj.kategorija_naziv))]; const
  distinctBrands = [...new Set(allShoes.map(obj => obj.brend_naziv))].sort(); let
  shoeDisplayed;
  let shoeUpdateDisplay = document.getElementById("shoe-update-display");
```

```
let shoeChoiceDd = document.getElementById("shoeid-update"); let
    shoeIdInput = document.getElementById("id-selected");
    async function displayShoe(ddlShoes, shoeDisplay, id) {
      shoeDisplayed = allShoes.find(shoe => shoe.patika id == parseInt(ddlShoes.value)); if
      (!shoeDisplayed) {
        shoeDisplay.innerHTML = ";
        id.value = "";
      shoeDisplay.innerHTML = `
      <div class="d-flex justify-content-center" id="slika-update-drzac"><img</pre>
      src="${shoeDisplayed.slika_src}" alt=${shoeDisplayed.slika_alt}></div>
  <div class="p-1 d-flex flex-column ">
    Brand: ${shoeDisplayed.brend naziv} 
      Model: ${shoeDisplayed.patika model} 
      Category: ${shoeDisplayed.kategorija_naziv} 
      Price (base): $${shoeDisplayed.bazna_cena} 
      ${shoeDisplayed.popust?'<!i class="list-group-item"><p class="d-inline fw-
bold">Discount: ' + shoeDisplayed.popust + ' (' + Math.round(100*(1 -
shoeDisplayed.popust)) + '%)' ::
    'Discount: N/A
    ${shoeDisplayed.cena_postarine?'<p class="d-inline fw-
bold">Shipping: $' + shoeDisplayed.cena_postarine + '' :
    'class="list-group-item">Shipping: Free
      id.value = shoeDisplayed.patika_id;
    shoeChoiceDd.addEventListener("change", function () {
      displayShoe(shoeChoiceDd, shoeUpdateDisplay, shoeIdInput)
    });
    let filterDiv = document.getElementById("update-filters"); let
    updateShoe = document.getElementById("updateShoe"); const
    updateForm = document.getElementById("update-form");
    filterDiv.addEventListener("change", (event) => {
      const checkboxId = event.target.id;
      if (event.target.checked) {
        let divForm = document.createElement("div");
```

```
divForm.classList.add("form-group", "my-2");
           switch (checkboxId) {
             case "category-chb-update":
                divForm.setAttribute("id", "category-selected");
                let categoriesHtml = ";
                for (let cat of distinctCategories) {
                   categoriesHtml += '<option value='" +
(parseInt(distinctCategories.indexOf(cat)) + 1) * 1 + ""> + cat + '</option>'
                divForm.innerHTML = `<div class="d-flex justify-content-between"><label
                for="category-update">Category:</label></div>
           <select class="form-control my-1" name="category-update" id="category-update"> <option</pre>
             value="0">Choose a category</option>
             ${categoriesHtml}
                updateForm.insertBefore(divForm, updateShoe);
             case "brand-chb-update":
                divForm.setAttribute("id", "brand-selected");
                let brandsHtml = ";
                for (let brand of distinctBrands) {
                   brandsHtml += '<option value="' + (parseInt(distinctBrands.indexOf(brand)) + 1) * 1 +
 ">' + brand + '</option>'
                divForm.innerHTML = `<div class="d-flex justify-content-between"><label
                for="brand-update">Brand:</label></div>
           <select class="form-control my-1" name="brand-update" id="brand-update"> <option</pre>
             value="0">Choose a brand</option>
             ${brandsHtml}
                updateForm.insertBefore(divForm, updateShoe);
             case "model-chb-update":
                divForm.setAttribute("id", "model-selected");
                divForm.innerHTML = `<div class="form-group my-2">
                <div class="d-flex justify-content-between"><label for="model-update">Model
name (format
                      varchar(50)):</label>
                <input type="text" placeholder="Between 3 and 50 characters" name="model-</pre>
                   class="form-control my-1" id="model-update"></div>`;
                updateForm.insertBefore(divForm, updateShoe);
             case "price-chb-update":
                divForm.setAttribute("id", "price-selected");
                divForm.innerHTML = `<div class="form-group my-2">
                <div class="d-flex justify-content-between"><label for="price-update">Shoe
price (format
                      Decimal(6,2)):</label>
```

```
<input type="number" placeholder="Between 10 and 999 dollars" name="price-</p>
                   class="form-control my-1" id="price-update">
                updateForm.insertBefore(divForm, updateShoe);
             case "disc-chb-update":
                divForm.setAttribute("id", "disc-selected");
                divForm.innerHTML = \div class="form-group my-2 border p-2">
                <a href="label-for="discount-update">Discount (format Decimal(3,2), leave blank for no
discount/End current discount):</label>
                <input type="number" step="0.01" placeholder="Example: 0.70 if you want 30%</pre>
                   name="discount-update" class="form-control my-1" id="">
                updateForm.insertBefore(divForm, updateShoe);
             case "shipping-chb-update":
                divForm.setAttribute("id", "shipping-selected");
                divForm.innerHTML = `<div class="form-group my-2">
                <a href="shipping-update">Shipping price (format Decimal(6,2), leave blank for
free
                   shipping):</label>
                <input type="number" placeholder="Between 0 and 999 dollars"</pre>
name="shipping-update"
                   class="form-control my-1" id="shipping-update">
                updateForm.insertBefore(divForm, updateShoe);
             case "img-chb-update":
                divForm.setAttribute("id", "img-selected");
                divForm.innerHTML = `<div class="form-group my-2">
                <div class="d-flex justify-content-between"><label for="file-update">Image (1
file per
                     shoe, supported formats JPG, PNG, JPEG):</label>
                <input type="file" name="file-update" class="form-control-file my-1" id="file-</pre>
                updateForm.insertBefore(divForm, updateShoe);
                updateForm.innerHTML += "";
        } else {
          switch (checkboxId) {
             case "category-chb-update":
                document.getElementById("category-selected").remove();
             case "brand-chb-update":
```

```
document.getElementById("brand-selected").remove(); break;
             case "model-chb-update":
                document.getElementById("model-selected").remove();
             case "price-chb-update":
                document.getElementById("price-selected").remove();
             case "disc-chb-update":
                document.getElementById("disc-selected").remove();
             case "shipping-chb-update":
                document.getElementById("shipping-selected").remove();
             case "img-chb-update":
                document.getElementById("img-selected").remove();
     });
     let shoeDeleteDisplay = document.getElementById("shoe-delete-display"); let
     shoeChoiceDdDelete = document.getElementById("shoeid-delete"); let
     shoeIdInputDelete = document.getElementById("id-selected-delete");
     shoeChoiceDdDelete.addEventListener("change", function () {
        displayShoe(shoeChoiceDdDelete, shoeDeleteDisplay, shoeIdInputDelete)
     });
function regexProvera(objekatPolje, errorTekst, regexNiz, porukaNiz, dodatanRegex = null,
dodatnaPoruka = null) {
  for (let i = 0; i < porukaNiz.length; i++) { if
     (!objekatPolje.value) {
        errorTekst.classList.add('hide');
        objekatPolje.classList.add('error-border');
        tmpGreska = true;
     } else if (dodatanRegex && dodatanRegex.test(objekatPolje.value)) {
        objekatPolje.classList.add('error-border'); errorTekst.textContent =
        dodatnaPoruka; errorTekst.classList.remove('hide');
        tmpGreska = true;
     } else if (!regexNiz[i].test(objekatPolje.value)) {
        objekatPolje.classList.add('error-border');
        errorTekst.textContent = porukaNiz[i];
```

```
errorTekst.classList.remove('hide');
        tmpGreska = true;
     } else {
        objekatPolje.classList.remove('error-border');
        errorTekst.classList.add('hide');
        tmpGreska = false;
function toggleErrorModal(msg) {
  $('#error-modal .modal-body').html(msg);
  $('#error-modal').show();
  $('body').click(function() {
     $('#error-modal').hide();
  })
function konvertujPatike(shoes) {
  let convertedShoes = shoes.map(shoe => {
     return {
        ...shoe,
        patika_id: parseInt(shoe.patika_id),
        bazna_cena: parseInt(shoe.bazna_cena),
        cena_postarine: shoe.cena_postarine ? parseInt(shoe.cena_postarine) : null,
        popust: shoe.popust ? parseFloat(shoe.popust) : null,
        snizena_cena: parseInt(shoe.snizena_cena),
  })
  return convertedShoes
function ajaxCall(stranica, metod, data = null) {
  return $.ajax({
     url: stranica,
     method: metod,
     data: data,
     success: function (rezultat) {
        return rezultat:
     error: function (jqXHR, exception) {
        var msg;
        if (jqXHR.statusCode === 500) {
           msg = "Internal server error [500]";
        } else {
           msg = jqXHR.responseText;
        console.log(jqXHR);
        console.log(exception);
```

```
document.getElementById("loginSubmit").disabled = false;
        document.getElementById('submit-button').disabled = false;
        document.getElementById("loginProcess").classList.remove("hide")
        document.getElementById("loginProcess").classList.add("hide")
        document.getElementById("registerProcess").classList.remove("hide")
        document.getElementById("registerProcess").classList.add("hide")
        toggleErrorModal(msg);
  })
let ikonice = document.querySelectorAll('.icons a svg') let
brojacOkvir = document.getElementById('brojac'); let navbar
= document.querySelector('.navbar-meni');
function stampajBrojac(brojac, promena) {
  if (brojac > 1 || (brojac == 1 && promena == -1)) {
     brojacOkvir.classList.remove('hide')
     brojacOkvir.textContent = brojac
  } else if (brojac == 0) {
     if (window.innerWidth < 456) {
        navbar.style.padding = '5px \ 0 \ 0 \ 0'
     brojacOkvir.classList.add('hide')
     ikonice.forEach(ikonica => {
        ikonica.style.marginTop = '0px'
     brojacOkvir.textContent = brojac;
   } else if (brojac == 1 \&\& promena == 1) { if
     (window.innerWidth < 456) {
        navbar.style.padding = '0 0 0 0'
     brojacOkvir.classList.remove('hide')
     brojacOkvir.textContent = brojac
PRODUKT function dodajEventKorpama(shoeList) {
  $(document).ready(function () { $(this).attr('data-bs-
     title', 'Remove from cart') $('.korpa').click(async
     function () {
        let brojUKorpi = parseInt(brojacOkvir.textContent); if
        (!brojUKorpi) brojUKorpi = 0;
        if ($(this).hasClass('plava')) {
           let shoeToAdd = shoeList.find(shoe => shoe.patika_id == this.dataset.id) await
           ajaxCall("cartmanager.php", "post", {
```

```
shoeToAdd
   });
  brojUKorpi++;
  stampajBrojac(brojUKorpi, 1);
  $(this).removeClass('plava');
  $(this).addClass('crvena');
  $(this).parent().tooltip('disable');
  $(this).tooltip('enable');
  $('#uspesno-dodato')
     .animate({
        bottom: '4%',
        opacity: '100'
     }, 500)
     .animate({
        opacity: '0'
     }, {
        duration: 1500
     .animate({
        bottom: '-12%'
     }, {
        duration: 0
     });
} else {
  let shoeToRemove = shoeList.find(shoe => shoe.patika_id == this.dataset.id); await
  ajaxCall("cartmanager.php", "post", {
     shoeToRemove
   });
  brojUKorpi--;
  stampajBrojac(brojUKorpi, -1);
  $(this).removeClass('crvena');
  $(this).addClass('plava');
  $(this).tooltip('disable');
  $(this).parent().tooltip('enable');
  $('#uspesno-skinuto')
     .animate({
        bottom: '4%',
        opacity: '100'
     }, 500)
     .animate({
        opacity: '0'
     }, {
        duration: 1500
     })
     .animate({
        bottom: '-12%'
     }, {
        duration: 0
     });
```

})