Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Baningtion Watches

http://bannington-watches.epizy.com

Smer: Internet tehnologije

Predmet: Web programiranje PHP 1

Student:Djordje Taskovic 188/18

Sadrzaj

Uvod	4
Korišćeni programski jezici i okruženja	4
Opis funkcionalnosti	5
Admin panel	5
Proizvodi	5
Straničenje	5
Kontakt forma	5
Registracija i logovanje	5
Prikaz sadržaja	5
Anketa	5
Korpa	6
Dinamički meni	6
Template	6
Korisceni plugin fajovi	6
Organizacija	6
Organizaciona Sema Sajta	6
Organizaciona Sema Baze	7
Mapa Sajta	8
Opis stranisa sajta	8
Index.php	8
Product.php	14
Author.html	15
Register.php	15
Login.php	16
Single_product.php	18
Cart.php	19
Admin.php	20
Insert_update_proizvod.php	21
Ankete.php	22
Kontakt.php	23
Kodovi	24
Root	24
Admin.php	24
Author.php	26
Cart.php	28

Index.php	30
Login.php	37
Products.php	39
Register.php	43
Single_product.php	45
Page_parts	48
Footer.php	48
Head.php	49
Nav.php	50
Products_part.php	52
Modeli	54
Ad_insert_proizvod_obrada.php	54
Ad_update_proizvod_obrada.php	56
Anketa_obrada.php	57
Contact_obrada.php	58
Filkat.php	60
Filter_item_by_id.php	61
Fungcije.php	62
Log.php	70
Logout.php	72
Order_obrada.php	72
Reg.php	73
Config	75
Connection.php	75
Adminfiles	76
Ankete.php	76
Brisanje_proizvod.php	81
Insert_update_proizvod.php	81
Kontakt.php	91
CSS	96
Temify-icons.css	96
Style.css	118
Js	212
Main.js	212
Podaci baze	
Anketa	230
Baner	230

Boja	230
Kontakt	231
Korisnici	231
Navigacija	231
Pol	231
Porudzbine	232
Proizvod	232
Slika	233
Slika_proizvod	233
Tip	234
Uloga	234
Vesti	234

Uvod

Korišćeni programski jezici i okruženja

- Html 5
- CSS 3
- JavaScript Jquery

- Bootstrap 4
- Ajax
- Visoal Studio Code
- Php
- Xampp

Opis funkcionalnosti

Admin panel

Adminu je omogićen unos, ažuriranje i brisanje svih unetih proizvoda. Omogućen mu je uvid u sve porudžbine i sve primljene kontakt poruke kao i 'review fiddbeck'-a opisnh komentara korisnika.

Proizvodi

Sav sadržaj stranice proizvodi je učitan dinamički putem ajaxa iz baze podataka. Na stranici postoji dinamička dropdown lista za filtriranje proizvoda po marci telefona i jedna dropdown lista za sortiranje proizvoda po ceni i nazivu. Takođe nalazi se i jedno polje za pretragu po nazivu i marci proizvoda.

Straničenje

Straničenje se koristi na stanici za proizvode, za bolji prikaz usled velikog broja proizvoda, prikazuju se proizvoda na stranici.

Kontakt forma

Na index stranici korisnik može da pošalje poruku administratoru sajta, ako ima bilo kakve nedoumice. Neophodno je da se unesu svrha poruke, email adresa, ime, prezime, telefon korisnika kao i sama poruka.

Registracija i logovanje

Na sajtu postoji registracija i logovanje korisnika. Provera podataka prilikom registracije je urađena na serverskoj i klijentskoj strani, tj.realizuje se putem ajax-a. Prilikom uspešne registracije korisnik dobija ulogu korisnika, koju može da menja samo administrator. Provera podataka prilikom logovanja se vrši na serverskoj i klijentskoj strani i ako podaci nisu dobri obaveštava se korisnik gde je pogrešio prilikom logovanja. Ako su i email i lozinka ispravni pravi se sesija koja sadrži sve podatke o korisniku i

prosledju je mu se poruka da je proces registracija/logovanje uspesan.

Prikaz sadržaja

Sav ključan sadržaj na sajtu se kreira dinamički, gde se u većini slučajeva koristi ajax.

Anketa

Postoji jedna aktivni 'review' deo na 'single product' stranici.

Ovde korisnici mogu da ostave svoje utiske o proizvodu. Gde prosledjuje svoje podatke Kao i svo odgovor administratoru.

Korpa

Samo autorizovani korisnik može dodavati proizvode u korpu. Sistem korpe za klijentsku stranu realizovan je pomoću 'cookies'.

Korisnik u korpu može da doda više proizvoda, kao i više proizvoda istog tipa. Takođe omogućeno mu je da briše proizvode iz korpe.

Klikom na taster 'Make an Order' korisniku se prikazuje poruka koja ga obaveštava da je uspešno izvršio kupovinu, podaci se memorišu u bazu i prikazuju administratoru sajta o porudžbini.

Dinamički meni

Prilikom učitavanja stranice prikazuje se dinamiči meni, koji prikazuje odgovarajuće linkove za admina, običnog autorizovanog ili neautorizovanog korisnika, u zavisnosti od aktivnosti i stanja korisničke sesije.

Template

Template nije korišćen iz drugih izvora, napisan je samostalno i prilagodjen za potrebe dodatnih fungionalnosti sa dodatim modifikacijama za ovaj predmet.

Korisceni plugin fajovi

Za potrebe sajta i same konstrukcije su koriscene klasse bootstrapa kao i 'owl-carusel' klasa za bojlu organizaciju i prikazivanje produkta na sajtu. Na sajtu su takodje je koriscen 'temify-icons' set fontova za bolji izgled.


Organizacija

Organizaciona Sema Sajta

Sa svake stranice se može pristupiti svakoj stranici (naravo u zavisnosti od uloge korisnika), osim stranici za opis konkretnog proizvoda 'single_product.php'.

Do te stranice se može doći klikom na link sa oznakom 'lupe' koji sadrži svaki proizvod, koji se nalazi na stranici za sve proizvode.

Takođe sa te stranice se može pristupiti bilo kojoj stranici.



Mapa Sajta

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
    <loc>https://bannington-watches.epizy.com/index.php</loc>
    <lastmod>2021-6-26</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
</url>
<url>
    <loc>https://bannington-watches.epizy.com/author.php</loc>
    <lastmod>2021-6-20</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.9</priority>
</url>
<url>
    <loc>https://bannington-watches.epizy.com/cart.php</loc>
    <lastmod>2021-6-20</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
</url>
<url>
    <loc>https://bannington-watches.epizy.com/login.php</loc>
    <lastmod>2021-6-20</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.5</priority>
</url>
<url>
    <loc>https://bannington-watches.epizy.com/register.php</loc>
    <lastmod>2021-6-20</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.5</priority>
</url>
<url>
    <loc>https://bannington-watches.epizy.com/single product.php</loc>
    <lastmod>2021-6-20</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.5</priority>
</urlset>
```


Opis stranisa sajta

Index.php


Dinaičko učitavnje meni linkova na svim stranama.

Meni je prilagodjen za sve vrste uredjaja tako da se na manjim ekranima prikazuje "hamburger"i klikom na njega se otvara meni.

Pojavljivanje sub-menija prilikom 'hover' nekih od linkova. Kljene icone na desnoj strani menija za registraciju ,logovanje kao i pojava dodatnih 'cart' i 'logout' icona prilikom logovanja korisnika ili admina.




Dinamicko Prikazivanje 'banner' sekcije na index strani sa podacima koji reklamiraju sajt u obliku carusela.







Dinamicko ispisivanje 'trending ' producta iz baze sa opsijom stranicenja gde se odredjeni broj producta ispisuje na drugoj strani.



Svaki proizvod na strani poseduje dva linka koji se prikazuju na 'hover' efectu samih itema. Link sa oznakom lupe prikazuje zaseban proizvod na strani 'single_product.php'. Link sa oznakom 'kolica' omogucuje da korisnik unese odabranji proizvod u korpu, gde se lista izabranih itema moze videti na korpa stranici'cart.php'(ako je korisnik ulogovan).

Banington Watches Home Shop Blog Author Contact 2 $_{2}$

Trending Product



Quartz Watch Michael Kors Slim Stainless Steel Quartz Watch

\$129.00 In Stock



Analog Watch Townsman Stainless Steel and Leather Watch

\$80.90 Un-Available



Luxury Watch
Fossil Men's Coachman Quartz
\$137.00
In Stock

Popular New

Ongoing News



Popular Selling Items This Year

Custom watches with complimentary engraving at a our newest store. Engraving is available at participating U.S. and Canadian full-priced and outlets.



Ongoing Celebration Of Sale

The observance of a holiday or celeb-day, as by solemnities. A social gathering for entertainment and fun; a party.




Team Employment Program


Full-Time Employees. These employees normally work a 30- to 40-hour week or 130 hours in a calendar month by IRS standards. ...

Kontakt sekcija sa podacima kompanije sajta , kao i forma za slanje poruke korisnika za uspostavljanje veze i ostvarivanje bolje kupovine.

Podaci su provereni regex izrazima i salju se u bazu podataka.




Sekctja 'footer' koja je prisutna i na svakoj stranici sa motom companije kao i korisnim informacijama i linkovima u svrhu ostvarivanja boljitka.



Product.php

Dinamicko ispisivanje svih proizvoda na strani. Pored ispisa mogucnost filtriranja producta klikom na nekih od kategorija sa leve strane kao i fungcionalnost sortiranja istih klikom na sort bu price dorpdow liste. Pored toga omogucena je i pretraga odredjenog itema po nazivu.

Kao i na index strani porizvodi poseduju linkove 'lupa' i 'korpa' za prikazivanje samostalnog itema i upisa u korpu.



Author.html

Podaci o autoru sajta kome se moze pristupiti preko navigacijonig linka 'Author'.

Author Page

66 Hi my name is Djordje Taskovic. I am a beginner when it comes to web design but keep my expectations high and i am looking forward to progress even further \ldots

About

Field of Interest


Young and passionate developer, always Intrested in 3D modeling, web design, happy to learn new things and evolve. photography, writing, drawing and learning new things.



In free time I love reding a good book or comic, watch series and movies etc.


Register.php

Stranica za registraciju novih korisnika obezbedjena regex izrazima za uspesnije upisivanje korisnika.Prilikom registracije korisnik dobija potvrdu dali je nalog kreiran.




Login.php

Stranica za logovanje korisnika/admina obezbedjena izrazima gde se posle uspesnog ili neuspesnog logovanja prikazuje poruka o stanju.




Single_product.php

Ispisivanje izbranog proizvoda sa opsirnijim podacima iz sesije i klikom na 'lupa' ikonu proizvoda.




Review forma na 'single_product.php' strani gde korisnik ostavlja podatke o svom iskustvu U vezi sajt ili odabranog proizvoda. Podaci ankete se salju u bazu.



Cart.php


Stranica za ispisivanje odabranih itema sa sajta.Pristup strani je moguc samo ulogovanim korisnicima koji dobijaju ikonu 'cart' u navigacionom meniju. Nakon odabira itema se im se prikazuje lista odabranih.

Korisnik moze da obrise listu i da nastavi kopovinu 'Continue Shoping' ili da klikom na 'Make an order' izvrsi zahtev za porudzbinu koja se cuva u bazi.




Admin.php

Pristup ovoj strani poseduje samo admin preko koje se prikazuju svi proizvodi na sajtu. Klikom na 'Remove' link sa desne strane admin moze da obrise izabrani proizvod sa sajta. Klikom na 'Modify' link sa desne strane odlazi do update/insert strane za dalju obradu. Linkovi sa leve strane prikazuju dodatne informacije o sajtu.




Insert_update_proizvod.php

Strana sa formama za insert novid proizvoda i update podataka izabranog itema na desnoj strani.Poruka o izvrsenoj akciji se ispisuje na kraju forme.




Ankete.php

Stranica ankete ili 'reviews' kojoj se pristupa preko admin strane sadrzi podatke o Poslatim podacima korisnika i posetioca sajta.



Kontakt.php

Stranica kontakt poruka prosledjenih od strane posetioca sajta . Strani se pristupa preko admin panela.



Kodovi

Root

Admin.php

```
<html>
<?php
    session_start();
 include "config/connection.php";
  include "modeli/fungcije.php";
   @include('page_parts/head.php');
<body>
<header class="header area">
<div class="main_menu">
<?php
   @include('page_parts/nav.php');
</div>
</header>
<section>
        if(!isset($_SESSION["korisnik"]) || $_SESSION["korisnik"]-
>naziv!="admin"){
            header("Location: errors/403.php");
            else if(isset($_SESSION['korisnik'])):
                $korisnik = $_SESSION['korisnik'];
                if($korisnik->naziv=="admin"):
<div class="container mt-3">
<div class="row">
          <div class="col-12 pb-3 text-center">
                        <h3>All Products on Page</h3>
            </div>
       </div>
</div>
<div class="container-fluid" id="proizvodi">
<div class="col-12 mt-2 mb-2">
   <a class="button button hero mb-2" href="adminfiles/ankete.php">Reviews</a>
               <br>
```

```
<a class="button button hero mb-</pre>
2" href="adminfiles/kontakt.php">Contact Messages</a>
  <a class="button button hero" href="adminfiles/insert_update_proizvod.php">
Add new Product</a>
</div>
   Image
         Name
        Price
        Modify Date
        Availability
        Settings
      <?php
      $proizvodi = vratiSveProducte();
     foreach($proizvodi as $p):
   <img class="w-25" src="img/products/<?= $p->link?>" alt="<?= $p-</pre>
>text?>">
   <b><?=$p->nazivtipa?> </b><?= $p->naziv?>
   $<?= $p->cena?>
   <?=$p->datum?>
   <?=$p->dostupnost?>
   <a href="adminfiles/brisanje_proizvod.php?id=<?=$p-</pre>
>id proizvod?>">Remove</a>
      <hr>>
   <a href="adminfiles/insert update proizvod.php?id=<?=$p-</pre>
>id proizvod?>">Modify</a>
   <?php
   endforeach;
   </div>
      <?php
      endif;
      endif;
```

```
?>
</section>
<?php
    @include('page_parts/footer.php');
?>
</body></html>
```

Author.php

```
<html >
<?php
session_start();
    @include('page_parts/head.php');
<body>
<header class="header area">
<div class="main_menu">
<?php
 include "config/connection.php";
  include "modeli/fungcije.php";
    @include('page_parts/nav.php');
</div>
</header>
<section class="blog-banner-area" id="category">
      <div class="container h-100">
            <div class="blog-banner">
                <div class="text-center">
                <h1>Author Page</h1>
                </div>
            </div>
      </div>
</section>
          <section id="author" class="container">
                     <div class="row jumblock mt-5 mb-5">
                     </div>
                      <div id="pageauthor" class="jumblock">
                        <div class=" container bg-white">
                        <div class="row text-center">
                          <div class="col-md-8">
                            <div class="row">
```

```
<div id="autext1" class="col-md-12 text-left mb-
5 bborder">
                                 <blooksuote>
                                     <i class="fas fa-quote-left"></i>
                                     Hi my name is Djordje Taskovic.
                                     I am a beginner when it comes to web des
ign but keep my expectations
                                     high and i am looking forward to progres
s even further . . .
                                      </blockquote>
                             </div>
                           </div>
                           <div class="row d-flex justify-content-around">
                             <div id="autext2" class="col-lg-5 col-sm-12 " >
                               <h4 class="about">About</h4>
                               <div class="heading-underline"></div>
                              Young and passionate
developer,
                                always happy to learn new things
                                 and evolve.
                               </div>
                             <div id="autext3" class="col-lg-5 col-sm-12 " >
                                 <h4 class="fieldofinterest">Field of Interes
t</h4>
                                <div class="heading-underline"></div>
                                 Intrested in 3D mo
deling, web design,
                                    photography, writing,
                                     drawing and learning new things.
                                 </div>
                           </div>
                         </div>
                         <div class="col-md-4">
                           <div class="row">
                             <div class="col-12">
                                 <img src="img/other/profil1.jpg" alt="profil</pre>
                             </div>
                             <div id="autext4" class="col-12">
                                 <h4 class="more" >More..</h4>
                                 <div class="heading-underline"></div>
```

Cart.php

```
<div class="container h-100">
<div class="blog-banner">
<div class="text-center">
<h1>Shopping Cart</h1>
<nav aria-label="breadcrumb" class="banner-breadcrumb">
<a href="#">Home</a>
Shopping Cart
</nav>
</div>
</div>
</div>
</section>
<section class="cart area">
<div class="container">
<div class="cart_inner">
<div class="table-responsive">
<thead>
     <h5>ID</h5>
        <h5>Product</h5>
           <h5>Category</h5>
           <h5>Price</h5>
          <h5>Quantity</h5>
         <h5>Total</h5>
     </thead>
 <!-- cart ispis -->
 <div id="shoping-checkout " class="container">
<div class="row">
 <div class="col-12 bottom button d-flex">
  <button type="button" class="button btn-delete">Remove</button>
 </div>
 <div class="col-12">
  <div class="checkout_btn_inner d-flex align-items-center justify-content-</pre>
center">
    <a class="button button-hero" href="products.php">Continue Shopping</a>
    <a class="button button-hero" href="#" id="make_order">Make an order</a>
  </div>
```

```
<div id="order_poruka"></div>
 </div>
</div>
</div>
</div>
</div>
</div>
</section>
<?php
@include('page_parts/footer.php');
if(isset($_SESSION['korisnik'])):
 $korisnik = $_SESSION['korisnik'];
 $IDkorisnik = $korisnik->id_korisnik;
// var_dump($IDkorisnik);
<?=$IDkorisnik?>
<?php
endif;
</body>
</html>
```

Index.php

```
</div>
    </header>
    <main class="site-main">
    <!--HERO-BANNER-->
    <section class="hero-banner">
    <div class="container">
    <div class="row no-gutters align-items-center pt-60px">
    <div class="col-5 d-none d-sm-block">
    <div class="hero-banner__img">
    <img class="img-fluid" src="img/hero/hero.png" alt="hero-banner">
    </div>
    </div>
    <div class="col-sm-7 col-lg-6 offset-lg-1 pl-4 pl-md-5 pl-lg-0">
    <div class="hero-banner__content">
    <h4>Shop is fun</h4>
    <h1>Browse Our Premium Product</h1>
    Us which over of signs divide dominion deep fill bring
    they're meat beho upon own earth without morning over third.
    Their male dry. They are great appear whose land fly grass.
    <a class="button button-hero" href="#">Browse Now</a>
    </div>
    </div>
    </div>
    </div>
    </section>
    <section id="banner" class="section-margin mt-5">
        <div class="owl-carousel car owl-theme">
            $banner = vratiBanere();
            foreach($banner as $b):
             <div class="owl-item caritem hero-carousel slide">
                <img src="img/banner/<?=$b->link?>" alt="<?=$b-</pre>
>text?>" class="img-fluid">
                <a href="#" class="hero-carousel__slideOverlay">
                <h3><?=$b->naslov?></h3>
                <?=$b->banneropis?>
                </a>
            </div>
            <?php
            endforeach;
```

```
</div>
           <div class="owl-dots"></div>
       </div>
   </section>
    <!--PRODUCTS-->
    <section class="section-margin calc-60px">
    <div class="container">
       <div class="section-intro pb-60px">
       Popular Item in the market
       <h2>Trending <span class="section-intro_style">Product</span></h2>
       </div>
   <div class="row">
       <!-- product -->
       <?php
       @include('page_parts/products_part.php');
       <!-- page change -->
        <!-- product -->
   </div> <!-- row -->
   </div> <!-- container -->
    </section>
   <!--SHOP NOW-->
    <div id="sale-section" class="sectionbreak">
   </div>
   <section class="site-section">
       <div class="container">
         <div class="row large-gutters">
           <div class="col-lg-6 shopnow-desc">
               <h4>Up To 20% Off</h4>
             <h1>This Year Summer Sale</h1>
                 This anual market is open ounce again and the prices are
sky rocketing far figh.
                    Hury up and chatch your premium product for a limited ti
me.
                 <i class="ti-angle-
right"></i>Placeat maxime animi minus
                  <i class="ti-angle-
right"></i>omnis ullam pariatur itaque nisi
                   <i class="ti-angle-
right"></i>Placeat maxime animi minus
```

```
<a class="button button--active mt-3 mt-xl-</pre>
4" href="#">Shop Now</a>
                 </div>
           <div class="col-lg-6 mb-5">
               <div class="owl-carousel slide-one-item with-dots shopnow">
                   <div><img src="img/banner/banner1.png" alt="Image" class="</pre>
img-fluid"></div>
                   <div><img src="img/banner/banner3.png" alt="Image" class="</pre>
img-fluid"></div>
                 </div>
           </div>
         </div>
       </div>
      </section>
   <section class="section-margin calc-60px" id="bestsellers">
   <div class="container">
   <div class="section-intro pb-60px">
    Popular Item in the market
   <h2>Best <span class="section-intro style">Sellers</span></h2>
    </div>
    <div class="owl-carousel salles owl-theme">
    <!-- best sellers -->
       <?php
       if(isset($_SESSION['korisnik'])){
           $klasa="add-to-cart-enabled";
       else{
           $klasa="add-to-cart-disabled";
       $bestseller = vratiProizvodedruga();
       foreach($bestseller as $s):
       <div class="item">
            <div class="card text-center card-product">
               <div class="card-product__img">
               <img class="img-fluid" src="img/products/<?=$s-</pre>
>link?>" alt="<?=$s->text?>">
               <!-- href="single product.php" -->
               <1i>>
                   <a href="single_product.php">
               <button class="button_single" data-id="<?= $s->id_proizvod?>">
                  <i class="ti-search"></i></button></a>
```

```
<button class="<?=$klasa?>" data-id="<?= $p-
>id proizvod?>">
                       <i class="ti-shopping-cart"></i></button>
              <
              </div>
              <div class="card-body">
              <?=$s->nazivtipa?>
              <h4 class="card-product__title"><?= $p->naziv?></h4>
              $<?=$s->cena?>
              <?= $s->dostupnost?>
              <?= $p->nazivboje?>
              <i class="ti-world" style="color:var(--<?= $s-</pre>
</div>
              </div>
       </div>
       <?php
       endforeach;
       <!--ITMES-->
   </div>
   </section>
   <div id="news-section" class="sectionbreak">
   </div>
   <section class="blog">
     <div class="container">
     <div class="section-intro pb-60px">
   Popular News
   <h2>Ongoing <span class="section-intro__style">News</span></h2>
   </div>
       <div class="row">
         <?php
       $news = vratiVesti();
       foreach($news as $n):
           <div class="col-md-6 col-lg-4 mb-4 mb-lg-4">
                  <div class="card card-blog">
                  <a href="single.html"><img src="img/news/<?=$n-</pre>
>link?>" alt="<?=$n->text?>"
                  class="img-fluid"></a>
                     <div class="card-body">
```

```
<h2 class="font-size-regular">
                       <a class="text-dark"><?=$n->naziv?></a>
                          <?=$n->opis?>
                      </div>
                   </div>
           </div>
       <?php
       endforeach;
       </div>
     </div>
   </section>
   <div id="contact-section" class="sectionbreak">
   </div>
   <section id="contact" class="mb-4">
   <div class="container">
   <div class="section-intro pb-60px">
   We Want To Hear From You.
   <h2>Our <span class="section-intro__style">Contact</span></h2>
   </div>
   </div>
   <div class="container">
      <div class="row">
       <div class="col-lg-6 col-md-6 col-sm-12 d-flex justify-content-</pre>
center">
           <!-- form -->
           <form>
                 <div class="form-group col-lg-12">
                         <input class="form-</pre>
control" name="contactName" type="text"
                          id="contactName" placeholder="Name" value=""/>
                          </div>
                 <div class="form-group col-lg-12">
                      <input class="form-control" name="contactEmail"</pre>
                       type="email" id="contactEmail" placeholder="Email" va
lue="">
                       </div>
                 <div class="form-group col-lg-12">
                         <input class="form-control" name="number"</pre>
                          type="text" id="number" placeholder="Contact Numbe
r" value="">
                          </div>
```

```
<div class="form-group col-lg-12">
                      <textarea name="contactMessage" id="contactMessage"
                       placeholder="Message" rows="2" cols="30"></textarea>
                       </div>
               <div class="form-group col-lg-12">
                   <button type="button" class="button button-login w-</pre>
100 mt-4 mb-4"
                    id="button contact">Send</button>
                    <div id="contact-message"></div>
                </div>
           </form> <!-- Form End -->
        </div> <!-- /col-left -->
        <div class="col-lg-6 col-md-6 col-sm-12">
           <div class="single-footer-widget tp_widgets">
              <div class="ml-40">
              <i class="ti-angle-</pre>
right"></i>Head Office
              1600 Amphitheatre ParkwayMountain View, <br > CA94043 US
              <i class="ti-angle-right"></i>Phone Number
              Phone: (+63) 555 1212<br>
                  Mobile: (+63) 555 0100<br>
              <i class="ti-angle-right"></i></i>
              Email
              ourcompanyinc@gmail.com<br>
              devian.shop@gmail.com
              </div>
           </div>
       </div>
   </div> <!-- /row -->
      </div>
   </section> <!-- /contact -->
   </main>
```

```
<?php
@include('page_parts/footer.php');//footer

?>
     </body>
</html>
```

Login.php

```
<html>
<?php
    session_start();
  include "config/connection.php";
  include "modeli/fungcije.php";
    @include('page_parts/head.php');
<body>
<header class="header_area">
<div class="main_menu">
<?php
    @include('page_parts/nav.php');
</div>
<?php
    if(isset($_SESSION['korisnik'])){
      $korisnik = $_SESSION['korisnik'];
      if($korisnik->naziv=="admin"){
        header("Refresh:0; url=admin.php");
    if(isset($_SESSION['korisnik'])){
        $korisnik = $ SESSION['korisnik'];
        if($korisnik->naziv=="korisnik"){
        header("Refresh:0; url=index.php");
 }//isset
<section class="blog-banner-area" id="category">
```

```
<div class="container h-100">
<div class="blog-banner">
<div class="text-center">
<h1>Login</h1>
</div>
</div>
</div>
</section>
<section class="login_box_area section-margin">
<div class="container">
<div class="row d-flex justify-content-center">
<div class="col-lg-6">
<div class="login_form_inner">
<h3>Log in to enter</h3>
<form class="row login_form" action="#/" id="contactForm">
    <div class="col-md-12 form-group">
    <input type="text" class="form-control" id="name" name="name"</pre>
    placeholder="Username" onfocus="this.placeholder = ''" onblur="this.placeh
older = 'Username'">
    </div>
           <div class="col-md-12 form-group">
           <input type="password" class="form-</pre>
control" id="password" name="name"
           placeholder="Password" onfocus="this.placeholder = ''" onblur="thi
s.placeholder = 'Password'">
           </div>
           <div class="col-md-12 form-group">
           <button type="button" id="login_btn" class="button button-login w-</pre>
100">Log In</button>

           </div>
</form>
</div>
</div>
</div>
</div>
</section>
<?php
    @include('page_parts/footer.php');
```

Products.php

```
<html >
<?php
session_start();
include "config/connection.php";
include "modeli/fungcije.php";
@include('page_parts/head.php');
<body>
<header class="header_area">
<div class="main_menu">
<?php
   @include('page_parts/nav.php');
</div>
</header>
<section class="blog-banner-area" id="category">
<div class="container h-100">
<div class="blog-banner">
<div class="text-center">
<h1>Shop Products</h1>
</div>
</div>
</div>
</section>
<section class="section-margin--small mb-5">
<div class="container">
<div class="row">
<div class="col-xl-3 col-lg-4 col-md-5">
<div class="sidebar-categories">
<div class="head">Categories-Gender</div>
<?php
           $pol = vratiPol();
           foreach ($pol as $e){
```

```
echo"
              <input class='pixel-radio' type='radio' id='".$e->nazivpola."'
               name='brand'><label>".$e->nazivpola."</label>";
          }
</div>
<div class="sidebar-categories">
<div class="head">Categories-Tipe</div>
<?php
          $tip = vratiTipove();
          foreach ($tip as $e){
              echo"
              <input class='pixel-radio' type='radio' id='".$e->nazivtipa."'
               name='brand'><label>".$e->nazivtipa."</label>";
</div>
<div class="sidebar-filter">
<div class="top-filter-head">Categories-Colors</div>
<div class="common-filter">
<div class="head">Color</div>
ul id="main-categories">
<?php
          $color = vratiBoje();
          foreach ($color as $e){
              echo"
              <input class='pixel-radio' type='radio' id='".$e->nazivboje."'
               name='brand'><label>".$e->nazivboje."</label>";
</div>
   </div>
<div class="col-xl-9 col-lg-8 col-md-7">
<div class="filter-bar d-flex align-items-center">
          <div class="dropdown mr-5 filter-bar-dropdown">
          <button class="btn dropdown-toggle"</pre>
          type="button" id="dropdownMenuButton"
              data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
              Sort By Price
```

```
</button>
           <div class="dropdown-menu" aria-labelledby="dropdownMenuButton">
               <a class="dropdown-item" id="lower">Lower Price</a>
               <a class="dropdown-item" id="higher">Higher Price</a>
           </div>
           </div>
               <div class="input-group filter-bar-search">
               <div class="form-outline ">
                    <input type="search" id="search" class="form-</pre>
control" placeholder="Search Name.." />
               </div>
               <button type="button" class="btn" id="button_search">
                    <i class="fas fa-search"></i></i>
               </button>
               </div>
</div>
<section class="lattest-product-area pb-40 category-list">
<div class="row"> <!-- class row -->
    <!-- products -->
    <?php
   if(isset($_SESSION['korisnik'])){
       $klasa="add-to-cart-enabled";
   else{
       $klasa="add-to-cart-disabled";
    if(isset($_SESSION['itemsbyCat'])){
        $items = $_SESSION['itemsbyCat'];
        if(basename($_SERVER['PHP_SELF']) != $_SESSION["itemsbyCat"]) {
           unset($ SESSION['itemsbyCat']);
    else{
        $items = vratiSveProducte();
    foreach($items as $p):
       <div class="col-md-6 col-lg-4">
                   <div class="card text-center card-product">
                                   <div class="card-product img">
                                   <img class="card-</pre>
img" src="img/products/<?= $p->link?>" alt="<?= $p->text?>">
```

```
<!-- href="single_product.php" -->
                                     <1i>>
                                         <a href="single_product.php">
                                     <button class="button_single" data-</pre>
id="<?= $p->id_proizvod?>">
                                     <i class="ti-
search"></i></button></a>
                                     <button class="<?=$klasa?>" data-
id="<?= $p->id_proizvod?>">
                                         <i class="ti-shopping-</pre>
cart"></i></button>
                                 </div>
                              <div class="card-body">
                              <?= $p->nazivtipa?>
                             <h4 class="card-product__title"><?= $p-
>naziv?></h4>
                              $<?= $p-</pre>
>cena?>
                             <?= $p->dostupnost?>
                              <?= $p-</pre>
>nazivboje?>
                             <i class="ti-world" style="color:var(--<?= $p-</pre>
>nazivboje?>);"></i>
                             </div>
                  </div>
           </div>
       <?php
       endforeach;
</div>
</section>
</div>
</div>
</div>
</section>
<?php
   @include('page_parts/footer.php');
</body></html>
```

Register.php

```
<?php
session_start();
  include "config/connection.php";
  include "modeli/fungcije.php";
   @include('page_parts/head.php');
<body>
<header class="header_area">
<div class="main menu">
<?php
   @include('page_parts/nav.php');
</div>
</header>
<section class="blog-banner-area" id="category">
<div class="container h-100">
<div class="blog-banner">
<div class="text-center">
<h1>Register</h1>
</div>
</div>
</div>
</section>
<section class="login_box_area section-margin">
<div class="container">
<div class="row d-flex justify-content-center">
<div class="col-lg-6">
<div class="login_form_inner register_form_inner">
<h3>Create an account</h3>
        <form class="row login_form" id="register_form">
<div class="col-md-12 form-group">
<input type="text" class="form-control" id="name" name="name"</pre>
placeholder="Username" onfocus="this.placeholder = ''" onblur="this.placeholde
r = 'Username'">
</div>
<div class="col-md-12 form-group">
<input type="text" class="form-control" id="email" name="email"</pre>
placeholder="Email Address" onfocus="this.placeholder = ''" onblur="this.place
holder = 'Email Address'">
```

```
</div>
<div class="col-md-12 form-group">
<input type="text" class="form-control" id="adress" name="adress"</pre>
placeholder="Adress" onfocus="this.placeholder = ''" onblur="this.placeholder
= 'Adress'">
</div>
<div class="col-md-12 form-group">
<input type="text" class="form-control" id="password" name="password"</pre>
placeholder="Password" onfocus="this.placeholder = ''" onblur="this.placehold
er = 'Password'">
</div>
<div class="col-md-12 form-group">
<input type="text" class="form-</pre>
control" id="confirmPassword" name="confirmPassword"
placeholder="Confirm Password" onfocus="this.placeholder = ''" onblur="this.pl
aceholder = 'Confirm Password'">
</div>
<div class="col-md-12 form-group">
<input type="date" class="form-control" id="date" name="date">
</div>
<div class="col-md-12 form-group">
<button type="button" id="register_btn" class="button button-register w-</pre>
100">Register</button>
</div>
<div class="col-md-12 form-group">
   </div>
</form>
</div>
</div>
</div>
</div>
</section>
<?php
   @include('page_parts/footer.php');
```

Single_product.php

```
<html >
  <?php
  session start();
    include "config/connection.php";
    include "modeli/fungcije.php";
  @include('page_parts/head.php')
<body>
<header class="header area">
<div class="main menu">
<?php
  @include('page_parts/nav.php')
</div>
</header>
<section class="blog-banner-area" id="blog">
<div class="container h-100">
<div class="blog-banner">
<div class="text-center">
<h1>Shop Single</h1>
<nav aria-label="breadcrumb" class="banner-breadcrumb">
<a href="#">Home</a>
Shop Single
</nav>
</div>
</div>
</div>
</section>
<section class="site-section">
       <div class="container">
        <div class="row large-gutters mt-5" id="single-item">
       <!-- single-item -->
                <?php
          if(isset($_SESSION['singleitem'])):
             $item = $_SESSION['singleitem'];
             if (basename($_SERVER['PHP_SELF']) != $_SESSION["singleitem"])
```

```
unset($_SESSION['singleitem']);
               // foreach($item as $s):
                 <div class="col-lg-6 mb-5">
                  <div class="owl-carousel slide-one-item with-dots shopnow">
                       <div>
                       <img src='img/products/<?=$item-</pre>
>link?>' alt='<?=$item->text?>' class='img-fluid'>
                       </div>
                  </div>
               </div>
                  <div class="col-lg-6 shopnow-desc">
                          <div class="s_product_text">
                                <h3><?=$item->naziv?></h3>
                                <h2>$<?=$item->cena?></h2>
                                <span>Category</span>:<?=$item-</li>
>nazivtipa?>
                                <span>Availibility</span>:<?=$item-</li>
>dostupnost?>
                                <span>Color</span>:
                                 <i class="ti-world"</pre>
                                style="color:var(--<?= $item-</pre>
>nazivboje?>);"></i>
                                <span>Pol</span>:<?=$item-</pre>
>nazivpola?>
                                <?=$item->opis?>
                                   <div class="product_count">
                                   <a class="button primary-btn" href="#"</pre>
                                    data-
id="${nizitem[e].id_proizvod}">Add to Cart</a>
                                   </div>
                             </div>
                  </div>
              <?php
                  endif;
    </div><!--row-->
    </div><!--container-->
 section class="product description area">
```

```
<div class="container">
<div class="tab-content" id="myTabContent"> <!--REVIEW-->
<div class="row">
  <div class="col-lg-8" style="margin:0px auto;">
     <div class="review box">
     <h4>Add a Review</h4>
     Your Rating:
        <a href="#"><i class="fa fa-star"></i></a>
        <a href="#"><i class="fa fa-star"></i></i>
        <a href="#"><i class="fa fa-star"></i></a>
        <a href="#"><i class="fa fa-star"></i></a>
        <a href="#"><i class="fa fa-star"></i></a>
        Outstanding
        <form >
          <div class="form-group">
          <input class="form-</pre>
control" name="name" id="name" type="text" placeholder="Enter your name">
          </div>
          <div class="form-group">
          <input class="form-</pre>
control" name="subject" id="subject" type="text" placeholder="Enter Subject">
          </div>
          <div class="form-group">
          <textarea class="form-control different-
control" style="width:100%; max-height:140px;"
          name="textarea" id="textarea" cols="20" rows="5" placeholder="Ente
r Message"></textarea>
          </div>
          <div class="form-group text-center text-md-right mt-3">
          <button type="button" id="button review"</pre>
           class="button button--active button-review">Submit Now</button>
          </div>
          <div id="review-confirm"></div>
        </form>
     </div>
  </div><!-- col-12 -->
  </div><!--row-->
  </div>
  </div>
 /section>
```

```
<?php
@include('page_parts/footer.php');
?>
</body></html>
```

Page_parts

Footer.php

```
<footer class="footer">
   <div class="footer-area">
   <div class="container">
   <div class="row section gap">
       <div class="col-md-6 col-sm-12">
           <div class="single-footer-widget tp widgets">
           <h4 class="footer_title large_title">Our Mission</h4>
           So seed seed green that winged cattle in. Gathering thing made fly
you're no
           divided deep moved us lan Gathering thing us land years living.
           So seed seed green that winged cattle in. Gathering thing made fly
you're no divided deep moved
           </div>
       </div>
           <div class=" col-md-6 col-sm-12">
               <div class="single-footer-widget tp widgets">
              <h3 class="footer_title">Information</h3>
               <h4 class="footer title">Working hours</h4>
               <i class="ti-angle-right"></i><a href="#">Monday-
Friday: 9am-8pm</a>
              <i class="ti-angle-right"></i><a href="#">Saturday: 9 am-
5pm</a>
              <i class="ti-angle-
right"></i><a href="#">Sunday: closed</a>
              <h4 class="footer_title">Documentation</h4>
              <i class="ti-angle-
right"></i><a href="doc.pdf">See Documentation Here</a>
              </div>
```

```
</div>
</div>
</div>
</div>
<div class="footer-bottom">
<div class="container">
<div class="row d-flex">
Copyright @<script>document.write(new Date().getFullYear());</script>
   </div>
</div>
</div>
</footer>
<script src="vendor/jquery/jquery-3.5.1.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.js"></script>
<script src="js/skrollr.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/main.js"></script>
```

Head.php

```
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Only the finest products you can find | Banington Watches</title>
    <meta name="keywords" content="Banington Watches, watches, Banington, store, q</pre>
uartc, luxury" />
  <meta name="description" content="Only the finest products you can find on t</pre>
his very page.
  Pletera of watches tosetisfi all your needs." />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <meta name="copyright" content="Djordje Taskovic @ 2021." />
  <meta name="author" content="mailto:djordje.taskovic123@gmail.com" />
    <link rel="icon" href="img/hero/page-icon.png" type="image/png">
    <link rel="stylesheet" href="vendor/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="css/themify-icons.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
```

Nav.php

```
<?php
include "../config/connection.php";
include "../modeli/fungcije.php";
<nav class="navbar navbar-expand-lg navbar-light">
   <div class="container">
   <a class="navbar-brand logo_h" href="index.php">Banington Watches </a>
   <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
   data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
   aria-expanded="false" aria-label="Toggle navigation">
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   <div class="collapse navbar-collapse offset" id="navbarSupportedContent">
   <?php
                      $navdeo = navpoID(1,null);
                      // var_dump($navdeo);
                      foreach($navdeo as $n){
                                echo "<li class='nav-
item active'><a class='nav-link' href='".$n->link."'>
                                ".$n->text."</a>";
                      ?>
   <a class="nav-link dropdown-toggle" data-toggle="dropdown" role="button"</pre>
    aria-haspopup="true" aria-expanded="false" href="">Shop</a>
            <?php
                      nav = navpoID(2,3);
                      foreach($nav as $n){
```

```
echo "<a class='nav-
link' href='".$n->link."'>
                          ".$n->text."</a>";
        <a href="" class="nav-link dropdown-toggle"
  data-toggle="dropdown" role="button" aria-haspopup="true"
   aria-expanded="false">Blog</a>
        <?php
              nav = navpoID(4,5);
            foreach($nav as $n){
               echo "<a class='nav-
link' href='".$n->link."'>
              ".$n->text."</a>";
        <?php
                  nav = navpoID(6,7);
                  foreach($nav as $n){
                     echo "<a class='nav-
link' href='".$n->link."'>
                     ".$n->text."</a>";
                       }
     if(isset($_SESSION['korisnik'])){
        <a href='cart.php'><i class='ti-shopping-</pre>
cart'></i></a>
        <a id='logout-button' href='modeli/logout.php'>
        <i class='ti-shift-right'></i></a>
     else{
        echo" <a href='register.php'><i class='ti-
flag-alt'></i></a>
        <a href='login.php'><i class='ti-</pre>
user'></i></a>
```

```
}
?>

</div>
</div>
</div>
</nav>
```

Products_part.php

```
<?php
include "../config/connection.php";
include "../modeli/fungcije.php";
//$proizvod = vratiCeleProizvode();
//var dump($proizvod);
<div id="first-page" class="row">
<?php
if(isset($_SESSION['korisnik'])){
    $klasa="add-to-cart-enabled";
else{
    $klasa="add-to-cart-disabled";
       $proizvod = vratiProizvodeprva();
       foreach($proizvod as $p):
       <div class="col-md-6 col-lg-4">
                   <div class="card text-center card-product">
                                   <div class="card-product__img">
                                   <img class="card-</pre>
img" src="img/products/<?= $p->link?>" alt="<?= $p->text?>">
                                      <1i>>
                                           <a href="single_product.php">
                                       <button class="button_single" data-</pre>
id="<?= $p->id_proizvod?>">
                                       <i class="ti-
search"></i></button></a>
                                       <button class="<?=$klasa?>" data-
id="<?= $p->id_proizvod?>">
                                           <i class="ti-shopping-</pre>
cart"></i></button>
```

```
</div>
                             <div class="card-body">
                             <?= $p->nazivtipa?>
                             <h4 class="card-product__title"><?= $p-
>naziv?></h4>
                             $<?= $p-</pre>
>cena?>
                             <?= $p->dostupnost?>
                             <?= $p-</pre>
>nazivboje?>
                             <i class="ti-world" style="color:var(--<?= $p-</pre>
>nazivboje?>);"></i>
                             </div>
                  </div>
           </div>
       <?php
       endforeach;
</div>
<br>
<br>
<br>
<div id="second-page" class="row">
<?php
if(isset($_SESSION['korisnik'])){
   $klasa="add-to-cart-enabled";
else{
   $klasa="add-to-cart-disabled";
       $proizvod = vratiProizvodedruga();
       foreach($proizvod as $p):
       <div class="col-md-6 col-lg-4" >
                  <div class="card text-center card-product">
                                 <div class="card-product__img">
                                 <img class="card-</pre>
img" src="img/products/<?= $p->link?>" alt="<?= $p->text?>">
                                    <a href="single_product.php">
                                    <button class="button_single" data-</pre>
id="<?= $p->id proizvod?>">
                                    <i class="ti-
search"></i></button></a>
```

```
<button class="<?=$klasa?>" data-
id="<?= $p->id_proizvod?>">
                                   <i class="ti-shopping-</pre>
cart"></i></button>
                             </div>
                         <div class="card-body">
                          <?= $p->nazivtipa?>
                         <h4 class="card-product title"><?= $p-
>naziv?></h4>
                         $<?= $p-</pre>
>cena?>
                         <?= $p->dostupnost?>
                         <?= $p-</pre>
>nazivboje?>
                         <i class="ti-world" style="color:var(--<?= $p-</pre>
>nazivboje?>);"></i>
                         </div>
                </div>
         </div>
      <?php
      endforeach;
</div>
<div class="col-12 d-flex justify-content-center" id="page_change">
      <a class="activenum" data-page="1"> 1 </a>
         <a class="" data-page="2"> 2 </a>
      </div>
```

Modeli

Ad_insert_proizvod_obrada.php

```
<?php
session_start();
header("Content-type: application/json");
if(!isset($_SESSION["korisnik"]) || $_SESSION["korisnik"]->naziv!="admin"){
header("Location: ../errors/403.php");
}
else{
include "../config/connection.php";
include "fungcije.php";
$data=null;
$code=404;
```

```
if(isset($_POST["btn"])){
    $naziv = $_POST["naziv"];
    $cena = $_POST["cena"];
    $opis = $_POST["opis"];
    $idtip = $ POST["idtip"];
    $idboja = $_POST["idboja"];
    $idpol = $_POST["idpol"];
    $dostupnost = $ POST["dostupnost"];
    $slika = $_POST["slika"];
        // echo($slika);
                    $fun1 = upisi_Porizvod($naziv,$cena,$opis,$idtip,$idboja,$
idpol,$dostupnost);
                    $slikaopis = "admin-inserted-slika";
                    $fun2 = upisi_Sliku($slika,$slikaopis);
                try {
                        global $conn;
                        $conn->beginTransaction();
                        $fun1->execute();
                        $idProizvod=$conn->lastInsertId();
                        $fun2->execute();
                        $idSlika=$conn->lastInsertId();
                        $conn-
>query("INSERT INTO slika_proizvod VALUES(NULL, '$idProizvod', '$idSlika')");
                        $conn->commit();
                                $code=201;
                                $data=["poruka"=> "Upisan je novi Proizvod."];
                 } catch(PDOExecption $e) {
                                $code=500;
                                $data=["poruka"=> "Došlo je do greške. Pokušaj
te kasnije."];
 }else{
 $code=404;
 echo json_encode($data);
http_response_code($code);
```

Ad_update_proizvod_obrada.php

```
<?php
session start();
header("Content-type: application/json");
if(!isset($_SESSION["korisnik"]) || $_SESSION["korisnik"]->naziv!="admin"){
header("Location: ../errors/403.php");
else{
 include "../config/connection.php";
 include "fungcije.php";
 $data=null;
 $code=404;
 if(isset($_POST["button"])){
    $idProizvod = $_POST["id"];
    $naziv = $_POST["naziv"];
    $cena = $ POST["cena"];
    $opis = $_POST["opis"];
    $idtip = $_POST["idtip"];
    $idboja = $_POST["idboja"];
    $idpol = $_POST["idpol"];
    $dostupnost = $_POST["dostupnost"];
    $slika = $_POST["slika"];
    // echo($slika);
                    $fun1 = izmeni_Proizvod($idProizvod,$naziv,$cena,$opis,$id
tip,$idboja,$idpol,$dostupnost);
                    $fun2 = Izmeni_Sliku($idProizvod,$slika);
                try {
                        global $conn;
                        $fun1->execute();
                        $fun2->execute();
                                $code=201;
                                $data=["poruka"=> "Update je uspesno uradjen."
];
                 } catch(PDOExecption $e) {
                                $code=500;
                                $data=["poruka"=> "Došlo je do greške. Pokušaj
te kasnije."];
```

```
}else{
    $code=404;
}
echo json_encode($data);
http_response_code($code);
}
?>
```

Anketa_obrada.php

```
<?php
session_start();
include "../config/connection.php";
include "fungcije.php";
header("Content-type: application/json");
if(isset($_POST["button"])){
$ime = $_POST["ime"];
$tema = $_POST["tema"];
$opis = $_POST["opis"];
// echo($ime);
$data = '';
code = 404;
$greske = 0;
        suserimeRe='/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/';//Tonma Qwwq
    if(!preg_match($userimeRe, $ime)){
        $greske++;
        $data = ["poruka" => "Ime nije u dobrom formatu."];
    if(strlen($tema)<3){</pre>
        $greske++;
       $data = ["poruka" => "Tema naziv biti veci od 3 karaktera."];
    if(strlen($opis)<3){</pre>
        $greske++;
        $data = ["poruka" => "Opis mora biti veci od 3 karaktera."];
    if($greske != 0)
    $data = ["poruka" => "Greška u php-obradi."];
    code = 422;
```

Contact_obrada.php

```
<?php
session_start();
include "../config/connection.php";
include "fungcije.php";
header("Content-type: application/json");

if(isset($_POST["button"])){

$ime = $_POST["ime"];
$email = $_POST["email"];
$broj = $_POST["number"];
$poruka = $_POST["poruka"];

// echo($ime);

$data = '';
$code = 404;

$greske = 0;
$userimeRe="/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})*$/";//Tonma Qwwq</pre>
```

```
if(!preg_match($userimeRe, $ime)){
       $greske++;
       $data = ["poruka" => "Ime nije u dobrom formatu."];
   if(!preg_match("/^06\d{7,8}$/", $broj)){
       $greske++;
       $data = ["poruka" => "Telefon nije u dobrom formatu"];
       if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
           $greske++;
           $data = ["poruka" => "Email nije u dobrom formatu"];
   if(strlen($poruka)<3){</pre>
       $greske++;
       $data = ["poruka" => "Opis mora biti veci od 3 karaktera."];
   if($greske != 0)
   $data = ["poruka" => "Greška u php-obradi."];
   $code = 422;
       else{
           $kontact= upisi_ContactPoruku($ime,$email,$broj,$poruka);
         // var_dump($anketa);
           try{
              $kontakt;
               $data = ["poruka" =>"Uspešno upisana kontakt poruka."];
              $code=201;
           catch(PDOException $ex)
               $data = ["poruka" => "Problemsa podacima na serveru."];
           $code = 500;
}else{
$code=404;
echo json encode($data);
http_response_code($code);
```

Filkat.php

```
<?php
session_start();
    header("Content-type: application/json");
    include "../config/connection.php";
    include "fungcije.php";
$poruka=["poruka"=>""];
$product = "";
    if(isset($_POST['btn'])){
        try{
        $id = $_POST['idItem'];
        $search = $_POST['search'];
      // var_dump($id);
       var_dump( "na pocetku",$search);
                    if($id != null){
                        if($search =="pokreni"){
                           // var_dump($id);
                             var_dump( "u search if-u",$search);
                             $kolona = 'p.naziv';
                             $product = vratifilterpoID($id,$kolona);
                            $poruka = ["poruka" =>"Sort po pretrazi je uredu."
];
                        else if($search =="preskoci")
                            var_dump( "u search else-u",$search);
                            if($id == "Men"||$id == "Women"){
                                // var_dump($id);
                                // $poruka = ["poruka" =>"Id Je uredu."];
                                $kolona = "po.nazivpola";
                                $product = vratifilterpoID($id,$kolona);
                              // var dump($product);
                                 $poruka = ["poruka" =>"pol je dohvacen."];
                            if($id=="Smart Watch"|| $id=="Analog Watch"|| $id=
="Quartz Watch"|| $id=="Luxury Watch"){
                                    $kolona="t.nazivtipa";
                                    $product = vratifilterpoID($id,$kolona);
                                 $poruka = ["poruka" =>"Tip je dohvacen."];
```

```
if($id=="bronze"|| $id=="black"|| $id=="red"|| $id
=="blue"|| $id=="green"){
                                    $kolona="b.nazivboje";
                                    $product = vratifilterpoID($id,$kolona);
                                 $poruka = ["poruka" =>"Boja je dohvacena."];
                             if($id == "lower"){
                               // var_dump("id",$id);
                                        $metod = 'ASC';
                                    $product = sortCena($metod);
                                 $poruka = ["poruka" =>"sortcenalower."];
                                if($id=="higher"){
                                   // var_dump("id",$id);
                                    $metod = 'DESC';
                                    $product = sortCena($metod);
                             $poruka = ["poruka" =>"sortcenahigher."];
                                }
                           }
                        }//null
                       $_SESSION['itemsbyCat'] = $product;
                       // var_dump( $_SESSION['itemsbyCat']);
            catch(PDOException $exception){
                $poruka = ["poruka" =>"Greska u bazi."];
    echo json_encode($poruka);
```

Filter_item_by_id.php

```
<?php
session_start();
  header("Content-type: application/json");
  include "../config/connection.php";
  include "fungcije.php";
$poruka="";</pre>
```

```
$code=404;
    if(isset($_POST['btn'])){
        $idItem = $_POST['idItem'];
        $product = "";
            try{
                if($idItem != 0){
                    $product = vratiproizvodpoID($idItem);
                    //var_dump($product);
                    $poruka = ["poruka" =>"Upisano item u sesiju."];
                    $_SESSION['singleitem'] = $product;
                    $code=200;
                    // echo json_encode($poruka);
            catch(PDOException $exception){
                $poruka = ["poruka" =>"Greska u bazi."];
                $code=500;
    else{
        $code=404;
    echo json encode($poruka);
    http_response_code($code);
```

Fungcije.php

```
<?php
//nav
function navpoID($idnav,$idmore){
    global $conn;
    $upit = "SELECT * FROM navigacija WHERE id_navigacija = :id OR id_navigaci
ja = :idsec";
    $data = $conn->prepare($upit);
    $data->bindParam(":id", $idnav);
    $data->bindParam(":idsec", $idmore);
    $data->execute();
    $podaci = $data->fetchAll();
    return $podaci;
}
//products
```

```
function vratiSveProducte(){
    global $conn;
    $upit = "SELECT p.id_proizvod,p.cena,p.naziv,p.opis,p.dostupnost,p.datum,
    s.link ,s.text, t.nazivtipa, b.nazivboje FROM proizvod p
    INNER JOIN slika_proizvod sp ON p.id_proizvod = sp.id_proizvod INNER JOIN
slika s ON sp.id slika = s.id slika
     INNER JOIN tip t ON p.id_tip = t.id_tip
    INNER JOIN boja b ON b.id_boja = p.id_boja INNER JOIN pol po ON po.id_pol=
p.id pol
    ORDER BY p.id proizvod";
    $podaci = $conn->query($upit)->fetchAll();
    return $podaci;
//index, product_part
function vratiProizvodeprva(){
    global $conn;
    $upit = "SELECT p.id_proizvod,p.cena,p.naziv,p.opis,p.dostupnost,"
    s.link ,s.text, t.nazivtipa, b.nazivboje,po.nazivpola FROM proizvod p
    INNER JOIN slika_proizvod sp ON p.id_proizvod = sp.id_proizvod INNER JOIN
slika s ON sp.id_slika = s.id_slika
    INNER JOIN tip t ON p.id tip = t.id tip
    INNER JOIN boja b ON b.id boja = p.id boja INNER JOIN pol po ON po.id pol=
p.id_pol ORDER BY p.id_proizvod
    LIMIT 5";
    $podaci = $conn->query($upit)->fetchAll();
    return $podaci;
//index ,product part
function vratiProizvodedruga(){
    global $conn;
    $upit = "SELECT p.id proizvod,p.cena,p.naziv,p.opis,p.dostupnost,
    s.link ,s.text, t.nazivtipa, b.nazivboje,po.nazivpola FROM proizvod p
    INNER JOIN slika_proizvod sp ON p.id_proizvod = sp.id_proizvod INNER JOIN
slika s ON sp.id slika = s.id slika
    INNER JOIN tip t ON p.id tip = t.id tip
    INNER JOIN boja b ON b.id_boja = p.id_boja INNER JOIN pol po ON po.id_pol=
p.id pol
    ORDER BY p.id_proizvod DESC
    LIMIT 6";
    $podaci = $conn->query($upit)->fetchAll();
    return $podaci;
//filter item by id
function vratiproizvodpoID($id){
    global $conn;
    $upit = "SELECT p.id proizvod,p.cena,p.naziv,p.opis,p.dostupnost,
```

```
s.link ,s.text, t.nazivtipa, b.nazivboje,po.nazivpola FROM proizvod p
    INNER JOIN slika_proizvod sp ON p.id_proizvod = sp.id_proizvod INNER JOIN
slika s ON sp.id_slika = s.id_slika
    INNER JOIN tip t ON p.id_tip = t.id_tip
    INNER JOIN boja b ON b.id_boja = p.id_boja INNER JOIN pol po ON po.id_pol=
p.id pol
    WHERE p.id_proizvod = :idItem";
    $select = $conn->prepare($upit);
    $select->bindParam(":idItem", $id);
    $select->execute();
    $podaci = $select->fetch();
    return $podaci;
//index
function vratiBanere(){
    global $conn;
    $upit="SELECT b.id_baner,b.banneropis,b.naslov,s.link,s.text FROM baner b
     inner join slika s on b.id slika = s.id slika";
    $data = $conn->query($upit)->fetchAll();
    return $data;
//index
function vratiVesti(){
    global $conn;
    $upit="SELECT v.naziv,v.opis,s.link,s.text FROM vesti v inner join slika s
on v.id slika = s.id slika";
    $data = $conn->query($upit)->fetchAll();
    return $data;
//products
function vratiPol(){
    global $conn;
    $upit = "SELECT * from pol";
    $data = $conn->query($upit)->fetchAll();
    return $data;
//products
function vratiBoje(){
    global $conn;
    $upit = "SELECT * from boja";
    $data = $conn->query($upit)->fetchAll();
    return $data;
//products
function vratiTipove(){
    global $conn;
    $upit = "SELECT * from tip";
    $data = $conn->query($upit)->fetchAll();
```

```
return $data;
//insert update proizvod
function vrati_Dostupnost(){
    global $conn;
    $upit = "SELECT DISTINCT dostupnost from proizvod";
    $data = $conn->query($upit)->fetchAll();
    return $data;
//admin
function vratiKorisnika_id($id){
    global $conn;
        $upit="SELECT * FROM proizvod WHERE id proizvod = :id";
        $priprema=$conn->prepare($upit);
        $priprema->bindParam(":id", $id);
        $priprema->execute();
        return $priprema;
function obrisiProizvod($id){
    global $conn;
   // DELETE messages , usersmessages FROM messages INNER JOIN usersmessages
//WHERE messages.messageid= usersmessages.messageid and messages.messageid = '
    $upit="DELETE proizvod , slika_proizvod FROM proizvod INNER JOIN slika_pro
izvod
    WHERE proizvod.id_proizvod = slika_proizvod.id_proizvod AND proizvod.id_pr
oizvod = :id";
             $priprema=$conn->prepare($upit);
             $priprema->bindParam(":id", $id);
             $priprema->execute();
//log
function vratiKorisnika($userime, $sifra){
    global $conn;
    $upit="SELECT k.id_korisnik, k.korisnik_ime, k.email, u.naziv FROM
     korisnici k INNER JOIN uloga u ON k.id uloga = u.id uloga WHERE
     `korisnik_ime` =:ime AND `password` = :pass";
            $priprema=$conn->prepare($upit);
            $priprema->bindParam(":ime", $userime);
            $priprema->bindParam(":pass", $sifra);
            $priprema->execute();
            return $priprema;
            // $podaci = $priprema->fetch();
 /log
function vratiKorisnika ime($name){
```

```
global $conn;
   $upit="SELECT id_korisnik, korisnik_ime, email FROM korisnici
    WHERE `korisnik_ime` = :ime";
           $priprema=$conn->prepare($upit);
            $priprema->bindParam(":ime", $name);
            $priprema->execute();
           return $priprema;
            // $podaci = $priprema->fetch();
//log
function vratiKorisnika sifra($pass){
   global $conn;
   $upit="SELECT id_korisnik, korisnik_ime, email FROM korisnici
    WHERE `password` = :sifra";
            $priprema=$conn->prepare($upit);
            $priprema->bindParam(":sifra", $pass);
            $priprema->execute();
            return $priprema;
            // $podaci = $priprema->fetch();
//reg
function upisi_Korisnika($a,$b,$c,$d,$e,$uloga){
   global $conn;
   $upit = "INSERT INTO `korisnici`
    (`id_korisnik`, `korisnik_ime`, `email`, `adresa`, `password`, `datumrodje
nja`,`id_uloga`)
     VALUES
     (NULL, :korisnik ime, :mail, :adress , :pass, :datum,:uloga);";
   $priprema = $conn->prepare($upit);
   $priprema->bindParam(":korisnik ime", $a);
   $priprema->bindParam(":mail", $b);
   $priprema->bindParam(":adress", $c);
   $priprema->bindParam(":pass", $d);
   $priprema->bindParam(":datum", $e);
   $priprema->bindParam(":uloga", $uloga);
    return $priprema;
//anketa obrada
function upisi_Anketu($name,$subject,$message){
   global $conn;
        $upit = "INSERT INTO `anketa` (`id anketa`, `ime`, `tema`, `poruka`)
        VALUES (NULL, :ime, :tema, :poruka);";
        $unos = $conn->prepare($upit);
        $unos->bindParam(":ime", $name);
        $unos->bindParam(":tema", $subject);
```

```
$unos->bindParam(":poruka", $message);
        $rezultat = $unos->execute();
        return $rezultat;
//contact obrada
function upisi_ContactPoruku($ime,$email,$broj,$poruka){
    global $conn;
        $upit = "INSERT INTO `kontakt` (`id_kontakt`, `ime`, `email`, `broj`,
 poruka`)
         (NULL, :ime,:email, :broj, :opisporuka);";
        $unos = $conn->prepare($upit);
        $unos->bindParam(":ime", $ime);
        $unos->bindParam(":email", $email);
        $unos->bindParam(":broj", $broj);
        $unos->bindParam(":opisporuka", $poruka);
        $rezultat = $unos->execute();
        return $rezultat;
//products
function vratifilterpoID($id,$kolona){
    global $conn;
    $upit = "SELECT p.id_proizvod,p.cena,p.naziv,p.opis,p.dostupnost,
     s.link ,s.text, t.nazivtipa, b.nazivboje,po.nazivpola, t.id_tip , b.id_bo
ja, po.id_pol
      FROM proizvod p
    INNER JOIN slika proizvod sp ON p.id proizvod = sp.id proizvod INNER JOIN
slika s ON sp.id slika = s.id slika
     INNER JOIN tip t ON p.id_tip = t.id_tip
    INNER JOIN boja b ON b.id_boja = p.id_boja INNER JOIN pol po ON po.id pol=
 p.id pol
    WHERE $kolona = :idKat";
    $select = $conn->prepare($upit);
    $select->bindParam(":idKat", $id);
    $select->execute();
    $podaci = $select->fetchAll();
    return $podaci;
//products sortcenaLower
function sortCena($metod){
    global $conn;
    if($metod == "ASC"){
        $upit = "SELECT p.id proizvod,p.cena ,p.naziv,p.opis,p.dostupnost,
        s.link ,s.text, t.nazivtipa, b.nazivboje,po.nazivpola FROM proizvod p
       INNER JOIN slika_proizvod sp ON p.id_proizvod = sp.id_proizvod INNER JO
IN slika s ON sp.id slika = s.id slika
```

```
INNER JOIN tip t ON p.id_tip = t.id_tip
       INNER JOIN boja b ON b.id_boja = p.id_boja INNER JOIN pol po ON po.id_p
ol= p.id pol
      ORDER BY p.cena ASC";
    elseif($metod == "DESC"){
        $upit = "SELECT p.id_proizvod,p.cena ,p.naziv,p.opis,p.dostupnost,
        s.link ,s.text, t.nazivtipa, b.nazivboje,po.nazivpola FROM proizvod p
       INNER JOIN slika proizvod sp ON p.id proizvod = sp.id proizvod INNER JO
IN slika s ON sp.id_slika = s.id_slika
        INNER JOIN tip t ON p.id_tip = t.id_tip
       INNER JOIN boja b ON b.id_boja = p.id_boja INNER JOIN pol po ON po.id_p
ol= p.id_pol
    $select = $conn->query($upit);
    $select->execute();
    $podaci = $select->fetchAll();
    return $podaci;
//cart
function upisi_Porudzbinu($idproizvoda,$idKorisnik,$kolicina,$cena,$total,$na
ziv,$nazivtip,$slika){
    global $conn;
    $upit = "INSERT INTO `porudzbine` (`id_porudzbina`,`id_proizvod`, `id_kori
snik`, `kolicina`, `cena`,
    `ukupnacena`,`nazivproizvoda`,`nazivtipa`,`slika`)
    (NULL,:idproizvoda,:IDkorisnika,:kolicina,:cena,:total,:naziv,:nazivtip,:s
lika)";
   $unos = $conn->prepare($upit);
   $unos->bindParam(":idproizvoda", $idproizvoda);
   $unos->bindParam(":IDkorisnika", $idKorisnik);
   $unos->bindParam(":kolicina", $kolicina);
   $unos->bindParam(":cena", $cena);
   $unos->bindParam(":total", $total);
   $unos->bindParam(":naziv", $naziv);
   $unos->bindParam(":nazivtip", $nazivtip);
   $unos->bindParam(":slika", $slika);
   $unos->execute();
//ad insert proizvod obrada
function upisi_Porizvod($naziv,$cena,$opis,$idtip,$idboja,$idpol,$dostupnost){
    global $conn;
```

```
$upit = "INSERT INTO `proizvod` (`id_proizvod`,`naziv`,`opis`,`cena`,`dost
upnost`,`id_boja`,
    `id_pol`,`id_tip`) VALUES
    (NULL,:naziv,:opis,:cena,:dostupnost,:id_boja,:id_pol,:id_tip)";
    $priprema=$conn->prepare($upit);
 $priprema->bindParam(":naziv", $naziv);
 $priprema->bindParam(":opis", $opis);
 $priprema->bindParam(":cena", $cena);
 $priprema->bindParam(":dostupnost", $dostupnost);
 $priprema->bindParam(":id_boja", $idboja);
 $priprema->bindParam(":id_pol", $idpol);
$priprema->bindParam(":id_tip", $idtip);
return $priprema;
//ad insert proizvod obrada
function upisi_Sliku($slika,$slikaopis){
    global $conn;
    $upit = "INSERT INTO `slika` (`id_slika`,`link`, `text`) VALUES
    (NULL,:link,:opis)";
    $priprema=$conn->prepare($upit);
    $priprema->bindParam(":link", $slika);
    $priprema->bindParam(":opis", $slikaopis);
        return $priprema;
//ad update proizvod obrada
function izmeni_Proizvod($idProizvod,$naziv,$cena,$opis,$idtip,$idboja,$idpol,
$dostupnost){
    global $conn;
    $upit="UPDATE proizvod
    SET naziv=:naziv, cena=:cena, opis=:opis,
    dostupnost=:dostupnost,id boja=:idboja, id pol=:idpol, id tip=:idtip
    WHERE id proizvod = :id";
    $priprema=$conn->prepare($upit);
    $priprema->bindParam(":id", $idProizvod);
    $priprema->bindParam(":naziv", $naziv);
    $priprema->bindParam(":cena", $cena);
    $priprema->bindParam(":opis", $opis);
    $priprema->bindParam(":dostupnost", $dostupnost);
    $priprema->bindParam(":idboja", $idboja);
    $priprema->bindParam(":idpol", $idpol);
    $priprema->bindParam(":idtip", $idtip);
     return $priprema;
function Izmeni Sliku($idProizvod,$slika){
```

```
global $conn;
    $upit="UPDATE slika s INNER JOIN slika_proizvod sp ON s.id_slika = sp.id_s
lika SET
    s.link=:link WHERE sp.id_proizvod = :id";
    $priprema=$conn->prepare($upit);
    $priprema->bindParam(":link", $slika);
    $priprema->bindParam(":id", $idProizvod);
    return $priprema;
//ankete
function vrati_Ankete(){
    global $conn;
    $upit = "SELECT * from anketa";
    $data = $conn->query($upit)->fetchAll();
    return $data;
//kontakt
function vrati_Kontakte(){
    global $conn;
    $upit = "SELECT * from kontakt";
    $data = $conn->query($upit)->fetchAll();
    return $data;
```

Log.php

```
<?php
session_start();
include "../config/connection.php";
include "fungcije.php";
header("Content-type: application/json");

$data;
$code = 404;
if(isset($_POST["button"])){

$userime = $_POST["ime"];
$sifra = $_POST["sifra"];
// echo($ime);</pre>
```

```
$greske = 0;
              $userimeRe='/^[A-Z][a-z]{2,14}(\s[A-Z][a-
z]{2,14})*$/';//Tonma Qwwq
                if(!preg_match($userimeRe, $userime)){
                    $greske++;
                    $data = ["poruka" => "Ime nije u dobrom formatu."];
                if(strlen($sifra)<6){</pre>
                    $greske++;
                    $data = ["poruka" => "Lozinka nije u dobrom formatu."];
                if($greske != 0)
                $data = ["poruka" => "Greška u php-obradi."];
                code = 422;
                 else{
                try {
                        $sifra = md5($sifra);
                        // var dump('sifra',$sifra);
                        $pripremaSve = vratiKorisnika($userime, $sifra);
                    // var_dump('vratiKorisnika',$test);
                        $pripremaIme = vratiKorisnika_ime($userime);
                        $pripremaSifra = vratiKorisnika_sifra($sifra);
                    // var_dump('sifra_ubazi',$pripremaSifra);
                            if($pripremaIme->rowCount()!= 1){
                                $data=["poruka"=>"Pogrešan username."];
                            $code=401;
                            if($pripremaSifra->rowCount() != 1)
                            $data = ["poruka"=>"Pogrešna lozinka."];
                            code = 401;
                            else
                                 if($pripremaSve->rowCount()==1)
                                    $rezultat = $pripremaSve->fetch();
                                    $data=["poruka"=>"Korisnik je ulogovan."];
                                    $code = 200;
                                    $ SESSION['korisnik'] = $rezultat;
                                    // var_dump($rezultat);
                                    }else{
```

```
$data=["poruka"=>"Korisnik sa tim poda
cima ne postoji u bazi"];

$code=401;
}
}//try
catch (PDOException $th) {

$code=500;
}

}//ifisset
else{
$code=404;
}
echo json_encode($data);
http_response_code($code);
}
```

Logout.php

```
<?php
session_start();
// ob_start();
// include "..config/connection.php";
if(isset($_SESSION['korisnik'])){
unset($_SESSION['korisnik']);
header("Location: ../login.php");
}
}</pre>
```

Order_obrada.php

```
<?php
session_start();
header("Content-type: application/json");

include "../config/connection.php";
include "fungcije.php";
$data=null;
$code=404;</pre>
```

```
if(isset($_POST["proizvodi"]) && isset($_POST["id"])){
            $idKorisnik=$_POST["id"];
         global $conn;
        $upitSelect="SELECT * FROM korisnici WHERE id_korisnik = :id";
        $priprema=$conn->prepare($upitSelect);
        $priprema->bindParam(":id", $idKorisnik);
        $priprema->execute();
        if($priprema->rowCount()==1){
                try {
                foreach($_POST["proizvodi"] as $p){
                    $idproizvoda = $p["id"];
                    $kolicina = $p["kolicina"];
                    $cena = $p["cena"];
                    $total = $p["total"];
                    $naziv = $p["naziv"];
                    $nazivtip = $p["nazivtip"];
                    $slika = $p["slika"];
                     upisi Porudzbinu($idproizvoda,$idKorisnik,$kolicina,$cena
,$total,$naziv,$nazivtip,$slika);
                           }
                                $code=201;
                                 $data=["poruka"=> "Vaša narudžbina je prihvać
ena."];
                                } catch(PDOExecption $e) {
                                $code=500;
                                $data=["poruka"=> "Došlo je do greške. Pokušaj
te kasnije."];
 else{
 $code=404;
 echo json encode($data);
 http_response_code($code);
```

Reg.php

```
<?php
```

```
session_start();
  include "../config/connection.php";
  include "fungcije.php";
 header("Content-type: application/json");
  if(isset($_POST["button"])){
        $ime = $_POST['ime'];
        $email = $ POST['mail'];
        $adresa = $_POST['adresa'];
        $sifra = $_POST['sifra'];
        $datum = $_POST['datum'];
      // echo($ime);
        $data = '';
        $code = '';
        sernameRe='/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,14})
z]{2,14})*$/';//Tonmawwq{12 karaktera}
        $adressRe='/^\w+(\s\w+)*$/';//123 Nasticeva Mike
        $passRe='/^(?=.*[A-Za-z])(?=.*\d)[A-Za-
z\d]{8,}$/';//min 8 karaktera, i jedan broj i jedno slovo:
                $greske = 0;
            if(!preg_match($usernameRe, $ime)){
                $greske++;
                $data = ["poruka" => "Ime nije uredu."];
           if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
            $greske++;
            $data = ["poruka"=>"Email nije u dobrom formatu."];
            if(!preg_match($adressRe, $adresa)){
                $greske++;
                $data = ["poruka" => "Adresa nije u dobrom formatu."];
             if(!preg_match($passRe, $sifra)){
                $greske++;
                $data = ["poruka" => "Lozinka nije u dobrom formatu"];
        if(strlen($sifra)<6){</pre>
           $data = ["poruka" => "Lozinka je manja od 6 karaktera."];
        if($greske != 0)
        $data = ["poruka" => "Greška u php-obradi."];
        $code = 422;
```

```
else{
                $sifra = md5($sifra);
                   $priprema = upisi_Korisnika($ime,$email,$adresa,$sifra,$dat
um,2);
                 try{
                  $priprema->execute();
                  $code=201;
                  $data=["poruka" =>"Uspešno ste se registrovali. Idite Na log
in stranu."];
                catch(PDOException $ex)
                $code = 500;
                $data = ["poruka" => "Korisnik sa tim email-om već postoji."];
             }
     }else{
        code = 404;
        echo json_encode($data);
        http_response_code($code);
```

Config

Connection.php

```
define("SERVER", "sql208.epizy.com");
define("DATABASE", "epiz_28106248_shopphp");
define("USERNAME", "epiz_28106248");
define("PASSWORD", "rItqSovr90CUX");

try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
USERNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
```

```
catch(PDOException $ex){
   echo $ex->getMessage();
}
```

Adminfiles

Ankete.php

```
<html>
<?php
  session_start();
  include "../config/connection.php";
   include "../modeli/fungcije.php";
     if(!isset($_SESSION["korisnik"]) || $_SESSION["korisnik"]-
>naziv!="admin"){
  header("Location: ../errors/403.php");
  else
    $ankete = vrati Ankete();
     //var_dump($ankete)
  <head>
  <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="keywords" content="Banington Watches, watches, Banington, store, q</pre>
uartc, luxury" />
  <meta name="description" content="Only the finest products you can find on t</pre>
his very page.
  Pletera of watches tosetisfi all your needs." />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <meta name="copyright" content="Djordje Taskovic @ 2021." />
  <meta name="author" content="mailto:djordje.taskovic123@gmail.com" />
    <title>Admin_Reviews</title>
    <link rel="icon" href="../img/hero/page-icon.png" type="image/png">
    <link rel="stylesheet" href="../vendor/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../css/themify-icons.css">
    <link rel="stylesheet" href="../css/owl.theme.default.min.css">
    <link rel="stylesheet" href="../css/owl.carousel.min.css">
    <link rel="stylesheet" href="../css/style.css">
    <link rel="stylesheet" href="https://pro.fontawesome.com/releases/v5.10.0/</pre>
css/all.css"
    integrity="sha384-
AYMEC3Yw5cVb3ZcuHt0A93w35dYTsvhLPVnYs9eStHfGJv0vKxVfELGroGkvsg+p"
```

```
crossorigin="anonymous"/>
</head>
<body>
<header class="header_area">
<div class="main_menu">
<nav class="navbar navbar-expand-lg navbar-light">
   <div class="container">
   <a class="navbar-brand logo_h" href="../index.php">Banington Watches</a>
   <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
   data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
   aria-expanded="false" aria-label="Toggle navigation">
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   </button>
   <div class="collapse navbar-collapse offset" id="navbarSupportedContent">
   <?php
                     $navdeo = navpoID(1,null);
                     // var dump($navdeo);
                     foreach($navdeo as $n){
                               echo "<li class='nav-
item active'><a class='nav-link' href='../".$n->link."'>
                               ".$n->text."</a>";
                    ?>
   <a class="nav-link dropdown-toggle" data-toggle="dropdown" role="button"</pre>
    aria-haspopup="true" aria-expanded="false" href="">Shop</a>
           <?php
                     nav = navpoID(2,3);
                     foreach($nav as $n){
                               echo "<a class='nav-
link' href='.../".$n->link."'>
                               ".$n->text."</a>";
          <a href="" class="nav-link dropdown-toggle"
   data-toggle="dropdown" role="button" aria-haspopup="true"
    aria-expanded="false">Blog</a>
```

```
<?php
               nav = navpoID(4,5);
             foreach($nav as $n){
                echo "<a class='nav-
link' href='../".$n->link."'>
               ".$n->text."</a>";
         <?php
                   nav = navpoID(6,7);
                   foreach($nav as $n){
                      echo "<a class='nav-
link' href='../".$n->link."'>
                      ".$n->text."</a>";
   <a class='nav-link' href='../admin.php'>Admin-
page</a>
      <?php
      if(isset($_SESSION['korisnik'])){
         echo "
         <a href='../cart.php'><i class='ti-shopping-</pre>
cart'></i></a>
         <a id='logout-button' href='../modeli/logout.php'>
         <i class='ti-shift-right'></i></a>
      else{
         echo" <a href='../register.php'><i class='ti-
flag-alt'></i></a>
         <a href='../login.php'><i class='ti-</pre>
user'></i></a>
   </div>
   </div>
   </nav>
 /div>
```

```
</header>
<section>
<div class="container mt-3">
<div class="row">
       <div class="col-12 pb-3 text-center">
          <h3>Reviews</h3>
         </div>
     </div>
</div>
<div class="container">
   <div class="row">
      <div class="col-12">
      Name
    Subject
    Message
   </thead>
 <?php
    foreach($ankete as $a):
   <?=$a->ime?>
    <?=$a->tema?>
    <?=$a->poruka?>
   <?php
    endforeach;
 </div>
   </div>
</div>
</section>
<footer class="footer">
   <div class="footer-area">
   <div class="container">
   <div class="row section gap">
      <div class="col-md-6 col-sm-12">
         <div class="single-footer-widget tp widgets">
```

```
<h4 class="footer_title large_title">Our Mission</h4>
          So seed seed green that winged cattle in. Gathering thing made fly
you're no
          divided deep moved us lan Gathering thing us land years living.
          So seed seed green that winged cattle in. Gathering thing made fly
you're no divided deep moved
          </div>
       </div>
          <div class=" col-md-6 col-sm-12">
              <div class="single-footer-widget tp_widgets">
              <h3 class="footer_title">Information</h3>
              <h4 class="footer_title">Working hours</h4>
              <i class="ti-angle-right"></i><a href="#">Monday-
Friday: 9am-8pm</a>
              <i class="ti-angle-right"></i><a href="#">Saturday: 9 am-
5pm</a>
              <i class="ti-angle-</li>
right"></i><a href="#">Sunday: closed</a>
              <h4 class="footer_title">Documentation</h4>
              <i class="ti-angle-
right"></i><a href="doc.pdf">See Documentation Here</a>
              </div>
          </div>
   </div>
   </div>
   </div>
   <div class="footer-bottom">
   <div class="container">
   <div class="row d-flex">
   Copyright @<script>document.write(new Date().getFullYear());</script>
   </div>
   </div>
   </div>
   </footer>
   <script src="../vendor/jquery/jquery-3.5.1.min.js"></script>
```

Brisanje_proizvod.php

```
<?php
 session start();
include "../config/connection.php";
 include "../modeli/fungcije.php";
    if(!isset($_GET["id"]) || !isset($_SESSION["korisnik"]) || $_SESSION["kori
snik"]->naziv!="admin"){
header("Location: ../errors/403.php");
}else{
     $id = $_GET["id"];
   // var_dump( "ID=>".$id);
        $priprema = vratiKorisnika_id($id);
        if($priprema->rowCount()!=1){
            header("Location: ../errors/404.php");
        }else{
           try{
               obrisiProizvod($id);
            //var_dump( "Proizvod Obrisan");
            header("Location: ../admin.php");
            }catch(PDOException $ex){
            var_dump( $ex->getMessage());
```

Insert_update_proizvod.php

```
<html>
<?php
```

```
session_start();
  include "../config/connection.php";
   include "../modeli/fungcije.php";
     if(!isset($_GET["id"]) || !isset($_SESSION["korisnik"]) || $_SESSION["kor
isnik"]->naziv!="admin"){
  header("Location: ../errors/403.php");
  }else{
      $idproizvoda = $_GET["id"];
     // var dump( "ID=>".$id);
         $priprema = vratiKorisnika_id($idproizvoda);
         if($priprema->rowCount()!=1){
             header("Location: ../errors/404.php");
         //insert /update back-end
         //ankete
  <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="keywords" content="Banington Watches, watches, Banington, store, q</pre>
uartc, luxury" />
  <meta name="description" content="Only the finest products you can find on t</pre>
his very page.
  Pletera of watches tosetisfi all your needs." />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <meta name="copyright" content="Djordje Taskovic @ 2021." />
  <meta name="author" content="mailto:djordje.taskovic123@gmail.com" />
    <title>admin insert delete</title>
    <link rel="icon" href="../img/hero/page-icon.png" type="image/png">
    <link rel="stylesheet" href="../vendor/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../css/themify-icons.css">
    <link rel="stylesheet" href="../css/owl.theme.default.min.css">
    <link rel="stylesheet" href="../css/owl.carousel.min.css">
    <link rel="stylesheet" href="../css/style.css">
    <link rel="stylesheet" href="https://pro.fontawesome.com/releases/v5.10.0/</pre>
css/all.css"
    integrity="sha384-
AYmEC3Yw5cVb3ZcuHt0A93w35dYTsvhLPVnYs9eStHfGJv0vKxVfELGroGkvsg+p"
    crossorigin="anonymous"/>
```

```
</head>
<body>
<header class="header_area">
<div class="main_menu">
<nav class="navbar navbar-expand-lg navbar-light">
   <div class="container">
   <a class="navbar-brand logo h" href="index.php">Banington Watches</a>
   <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
   data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
   aria-expanded="false" aria-label="Toggle navigation">
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   <div class="collapse navbar-collapse offset" id="navbarSupportedContent">
   <?php
                     $navdeo = navpoID(1,null);
                     // var dump($navdeo);
                     foreach($navdeo as $n){
                              echo "<li class='nav-
item active'><a class='nav-link' href='../".$n->link."'>
                              ".$n->text."</a>";
   <a class="nav-link dropdown-toggle" data-toggle="dropdown" role="button"</pre>
    aria-haspopup="true" aria-expanded="false" href="">Shop</a>
           <?php
                     nav = navpoID(2,3);
                     foreach($nav as $n){
                              echo "<a class='nav-
link' href='../".$n->link."'>
                              ".$n->text."</a>";
                           }
          <a href="" class="nav-link dropdown-toggle"
   data-toggle="dropdown" role="button" aria-haspopup="true"
    aria-expanded="false">Blog</a>
          <?php
```

```
nav = navpoID(4,5);
             foreach($nav as $n){
                echo "<a class='nav-
link' href='../".$n->link."'>
               ".$n->text."</a>";
         <?php
                   nav = navpoID(6,7);
                   foreach($nav as $n){
                      echo "<a class='nav-
link' href='../".$n->link."'>
                      ".$n->text."</a>";
                        }
   <a class='nav-link' href='../admin.php'>Admin-
page</a>
      <?php
      if(isset($_SESSION['korisnik'])){
         <a href='../cart.php'><i class='ti-shopping-</pre>
cart'></i></a>
         <a id='logout-button' href='../modeli/logout.php'>
         <i class='ti-shift-right'></i></a>
      else{
         echo" <a href='../register.php'><i class='ti-
flag-alt'></i></a>
         <a href='../login.php'><i class='ti-</pre>
user'></i></a>
   </div>
   </div>
   </nav>
/div>
 /header>
```

```
<section>
<div class="container mt-5 pt-2">
<div class="row">
<div class="col-lg-6 col-md-6 col-sm-12 d-flex justify-content-center">
           <!-- form -->
           <form>
           <div class="form-group col-lg-12">
                      <h3>Insert Item</h3>
                </div>
                 <div class="form-group col-lg-12">
                         <input class="form-</pre>
control" type="text" id="insertname" placeholder="Name">
                          </div>
                <div class="form-group col-lg-12">
                     <input class="form-</pre>
control" type="number" id="insertprice" placeholder="Price">
                       </div>
                 <div class="form-group col-lg-12">
                      <textarea class="form-
control" id="insertdesc" rows="3" placeholder="Description">
                      </textarea>
                      </div>
                  <div class="form-group col-lg-12">
                      <select id="inserttip" class="form-control">
                      <option value='0'>Category</option>
                      <?php
                      $item=vratiTipove();
                      foreach($item as $i){
                      echo "<option value='$i->id tip'>$i-
>nazivtipa</option>";
                      }?>
                      </select>
                     </div>
                          <div class="form-group col-lg-12">
                      <select id="insertboja" class="form-control">
                      <option value='0'>Color</option>
                      <?php
                       $item=vratiBoje();
                      foreach($item as $i){
                      echo "<option value='$i->id_boja'>$i-
>nazivboje</option>";
                      }?>
```

```
</select>
                     </div>
                             <div class="form-group col-lg-12 dropdown">
                      <select id="insertpol" class="form-control">
                      <option value='0'>Gender</option>
                      <?php
                       $item=vratiPol();
                      foreach($item as $i){
                      echo "<option value='$i->id_pol'>$i-
>nazivpola</option>";
                      }?>
                      </select>
                     </div>
                      <div class="form-group col-lg-12 dropdown">
                      <select id="insertdostupnost" class="form-control">
                      <option value='0'>Availability</option>
                      <option value='In Stock'>In Stock</option>
                      <option value='Unavailable'>Un-Available
                      </select>
                     </div>
                              <div class="form-group col-lg-12">
                              <label >Image : </label>
                              <input type="file" id="insertslika" />
                              </div>
                <div class="form-group col-lg-12">
                   <button type="button" class="button button-login w-</pre>
100 mt-4 mb-4"
                   id="button_insert">Insert</button>
                    <div id="admin-message"></div>
                 </div>
        </div>
        <!-- update -->
        <div class="col-lg-6 col-md-6 col-sm-12 d-flex justify-content-</pre>
center">
           <!-- form -->
           <form>
                <div class="form-group col-lg-12">
                      <h3>Update Item</h3>
```

```
</div>
                <?php
                  $proizvodi = vratifilterpoID($idproizvoda,'p.id_proizvod')
                 // var_dump($proizvodi);
                  foreach($proizvodi as $p):
                <div class='form-group col-lg-12'>
                  <input class='form-</pre>
control' type='text' id='idproizvoda' value="<?=$p->id_proizvod?>">
                  </div>
                <div class="form-group col-lg-12">
                        <input class="form-</pre>
control" type="text" id="updatename" value="<?=$p->naziv?>">
                         </div>
                <div class="form-group col-lg-12">
                     <input class="form-</pre>
control" type="number" id="updateprice" value="<?=$p->cena?>">
                       </div>
                 <div class="form-group col-lg-12">
                      <textarea class="form-
control" id="updatedesc" rows="3"><?=$p->opis?></textarea>
                      </div>
                       <!-- start -->
                       <div class="form-group col-lg-12">
                         <select id="updatetip" class="form-control">
                             <option value='<?=$p->id tip?>'selected><?=$p-</pre>
>nazivtipa?></option>
                       <?php
                       $tip = vratiTipove();
                             foreach($tip as $t):
                              <option value='<?=$t->id_tip?>'><?=$t-</pre>
>nazivtipa?></option>
                                 <?php
                                 endforeach;
                         </select>
                              </div>
```

```
<div class="form-group col-lg-12">
                                <select id="updateboja" class="form-control">
                                <option value='<?=$p-</pre>
>id_boja?>'selected><?=$p->nazivboje?></option>
                            <?php
                                $boja = vratiBoje();
                                foreach($boja as $t):
                                    <option value='<?=$t->id_boja?>'><?=$t-</pre>
>nazivboje?></option>
                                <?php
                                endforeach;
                                </select>
                                     </div>
                     <div class="form-group col-lg-12 dropdown">
                                <select id="updatepol" class="form-control">
                                <option value='<?=$p->id pol?>'selected><?=$p-</pre>
>nazivpola?></option>
                            <?php
                          $pol = vratiPol();
                          foreach($pol as $t):
                            <option value='<?=$t->id_pol?>'><?=$t-</pre>
>nazivpola?></option>
                            <?php
                            endforeach;
                        </select>
                       </div>
                        <div class="form-group col-lg-12 dropdown">
                                <select id="updatedostupnost" class="form-</pre>
control">
                                <option value='<?=$p-</pre>
>dostupnost?>'selected><?=$p->dostupnost?></option>
                                <?php
                                    $dostupnost =vrati Dostupnost();
                                    foreach($dostupnost as $d):
                                    <option value='<?=$d->dostupnost?>'><?=$d-</pre>
>dostupnost?></option>
```

```
<?php
                                   endforeach;
                               </select>
                               </div>
                         <div class="form-group col-lg-12">
                               <div id="old-image">Existing-image :<?=$p-</pre>
>link?>
                               </div>
                               <input type="file" id="updateslika" />
                        </div>
                        <?php
                        endforeach;
                        <div></div>
                <div class="form-group col-lg-12">
                    <button type="button" class="button button-login w-
100 mt-4 mb-4"
                    id="button_update">Update</button>
                     <div id="admin-message"></div>
                 </div>
        </div>
</div>
</div>
</section>
<footer class="footer">
    <div class="footer-area">
   <div class="container">
   <div class="row section gap">
       <div class="col-md-6 col-sm-12">
           <div class="single-footer-widget tp widgets">
           <h4 class="footer_title large_title">Our Mission</h4>
           So seed seed green that winged cattle in. Gathering thing made fly
you're no
           divided deep moved us lan Gathering thing us land years living.
           So seed seed green that winged cattle in. Gathering thing made fly
you're no divided deep moved
```

```
</div>
       </div>
          <div class=" col-md-6 col-sm-12">
              <div class="single-footer-widget tp_widgets">
              <h3 class="footer_title">Information</h3>
              <h4 class="footer_title">Working hours</h4>
              <i class="ti-angle-right"></i><a href="#">Monday-
Friday: 9am-8pm</a>
              <i class="ti-angle-right"></i><a href="#">Saturday: 9 am-
5pm</a>
              <i class="ti-angle-</li>
right"></i><a href="#">Sunday: closed</a>
              <h4 class="footer_title">Documentation</h4>
              <i class="ti-angle-</li>
right"></i><a href="doc.pdf">See Documentation Here</a>
              </div>
          </div>
   </div>
   </div>
   </div>
   <div class="footer-bottom">
   <div class="container">
   <div class="row d-flex">
   Copyright @<script>document.write(new Date().getFullYear());</script>
   </div>
   </div>
   </div>
   </footer>
   <script src="../vendor/jquery/jquery-3.5.1.min.js"></script>
   <script src="../vendor/bootstrap/js/bootstrap.bundle.js"></script>
   <script src="../js/skrollr.min.js"></script>
   <script src="../js/owl.carousel.min.js"></script>
   <script src="../js/main.js"></script>
```

```
</body>
</html>
```

Kontakt.php

```
<html>
<?php
  session_start();
  include "../config/connection.php";
   include "../modeli/fungcije.php";
     if(!isset($_SESSION["korisnik"]) || $_SESSION["korisnik"]-
>naziv!="admin"){
  header("Location: ../errors/403.php");
  else
    $kontakt = vrati Kontakte();
      //var dump($ankete)
  <head>
  <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="keywords" content="Banington Watches, Watches, Banington, store, q</pre>
uartc, luxury" />
  <meta name="description" content="Only the finest products you can find on t</pre>
his very page.
  Pletera of watches tosetisfi all your needs." />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <meta name="copyright" content="Djordje Taskovic @ 2021." />
  <meta name="author" content="mailto:djordje.taskovic123@gmail.com" />
    <title>Admin Reviews</title>
    <link rel="icon" href="../img/hero/page-icon.png" type="image/png">
    <link rel="stylesheet" href="../vendor/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../css/themify-icons.css">
    <link rel="stylesheet" href="../css/owl.theme.default.min.css">
    <link rel="stylesheet" href="../css/owl.carousel.min.css">
    <link rel="stylesheet" href="../css/style.css">
    <link rel="stylesheet" href="https://pro.fontawesome.com/releases/v5.10.0/</pre>
css/all.css"
    integrity="sha384-
AYmEC3Yw5cVb3ZcuHt0A93w35dYTsvhLPVnYs9eStHfGJv0vKxVfELGroGkvsg+p"
     crossorigin="anonymous"/>
<body>
<header class="header area">
```

```
<div class="main_menu">
<nav class="navbar navbar-expand-lg navbar-light">
   <div class="container">
   <a class="navbar-brand logo_h" href="../index.php">Banington Watches</a>
   <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
   data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
   aria-expanded="false" aria-label="Toggle navigation">
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   <span class="icon-bar"></span>
   </button>
   <div class="collapse navbar-collapse offset" id="navbarSupportedContent">
   <?php
                     $navdeo = navpoID(1,null);
                     // var_dump($navdeo);
                     foreach($navdeo as $n){
                              echo "<li class='nav-
item active'><a class='nav-link' href='../".$n->link."'>
                              ".$n->text."</a>";
   <a class="nav-link dropdown-toggle" data-toggle="dropdown" role="button"</pre>
    aria-haspopup="true" aria-expanded="false" href="">Shop</a>
           <?php
                     nav = navpoID(2,3);
                     foreach($nav as $n){
                              echo "<a class='nav-
link' href='.../".$n->link."'>
                              ".$n->text."</a>";
                           }
          <a href="" class="nav-link dropdown-toggle"</pre>
   data-toggle="dropdown" role="button" aria-haspopup="true"
    aria-expanded="false">Blog</a>
          <?php
                 nav = navpoID(4,5);
              foreach($nav as $n){
                  echo "<a class='nav-
link' href='.../".$n->link."'>
```

```
".$n->text."</a>";
         <?php
                   nav = navpoID(6,7);
                   foreach($nav as $n){
                       echo "<a class='nav-
link' href='.../".$n->link."'>
                       ".$n->text."</a>";
    <a class='nav-link' href='../admin.php'>Admin-
page</a>
      <?php
      if(isset($_SESSION['korisnik'])){
         echo "
         <a href='../cart.php'><i class='ti-shopping-</pre>
cart'></i></a>
         <a id='logout-button' href='../modeli/logout.php'>
         <i class='ti-shift-right'></i></a>
      else{
         echo" <a href='../register.php'><i class='ti-
flag-alt'></i></a>
         <a href='../login.php'><i class='ti-</pre>
user'></i></a>
   </div>
   </div>
   </nav>
</div>
</header>
<section>
<div class="container mt-3">
<div class="row">
        <div class="col-12 pb-3 text-center">
```

```
<h3>Sent Messages</h3>
        </div>
     </div>
</div>
<div class="container">
  <div class="row">
     <div class="col-12">
     <thead>
  Name
    Email
    Number
    Message
  </thead>
 <?php
    foreach($kontakt as $a):
  <?=$a->ime?>
    <?=$a->email?>
    <?=$a->broj?>
    <?=$a->poruka?>
  <?php
    endforeach;
 </div>
  </div>
</div>
</section>
<footer class="footer">
  <div class="footer-area">
  <div class="container">
  <div class="row section gap">
      <div class="col-md-6 col-sm-12">
         <div class="single-footer-widget tp_widgets">
        <h4 class="footer title large title">Our Mission</h4>
```

```
So seed seed green that winged cattle in. Gathering thing made fly
you're no
          divided deep moved us lan Gathering thing us land years living.
          So seed seed green that winged cattle in. Gathering thing made fly
you're no divided deep moved
          </div>
       </div>
          <div class=" col-md-6 col-sm-12">
              <div class="single-footer-widget tp_widgets">
              <h3 class="footer_title">Information</h3>
              <h4 class="footer_title">Working hours</h4>
              <i class="ti-angle-right"></i><a href="#">Monday-
Friday: 9am-8pm</a>
              <i class="ti-angle-right"></i><a href="#">Saturday: 9 am-
5pm</a>
              <i class="ti-angle-
right"></i><a href="#">Sunday: closed</a>
              <h4 class="footer_title">Documentation</h4>
              <i class="ti-angle-
right"></i><a href="doc.pdf">See Documentation Here</a>
              </div>
          </div>
   </div>
   </div>
   </div>
   <div class="footer-bottom">
   <div class="container">
   <div class="row d-flex">
   Copyright @<script>document.write(new Date().getFullYear());</script>
   </div>
   </div>
   </div>
   </footer>
   <script src="../vendor/jquery/jquery-3.5.1.min.js"></script>
```

CSS

Temify-icons.css

```
@font-face {
    font-family: 'themify';
    src:url('../fonts/themify.eot');
    src:url('../fonts/themify.eot?#iefix-fvbane')format('embedded-opentype'),
        url('../fonts/themify.woff?-fvbane') format('woff'),
        url('../fonts/themify.ttf?-fvbane') format('truetype'),
        url('../fonts/themify.svg?-fvbane#themify') format('svg');
    font-weight: normal;
    font-style: normal;
[class^="ti-"], [class*=" ti-"] {
    font-family: 'themify';
    font-style: normal;
    font-weight: normal;
    font-variant: normal;
    text-transform: none;
    line-height: 1;
    /* Better Font Rendering ====== */
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
.ti-wand:before {
    content: "\e600";
.ti-volume:before {
    content: "\e601";
 ti-user:before {
```

```
content: "\e602";
.ti-unlock:before {
   content: "\e603";
.ti-unlink:before {
    content: "\e604";
.ti-trash:before {
   content: "\e605";
.ti-thought:before {
    content: "\e606";
.ti-target:before {
   content: "\e607";
.ti-tag:before {
    content: "\e608";
.ti-tablet:before {
    content: "\e609";
.ti-star:before {
    content: "\e60a";
.ti-spray:before {
   content: "\e60b";
.ti-signal:before {
   content: "\e60c";
.ti-shopping-cart:before {
   content: "\e60d";
.ti-shopping-cart-full:before {
   content: "\e60e";
.ti-settings:before {
    content: "\e60f";
.ti-search:before {
    content: "\e610";
.ti-zoom-in:before {
    content: "\e611";
.ti-zoom-out:before {
   content: "\e612";
```

```
.ti-cut:before {
   content: "\e613";
.ti-ruler:before {
   content: "\e614";
.ti-ruler-pencil:before {
   content: "\e615";
.ti-ruler-alt:before {
   content: "\e616";
.ti-bookmark:before {
   content: "\e617";
.ti-bookmark-alt:before {
   content: "\e618";
.ti-reload:before {
   content: "\e619";
.ti-plus:before {
   content: "\e61a";
.ti-pin:before {
   content: "\e61b";
.ti-pencil:before {
   content: "\e61c";
.ti-pencil-alt:before {
   content: "\e61d";
.ti-paint-roller:before {
   content: "\e61e";
.ti-paint-bucket:before {
   content: "\e61f";
.ti-na:before {
   content: "\e620";
.ti-mobile:before {
   content: "\e621";
.ti-minus:before {
   content: "\e622";
```

```
.ti-medall:before {
    content: "\e623";
.ti-medall-alt:before {
    content: "\e624";
.ti-marker:before {
    content: "\e625";
.ti-marker-alt:before {
   content: "\e626";
.ti-arrow-up:before {
    content: "\e627";
.ti-arrow-right:before {
   content: "\e628";
.ti-arrow-left:before {
   content: "\e629";
.ti-arrow-down:before {
   content: "\e62a";
.ti-lock:before {
   content: "\e62b";
.ti-location-arrow:before {
    content: "\e62c";
.ti-link:before {
    content: "\e62d";
.ti-layout:before {
   content: "\e62e";
.ti-layers:before {
    content: "\e62f";
.ti-layers-alt:before {
   content: "\e630";
.ti-key:before {
    content: "\e631";
.ti-import:before {
    content: "\e632";
.ti-image:before {
```

```
content: "\e633";
.ti-heart:before {
   content: "\e634";
.ti-heart-broken:before {
   content: "\e635";
.ti-hand-stop:before {
   content: "\e636";
.ti-hand-open:before {
   content: "\e637";
.ti-hand-drag:before {
   content: "\e638";
.ti-folder:before {
   content: "\e639";
.ti-flag:before {
   content: "\e63a";
.ti-flag-alt:before {
   content: "\e63b";
.ti-flag-alt-2:before {
   content: "\e63c";
.ti-eye:before {
   content: "\e63d";
.ti-export:before {
   content: "\e63e";
.ti-exchange-vertical:before {
   content: "\e63f";
.ti-desktop:before {
   content: "\e640";
.ti-cup:before {
   content: "\e641";
.ti-crown:before {
   content: "\e642";
.ti-comments:before {
   content: "\e643";
```

```
.ti-comment:before {
   content: "\e644";
.ti-comment-alt:before {
   content: "\e645";
.ti-close:before {
   content: "\e646";
.ti-clip:before {
   content: "\e647";
.ti-angle-up:before {
   content: "\e648";
.ti-angle-right:before {
   content: "\e649";
.ti-angle-left:before {
   content: "\e64a";
.ti-angle-down:before {
   content: "\e64b";
.ti-check:before {
   content: "\e64c";
.ti-check-box:before {
   content: "\e64d";
.ti-camera:before {
   content: "\e64e";
.ti-announcement:before {
   content: "\e64f";
.ti-brush:before {
   content: "\e650";
.ti-briefcase:before {
   content: "\e651";
.ti-bolt:before {
   content: "\e652";
.ti-bolt-alt:before {
   content: "\e653";
```

```
.ti-blackboard:before {
   content: "\e654";
.ti-bag:before {
   content: "\e655";
.ti-move:before {
   content: "\e656";
.ti-arrows-vertical:before {
   content: "\e657";
.ti-arrows-horizontal:before {
   content: "\e658";
.ti-fullscreen:before {
   content: "\e659";
.ti-arrow-top-right:before {
   content: "\e65a";
.ti-arrow-top-left:before {
   content: "\e65b";
.ti-arrow-circle-up:before {
   content: "\e65c";
.ti-arrow-circle-right:before {
   content: "\e65d";
.ti-arrow-circle-left:before {
   content: "\e65e";
.ti-arrow-circle-down:before {
   content: "\e65f";
.ti-angle-double-up:before {
   content: "\e660";
.ti-angle-double-right:before {
   content: "\e661";
.ti-angle-double-left:before {
   content: "\e662";
.ti-angle-double-down:before {
   content: "\e663";
.ti-zip:before {
```

```
content: "\e664";
.ti-world:before {
   content: "\e665";
.ti-wheelchair:before {
    content: "\e666";
.ti-view-list:before {
    content: "\e667";
.ti-view-list-alt:before {
    content: "\e668";
.ti-view-grid:before {
    content: "\e669";
.ti-uppercase:before {
   content: "\e66a";
.ti-upload:before {
    content: "\e66b";
.ti-underline:before {
    content: "\e66c";
.ti-truck:before {
   content: "\e66d";
.ti-timer:before {
   content: "\e66e";
.ti-ticket:before {
   content: "\e66f";
.ti-thumb-up:before {
   content: "\e670";
.ti-thumb-down:before {
    content: "\e671";
.ti-text:before {
    content: "\e672";
.ti-stats-up:before {
    content: "\e673";
.ti-stats-down:before {
   content: "\e674";
```

```
.ti-split-v:before {
   content: "\e675";
.ti-split-h:before {
   content: "\e676";
.ti-smallcap:before {
   content: "\e677";
.ti-shine:before {
   content: "\e678";
.ti-shift-right:before {
   content: "\e679";
.ti-shift-left:before {
   content: "\e67a";
.ti-shield:before {
   content: "\e67b";
.ti-notepad:before {
   content: "\e67c";
.ti-server:before {
   content: "\e67d";
.ti-quote-right:before {
   content: "\e67e";
.ti-quote-left:before {
   content: "\e67f";
.ti-pulse:before {
   content: "\e680";
.ti-printer:before {
   content: "\e681";
.ti-power-off:before {
   content: "\e682";
.ti-plug:before {
   content: "\e683";
.ti-pie-chart:before {
   content: "\e684";
```

```
.ti-paragraph:before {
    content: "\e685";
.ti-panel:before {
    content: "\e686";
.ti-package:before {
    content: "\e687";
.ti-music:before {
   content: "\e688";
.ti-music-alt:before {
    content: "\e689";
.ti-mouse:before {
   content: "\e68a";
.ti-mouse-alt:before {
   content: "\e68b";
.ti-money:before {
   content: "\e68c";
.ti-microphone:before {
   content: "\e68d";
.ti-menu:before {
    content: "\e68e";
.ti-menu-alt:before {
    content: "\e68f";
.ti-map:before {
    content: "\e690";
.ti-map-alt:before {
    content: "\e691";
.ti-loop:before {
    content: "\e692";
.ti-location-pin:before {
    content: "\e693";
.ti-list:before {
    content: "\e694";
.ti-light-bulb:before {
```

```
content: "\e695";
.ti-Italic:before {
   content: "\e696";
.ti-info:before {
   content: "\e697";
.ti-infinite:before {
   content: "\e698";
.ti-id-badge:before {
   content: "\e699";
.ti-hummer:before {
   content: "\e69a";
.ti-home:before {
   content: "\e69b";
.ti-help:before {
   content: "\e69c";
.ti-headphone:before {
   content: "\e69d";
.ti-harddrives:before {
   content: "\e69e";
.ti-harddrive:before {
   content: "\e69f";
.ti-gift:before {
   content: "\e6a0";
.ti-game:before {
   content: "\e6a1";
.ti-filter:before {
   content: "\e6a2";
.ti-files:before {
   content: "\e6a3";
.ti-file:before {
   content: "\e6a4";
.ti-eraser:before {
   content: "\e6a5";
```

```
.ti-envelope:before {
   content: "\e6a6";
.ti-download:before {
   content: "\e6a7";
.ti-direction:before {
   content: "\e6a8";
.ti-direction-alt:before {
   content: "\e6a9";
.ti-dashboard:before {
   content: "\e6aa";
.ti-control-stop:before {
   content: "\e6ab";
.ti-control-shuffle:before {
   content: "\e6ac";
.ti-control-play:before {
   content: "\e6ad";
.ti-control-pause:before {
   content: "\e6ae";
.ti-control-forward:before {
   content: "\e6af";
.ti-control-backward:before {
   content: "\e6b0";
.ti-cloud:before {
   content: "\e6b1";
.ti-cloud-up:before {
   content: "\e6b2";
.ti-cloud-down:before {
   content: "\e6b3";
.ti-clipboard:before {
   content: "\e6b4";
.ti-car:before {
   content: "\e6b5";
```

```
.ti-calendar:before {
   content: "\e6b6";
.ti-book:before {
   content: "\e6b7";
.ti-bell:before {
   content: "\e6b8";
.ti-basketball:before {
   content: "\e6b9";
.ti-bar-chart:before {
   content: "\e6ba";
.ti-bar-chart-alt:before {
   content: "\e6bb";
.ti-back-right:before {
   content: "\e6bc";
.ti-back-left:before {
   content: "\e6bd";
.ti-arrows-corner:before {
   content: "\e6be";
.ti-archive:before {
   content: "\e6bf";
.ti-anchor:before {
   content: "\e6c0";
.ti-align-right:before {
   content: "\e6c1";
.ti-align-left:before {
   content: "\e6c2";
.ti-align-justify:before {
   content: "\e6c3";
.ti-align-center:before {
   content: "\e6c4";
.ti-alert:before {
   content: "\e6c5";
.ti-alarm-clock:before {
```

```
content: "\e6c6";
.ti-agenda:before {
   content: "\e6c7";
.ti-write:before {
   content: "\e6c8";
.ti-window:before {
   content: "\e6c9";
.ti-widgetized:before {
   content: "\e6ca";
.ti-widget:before {
   content: "\e6cb";
.ti-widget-alt:before {
   content: "\e6cc";
.ti-wallet:before {
   content: "\e6cd";
.ti-video-clapper:before {
   content: "\e6ce";
.ti-video-camera:before {
   content: "\e6cf";
.ti-vector:before {
   content: "\e6d0";
.ti-themify-logo:before {
   content: "\e6d1";
.ti-themify-favicon:before {
   content: "\e6d2";
.ti-themify-favicon-alt:before {
   content: "\e6d3";
.ti-support:before {
   content: "\e6d4";
.ti-stamp:before {
   content: "\e6d5";
.ti-split-v-alt:before {
   content: "\e6d6";
```

```
.ti-slice:before {
   content: "\e6d7";
.ti-shortcode:before {
   content: "\e6d8";
.ti-shift-right-alt:before {
   content: "\e6d9";
.ti-shift-left-alt:before {
   content: "\e6da";
.ti-ruler-alt-2:before {
   content: "\e6db";
.ti-receipt:before {
   content: "\e6dc";
.ti-pin2:before {
   content: "\e6dd";
.ti-pin-alt:before {
   content: "\e6de";
.ti-pencil-alt2:before {
   content: "\e6df";
.ti-palette:before {
   content: "\e6e0";
.ti-more:before {
   content: "\e6e1";
.ti-more-alt:before {
   content: "\e6e2";
.ti-microphone-alt:before {
   content: "\e6e3";
.ti-magnet:before {
   content: "\e6e4";
.ti-line-double:before {
   content: "\e6e5";
.ti-line-dotted:before {
   content: "\e6e6";
```

```
.ti-line-dashed:before {
   content: "\e6e7";
.ti-layout-width-full:before {
   content: "\e6e8";
.ti-layout-width-default:before {
   content: "\e6e9";
.ti-layout-width-default-alt:before {
   content: "\e6ea";
.ti-layout-tab:before {
   content: "\e6eb";
.ti-layout-tab-window:before {
   content: "\e6ec";
.ti-layout-tab-v:before {
   content: "\e6ed";
.ti-layout-tab-min:before {
   content: "\e6ee";
.ti-layout-slider:before {
   content: "\e6ef";
.ti-layout-slider-alt:before {
   content: "\e6f0";
.ti-layout-sidebar-right:before {
   content: "\e6f1";
.ti-layout-sidebar-none:before {
   content: "\e6f2";
.ti-layout-sidebar-left:before {
   content: "\e6f3";
.ti-layout-placeholder:before {
   content: "\e6f4";
.ti-layout-menu:before {
   content: "\e6f5";
.ti-layout-menu-v:before {
   content: "\e6f6";
ti-layout-menu-separated:before {
```

```
content: "\e6f7";
.ti-layout-menu-full:before {
   content: "\e6f8";
.ti-layout-media-right-alt:before {
   content: "\e6f9";
.ti-layout-media-right:before {
   content: "\e6fa";
.ti-layout-media-overlay:before {
   content: "\e6fb";
.ti-layout-media-overlay-alt:before {
   content: "\e6fc";
.ti-layout-media-overlay-alt-2:before {
   content: "\e6fd";
.ti-layout-media-left-alt:before {
   content: "\e6fe";
.ti-layout-media-left:before {
   content: "\e6ff";
.ti-layout-media-center-alt:before {
   content: "\e700";
.ti-layout-media-center:before {
   content: "\e701";
.ti-layout-list-thumb:before {
   content: "\e702";
.ti-layout-list-thumb-alt:before {
   content: "\e703";
.ti-layout-list-post:before {
   content: "\e704";
.ti-layout-list-large-image:before {
   content: "\e705";
.ti-layout-line-solid:before {
   content: "\e706";
.ti-layout-grid4:before {
   content: "\e707";
```

```
.ti-layout-grid3:before {
   content: "\e708";
.ti-layout-grid2:before {
   content: "\e709";
.ti-layout-grid2-thumb:before {
   content: "\e70a";
.ti-layout-cta-right:before {
   content: "\e70b";
.ti-layout-cta-left:before {
   content: "\e70c";
.ti-layout-cta-center:before {
   content: "\e70d";
.ti-layout-cta-btn-right:before {
   content: "\e70e";
.ti-layout-cta-btn-left:before {
   content: "\e70f";
.ti-layout-column4:before {
   content: "\e710";
.ti-layout-column3:before {
   content: "\e711";
.ti-layout-column2:before {
   content: "\e712";
.ti-layout-accordion-separated:before {
   content: "\e713";
.ti-layout-accordion-merged:before {
   content: "\e714";
.ti-layout-accordion-list:before {
   content: "\e715";
.ti-ink-pen:before {
   content: "\e716";
.ti-info-alt:before {
   content: "\e717";
```

```
.ti-help-alt:before {
   content: "\e718";
.ti-headphone-alt:before {
   content: "\e719";
.ti-hand-point-up:before {
   content: "\e71a";
.ti-hand-point-right:before {
   content: "\e71b";
.ti-hand-point-left:before {
   content: "\e71c";
.ti-hand-point-down:before {
   content: "\e71d";
.ti-gallery:before {
   content: "\e71e";
.ti-face-smile:before {
   content: "\e71f";
.ti-face-sad:before {
   content: "\e720";
.ti-credit-card:before {
   content: "\e721";
.ti-control-skip-forward:before {
   content: "\e722";
.ti-control-skip-backward:before {
   content: "\e723";
.ti-control-record:before {
   content: "\e724";
.ti-control-eject:before {
   content: "\e725";
.ti-comments-smiley:before {
   content: "\e726";
.ti-brush-alt:before {
   content: "\e727";
.ti-youtube:before {
```

```
content: "\e728";
.ti-vimeo:before {
   content: "\e729";
.ti-twitter:before {
   content: "\e72a";
.ti-time:before {
   content: "\e72b";
.ti-tumblr:before {
   content: "\e72c";
.ti-skype:before {
   content: "\e72d";
.ti-share:before {
   content: "\e72e";
.ti-share-alt:before {
   content: "\e72f";
.ti-rocket:before {
   content: "\e730";
.ti-pinterest:before {
   content: "\e731";
.ti-new-window:before {
   content: "\e732";
.ti-microsoft:before {
   content: "\e733";
.ti-list-ol:before {
   content: "\e734";
.ti-linkedin:before {
   content: "\e735";
.ti-layout-sidebar-2:before {
   content: "\e736";
.ti-layout-grid4-alt:before {
   content: "\e737";
.ti-layout-grid3-alt:before {
   content: "\e738";
```

```
.ti-layout-grid2-alt:before {
   content: "\e739";
.ti-layout-column4-alt:before {
   content: "\e73a";
.ti-layout-column3-alt:before {
   content: "\e73b";
.ti-layout-column2-alt:before {
   content: "\e73c";
.ti-instagram:before {
   content: "\e73d";
.ti-google:before {
   content: "\e73e";
.ti-github:before {
   content: "\e73f";
.ti-flickr:before {
   content: "\e740";
.ti-facebook:before {
   content: "\e741";
.ti-dropbox:before {
   content: "\e742";
.ti-dribbble:before {
   content: "\e743";
.ti-apple:before {
   content: "\e744";
.ti-android:before {
   content: "\e745";
.ti-save:before {
   content: "\e746";
.ti-save-alt:before {
   content: "\e747";
.ti-yahoo:before {
   content: "\e748";
```

```
.ti-wordpress:before {
    content: "\e749";
.ti-vimeo-alt:before {
    content: "\e74a";
.ti-twitter-alt:before {
    content: "\e74b";
.ti-tumblr-alt:before {
    content: "\e74c";
.ti-trello:before {
    content: "\e74d";
.ti-stack-overflow:before {
   content: "\e74e";
.ti-soundcloud:before {
   content: "\e74f";
.ti-sharethis:before {
   content: "\e750";
.ti-sharethis-alt:before {
   content: "\e751";
.ti-reddit:before {
    content: "\e752";
.ti-pinterest-alt:before {
   content: "\e753";
.ti-microsoft-alt:before {
    content: "\e754";
.ti-linux:before {
    content: "\e755";
.ti-jsfiddle:before {
   content: "\e756";
.ti-joomla:before {
    content: "\e757";
.ti-html5:before {
    content: "\e758";
.ti-flickr-alt:before {
```

```
content: "\e759";
}
.ti-email:before {
    content: "\e75a";
}
.ti-drupal:before {
    content: "\e75b";
}
.ti-dropbox-alt:before {
    content: "\e75c";
}
.ti-css3:before {
    content: "\e75d";
}
.ti-rss:before {
    content: "\e75e";
}
.ti-rss-alt:before {
    content: "\e75f";
}
```

Style.css

```
@import url("https://fonts.googleapis.com/css?family=Oswald:400,500,600");
@import url("https://fonts.googleapis.com/css?family=Roboto:400,500");
:root{
    --bronze:rgb(194, 134, 84);
    --black:black;
    --green:green;
    --blue:blue;
    --red:red;
body {
    color: #777;
    font-family: "Roboto", sans-serif;
    font-size: 15px;
    font-weight: 400;
    line-height: 1.667;
ul {
   list-style-type: none;
```

```
margin: 0;
    padding: 0
a:hover {
   text-decoration: none;
button {
    cursor: pointer;
button:focus {
    outline: 0;
    box-shadow: none;
h1,
.h1 {
    font-size: 50px;
    font-weight: 700
h2,
.h2 {
    font-size: 36px;
    font-weight: 600
h3,
.h3 {
    font-size: 26px;
    font-weight: 600
@media (min-width: 600px) {
    h3,
    .h3 {
       font-size: 36px
h4,
.h4 {
    font-size: 20px;
    font-weight: 400;
    line-height: 1.3
```

```
display: inline-block;
    color: #384aeb;
i{
      color: #384aeb;
.fixed {
    background: #fff;
    position: fixed !important;
    top: 0;
    left: 0;
    width: 100% !important
.sectionbreak{
    margin: 50px 0;
    height: 100px;
.owl-carousel .owl-stage {
.section-margin {
    margin: 45px 0
@media (min-width: 980px) {
    .section-margin {
        margin: 70px 0
@media (min-width: 1100px) {
    .section-margin {
        margin: 120px 0
    .section-margin.calc-60px {
        margin: 120px 0 70px 0
.section-margin--small {
    margin: 35px 0
@media (min-width: 1000px) {
    .section-margin--small {
        margin: 98px 0
```

```
.section-padding {
    padding: 60px 0
@media (min-width: 1000px) {
    .section-padding {
        padding: 130px 0
.pb-60px {
    padding-bottom: 60px
.pt-60px {
    padding-top: 60px
.ml-40 {
   margin-left: 40px
.header_area {
    position: relative;
   width: 100%;
   z-index: 9999;
    transition: all 0.3s linear;
    box-shadow: 0px 10px 27px 3px rgba(0, 0, 0, 0.226)
.header_area .navbar {
    background: transparent;
    padding: 0px;
    border: 0px;
.header_area .navbar .nav .nav-item {
   margin-right: 45px
.header_area .navbar .nav .nav-item .nav-link {
    text-transform: capitalize;
    color: #222;
    display: inline-block
```

```
@media (min-width: 991px) {
        .header_area .navbar .nav .nav-item .nav-link {
            padding: 32px 0px
      }
}
```

```
.header area .navbar .nav .nav-item .nav-link:after {
    display: none
.header area .navbar .nav .nav-item:hover .nav-link,
.header_area .navbar .nav .nav-item.active .nav-link {
    color: #384aeb
.header_area .navbar .nav .nav-item.submenu {
    position: relative
.header area .navbar .nav .nav-item.submenu ul {
    border: none;
    padding: 0px;
    border-radius: 0px;
    box-shadow: none;
    margin: 0px;
    background: #fff;
@media (min-width: 992px) {
    .header_area .navbar .nav .nav-item.submenu ul {
        position: absolute;
        top: 120%;
        left: 0px;
        min-width: 200px;
        text-align: left;
        opacity: 0;
        transition: all 300ms ease-in;
        visibility: hidden;
        display: block;
        border: none;
        padding: 0px;
        border-radius: 0px
.header_area .navbar .nav .nav-item.submenu ul:before {
   content: "";
```

```
width: 0;
    height: 0;
    border-style: solid;
    border-width: 10px 10px 0 10px;
    border-color: #eeeeee transparent transparent;
    position: absolute;
    right: 24px;
    top: 45px;
    z-index: 3;
    opacity: 0;
    transition: all 400ms linear
.header_area .navbar .nav .nav-item.submenu ul .nav-item {
    display: block;
    float: none;
    margin-right: 0px;
    border-bottom: 1px solid #ededed;
    margin-left: 0px;
    transition: all 0.4s linear
.header_area .navbar .nav .nav-item.submenu ul .nav-item .nav-link {
    line-height: 45px;
    color: #222;
    padding: 0px 30px;
    transition: all 150ms linear;
    display: block;
    margin-right: 0px
.header_area .navbar .nav .nav-item.submenu ul .nav-item:last-child {
    border-bottom: none
.header_area .navbar .nav .nav-item.submenu ul .nav-item:hover .nav-link {
    background: #384aeb;
    color: #fff
@media (min-width: 992px) {
    .header_area .navbar .nav .nav-item.submenu:hover ul {
        visibility: visible;
       opacity: 1;
       top: 100%
header_area .navbar .nav .nav-item.submenu:hover ul .nav-item {
```

```
margin-top: 0px
.header_area .navbar .nav .nav-item:last-child {
    margin-right: 0px
.header_area .navbar .search {
    font-size: 12px;
    line-height: 60px;
    display: inline-block;
    color: #222
.header_area .navbar .search i {
    font-weight: 600
.header_area .navbar_fixed .main_menu {
    position: fixed;
    width: 100%;
    top: 0;
    left: 0;
    right: 0;
    background: #ffffff;
    -webkit-transform: translateY(70px);
    -moz-transform: translateY(70px);
    -ms-transform: translateY(70px);
    -o-transform: translateY(70px);
    transform: translateY(70px);
    -webkit-transition: all 0.3s ease 0s;
    -moz-transition: all 0.3s ease 0s;
    -o-transition: all 0.3s ease 0s;
    transition: all 0.3s ease 0s;
    box-shadow: 0px 3px 16px 0px rgba(0, 0, 0, 0.1)
.header_area.navbar_fixed .main_menu .navbar .nav .nav-item .nav-link {
    line-height: 70px
#search input box {
    text-align: center;
    padding: 5px 20px
#search_input_box .form-control {
    padding-left: 0;
    background: transparent;
```

```
border: 0;
    color: #ffffff;
    font-weight: 600;
    font-size: 18px
#search_input_box .form-control:focus {
    box-shadow: none;
    outline: none
#search_input_box input.placeholder {
    color: #ffffff;
    font-size: 16px
#search_input_box input:-moz-placeholder {
    color: #ffffff;
    font-size: 16px
#search_input_box input::-moz-placeholder {
    color: #ffffff;
    font-size: 16px
#search_input_box input::-webkit-input-placeholder {
    color: #ffffff;
    font-size: 16px
#search_input_box .btn {
    width: 0;
    height: 0;
    padding: 0;
    border: 0
#search_input_box .lnr-cross {
    color: #fff;
    font-weight: 600;
    cursor: pointer;
    padding: 10px 0
```

```
.header-top {
   background: #000000
```

```
@media (max-width: 991px) {
    .header-top {
        display: none
.header-top a {
    color: #fff
.header-top ul li {
    display: inline-block;
    margin-left: 15px
.header-top .header-top-left a {
    margin-right: 60px;
    font-weight: 600
.header-top .header-top-left a .text {
    margin-top: -2px
.header-top .header-top-left a .text span {
    font-size: 14px;
    color: #ffffff
.header-top .header-top-left a .lnr {
    color: #ffffff;
    margin-right: 8px
@media (max-width: 767px) {
    .header-top .header-top-left .text {
        display: none
.header-top .header-top-right {
    text-align: right
.header-top .header-top-right a {
    padding: 0 20px;
    height: 40px;
```

```
display: inline-block;
    line-height: 40px;
    font-size: 14px;
    font-weight: 600;
    font-family: "Oswald", sans-serif;
    background: transparent;
    -webkit-transition: all 0.3s ease 0s;
    -moz-transition: all 0.3s ease 0s;
    -o-transition: all 0.3s ease 0s;
    transition: all 0.3s ease 0s
.nav-shop li {
    display: inline-block;
    margin-right: 15px
.nav-shop li i,
.nav-shop li span {
    font-size: 16px;
    color: #222
.nav-shop li button {
    padding: 0;
    border: 0;
    background: transparent;
    position: relative
@media (max-width: 1619px) {
    .header_area .navbar .search {
        margin-left: 40px
@media (max-width: 1199px) {
    .header_area .navbar .nav .nav-item {
        margin-right: 28px
    .home_banner_area .banner_inner {
        padding: 100px 0px
    .header_area .navbar .tickets_btn {
        margin-left: 40px
@media (max-width: 991px) {
```

```
.navbar-toggler {
   border: none;
   border-radius: 0px;
   padding: 0px;
   cursor: pointer;
   margin-top: 27px;
   margin-bottom: 23px
.header_area .navbar {
   background: #ffffff
.navbar-toggler[aria-expanded="false"] span:nth-child(2) {
   opacity: 1
.navbar-toggler[aria-expanded="true"] span:nth-child(2) {
   opacity: 0
.navbar-toggler[aria-expanded="true"] span:first-child {
   transform: rotate(-45deg);
   position: relative;
   top: 7.5px
.navbar-toggler[aria-expanded="true"] span:last-child {
   transform: rotate(45deg);
   bottom: 6px;
   position: relative
.navbar-toggler span {
   display: block;
   width: 25px;
   height: 3px;
   background: #384aeb;
   margin: auto;
   margin-bottom: 4px;
   transition: all 400ms linear;
   cursor: pointer
.navbar .container {
   padding-left: 15px;
   padding-right: 15px
.nav {
   padding: 0px 0px
.header area+section,
.header area+row,
.header_area+div {
   margin-top: 117px
```

```
.header_top .nav {
   padding: 0px
.header_area .navbar .nav .nav-item .nav-link {
   line-height: 30px;
   margin-right: 0px;
   display: block;
   border-bottom: 1px solid #ededed33;
   border-radius: 0px
.header_area .navbar .nav-shop {
   padding-bottom: 40px
.header_area .navbar .search {
   margin-left: 0px
.header_area .navbar-collapse {
   max-height: 340px;
   overflow-y: scroll
.header_area .navbar .nav .nav-item.submenu ul .nav-item .nav-link {
   padding: 0px 15px
.header_area .navbar .nav .nav-item {
   margin-right: 0px
.header_area+section,
.header_area+row,
.header area+div {
   margin-top: 0px;
   padding-top: 71px
.header_area.navbar_fixed .main_menu .navbar .nav .nav-item .nav-link {
   line-height: 40px
.categories_post img {
   width: 100%
.categories_post {
   max-width: 360px;
   margin: 0 auto
.blog_categorie_area .col-lg-4 {
   margin-top: 30px
.blog_area {
   padding-bottom: 80px
.single-post-area .blog right sidebar {
```

```
margin-top: 30px
    .contact_info {
       margin-bottom: 50px
    .home_banner_area .donation_inner {
       margin-bottom: -30px
    .home_banner_area .dontation_item {
       max-width: 350px;
       margin: auto
    .footer-area .col-sm-6 {
       margin-bottom: 30px
    }
    .header_area .navbar .tickets_btn {
       margin-left: 0px
    .home_banner_area {
       min-height: 700px
    }
@media (max-width: 767px) {
    .home_banner_area {
       min-height: 500px
    .home_banner_area .banner_inner {
       min-height: 500px
    .home_banner_area .banner_inner .banner_content {
       margin-top: 0px
    .blog_banner .banner_inner .blog_b_text h2 {
        font-size: 40px;
       line-height: 50px
    .blog_info.text-right {
        text-align: left !important;
       margin-bottom: 10px
    .home_banner_area .banner_inner .banner_content h3 {
        font-size: 30px
    .home_banner_area .banner_inner .banner_content p br {
        display: none
    .home_banner_area .banner_inner .banner_content h3 span {
        line-height: 45px;
```

```
padding-bottom: 0px;
        padding-top: 0px
    .footer-bottom {
       text-align: center
    .footer-bottom .footer-social {
        text-align: center;
       margin-top: 15px
@media (max-width: 575px) {
    .top_menu {
       display: none
    .header_area+section,
    .header_area+row,
    .header_area+div {
       margin-top: 0px;
       padding-top: 71px
    .home_banner_area .banner_inner .banner_content h2 {
        font-size: 40px;
        line-height: 44px
    .home_banner_area {
       min-height: 500px
    .home_banner_area .banner_inner {
       min-height: 500px
    .blog_banner .banner_inner .blog_b_text {
       margin-top: 0px
    .home_banner_area .banner_inner .banner_content img {
        display: none
    .home_banner_area .banner_inner .banner_content h5 {
       margin-top: 0px
    .sample-text-area {
        padding: 70px 0 70px 0
    .generic-blockquote {
       padding: 30px 15px 30px 30px
    .blog_details h2 {
        font-size: 20px;
```

```
line-height: 30px
}
.blog_banner .banner_inner .blog_b_text h2 {
    font-size: 28px;
    line-height: 38px
}
.footer-area {
    padding: 70px 0px
}
.single-footer-widget .sub-btn {
    right: 0px;
}
```

```
@media (max-width: 480px) {
    .header_area .navbar-collapse {
       max-height: 250px
    .home_banner_area .banner_inner .banner_content {
        margin-top: 0px
    .home_banner_area .banner_inner .banner_content h3 {
        font-size: 24px
    .banner_area .banner_inner .banner_content h2 {
        font-size: 32px
    .comments-area .thumb {
       margin-right: 10px
.section-intro p {
    margin-bottom: 3px
.section-intro__style {
    border-bottom: 2px solid #384aeb;
    padding-bottom: 8px
.hero-banner {
    background: #F1F6F7;
    position: relative;
    margin-bottom: 10px
```

```
@media (min-width: 991px) {
    .hero-banner {
        z-index: 111
.hero-banner::before {
    content: "";
    display: block;
    width: 5%;
    height: 100%;
    background: #384aeb;
    position: absolute;
    top: 0;
    left: 0
@media (min-width: 575px) {
    .hero-banner::before {
        width: 20%
@media (min-width: 991px) {
    .hero-banner::before {
        width: 35%
.hero-banner__img {
    position: relative;
    top: 1px
@media (max-width: 575px) {
    .hero-banner__content {
        padding-bottom: 50px
@media (min-width: 1000px) {
    .hero-banner__content {
        max-width: 495px
.hero-banner__content h4 {
    font-size: 30px;
    font-family: "Roboto", sans-serif;
```

```
color: #555555;
    margin-bottom: 12px
.hero-banner__content h1 {
   font-family: "Roboto", sans-serif;
    font-size: 25px;
    text-transform: uppercase;
    font-weight: 700;
    margin-bottom: 10px
@media (min-width: 767px) {
    .hero-banner__content h1 {
       font-size: 30px;
       margin-bottom: 25px
@media (min-width: 991px) {
    .hero-banner__content h1 {
        font-size: 50px
.hero-banner__content p {
    margin-bottom: 10px
@media (min-width: 767px) {
    .hero-banner__content p {
       margin-bottom: 40px
.hero-carousel slide {
    position: relative
.hero-carousel__slide::after {
    content: "";
    display: block;
    position: absolute;
    bottom: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background: rgba(255, 255, 255, 0.8);
    transform: translateY(50px);
    opacity: 0;
```

```
transition: all .4s ease
.hero-carousel__slideOverlay {
   position: absolute;
   bottom: 50px;
   background: #384aeb;
   padding: 23px 90px 23px 25px;
   transform: translateY(50px);
   opacity: 0;
   z-index: -1;
   transition: all .4s ease-in-out
.hero-carousel__slideOverlay h3 {
   font-size: 20px;
   font-weight: 400;
   color: #fff
.hero-carousel__slideOverlay p {
   color: #fff;
   margin: 0
.hero-carousel slide:hover::after {
   transform: translateY(0);
   opacity: 1
.hero-carousel__slide:hover .hero-carousel__slideOverlay {
   transform: translateY(0);
   opacity: 1;
   z-index: 2
.card-product {
   border: 0;
   margin-bottom: 30px
.card-product p {
   margin-bottom: 0
.card-product__img {
   position: relative
.card-img{
   max-width: 90% !important;
```

```
.card-product__imgOverlay {
   background: rgba(255, 255, 255, 0.5);
   position: absolute;
   bottom: 0;
   left: 0;
   width: 100%;
   padding: 30px 5px;
   transform: translateY(30px);
   opacity: 0;
   z-index: -1;
   transition: all .48s ease
.card-product__imgOverlay li {
   display: inline-block
.card-product__imgOverlay li button {
   border: 0;
   border-radius: 0;
   padding: 7px 12px;
   background: #8894ff
.card-product__imgOverlay li button i,
.card-product__imgOverlay li button span {
   font-size: 15px;
   color: #fff;
   vertical-align: middle
.card-product__imgOverlay li button:hover {
   background: #384aeb
.card-product__imgOverlay li:not(:last-child) {
   margin-right: 5px
.card-product__title a {
   color: #222
.card-product price {
   font-size: 18px;
   font-weight: 500
```

```
.card-product:hover .card-product__imgOverlay {
    opacity: 1;
    z-index: 1;
    transform: translateY(0)
.card-product:hover .card-product__title a {
    color: #384aeb
.bojaicon{
    color: red !important;
    font-size: 16px;
/* ---Page_change---- */
#page_change ul li a {
    width: 35px;
    height: 35px;
    letter-spacing: 2px;
    border-radius: 10px;
    padding: 4px;
    color: white;
    background-color: #8b91c9;
    text-align: center;
#page_change ul li a:hover{
    transition: ease-in-out .5s;
    border: 1px solid #384aeb;
    background-color: white;
    color: black
#page_change ul li{
    margin: 0 5px;
    cursor: pointer;
.activenum{
    background-color: #384aeb !important;
.shopnow img{
        max-width: 70%;
        margin: 0px auto;
        .shopnow-desc{
        text-align: center;
```

```
.shopnow-desc h4 {
    font-size: 30px;
    font-family: "Roboto", sans-serif;
    color: #555555;
    margin-bottom: 12px
.shopnow-desc h1 {
    font-family: "Roboto", sans-serif;
    font-size: 25px;
    text-transform: uppercase;
    font-weight: 700;
    margin-bottom: 10px
@media only screen and (min-width: 992px) {
    .shopnow-desc h1 {
        font-size: 50px
@media only screen and (min-width: 768px) {
    .shopnow-desc h1 {
        font-size: 30px;
        margin-bottom: 25px
 .ul-check{
     margin:18px;
.ul-check li {
    padding: 10px;
    margin-bottom: 15px;
     line-height: 1.5;
.ul-check i{
        color:#384aeb;
        font-size: 15px;
        padding-right: 7px;
 @media only screen and (min-width: 992px) {
    .ul-check{
        margin:8px;
/*end*/
.card-blog {
    border: 0
```

```
.card-blog .card-body {
   padding: 25px 25px 25px 0
.card-blog__info {
   margin-bottom: 12px
.card-blog__info li {
   display: inline-block;
   font-size: 14px;
   color: #999999
.card-blog__info li a {
   color: #999999
.card-blog__info li i,
.card-blog__info li span {
   margin-right: 5px;
   vertical-align: middle
.card-blog__info li:not(:last-child) {
   margin-right: 20px
.card-blog__title {
   font-size: 20px;
   margin-bottom: 20px
.card-blog title a {
   color: #222
.card-blog__link {
   font-weight: 500;
   color: #222
.card-blog__link span {
   font-size: 13px;
   padding-left: 3px;
   display: inline-block;
   transition: all .5s ease
```

.card-blog:hover .card-blog__title a { color: #384aeb .card-blog:hover .card-blog__link { color: #384aeb .card-blog:hover .card-blog_link span { padding-left: 10px .button { display: inline-block; border: 1px solid #384aeb; border-radius: 30px; color: #222; font-weight: 500; padding: 12px 50px; background: #384aeb; color: #fff; transition: all .4s ease @media (max-width: 767px) { .button { padding: 8px 25px !important .button-blog {

```
padding: 5px 31px;
   font-size: 14px;
   background: #f9f9ff;
   border-color: #EEEEEE;
   border-radius: 0;
   color: #222
.button-blog:hover {
   background: #384aeb !important;
   color: #fff !important
.button-postComment {
   border-radius: 4px;
   font-size: 14px;
                                      140
```

```
margin-top: 5px
.button-contact {
   border-radius: 0;
   padding: 12px 26px
.button-tracking {
   font-size: 14px;
   padding: 8px 42px
.button-login {
   font-size: 15px;
   padding: 7px 44px
.button-coupon {
   font-size: 15px;
   padding: 6px 45px
.button-paypal {
   width: 100%;
   padding: 8px 30px
.button-account {
   padding: 7px 42px;
   background: transparent;
   border-color: #fff
.button-account:hover {
   border-color: #fff !important
.button-header {
   padding: 10px 45px;
   background: transparent;
   color: #222;
   border-color: #EEEEEE
.button-hero {
   padding: 12px 41px
```

```
.button--active {
    background: #384aeb;
    color: #fff
.button-contactForm {
    border: 1px solid #384aeb !important;
    border-radius: 0;
    padding: 11px 26px
.button-review {
    padding: 12px 40px;
    border-radius: 30px
.button:hover {
    border-color: #384aeb;
    background: transparent;
    color: #222
.button-register {
   font-size: 14px;
    border: 0;
   border-radius: 0;
    padding: 9px 15px;
   text-transform: uppercase;
    background: #c5322d
.button-register:hover {
    background: #c5322d;
    opacity: .7;
    color: #fff
.blog-banner {
    position: relative
.blog-banner h4,
.blog-banner h1,
.blog-banner a {
    text-transform: capitalize;
    color: #fff
blog-banner h4 {
```

```
font-size: 18px;
    margin-bottom: 15px
.blog-banner h1 {
    font-size: 30px;
    margin-bottom: 10px;
    color: #222
@media (min-width: 992px) {
    .blog-banner h1 {
        font-size: 36px
.blog-banner-area {
    height: 280px;
    position: relative;
    z-index: 1
@media (min-width: 1000px) {
    .blog-banner-area {
        height: 410px
.blog-banner-area .blog-banner {
    position: absolute;
    top: 50%;
    left: 50%;
    width: 100%;
    transform: translate(-50%, -50%)
.blog-banner-area::after {
    content: "";
    display: block;
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background: #f1f6f7;
    z-index: -1
 blog-banner-btn {
```

```
border: 2px solid #384aeb;
   padding: 10px 45px
.blog-banner-btn:hover {
   background: #384aeb;
   color: #fff
.banner-breadcrumb {
   display: inline-block
.banner-breadcrumb .breadcrumb {
   background: transparent;
   padding: 0
.banner-breadcrumb .breadcrumb-item {
   padding: .1rem
.banner-breadcrumb .breadcrumb-item a {
   text-transform: capitalize;
   color: #777777
.banner-breadcrumb .breadcrumb-item+.breadcrumb-item::before {
   color: #777777;
   padding-right: .1rem;
   content: "-"
.banner-breadcrumb .breadcrumb-item.active {
   color: #777777
.l_blog_item .l_blog_text .date {
   margin-top: 24px;
   margin-bottom: 15px
.l_blog_item .l_blog_text .date a {
   font-size: 12px
.l_blog_item .l_blog_text h4 {
   font-size: 18px;
   color: #222;
```

```
border-bottom: 1px solid #eeeeee;
   margin-bottom: 0px;
   padding-bottom: 20px;
   -webkit-transition: all 0.3s ease 0s;
   -moz-transition: all 0.3s ease 0s;
   -o-transition: all 0.3s ease 0s;
   transition: all 0.3s ease 0s
.l_blog_item .l_blog_text h4:hover {
   color: #384aeb
.l_blog_item .l_blog_text p {
   margin-bottom: 0px;
   padding-top: 20px
.causes_slider .owl-dots {
   text-align: center;
   margin-top: 80px
.causes_slider .owl-dots .owl-dot {
   height: 14px;
   width: 14px;
   background: #eeeeee;
   display: inline-block;
   margin-right: 7px
.causes_slider .owl-dots .owl-dot:last-child {
   margin-right: 0px
.causes_slider .owl-dots .owl-dot.active {
   background: #384aeb
.causes_item {
   background: #fff
.causes_item .causes_img {
   position: relative
.causes_item .causes_img .c_parcent {
   position: absolute;
```

```
bottom: 0px;
   width: 100%;
   left: 0px;
   height: 3px;
   background: rgba(255, 255, 255, 0.5)
.causes_item .causes_img .c_parcent span {
   width: 70%;
   height: 3px;
   background: #384aeb;
   position: absolute;
   left: 0px;
   bottom: 0px
.causes_item .causes_img .c_parcent span:before {
   content: "75%";
   position: absolute;
   right: -10px;
   bottom: 0px;
   background: #384aeb;
   color: #fff;
   padding: 0px 5px
.causes_item .causes_text {
   padding: 30px 35px 40px 30px
.causes_item .causes_text h4 {
   color: #222;
   font-size: 18px;
   font-weight: 600;
   margin-bottom: 15px;
   cursor: pointer
.causes_item .causes_text h4:hover {
   color: #384aeb
.causes_item .causes_text p {
   font-size: 14px;
   line-height: 24px;
   font-weight: 300;
   margin-bottom: 0px
```

```
.causes_item .causes_bottom a {
   width: 50%;
   border: 1px solid #384aeb;
   text-align: center;
   float: left;
   line-height: 50px;
   background: #384aeb;
   color: #fff;
   font-size: 14px;
   font-weight: 500
.causes_item .causes_bottom a+a {
   border-color: #eeeeee;
   background: #fff;
   font-size: 14px;
   color: #222
.latest_blog_area {
   background: #f9f9ff
.single-recent-blog-post {
   margin-bottom: 30px
.single-recent-blog-post .thumb {
   overflow: hidden
.single-recent-blog-post .thumb img {
   transition: all 0.7s linear
.single-recent-blog-post .details {
   padding-top: 30px
.single-recent-blog-post .details .sec_h4 {
   line-height: 24px;
   padding: 10px 0px 13px;
   transition: all 0.3s linear
.single-recent-blog-post .date {
   font-size: 14px;
   line-height: 24px;
   font-weight: 400
```

```
.single-recent-blog-post:hover img {
    transform: scale(1.23) rotate(10deg)
.tags .tag_btn {
    font-size: 12px;
    font-weight: 500;
    line-height: 20px;
    border: 1px solid #eeeeee;
    display: inline-block;
    padding: 1px 18px;
    text-align: center;
    color: #222
.tags .tag_btn:before {
    background: #384aeb
.tags .tag_btn+.tag_btn {
    margin-left: 2px
.blog_categorie_area {
    padding-top: 30px;
    padding-bottom: 30px
@media (min-width: 900px) {
    .blog_categorie_area {
        padding-top: 80px;
        padding-bottom: 80px
@media (min-width: 1100px) {
    .blog_categorie_area {
        padding-top: 120px;
        padding-bottom: 120px
.categories post {
    position: relative;
    text-align: center;
    cursor: pointer
```

```
.categories_post img {
   max-width: 100%
.categories_post .categories_details {
   position: absolute;
   top: 20px;
   left: 20px;
   right: 20px;
   bottom: 20px;
   background: rgba(34, 34, 34, 0.75);
   color: #fff;
   transition: all 0.3s linear;
   display: flex;
   align-items: center;
   justify-content: center
.categories_post .categories_details h5 {
   margin-bottom: 0px;
   font-size: 18px;
   line-height: 26px;
   text-transform: uppercase;
   color: #fff;
   position: relative
.categories_post .categories_details p {
   font-weight: 300;
   font-size: 14px;
   line-height: 26px;
   margin-bottom: 0px
.categories_post .categories_details .border_line {
   margin: 10px 0px;
   background: #fff;
   width: 100%;
   height: 1px
.categories_post:hover .categories_details {
   background: rgba(56, 74, 235, 0.85)
.blog_item {
   margin-bottom: 40px
```

```
.blog_info {
   padding-top: 30px
.blog_info .post_tag {
   padding-bottom: 20px
.blog_info .post_tag a {
   color: #222;
   font-size: 14px
.blog_info .post_tag a.active {
   color: #384aeb
.blog_info .blog_meta li a {
   color: #777777;
   vertical-align: middle;
   padding-bottom: 10px;
   display: inline-block;
   font-size: 14px
.blog_info .blog_meta li a i {
   color: #222;
   font-size: 16px;
   font-weight: 600;
   padding-left: 15px;
   line-height: 20px;
   vertical-align: middle
.blog_info .blog_meta li a:hover {
   color: #384aeb
.blog_post img {
   max-width: 100%
```

```
.blog_details {
    padding-top: 20px
}
.blog_details h2 {
```

```
font-size: 24px;
   line-height: 36px;
   color: #222;
   font-weight: 600;
   transition: all 0.3s linear
.blog_details h2:hover {
   color: #384aeb
.blog_details p {
   margin-bottom: 26px
.view_btn {
   font-size: 14px;
   line-height: 36px;
   display: inline-block;
   color: #222;
   font-weight: 500;
   padding: 0px 30px;
   background: #fff
.blog_right_sidebar {
   border: 1px solid #eeeeee;
   background: #fafaff;
   padding: 30px
.blog_right_sidebar .widget_title {
   font-size: 18px;
   line-height: 25px;
   background: #384aeb;
   text-align: center;
   color: #fff;
   padding: 8px 0px;
   margin-bottom: 30px
.blog_right_sidebar .search_widget .input-group .form-control {
   font-size: 14px;
   line-height: 29px;
   border: 0px;
   width: 100%;
   font-weight: 300;
   color: #fff;
   padding-left: 20px;
```

```
border-radius: 45px;
    z-index: 0;
    background: #384aeb
.blog_right_sidebar .search_widget .input-group .form-control.placeholder {
    color: #fff
.blog_right_sidebar .search_widget .input-group .form-control:-moz-
placeholder {
    color: #fff
.blog_right_sidebar .search_widget .input-group .form-control::-moz-
placeholder {
    color: #fff
.blog_right_sidebar .search_widget .input-group .form-control::-webkit-input-
placeholder {
    color: #fff
.blog_right_sidebar .search_widget .input-group .form-control:focus {
    box-shadow: none
.blog right sidebar .search widget .input-group .btn-default {
    position: absolute;
    right: 20px;
    background: transparent;
    border: 0px;
    box-shadow: none;
    font-size: 14px;
    color: #fff;
    padding: 0px;
    top: 50%;
    transform: translateY(-50%);
    z-index: 1
.blog_right_sidebar .author_widget {
    text-align: center
.blog_right_sidebar .author_widget h4 {
    font-size: 18px;
    line-height: 20px;
```

```
color: #222;
   margin-bottom: 5px;
   margin-top: 30px
.blog_right_sidebar .author_widget p {
   margin-bottom: 0px
.blog_right_sidebar .author_widget .social_icon {
   padding: 7px 0px 15px
.blog_right_sidebar .author_widget .social_icon a {
   font-size: 14px;
   color: #222;
   transition: all 0.2s linear
.blog_right_sidebar .author_widget .social_icon a+a {
   margin-left: 20px
.blog_right_sidebar .author_widget .social_icon a:hover {
   color: #384aeb
.blog_right_sidebar .popular_post_widget .post_item .media-body {
   justify-content: center;
   align-self: center;
   padding-left: 20px
.blog_right_sidebar .popular_post_widget .post_item .media-body h3 {
   font-size: 14px;
   line-height: 20px;
   color: #222;
   margin-bottom: 4px;
   transition: all 0.3s linear
.blog_right_sidebar .popular_post_widget .post_item .media-body h3:hover {
   color: #384aeb
.blog right_sidebar .popular_post_widget .post_item .media-body p {
   font-size: 12px;
   line-height: 21px;
   margin-bottom: 0px
```

```
.blog_right_sidebar .popular_post_widget .post_item+.post_item {
   margin-top: 20px
.blog_right_sidebar .post_category_widget .cat-list li {
   border-bottom: 2px dotted #eee;
   transition: all 0.3s ease 0s;
   padding-bottom: 12px
.blog_right_sidebar .post_category_widget .cat-list li a {
   font-size: 14px;
   line-height: 20px;
   color: #777
.blog_right_sidebar .post_category_widget .cat-list li a p {
   margin-bottom: 0px
.blog_right_sidebar .post_category_widget .cat-list li+li {
   padding-top: 15px
.blog_right_sidebar .post_category_widget .cat-list li:hover {
   border-color: #384aeb
.blog_right_sidebar .post_category_widget .cat-list li:hover a {
   color: #384aeb
.blog right sidebar .newsletter widget {
   text-align: center
.blog_right_sidebar .newsletter_widget .form-group {
   margin-bottom: 8px
.blog_right_sidebar .newsletter_widget .input-group-prepend {
   margin-right: -1px
.blog_right_sidebar .newsletter_widget .input-group-text {
   background: #fff;
   border-radius: 0px;
```

```
vertical-align: top;
   font-size: 12px;
   line-height: 36px;
   padding: 0px 0px 0px 15px;
   border: 1px solid #eeeeee;
   border-right: 0px
.blog_right_sidebar .newsletter_widget .input-group-text i {
   color: #ccccc
.blog_right_sidebar .newsletter_widget .form-control {
   font-size: 12px;
   line-height: 24px;
   color: #ccccc;
   border: 1px solid #eeeeee;
   border-left: 0px;
   border-radius: 0px
.blog_right_sidebar .newsletter_widget .form-control.placeholder {
   color: #ccccc
.blog right sidebar .newsletter widget .form-control:-moz-placeholder {
   color: #ccccc
.blog_right_sidebar .newsletter_widget .form-control::-moz-placeholder {
   color: #ccccc
.blog_right_sidebar .newsletter_widget .form-control::-webkit-input-
placeholder {
   color: #ccccc
.blog_right_sidebar .newsletter_widget .form-control:focus {
   outline: none;
   box-shadow: none
.blog_right_sidebar .newsletter_widget .bbtns {
   background: #384aeb;
   color: #fff;
   font-size: 12px;
   line-height: 38px;
   display: inline-block;
```

```
font-weight: 500;
   padding: 0px 24px 0px 24px;
   border-radius: 0
.blog_right_sidebar .newsletter_widget .text-bottom {
   font-size: 12px
.blog_right_sidebar .tag_cloud_widget ul li {
   display: inline-block
.blog_right_sidebar .tag_cloud_widget ul li a {
   display: inline-block;
   border: 1px solid #eee;
   background: #fff;
   padding: 0px 13px;
   margin-bottom: 8px;
   transition: all 0.3s ease 0s;
   color: #222;
   font-size: 12px
.blog_right_sidebar .tag_cloud_widget ul li a:hover {
   background: #384aeb;
   color: #fff
.blog_right_sidebar .br {
   width: 100%;
   height: 1px;
   background: #eee;
   margin: 30px 0px
.blog-pagination {
   padding-top: 25px;
   padding-bottom: 95px
.blog-pagination .page-link {
   border-radius: 0
.blog-pagination .page-item {
   border: none
```

```
.page-link {
   background: transparent;
   font-weight: 400
.blog-pagination .page-item.active .page-link {
   background-color: #384aeb;
   border-color: transparent;
   color: #fff
.blog-pagination .page-link {
   position: relative;
   display: block;
   padding: 0.5rem 0.75rem;
   margin-left: -1px;
   line-height: 1.25;
   color: #8a8a8a;
   border: none
.blog-pagination .page-link .lnr {
   font-weight: 600
.blog-pagination .page-item:last-child .page-link,
.blog-pagination .page-item:first-child .page-link {
   border-radius: 0
.blog-pagination .page-link:hover {
   color: #fff;
   text-decoration: none;
   background-color: #384aeb;
   border-color: #eee
.single-post-area .social-links {
   padding-top: 10px
.single-post-area .social-links li {
   display: inline-block;
   margin-bottom: 10px
.single-post-area .social-links li a {
   color: #ccccc;
   padding: 7px;
```

```
font-size: 14px;
   transition: all 0.2s linear
.single-post-area .social-links li a:hover {
   color: #222
.single-post-area .blog_details {
   padding-top: 26px
.single-post-area .blog_details p {
   margin-bottom: 10px
.single-post-area .quotes {
   margin-top: 20px;
   margin-bottom: 30px;
   padding: 24px 35px 24px 30px;
   background-color: #fff;
   box-shadow: -20.84px 21.58px 30px 0px rgba(176, 176, 0.1);
   font-size: 14px;
   line-height: 24px;
   color: #777;
   font-style: italic
.single-post-area .arrow {
   position: absolute
.single-post-area .arrow .lnr {
   font-size: 20px;
   font-weight: 600
.single-post-area .thumb .overlay-bg {
   background: rgba(0, 0, 0, 0.8)
.single-post-area .navigation-area {
   border-top: 1px solid #eee;
   padding-top: 30px;
   margin-top: 60px
.single-post-area .navigation-area p {
   margin-bottom: 0px
```

```
.single-post-area .navigation-area h4 {
    font-size: 18px;
    line-height: 25px;
    color: #222
.single-post-area .navigation-area .nav-left {
    text-align: left
.single-post-area .navigation-area .nav-left .thumb {
    margin-right: 20px;
    background: #000
.single-post-area .navigation-area .nav-left .thumb img {
    -webkit-transition: all 0.3s ease 0s;
    -moz-transition: all 0.3s ease 0s;
    -o-transition: all 0.3s ease 0s;
    transition: all 0.3s ease 0s
.single-post-area .navigation-area .nav-left .lnr {
    margin-left: 20px;
    opacity: 0;
    -webkit-transition: all 0.3s ease 0s;
    -moz-transition: all 0.3s ease 0s;
    -o-transition: all 0.3s ease 0s;
    transition: all 0.3s ease 0s
.single-post-area .navigation-area .nav-left:hover .lnr {
    opacity: 1
.single-post-area .navigation-area .nav-left:hover .thumb img {
    opacity: .5
@media (max-width: 767px) {
    .single-post-area .navigation-area .nav-left {
        margin-bottom: 30px
.single-post-area .navigation-area .nav-right {
   text-align: right
```

```
.single-post-area .navigation-area .nav-right .thumb {
    margin-left: 20px;
    background: #000
.single-post-area .navigation-area .nav-right .thumb img {
    -webkit-transition: all 0.3s ease 0s;
    -moz-transition: all 0.3s ease 0s;
    -o-transition: all 0.3s ease 0s;
    transition: all 0.3s ease 0s
.single-post-area .navigation-area .nav-right .lnr {
    margin-right: 20px;
    opacity: 0;
    -webkit-transition: all 0.3s ease 0s;
    -moz-transition: all 0.3s ease 0s;
    -o-transition: all 0.3s ease 0s;
    transition: all 0.3s ease 0s
.single-post-area .navigation-area .nav-right:hover .lnr {
    opacity: 1
.single-post-area .navigation-area .nav-right:hover .thumb img {
    opacity: .5
@media (max-width: 991px) {
    .single-post-area .sidebar-widgets {
        padding-bottom: 0px
.comments-area {
    background: #fafaff;
    border: 1px solid #eee;
    padding: 50px 30px;
    margin-top: 50px
@media (max-width: 414px) {
    .comments-area {
        padding: 50px 8px
```

```
.comments-area h4 {
   text-align: center;
    margin-bottom: 50px;
    color: #222;
    font-size: 18px
.comments-area h5 {
    font-size: 16px;
    margin-bottom: 0px
.comments-area a {
   color: #222
.comments-area .comment-list {
    padding-bottom: 48px
.comments-area .comment-list:last-child {
    padding-bottom: 0px
.comments-area .comment-list.left-padding {
    padding-left: 25px
@media (max-width: 413px) {
    .comments-area .comment-list .single-comment h5 {
       font-size: 12px
    .comments-area .comment-list .single-comment .date {
        font-size: 11px
    .comments-area .comment-list .single-comment .comment {
       font-size: 10px
.comments-area .thumb {
    margin-right: 20px
.comments-area .date {
    font-size: 13px;
    color: #cccccc;
   margin-bottom: 13px
```

```
.comments-area .comment {
    color: #777777;
    margin-bottom: 0px
.comments-area .btn-reply {
    background-color: #fff;
    color: #222;
    padding: 5px 18px;
    font-size: 12px;
    display: block;
    font-weight: 400;
    -webkit-transition: all 0.3s ease 0s;
    -moz-transition: all 0.3s ease 0s;
    -o-transition: all 0.3s ease 0s;
    transition: all 0.3s ease 0s
.comments-area .btn-reply:hover {
    background-color: #384aeb;
    color: #fff;
    font-weight: 700
.comment-form {
    background: #fafaff;
    text-align: center;
    border: 1px solid #eee;
    padding: 47px 30px 43px;
    margin-top: 50px;
    margin-bottom: 20px
.comment-form h4 {
   text-align: center;
    margin-bottom: 50px;
    font-size: 18px;
    line-height: 22px;
    color: #222
.comment-form .name {
    padding-left: 0px
@media (max-width: 767px) {
    .comment-form .name {
```

```
padding-right: 0px;
       margin-bottom: 1rem
.comment-form .email {
    padding-right: 0px
@media (max-width: 991px) {
    .comment-form .email {
       padding-left: 0px
.comment-form .form-control {
    padding: 8px 20px;
    background: #fff;
    border: none;
    border-radius: 0px;
    width: 100%;
   font-size: 14px;
    color: #777777;
    border: 1px solid transparent
.comment-form .form-control:focus {
    box-shadow: none;
    border: 1px solid #eee
.comment-form .form-control::placeholder {
    color: #777777
.comment-form textarea.form-control {
   height: 140px;
    resize: none
.comment-form ::-webkit-input-placeholder {
    font-size: 13px;
    color: #777
.comment-form ::-moz-placeholder {
    font-size: 13px;
    color: #777
```

```
.comment-form :-ms-input-placeholder {
    font-size: 13px;
    color: #777
.comment-form :-moz-placeholder {
    font-size: 13px;
    color: #777
.contact-banner {
    position: relative
.contact-banner h4,
.contact-banner h1,
.contact-banner a {
    text-transform: uppercase;
    color: #fff
.contact-banner h4 {
    font-size: 18px;
    margin-bottom: 15px
/* polovina */
.contact-banner h1 {
    font-size: 37px;
    margin-bottom: 5px
@media (min-width: 992px) {
    .contact-banner h1 {
        font-size: 48px
.contact-banner-area {
    height: 280px;
    background: url("../../assets/images/contact-bg.png") center center no-
repeat;
    background-size: cover;
    position: relative;
    z-index: 1
@media (min-width: 991px) {
    .contact-banner-area {
```

```
height: 450px
.contact-banner-area .contact-banner {
   position: absolute;
   top: 50%;
   left: 50%;
   width: 100%;
   transform: translate(-50%, -50%)
.contact-banner-area::after {
   content: "";
   display: block;
   position: absolute;
   top: 0;
   left: 0;
   width: 100%;
   height: 100%;
   background: rgba(1, 2, 11, 0.7);
   z-index: -1
.contact-banner-btn {
   border: 2px solid #384aeb;
   padding: 10px 45px
.contact-banner-btn:hover {
   background: #384aeb;
   color: #fff
.contact-info icon {
   margin-right: 20px
.contact-info__icon i,
.contact-info__icon span {
   color: #384aeb;
   font-size: 20px
.contact-info .media-body h3 {
   font-size: 16px;
   margin-bottom: 0
```

```
.contact-info .media-body h3 a {
   color: #222
.contact-info .media-body p {
   color: #999999
.form-contact .form-group {
   margin-bottom: 10px
.form-contact .form-control {
   border-radius: 0;
   height: 40px;
   padding-left: 18px;
   border-color: transparent;
   background: rgba(130, 139, 178, 0.1)
.form-contact .form-control:focus {
   outline: 0;
   box-shadow: none
.form-contact .form-control::placeholder {
   font-size: 14px;
   color: #999999
```

```
.form-contact .different-control {
    height: 100% !important
}
.form-contact button {
    border: 0
}
/* filter bar */
.filter-bar {
    padding: 0px 20px 10px 20px;
    background: #f1f6f7;
    margin-bottom: 30px
}
.filter-bar a,
.filter-bar i {
    color: #000;
```

```
.filter-bar-dropdown{
    margin-top: 10px;
.filter-bar-dropdown button{
    font-family: 'Oswald', sans-serif;
    line-height: 40px;
    background: #384aeb;
    padding: 0 25px;
    font-size: 18px;
    font-weight: 400;
    color: #fff;
.filter-bar-dropdown .dropdown-item {
cursor: pointer;
.filter-bar-search {
    margin-top: 10px
.filter-bar-search input {
    border: 1px solid #eee;
    font-family: 'Oswald', sans-serif;
    line-height: 36px;
    font-size: 16px;
    width: 190px;
    color: #999999;
    height: 38px;
    padding-left: 15px
.filter-bar-search input:focus {
    outline: 0;
    box-shadow: none
.filter-bar-search input::placeholder {
    color: #999999
.filter-bar-search button {
    background: transparent;
    border: 1px solid #eee;
    background: #384aeb;
    border-left: 0;
    padding-right: 15px
```

```
.filter-bar-search button i,
.filter-bar-search button span {
   font-size: 16px;
   color: white
.sidebar-categories .head {
   font-family: 'Oswald', sans-serif;
   line-height: 50px;
   background: #384aeb;
   padding: 0 30px;
   font-size: 18px;
   font-weight: 400;
   color: #fff
.sidebar-categories .main-categories {
   padding: 20px 28px;
   background: #f1f6f7
.sidebar-categories .main-categories .pixel-radio {
   background: transparent !important
.sidebar-categories .main-nav-list a {
   font-size: 14px;
   display: block;
   line-height: 50px;
   padding-left: 10px;
   border-bottom: 1px solid #eee
.sidebar-categories .main-nav-list a:hover {
   color: #384aeb
.sidebar-categories .main-nav-list a .number {
   color: #ccccc;
   margin-left: 10px
.sidebar-categories .main-nav-list a .lnr {
   margin-right: 10px;
   display: none
sidebar-categories .main-nav-list.child a {
```

```
padding-left: 32px
.sidebar-filter {
   margin-top: 30px
.sidebar-filter .top-filter-head {
   font-family: 'Oswald', sans-serif;
   line-height: 50px;
   background: #384aeb;
   padding: 0 30px;
   font-size: 18px;
   font-weight: 400;
   color: #fff
.sidebar-filter .head {
   line-height: 60px;
   padding: 0 30px;
   font-size: 15px;
   font-weight: 400;
   color: #222;
   text-transform: capitalize
.sidebar-filter .common-filter {
   background: #f1f6f7;
   border-bottom: 1px solid #eee;
   padding-bottom: 25px
.sidebar-filter .common-filter .filter-list {
   position: relative;
   padding-left: 28px
.sidebar-filter .common-filter:last-child {
   border-bottom: 0
.filter-list {
   line-height: 32px
.filter-list i {
   margin-right: 10px;
   cursor: pointer
```

```
.filter-list .number {
    color: #ccc
.filter-list label {
    margin-bottom: 3px;
    cursor: pointer
@-webkit-keyframes click-wave {
    0% {
        transform: translate(-50%, -50%) scale(1);
        opacity: 0.35;
        position: absolute;
        top: 50%;
        left: 50%
    100% {
        transform: translate(-50%, -50%) scale(3);
        opacity: 0;
        top: 50%;
        left: 50%;
        position: absolute
@-moz-keyframes click-wave {
    0% {
        transform: translate(-50%, -50%) scale(1);
        opacity: 0.35;
        position: absolute;
        top: 50%;
        left: 50%
    100% {
        transform: translate(-50%, -50%) scale(3);
        opacity: 0;
        top: 50%;
        left: 50%;
        position: absolute
@keyframes click-wave {
    0% {
        transform: translate(-50%, -50%) scale(1);
        opacity: 0.35;
        position: absolute;
```

```
top: 50%;
       left: 50%
   100% {
       transform: translate(-50%, -50%) scale(3);
       opacity: 0;
       top: 50%;
       left: 50%;
       position: absolute
.pixel-radio {
   -webkit-appearance: none;
   -moz-appearance: none;
   -ms-appearance: none;
   -o-appearance: none;
   appearance: none;
   position: relative;
   right: 0;
   bottom: 0;
   left: 0;
   height: 15px;
   width: 15px;
   -webkit-transition: all 0.15s ease-out 0s;
   -moz-transition: all 0.15s ease-out 0s;
   transition: all 0.15s ease-out 0s;
   background: #fff;
   border: 1px solid #999999;
   color: #fff;
   cursor: pointer;
   display: inline-block;
   margin-right: 10px;
   outline: none;
   position: relative;
   z-index: 1
.pixel-radio:checked {
   border: 8px solid #384aeb
.pixel-radio:checked::after {
   -webkit-animation: click-wave 0.65s;
   -moz-animation: click-wave 0.65s;
   animation: click-wave 0.65s;
   background: #384aeb;
   content: '';
   display: block;
```

```
width: 15px;
    height: 15px;
    border-radius: 50%;
    position: relative;
    z-index: 2;
    opacity: 0
.pixel-radio {
    border-radius: 50%;
    top: 2px
.pixel-radio::after {
    border-radius: 50%
.single-search-product {
    padding: 10px 0
@media (min-width: 1000px) {
    .single-search-product {
        padding: 20px 0
.single-search-product-wrapper {
    padding: 12px 20px 10px 30px;
    border: 1px solid #EEEEEE
.single-search-product img {
    max-width: 70px;
    height: auto
.single-search-product .desc {
    margin-left: 15px;
    margin-top: 5px
.single-search-product .desc .title {
    font-family: 'Oswald', sans-serif;
    color: #222;
    margin-bottom: 0;
    display: inline-block
```

```
.single-search-product .desc .price {
   font-size: 16px;
   font-weight: 500;
   color: #777777
.single-search-product .desc .price span {
   font-weight: 700
.single-search-product .desc .price del {
   font-size: 12px;
   color: #ccccc;
   font-weight: 400
.single-search-product:hover .title {
   color: #384aeb
.order-wrapper {
   background: #f1f6f7;
   padding: 25px
.order-wrapper .list-row {
   border-bottom: 1px solid #eee;
   padding: 10px 0
.order-wrapper .list-row h6 {
   text-transform: uppercase
.order-wrapper .list-row .total {
   font-weight: 500;
   color: #222
.order-wrapper .bold-lable {
   font-weight: 700;
   text-transform: uppercase;
   color: #222
.order-wrapper .payment-info {
   margin-top: 20px;
   background: #f5f5f5;
```

```
border-top: 1px solid #eee;
   padding: 15px
.order-wrapper .terms-link {
   color: #43b253
.order-wrapper .pixel-checkbox {
   margin-top: 5px
.billing-title {
   font-size: 18px;
   font-weight: 400;
   line-height: 1.3em;
   margin-bottom: 15px;
   border-color: #DDDDDD
.billing-alert {
   font-size: 18px;
   color: #384aeb;
   margin-bottom: 30px
.confirmation-card {
   padding: 38px;
   background: #f1f6f7
.confirmation-card tr td:last-child {
   color: #222;
   padding-left: 25px
.order_details_table {
   background: #f1f6f7;
   padding: 30px;
   margin-top: 75px
@media (min-width: 767px) {
   .order_details_table {
       margin-top: 45px
order details table h2 {
```

```
color: #222;
    font-size: 18px;
    padding-bottom: 15px
.order_details_table .table {
    margin-bottom: 0px
.order_details_table .table thead tr th {
    border-bottom: 1px solid #ddd;
    font-size: 16px;
    font-family: "Oswald", sans-serif;
    font-weight: normal;
    color: #222
@media (max-width: 1000px) {
    .order_details_table .table tbody tr:last-child {
        height: 50px
.order_details_table .table tbody tr td {
    border: 0;
    color: #777777
.order_details_table .table tbody tr td p {
    margin-bottom: 0px
.order_details_table .table tbody tr td h5 {
    font-family: "Roboto", sans-serif;
    color: #222;
    margin-bottom: 0px;
    font-size: 15px;
    text-transform: capitalize;
    font-weight: 500
.order_details_table .table tbody tr td h4 {
    font-family: "Roboto", sans-serif;
    text-transform: uppercase;
    margin-bottom: 0px;
    color: #222;
    font-size: 15px;
    text-transform: capitalize;
    font-weight: 500
```

```
.order_details_table .table tbody tr:last-child td {
    border-top: 1px solid #ddd;
    padding-bottom: 0
.order_details_table .table tbody tr:last-child td p {
    color: #222
.tracking_box_area .tracking_box_inner p {
    max-width: 870px;
    color: #555555;
    margin-bottom: 25px;
.tracking_box_area .tracking_box_inner .tracking_form {
    max-width: 645px
.tracking_box_area .tracking_box_inner .tracking_form .form-group {
    margin-bottom: 1.2rem;
    display:flex;
    flex-direction:column;
.tracking_box_area .tracking_box_inner .tracking_form .form-group input {
    height: 40px;
    border: 1px solid #eee;
    padding: 0px 15px;
    outline: none;
    box-shadow: none;
    border-radius: 0px;
    font-size: 14px;
    color: #999999;
    font-weight: normal
.tracking_box_area .tracking_box_inner .tracking_form .form-
group input.placeholder {
    font-size: 14px;
    color: #999999;
    font-weight: normal
.tracking_box_area .tracking_box_inner .tracking_form .form-group input:-moz-
placeholder {
   font-size: 14px;
```

```
color: #999999;
    font-weight: normal
.tracking_box_area .tracking_box_inner .tracking_form .form-group input::-moz-
placeholder {
   font-size: 14px;
    color: #999999;
    font-weight: normal
.tracking_box_area .tracking_box_inner .tracking_form .form-group input::-
webkit-input-placeholder {
    font-size: 14px;
    color: #999999;
    font-weight: normal
.tracking_box_area .tracking_box_inner .tracking_form .form-group:last-child {
    margin-bottom: 0px
.tracking_box_area .tracking_box_inner .tracking_form .form-
group .submit_btn {
    text-transform: uppercase
.check_title h2 {
    font-size: 15px;
    font-weight: normal;
    font-family: "Roboto", sans-serif;
    background: #f1f6f7;
    line-height: 40px !important;
    padding-left: 30px;
    margin-bottom: 0px
.check_title h2 a {
    color: #384aeb;
    text-decoration: underline
.returning_customer p {
    margin-top: 15px;
    padding-left: 30px;
    margin-bottom: 25px
returning customer .contact form {
```

```
max-width: 710px;
    margin-left: 15px
.returning_customer .contact_form .form-group {
    margin-bottom: 20px
.returning_customer .contact_form .form-group input {
    border: 1px solid #eeeeee;
    height: 40px;
    border-radius: 3px;
    font-size: 14px;
    color: #999999;
    font-weight: normal
.returning_customer .contact_form .form-group input.placeholder {
    font-size: 14px;
    color: #999999;
    font-weight: normal
.returning_customer .contact_form .form-group input:-moz-placeholder {
    font-size: 14px;
    color: #999999;
    font-weight: normal
.returning_customer .contact_form .form-group input::-moz-placeholder {
    font-size: 14px;
    color: #999999;
    font-weight: normal
.returning_customer .contact_form .form-group input::-webkit-input-
placeholder {
    font-size: 14px;
    color: #999999;
    font-weight: normal
.returning_customer .contact_form .form-group .primary-btn {
    line-height: 38px;
    padding: 0px 38px;
    text-transform: uppercase;
    margin-right: 10px;
    border-radius: 2px;
    border: none
```

```
.returning_customer .contact_form .form-group .creat_account {
   display: inline-block;
   margin-left: 15px
.returning_customer .contact_form .form-group .creat_account input {
   height: auto;
   margin-right: 10px
.returning_customer .contact_form .form-group .lost_pass {
   display: block;
   margin-top: 20px;
   font-size: 14px;
   color: #777;
   font-weight: normal
.cupon_area {
   margin-bottom: 40px
.cupon_area input {
   margin-left: 30px;
   max-width: 730px;
   width: 100%;
   display: block;
   height: 40px;
   border-radius: 3px;
   padding: 0px 15px;
   border: 1px solid #eeeeee;
   outline: none;
   box-shadow: none;
   margin-top: 20px;
   margin-bottom: 20px
.cupon_area .tp_btn {
   margin-left: 30px
.tp_btn {
   border: 1px solid #eeeeee;
   display: inline-block;
   line-height: 38px;
   padding: 0px 40px;
   color: #222;
```

```
text-transform: uppercase;
    font-weight: 500;
    border-radius: 3px
.tp_btn:hover {
    background: #384aeb;
    color: #fff;
    border-color: #384aeb
.billing_details h3 {
    font-size: 18px;
    color: #222;
    border-bottom: 1px solid #eee;
    padding-bottom: 10px;
    margin-bottom: 30px
#contact input[type="text"],
#contact input[type="password"],
#contact input[type="email"],
#contact textarea{
    height: 40px;
    border: none;
    border-bottom: 1px solid #ccccc;
    outline: none;
    font-size: 14px;
    color: #999999;
#contact input[type="text"]:focus,
#contact input[type="password"]:focus,
#contact input[type="email"]:focus,
#contact textarea:focus{
    outline: none !important;
#contact input[type="text"]:hover,
#contact input[type="password"]:hover,
#contact input[type="email"]:hover,
#contact textarea:hover{
    transition:all ease-in-out 0.8s;
    background-color: rgb(231, 241, 248);
#contact textarea{
   height: 8rem;
```

```
padding: 1.3rem 2rem;
.order_box {
   background: #e8f0f2;
   padding: 30px
.order_box h2 {
   border-bottom: 1px solid #dddddd;
   font-size: 18px;
   font-weight: 500;
   color: #222;
   padding-bottom: 15px
.order_box .list li a {
   font-size: 14px;
   color: #777;
   font-weight: normal;
   border-bottom: 1px solid #eeeeee;
   display: block;
   line-height: 42px
.order_box .list li a h4 {
   font-family: "Roboto", sans-serif;
   font-size: 15px;
   margin-top: 15px
.order_box .list li a span {
   float: right
.order_box .list li a .middle {
   float: none;
   width: 50px;
   text-align: right;
   display: inline-block;
   margin-left: 30px;
   color: #222
.order_box .list li:nth-child(4) a .middle {
   margin-left: 48px
.order_box .list_2 li a {
   text-transform: uppercase;
```

```
color: #222;
   font-weight: 500
.order_box .list_2 li a span {
   color: #777;
   text-transform: capitalize
.order_box .list_2 li:last-child a span {
   color: #222
.order_box .payment_item h4 {
   font-size: 14px;
   text-transform: uppercase;
   color: #222;
   font-weight: 500;
   padding-left: 22px;
   position: relative;
   margin-bottom: 15px;
   margin-top: 15px
.order_box .payment_item h4:before {
   content: "";
   width: 14px;
   height: 14px;
   border-radius: 50%;
   border: 1px solid #cdcdcd;
   background: #fff;
   display: block;
   position: absolute;
   left: 0px;
   top: 50%;
   transform: translateY(-50%)
.order_box .payment_item h4:after {
   content: "";
   height: 4px;
   width: 4px;
   background: #fff;
   border-radius: 50%;
   display: block;
   position: absolute;
   left: 5px;
   top: 8px
```

```
.order_box .payment_item h4 img {
   padding-left: 60px
.order_box .payment_item p {
   background: #fff;
   padding: 15px 20px;
   font-size: 12px
.order_box .payment_item.active h4:before {
   background: #384aeb;
   border-color: #384aeb
.order_box .creat_account {
   margin-bottom: 15px
.order_box .creat_account label {
   padding-left: 10px;
   font-size: 12px;
   color: #222
.order_box .creat_account a {
   color: #c5322d
.order_box .primary-btn {
   display: block;
   line-height: 38px;
   text-transform: uppercase;
   text-align: center;
   border-radius: 2px
.order_box .primary-btn:hover:before {
   left: 310px
.order_details .title_confirmation {
   text-align: center;
   color: #28d500;
   font-size: 18px;
   margin-bottom: 80px
```

```
.order_d_inner .details_item h4 {
    border-bottom: 1px solid #eee;
    padding-bottom: 12px;
    font-size: 18px;
    color: #222;
    padding-left: 18px
}
```

```
.order_d_inner .details_item .list {
    padding-left: 18px
@media (min-width: 767px) {
    .order_d_inner .details_item .list {
        margin-bottom: 30px
.order_d_inner .details_item .list li {
    margin-bottom: 8px
.order_d_inner .details_item .list li:last-child {
    margin-bottom: 0px
.order_d_inner .details_item .list li a {
    font-size: 14px;
    color: #222
.order_d_inner .details_item .list li a span {
    width: 145px;
    display: inline-block;
    color: #777
.order_details_table {
    background: #e5ecee;
    padding: 30px;
    margin-top: 75px
@media (min-width: 767px) {
    .order_details_table {
        margin-top: 45px
```

```
.order_details_table h2 {
   color: #222;
   font-size: 18px;
   padding-bottom: 15px
.order_details_table .table {
   margin-bottom: 0px
.order_details_table .table thead tr th {
   border-bottom: 1px solid #ddd;
   font-size: 14px;
   font-weight: normal
.order_details_table .table tbody tr td p {
   margin-bottom: 0px
.order_details_table .table tbody tr td h5 {
   color: #222;
   margin-bottom: 0px
.order_details_table .table tbody tr td h4 {
   font-size: 14px;
   text-transform: uppercase;
   margin-bottom: 0px;
   color: #222
.order details table .table tbody tr:last-child td {
   border-top: 1px solid #ddd
.order_details_table .table tbody tr:last-child td p {
   color: #222
.radion_btn input[type=radio] {
   position: absolute;
   visibility: hidden
.radion_btn {
   position: relative;
```

```
margin-top: 10px;
   margin-bottom: 15px
.radion_btn img {
   position: absolute;
   right: 40px;
   top: 0px
.radion_btn label {
   display: block;
   position: relative;
   font-weight: 300;
   font-size: 1.35em;
   padding: 0px 25px 21px 25px;
   height: 14px;
   z-index: 9;
   cursor: pointer;
   transition: all 0.25s linear;
   font-weight: 500;
   color: #222;
   font-size: 15px;
   letter-spacing: .25px;
   text-transform: capitalize
.radion_btn .check {
   display: block;
   position: absolute;
   border: 1px solid #cdcdcd;
   border-radius: 100%;
   height: 14px;
   width: 14px;
   top: 5px;
   left: 0px;
   background: #fff;
   z-index: 5;
   transition: border .25s linear;
   -webkit-transition: border .25s linear
.radion_btn .check::before {
   display: block;
   position: absolute;
   content: '';
   border-radius: 100%;
   height: 4px;
   width: 4px;
```

```
top: 4px;
    left: 4px;
    margin: auto;
    transition: background 0.25s linear;
    -webkit-transition: background 0.25s linear;
.radion_btn input[type=radio]:checked~.check {
    border: 1px solid #C5322D;
    background: #C5322D
.radion_btn input[type=radio]:checked~.check::before {
    background: #fff
.radion_btn input[type=radio]:checked~label {
    color: #000
.order_box .creat_account a {
    font-size: 12px;
    color: #384aeb
.text-error{
   color: red;
    font-size: 15px;
    background-color: rgb(241, 226, 226);
.login_box_area .login_box_img {
    height: 350px;
    position: relative
@media (min-width: 1000px) {
    .login_box_area .login_box_img {
        height: 610px
@media (min-width: 991px) {
    .login_box_area .login_box_img {
        margin-right: -30px
.login_box_area .login_box_img img {
    width: 100%
```

```
.login_box_area .login_box_img:before {
   position: absolute;
   left: 0;
   top: 0;
   height: 100%;
   width: 100%;
   content: "";
   background: #384aeb;
   opacity: .9
.login_box_area .login_box_img .hover {
   position: absolute;
   top: 50%;
   left: 0px;
   text-align: center;
   width: 100%;
   transform: translateY(-50%)
.login_box_area .login_box_img .hover h4 {
   font-size: 24px;
   color: #fff;
   font-weight: 500;
   margin-bottom: 15px
.login_box_area .login_box_img .hover p {
   max-width: 390px;
   margin: 0px auto 28px;
   color: #fff
.login box area .login box img .hover .primary-btn {
   border-radius: 0px;
   line-height: 38px;
   text-transform: uppercase
.login_box_area .login_box_img .hover .primary-btn:hover:before {
   left: 260px
.login_box_area .login_box_img .button:hover {
   background: #c5322d !important;
   color: #fff !important;
   border-color: #c5322d !important
```

```
.login_form_inner {
    box-shadow: 0px 10px 40px 0px rgba(56, 74, 235, 0.1);
    height: 100%;
    text-align: center;
    padding: 30px 0
@media (min-width: 1000px) {
    .login_form_inner {
        padding-top: 115px;
        padding-bottom: 0
.login_form_inner h3 {
    color: #222;
    text-transform: uppercase;
   font-size: 18px;
    margin-bottom: 75px
.login_form_inner .login_form {
    max-width: 385px;
    margin: auto
.login_form_inner.reg_form {
    padding-top: 60px
.login_form_inner.reg_form h3 {
    margin-bottom: 70px
.login_form .form-group {
    margin-bottom: 22px
.login_form .form-group input {
    height: 40px;
    border: none;
    border-bottom: 1px solid #ccccc;
    border-radius: 0px;
    outline: none;
    box-shadow: none;
    font-size: 14px;
    color: #999999
```

```
.login_form .form-group input.placeholder {
   color: #999999
.login_form .form-group input:-moz-placeholder {
   color: #999999
.login_form .form-group input::-moz-placeholder {
   color: #999999
.login_form .form-group input::-webkit-input-placeholder {
   color: #999999
.login_form .form-group .creat_account {
   margin-top: 10px;
   font-size: 14px;
   text-align: left
.login_form .form-group .creat_account input {
   height: auto;
   margin-right: 10px;
   position: relative;
   top: 2px
.login_form .form-group .primary-btn {
   display: block;
   border-radius: 0px;
   line-height: 38px;
   width: 100%;
   text-transform: uppercase;
   border: none
.login_form .form-group .primary-btn:hover:before {
   left: 370px
.login_form .form-group a {
   font-size: 14px;
   color: #777;
   margin-top: 20px;
   display: block
```

```
.register_form_inner {
   padding-top: 70px
.instagram_area {
   position: relative
.instagram_area .container {
   max-width: 1625px
.instagram_area .insta_btn {
   position: absolute;
   left: 50%;
   top: 50%;
   transform: translateX(-50%) translateY(-50%);
   z-index: 2
.instagram_area .insta_btn .theme_btn {
   background: #fff;
   border-radius: 5px;
   padding: 0px 45px;
   line-height: 50px;
   color: #222;
   font-size: 13px;
   font-weight: 500;
   box-shadow: 0px 10px 20px 0px rgba(0, 0, 0, 0.1)
.instagram_area.top_pad {
   padding-top: 120px
.instagram_image {
   margin-bottom: -120px !important
.instagram_image a {
   flex: 0 0 16.667%;
   max-width: 16.667%;
   display: block;
   overflow: hidden
.instagram_image a img {
   width: 100%;
```

```
transition: all 300ms ease
.instagram_image a:hover img {
    transform: scale(1.05)
@media (max-width: 991px) {
    .instagram_image {
        margin-bottom: 120px !important
@media (max-width: 767px) {
    .instagram_image a {
        flex: 0 0 33.33%;
        max-width: 33.33%
@media (max-width: 575px) {
    .instagram_image {
        margin-bottom: 70px !important
    .instagram_image a {
       flex: 0 0 50%;
       max-width: 50%
.cart_area {
    padding-top: 90px;
    padding-bottom: 55px
.cart_inner .table th,
.cart_inner .table td {
    padding: .75rem 1.5rem;
    border-color: #EEEEEE
.cart_inner .table thead tr th {
    border-top: 0px;
    font-size: 16px;
    font-weight: 500;
    font-family: "Oswald", sans-serif;
    color: #222;
    border-bottom: 0px !important
```

```
.cart_inner .table tbody tr td {
    vertical-align: middle;
    align-self: center
.cart_inner .table tbody tr td .media .d-flex {
    padding-right: 30px
.cart_inner .table tbody tr td .media .d-flex img {
    /* max-width: 75%; */
    border-radius: 3px
@media (max-width: 600px) {
    .cart_inner .table tbody tr td .media .d-flex img {
        /* max-width: 0%; */
        height: 80px
.cart_inner .table tbody tr td .media .media-body {
    vertical-align: middle;
    align-self: center
.cart_inner .table tbody tr td .media .media-body p {
    margin-bottom: 0px
.cart_inner .table tbody tr td h5 {
   font-size: 15px;
    color: #222;
    font-family: "Roboto", sans-serif;
    margin-bottom: 0px
.cart_inner .table tbody tr td .product_count {
    margin-bottom: 0px
.cart_inner .table tbody tr td .product_count input {
    width: 100px;
    padding-left: 30px;
    height: 40px;
    outline: none;
    box-shadow: none
```

```
.cart_inner .table tbody tr td .product_count .increase {
    top: -2px
.cart_inner .table tbody tr td .product_count .increase:before {
    content: "";
    height: 40px;
    width: 1px;
    position: absolute;
    left: -3px;
    top: 0px;
    background: #eeeeee
.cart_inner .table tbody tr td .product_count .increase:after {
    content: "";
    height: 1px;
    width: 30px;
    position: absolute;
    left: -3px;
    top: 22px;
    background: #eeeeee
.cart_inner .table tbody tr td .product_count .reduced {
    bottom: -6px
.cart_inner .table tbody tr.bottom_button .button {
    font-size: 15px;
    padding: 7px 18px;
    background: #f9f9ff;
    border-color: #EEEEEE;
    color: #222
@media (min-width: 1000px) {
    .cart_inner .table tbody tr.bottom_button .button {
        padding: 7px 45px
.cart_inner .table tbody tr.bottom_button td:last-child {
    width: 60px
.cart_inner .table tbody tr.bottom_button td .cupon_text {
   margin-left: -429px
```

```
@media (min-width: 991px) {
    .cart_inner .table tbody tr.bottom_button td .cupon_text {
        margin-left: -465px
@media (max-width: 600px) {
    .cart_inner .table tbody tr.bottom_button td .cupon_text {
        margin-left: -380px
.cart_inner .table tbody tr.bottom_button td .cupon_text input {
    width: 200px;
    padding: 0px 10px 0 18px;
    border-radius: 30px;
    border: 1px solid #eeeeee;
    height: 40px;
    font-size: 14px;
    color: #ccccc;
    font-weight: normal;
    margin-right: -3px;
    outline: none;
    box-shadow: none
.cart_inner .table tbody tr.bottom_button td .cupon_text input.placeholder {
    font-size: 14px;
    color: #ccccc;
    font-weight: normal
.cart inner .table tbody tr.bottom button td .cupon text input:-moz-
placeholder {
    font-size: 14px;
    color: #ccccc;
    font-weight: normal
.cart_inner .table tbody tr.bottom_button td .cupon_text input::-moz-
placeholder {
    font-size: 14px;
    color: #ccccc;
    font-weight: normal
```

```
.cart_inner .table tbody tr.bottom_button td .cupon_text input::-webkit-input-
placeholder {
    font-size: 14px;
    color: #ccccc;
    font-weight: normal
@media (max-width: 600px) {
    .cart_inner .table tbody tr.bottom_button td .cupon_text input {
       width: 120px
.cart_inner .table tbody tr.bottom_button td .cupon_text .primary-btn {
   height: 40px;
    line-height: 38px;
    text-transform: uppercase;
    background: #384aeb;
    padding: 0px 38px;
    margin-right: 5px;
    margin-left: 10px;
    border-radius: 30px;
    text-transform: capitalize;
    font-weight: 500;
    color: #fff
.cart_inner .table tbody tr.bottom_button td .cupon_text .gray_btn {
    padding: 0px 40px
.cart_inner .table tbody tr.shipping_area td:nth-child(3) {
    vertical-align: top
.cart_inner .table tbody tr.shipping_area .shipping_box {
    margin-left: -250px;
    text-align: right
.cart_inner .table tbody tr.shipping_area .shipping_box .list li {
    margin-bottom: 12px
.cart inner .table tbody tr.shipping area .shipping box .list li:last-child {
    margin-bottom: 0px
.cart_inner .table tbody tr.shipping area .shipping box .list li a {
```

```
padding-right: 30px;
   font-size: 15px;
   color: #777;
   position: relative
.cart_inner .table tbody tr.shipping_area .shipping_box .list li a:before {
   content: "";
   height: 16px;
   width: 16px;
   border: 1px solid #cdcdcd;
   display: inline-block;
   border-radius: 50%;
   position: absolute;
   right: 0px;
   top: 50%;
   transform: translateY(-50%)
.cart_inner .table tbody tr.shipping_area .shipping_box .list li a:after {
   content: "";
   height: 10px;
   width: 10px;
   border-radius: 50%;
   background: #384aeb;
   display: inline-block;
   position: absolute;
   right: 3px;
   top: 50%;
   transform: translateY(-50%);
   opacity: 0
```

```
.cart_inner .table tbody tr.shipping_area .shipping_box .list li.active a:afte
r {
    opacity: 1
}
.cart_inner .table tbody tr.shipping_area .shipping_box h6 {
    font-size: 14px;
    font-weight: normal;
    color: #222;
    font-size: 16px;
    margin-top: 20px;
    margin-bottom: 20px
}
.cart_inner .table tbody tr.shipping_area .shipping_box h6 i {
```

```
color: #222;
   padding-left: 5px
.cart_inner .table tbody tr.shipping_area .shipping_box .shipping_select {
   display: block;
   width: 100%;
   background: #f1f6f7;
   border: 1px solid #eeeeee;
   height: 40px;
   color: #999999;
   margin-bottom: 20px
.cart_inner .table tbody tr.shipping_area .shipping_box .shipping_select:after
   right: 20px
.cart_inner .table tbody tr.shipping_area .shipping_box .shipping_select .list
{
   width: 100%;
   border-radius: 0px
.cart_inner .table tbody tr.shipping_area .shipping_box .shipping_select .list
li {
   font-size: 14px;
   font-weight: normal;
   color: #777
.cart_inner .table tbody tr.shipping_area .shipping_box input {
   height: 40px;
   outline: none;
   background: #f1f6f7;
   border: 1px solid #eeeeee;
   width: 100%;
   font-size: 14px;
   color: #999999;
   padding: 0px 15px;
   margin-bottom: 20px
.cart_inner .table tbody tr.shipping_area .shipping_box input::placeholder {
   color: #999999
.cart inner .table tbody tr.out button area .checkout btn inner {
```

```
margin-left: -395px
.cart_inner .table tbody tr.out_button_area .checkout_btn_inner .primary-btn {
    height: 40px;
    padding: 0px 44px;
    line-height: 38px;
    text-transform: capitalize;
    background: #384aeb;
    border-radius: 30px;
    color: #fff;
    font-weight: 500
.cart_inner .table tbody tr.out_button_area .checkout_btn_inner .primary-
btn:hover:before {
    left: 240px
.gray_btn {
    line-height: 38px;
    background: #f1f6f7;
    border: 1px solid #eeeeee;
    border-radius: 30px;
    padding: 0px 44px;
    display: inline-block;
   color: #222;
    text-transform: capitalize;
    font-weight: 500
.btn-delete{
    background-color: rgb(204, 38, 74);
    color: white;
    border: none;
.product_image_area {
    padding-top: 50px
@media (min-width: 1000px) {
    .product_image_area {
        padding-top: 100px
.s_Product_carousel .owl-dots {
    position: absolute;
    right: 20px;
```

```
top: 50%;
    transform: translateY(-50%)
.s_Product_carousel .owl-dots div {
    height: 5px;
    width: 20px;
    background: #dddddd;
    margin: 5px;
    display: block;
    content: "";
    border-radius: 50px
.s_Product_carousel .owl-dots div.active {
    width: 30px
.s_product_text {
    margin-left: -15px;
    margin-top: 65px
@media (max-width: 575px) {
    .s_product_text {
        margin-left: 0px
.s_product_text h3 {
    font-size: 24px;
    font-weight: 500;
    color: #222;
    margin-bottom: 20px
.s_product_text h2 {
    font-family: "Roboto", sans-serif;
    font-size: 24px;
    font-weight: 700;
    color: #384aeb;
    margin-bottom: 10px
.s_product_text .list li {
    margin-bottom: 5px
s product text .list li a {
```

```
font-size: 15px;
   font-weight: normal;
   color: #777777
.s_product_text .list li a span {
   width: 90px;
   display: inline-block;
   color: #555555
.s_product_text .list li a span:hover {
   color: #555
.s_product_text .list li a.active span {
   color: #555;
   -webkit-text-fill-color: #555
.s_product_text .list li:last-child {
   margin-bottom: 0px
.s_product_text p {
   padding-top: 20px;
   border-top: 1px dotted #eeeeee;
   border-bottom: 1px dotted #eeeeee;
   margin-top: 20px;
   padding-bottom: 26px;
   margin-bottom: 0
.s_product_text .card_area {
   margin-top: 25px
.s_product_text .card_area .primary-btn {
   line-height: 38px;
   padding: 0px 38px;
   text-transform: uppercase;
   margin-right: 10px;
   border-radius: 5px
.s_product_text .card_area .icon_btn {
   position: relative;
   height: 40px;
   width: 40px;
```

```
text-align: center;
   background: #e8f0f2;
   border-radius: 3px;
   display: inline-block;
   color: #222;
   -webkit-transition: all 0.3s ease 0s;
   -moz-transition: all 0.3s ease 0s;
   -o-transition: all 0.3s ease 0s;
   transition: all 0.3s ease 0s;
   margin-right: 10px;
   z-index: 1
.s_product_text .card_area .icon_btn i,
.s_product_text .card_area .icon_btn span {
   line-height: 40px
.s_product_text .card_area .icon_btn:after {
   position: absolute;
   left: 0;
   top: 0;
   height: 100%;
   width: 100%;
   content: "";
   border-radius: 50%;
   opacity: 0;
   visibility: hidden;
   z-index: -1
.s_product_text .card_area .icon_btn:hover {
   background: #fff;
   box-shadow: 0px 10px 20px 0px rgba(153, 153, 153, 0.3)
.s_product_text .card_area .icon_btn:hover:after {
   opacity: 1;
   visibility: visible
.product count {
   display: inline-block;
   position: relative;
   margin-bottom: 24px
.product_count label {
   font-size: 14px;
```

```
color: #777;
   font-weight: normal;
   padding-right: 10px
.product_count input {
   width: 76px;
   border: 1px solid #eeeeee;
   border-radius: 3px;
   padding-left: 10px
.product_count button {
   display: block;
   border: none;
   background: transparent;
   box-shadow: none;
   cursor: pointer;
   position: absolute;
   right: 0px;
   font-size: 14px;
   color: #ccccc;
   -webkit-transition: all 0.3s ease 0s;
   -moz-transition: all 0.3s ease 0s;
   -o-transition: all 0.3s ease 0s;
   transition: all 0.3s ease 0s
.product count button:hover {
   color: #222
.product_count .increase {
   top: -4px
.product_count .reduced {
   bottom: -8px
.product_description_area {
   padding-bottom: 100px;
   margin-top: 60px
.product_description_area .nav.nav-tabs {
   background: #f1f6f7;
   text-align: center;
   display: block;
```

```
border: none;
    padding: 10px 0px
.product_description_area .nav.nav-tabs li {
    display: inline-block;
    margin-right: 7px
.product_description_area .nav.nav-tabs li:last-child {
    margin-right: 0px
@media (max-width: 441px) {
    .product_description_area .nav.nav-tabs li:last-child {
        margin-top: 15px
.product_description_area .nav.nav-tabs li a {
    padding: 0px;
    border: none;
    line-height: 38px;
    background: #fff;
    border: 1px solid #eeeeee;
    border-radius: 30px;
    padding: 0px 30px;
    color: #222;
    font-size: 14px;
    font-weight: normal
@media (max-width: 570px) {
    .product_description_area .nav.nav-tabs li a {
        padding: 0 15px
.product_description_area .nav.nav-tabs li a.active {
    color: #fff;
    background: #384aeb;
    border-color: #384aeb
.product description area .tab-content {
    border-left: 1px solid #eee;
    border-right: 1px solid #eee;
    border-bottom: 1px solid #eee;
    padding: 30px 30px 15px 30px
```

```
.product_description_area .tab-content .total_rate .box_total {
   background: #f1f6f7;
   text-align: center;
   padding-top: 20px;
   padding-bottom: 20px
.product_description_area .tab-content .total_rate .box_total h4 {
   font-size: 48px;
   font-weight: bold;
   color: #384aeb
.product_description_area .tab-content .total_rate .box_total h5 {
   color: #333333;
   margin-bottom: 0px;
   font-size: 24px
.product description area .tab-content .total rate .box total h6 {
   font-family: "Roboto", sans-serif;
   margin-bottom: 0px;
   font-size: 14px;
   color: #555555;
   font-weight: normal
.product_description_area .tab-content .total_rate .rating_list {
   margin-bottom: 30px
.product_description_area .tab-content .total_rate .rating_list h3 {
   font-size: 18px;
   color: #222;
   font-weight: 500;
   margin-bottom: 10px
.product_description_area .tab-content .total_rate .rating_list .list li a {
   font-size: 15px;
   color: #555555
.product_description_area .tab-content .total_rate .rating_list .list li a i {
   color: #fbd600
```

```
.product_description_area .tab-
content .total_rate .rating_list .list li a i:first-child {
    margin-left: 15px
.product_description_area .tab-
content .total_rate .rating_list .list li a i:last-child {
    margin-right: 15px
.product_description_area .tab-content .total_rate .rating_list .list li:nth-
child a i:last-child {
    color: #eeeeee
.product_description_area .tab-content .table {
    margin-bottom: 0px
.product_description_area .tab-content .table tbody tr td {
    padding-left: 65px;
    padding-right: 65px;
    padding-top: 14px;
    padding-bottom: 14px
.product_description_area .tab-content .table tbody tr td h5 {
    font-size: 14px;
    font-weight: normal;
    color: #777;
    margin-bottom: 0px;
    white-space: nowrap
.product description area .tab-content .table tbody tr:first-child td {
    border-top: 0px
.review_item {
    margin-bottom: 10px
.review_item:last-child {
    margin-bottom: 0px
.review_item .media {
    position: relative
```

```
.review_item .media .d-flex {
   padding-right: 15px
.review_item .media .media-body {
   vertical-align: middle;
   align-self: center
.review_item .media .media-body h4 {
   font-size: 16px;
   color: #222;
   margin-bottom: 4px
.review_item .media .media-body i {
   color: #fbd600
.review_item .media .media-body h5 {
   font-size: 13px;
   font-weight: normal;
   color: #777
.review_item .media .media-body .reply_btn {
   border: 1px solid #e0e0e0;
   padding: 0px 28px;
   display: inline-block;
   line-height: 32px;
   border-radius: 16px;
   font-size: 14px;
   color: #222;
   position: absolute;
   right: 0px;
   top: 14px;
.review_item .media .media-body .reply_btn:hover {
   background: #384aeb;
   border-color: #384aeb;
   color: #fff
.review item p {
   padding-top: 10px;
   margin-bottom: 0px
```

```
.review_item.reply {
   padding-left: 28px
.review_box h4 {
   font-size: 20px;
   color: #222;
   margin-bottom: 20px
.review_box p {
   margin-bottom: 0px;
   color: #555555;
   display: inline-block
.review_box .list {
   display: inline-block;
   padding-left: 10px;
   padding-right: 10px
.review_box .list li {
   display: inline-block
.review_box .list li a {
   display: inline-block;
   color: #fbd600
.review_box .contact_form {
   margin-top: 15px
.review_box .primary-btn {
   line-height: 38px !important;
   padding: 0px 38px;
   text-transform: uppercase;
   margin-right: 10px;
   border-radius: 5px;
   border: none
.form-review .form-control {
   height: 46px;
   background: transparent;
   border: 1px solid #EEEEEE;
```

```
font-size: 14px;
    color: #999999
.footer-area {
    background: #002347;
@media (min-width: 1000px) {
    .footer-area {
        padding: 100px 0px 100px
.single-footer-widget p {
    margin-bottom: 15px
.single-footer-widget p:last-child {
    margin-bottom: 0
.single-footer-widget .instafeed {
    margin-left: -5px;
    margin-right: -5px
.single-footer-widget .instafeed li {
    margin: 5px
@media (max-width: 1199px) and (min-width: 992px) {
    .single-footer-widget .instafeed li:nth-child(4),
    .single-footer-widget .instafeed li:nth-child(5),
    .single-footer-widget .instafeed li:nth-child(6) {
        display: none
.single-footer-widget .sm-head{
    color: #777;
    font-size: 17px;
    font-weight: 600;
    margin-bottom: 0px
.single-footer-widget .sm-head i{
    position: relative;
    margin-left: -40px;
```

```
margin-right: 10px;
    display: inline-block;
    width: 28px;
    height: 28px;
    line-height: 28px;
    text-align: center;
    color: #384aeb;
    border-radius:50px;
.single-footer-widget .sm-head :hover{
    transition:all ease-in-out .5s;
    background-color:#384aeb;
    color: white;
.tp_widgets{
    padding:45px;
.tp_widgets .list li {
    margin-bottom: 12px
.tp_widgets .list li a {
    color: #7b838a;
    font-family: "Roboto", sans-serif
.tp_widgets .list li i {
    color: white;
    font-size: 15px;
    margin-right:8px;
.tp_widgets .list li a:hover {
    color: white !important;
.tp_widgets p {
    color: #7b838a
.footer_title {
    font-size: 18px;
    line-height: 24px;
    font-weight: 500;
    font-family: "Oswald", sans-serif;
    text-transform: capitalize;
    color: #fff;
    margin-bottom: 28px
@media (max-width: 991px) {
```

```
.footer_title {
        margin-bottom: 10px
.footer_title.large_title {
    font-size: 36px;
    font-weight: 600
@media (max-width: 1199px) {
    .footer_title.large_title {
        font-size: 18px
.footer-bottom {
    background: rgba(0, 35, 71, 0.980392);
    padding: 32px
.footer-bottom .footer-text {
    color: #fff;
    margin-bottom: 0
.footer-bottom .footer-text a {
    color: #384aeb;
    opacity: 1
.footer-only {
    padding-top: 60px !important;
    padding-bottom: 60px !important
@media (min-width: 1000px) {
    .footer-only {
        padding-top: 115px !important;
        padding-bottom: 115px !important
```

Main.js

```
$( document ).ready(function() {
    //---- single product area carousel -----//
    $('.car').owlCarousel({
      loop:true,
      margin:10,
      nav:false,
      responsive:{
         0:{
              items:1
          },
         600:{
             items:3
          },
         1000:{
             items:3
  })
              ------shop now carousel-----//
$('.slide-one-item, .with-dots').owlCarousel({
  center: false,
  items: 1,
  loop: true,
  stagePadding: 0,
  margin: 0,
  autoplay: true,
  smartSpeed: 2000,
  pauseOnHover: false,
  nav: false,
  dots: true,
});
  //----- Best Seller Carousel -----//
  $('.salles').owlCarousel({
   loop:true,
    margin:10,
    loop: true,
    autoplay: true,
    smartSpeed: 1000,
    pauseOnHover: false,
    nav:false,
    responsive:{
       0:{
           items:2
```

```
},
        600:{
            items:3
        },
        1000:{
            items:4
})
    $(window).scroll(function(){
      var sticky = $('.header_area'),
      scroll = $(window).scrollTop();
      if (scroll >= 200) sticky.addClass('fixed');
      else sticky.removeClass('fixed');
    });
    //page shifting (stranicenje)
    $('#second-page').hide();
    $('.pagenumbers > li > a').click(function() {
        var id = $(this).attr("data-page");
        $(".pagenumbers > li > a").removeClass('activenum');
           $(this).addClass('activenum');
        console.log(id);
        if(id == "1"){
            $('#second-page').hide();
            $('#first-page').show();
        else{
            $('#first-page').hide();
            $('#second-page').show();
    });
   // alert('hello');
    Form_reg();
    function Form_reg(){
        let Dugme = $('#register_btn');
      Dugme.on('click',function(){
        let username = $('#name');
        let email = $('#email');
```

```
let adress = $('#adress');
        let password = $('#password');
       let cpassword = $('#confirmPassword');
        let date = $('#date');
     let usernameRe=/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]
z]{2,14})*$/;//Tonmawwq{12 karaktera}
     let emailRe = /^[\w-\]+([\w-\]+\])+[\w-\]{2,4}$/;//test@gmail.edu.com}
     let adressRe=/^\w+(\s\w+)*$/;//123 Nasticeva Mike
     let passRe=/^(?=.*[A-Za-z])(?=.*\d)[A-Za-
z\d]{8,}$/;//min 8 karaktera, i jedan broj i jedno slovo:
     let podaciForme = [];
       var spremno = true;
          function Proveriparametar(parametar,regex,primer) {
            if(parametar.val() == ''){
              spremno = false;
              parametar.val("");
              parametar.next().text('The field can not be empty.');
          else if(!regex.test( parametar.val() ) ) {
            spremno = false;
            parametar.val("");
            parametar.next().text('Eg:'+primer);
          else{
             parametar.next().text('');
              podaciForme.push(parametar.val());
          }//proveri
          Proveriparametar(username, usernameRe, "Nathaniel Baker");
          Proveriparametar(email,emailRe,"test@gmail.edu.com");
          Proveriparametar(adress,adressRe,"123 Nasticeva Mike");
          Proveriparametar(password,passRe,"Thisismypasshere9");
         //datum
         // console.log("date->"+date.val());
          if(date.val() =='') {
            spremno = false;
            date.val("");
            date.next().text('You have to choose a date.');
            else{
              date.next().text('');
              podaciForme.push(date.val());
            //confirm-password
          // console.log("pass->"+password.val());
```

```
if(cpassword.val()==''){
               spremno = false;
           cpassword.val("");
           cpassword.next().text('You have to re-type a password.');
           else if(password.val()!= cpassword.val())
               spremno = false;
               cpassword.val("");
               cpassword.next().text('Passwords are not matching.');
           else if(password.val() == cpassword.val()){
             cpassword.next().text('');
             podaciForme.push(cpassword.val());
           if(spremno){
            // console.log(podaciForme)
            let ime = podaciForme[0];
            let mail = podaciForme[1];
            let adresa = podaciForme[2];
            let sifra = podaciForme[3];
            let datum = podaciForme[4];
            let button = true;
            let Send = Object.assign({ime,mail,adresa,sifra,datum,button});
              // {ime:Nikola,adresa:111 NI NI}
           console.log(Send)
           $.ajax({
               url : "modeli/reg.php",
               method : "post",
               dataType : "json",
               data : Send ,
               success: function(result){
                 console.log(result)
                 console.log(result.poruka)
                $("#message").html(`
success">${result.poruka}`)
             },
             error: function(xhr){
                // console.error(xhr);
                 if(xhr.status == 422){
                     $("#message").html(`
                     Doslo je do greske prilikom obrade podataka.
                     `)
                 if(xhr.status == 500){
```

```
$("#message").html(`
                   Doslo je do greske na serveru.
                   `)
               });
     });
     Form_log();
   function Form_log(){
       let Dugme = $('#login_btn');
     Dugme.on('click',function(){
       let username = $('#name');
       let password = $('#password');
     let usernameRe=/^[A-Z][a-z]{2,14}(\s[A-Z][a-x])
z]{2,14})*$/;//Tonmawwq{12 karaktera}
     let passRe=/^(?=.*[A-Za-z])(?=.*\d)[A-Za-
z\d]{8,}$/;//min 8 karaktera, i jedan broj i jedno slovo:
     let podaciForme = [];
       var spremno = true;
         function Proveriparametar(parametar, regex, primer) {
           if(parametar.val() == ''){
             spremno = false;
             parametar.val("");
             parametar.next().text('The field can not be empty.');
          else if(!regex.test( parametar.val() ) ) {
           spremno = false;
           parametar.val("");
           parametar.next().text('Eg:'+primer);
          else{
            parametar.next().text('');
             podaciForme.push(parametar.val());
         }//proveri
         Proveriparametar(username, usernameRe, "Username is not right");
         Proveriparametar(password,passRe,"Passoword is not right");
           if(spremno){
          // console.log(podaciForme)
            let ime = podaciForme[0];
            let sifra = podaciForme[1];
```

```
let button = true;
           let Send = Object.assign({ime, sifra, button});
             // {ime:Nikola,adresa:111 NI NI}
          console.log(Send)
          $.ajax({
             url : "modeli/log.php",
             method : "post",
             dataType : "json",
             data : Send ,
              success: function(result){
               console.log(result)
               console.log(result.poruka)
              $("#message_log").html(`
success">${result.poruka}`)
            },
            error: function(xhr, result){
               if(xhr.status == 401){
                   $("#message_log").html(`
                   ${result.poruka}`)
               if(xhr.status == 500){
                 $("#message_log").html(`
                 Doslo je do greske na serveru.
                 `)
               $("#message_log").html(`
               ${result.poruka}`)
             });
          //location.reload();
     });
     }//forma
  posebanProizvod();
  function posebanProizvod() {
      $('.button_single').on('click',function () {
        var id = $(this).data('id');
        console.log(id);
```

```
$.ajax({
        url: "modeli/filter_item_by_id.php",
        method: "post",
        dataType: "json",
        data: {
            idItem: id,
            btn:true
        },
        success: function(data){
             console.log(data);
        error: function(xhr){
            console.error(xhr);
    })
    })
  categoryfilter();
function categoryfilter(){
  $('#main-categories [type="radio"]').on("change",function(){
    var id = $(this).attr("id");
    console.log(id);
    $.ajax({
      url: "modeli/filkat.php",
      method: "post",
      dataType: "json",
      data: {
          idItem: id,
          search:"preskoci",
          btn:true
      },
      success: function(data){
          console.log(data);
      },
      error: function(xhr,data){
          console.log(xhr);
      }
  })
  location.reload();
  })
}//catfilter
sortprice();
function sortprice(){
  $('.dropdown-menu a').on("click",function(){
    var id = $(this).attr("id");
    console.log(id);
```

```
if(id!=null){
     $.ajax({
       url: "modeli/filkat.php",
       method: "post",
       dataType: "json",
       data: {
           idItem: id,
           search:"preskoci",
           btn:true
       },
       success: function(data){
           console.log(data);
       },
       error: function(xhr,data){
           console.log(xhr);
       }
   })
location.reload();
   })
 }//sort
 namesearch();
 function namesearch(){
   $('#button_search').on("click",function(){
     var id = $("#search").val();
     console.log(id);
     $.ajax({
       url: "modeli/filkat.php",
       method: "post",
       dataType: "json",
       data: {
           idItem: id,
           search: "pokreni",
           btn:true
       },
       success: function(data){
           console.log(data);
       },
       error: function(xhr,data){
           console.log(xhr);
       }
   })
location.reload();
   })
```

```
}//search
    anketaInsert();
    function anketaInsert(){
      let Dugme = $('#button_review');
    Dugme.on('click',function(){
      let username = $('#name');
      let subject = $('#subject');
      let textarea = $('#textarea');
      //5
    let usernameRe=/^[A-Z][a-z]{2,14}(\s[A-Z][a-x])
z]{2,14})*$/;//Tonmawwq{12 karaktera}
    let podaciForme = [];
      var spremno = true;
        function Proveriparametar(parametar, regex, primer) {
          if(parametar.val() == '')
            spremno = false;
            parametar.val("");
            parametar.next().text('The field can not be empty.');
         else if(!regex.test( parametar.val() ) ) {
          spremno = false;
          parametar.val("");
          parametar.next().text('Eg:'+primer);
         else{
           parametar.next().text('');
            podaciForme.push(parametar.val());
        }//proveri
        Proveriparametar(username, usernameRe, "Nathaniel Baker");
        if(subject.val() == '')
          spremno = false;
          subject.val("");
          subject.next().text('The field can not be empty.');
         else if((subject.val().length<3)){</pre>
          spremno = false;
          subject.val("");
          subject.next().text('Subject length must be bigger the 3.');
```

```
else{
   subject.next().text('');
   podaciForme.push(subject.val());
//poruka
if(textarea.val() == '')
 spremno = false;
 textarea.val("");
 textarea.next().text('The field can not be empty.');
else{
 textarea.next().text('');
  podaciForme.push(textarea.val());
 if(spremno){
  let ime = podaciForme[0];
  let tema = podaciForme[1];
  let opis = podaciForme[2];
  let button = true;
  let Send = Object.assign({ime,tema,opis,button});
    // {ime:Nikola,adresa:111 NI NI}
 console.log(Send)
 $.ajax({
     url : "modeli/anketa obrada.php",
     method : "post",
     dataType : "json",
     data : Send ,
     success: function(result){
       console.log(result);
      $("#review-confirm").html(`
      ${result.poruka}`);
   },
   error: function(xhr){
       console.error(xhr);
       if(xhr.status == 500){
         $("#review-confirm").html(`
         Doslo je do greske na serveru.
         `);
```

```
});
    });
    }//anketa
    contactPoruka();
    function contactPoruka(){
      let Dugme = $('#button_contact');
    Dugme.on('click',function(){
      let username = $('#contactName');
      let contactEmail = $('#contactEmail');
      let number = $('#number');
      let contactMessage = $('#contactMessage');
    let usernameRe=/^[A-Z][a-z]{2,14}(\s[A-Z][a-z]
z]{2,14})*$/;//Nathaniel Baker{12 karaktera}
    let numberRe =/^[+]*[(]{0,1}[0-9]{1,4}[)]{0,1}[-\s\./0-9]*$/;
    let emailRe = /^[\w-\.]+@([\w-]+\.)+[\w-]{2,4}$/;//test@gmail.edu.com}
           Send = \{\};
      var spremno = true;
            function Proveriparametar(parametar, regex, primer) {
              if(parametar.val() == '')
                spremno = false;
                parametar.val("");
                parametar.next().text('The field can not be empty.');
            else if(!regex.test( parametar.val() ) ) {
              spremno = false;
              parametar.val("");
              parametar.next().text('Eg:'+primer);
            else{
              parametar.next().text('');
        Proveriparametar(username, usernameRe, "Nathaniel Baker");
```

```
Proveriparametar(number, numberRe, " +38163 555 0100");
Proveriparametar(contactEmail,emailRe,"test@gmail.edu.com");
if(contactMessage.val() == '')
 spremno = false;
 contactMessage.val("");
 contactMessage.next().text('The field can not be empty.');
else if((contactMessage.val().length<3)){</pre>
 spremno = false;
 contactMessage.val("");
 contactMessage.next().text('Message length must be bigger the 3.');
else{
 contactMessage.next().text('');
 if(spremno){
   Send.ime=username.val();
   Send.email=contactEmail.val();
   Send.number=number.val();
   Send.poruka=contactMessage.val();
   Send.button = true;
    console.log(Send)
 $.ajax({
     url : "modeli/contact_obrada.php",
     method : "post",
     dataType : "json",
     data : Send ,
     success: function(result){
       console.log(result);
      $("#contact-message").html(`
      ${result.poruka}`);
   },
   error: function(xhr){
       console.error(xhr);
       if(xhr.status == 500){
         $("#contact-message").html(`
         Doslo je do greske na serveru.
         `);
     });
```

```
}//contact
   cartCookies();
   function cartCookies(){
   function postavikolacic(name, value, days){
     let date = new Date();
     date.setTime(date.getTime() + (days*24*60*60*1000));
     let expires = "expires=" + date.toUTCString();
     document.cookie = name + "=" + value + ";" + expires;
   $('.add-to-cart-disabled').on('click',function() {
     alert('You must register/log-in to buy an item.');
   })
   $(".add-to-cart-enabled").on("click",function(){
     alert('Item has been added to yours cart list.')
     var item = $(this).closest(".card-product");
   // console.log(item);
   var slika = item.find('img').attr('src');
   var id = item.find('button').data('id');
   var nazivtip = item.find("p").eq(0).text();
   var naziv = item.find("h4").text();
   var cena = item.find("p").eq(1).text().split("$")[1];
   console.log("slika",slika,"id",id,"nazivtip",nazivtip,"naziv",naziv,"cena"
,cena);
     let cart = [];
     const korpa = document.cookie.split("; ").find(row => row.startsWith('ko
rpa'));
      console.log(korpa);
      if(korpa){
        cart = JSON.parse(korpa.split("=")[1]);
      if(cart.some(x => x.id == id)) {
        var found = cart.find(x => x.id == id);
          found.kolicina++;
     // console.log(found);
      var incena = found.cena;
      var inkol = found.kolicina;
      //pocetni total
      var to = found.total = incena;
      //konacni total
       found.total = to * inkol;
      // console.log(incena,inkol);
      // console.log(to);
```

```
else{
       cart.push({slika,id,nazivtip,naziv,cena,kolicina: 1,total:cena});
     postavikolacic("korpa", JSON.stringify(cart), 4);
   })//event
   upisikolacic();
     function upisikolacic(){
       const korpa = document.cookie.split(";").find(row => row.startsWith('k
orpa'));
       if(korpa){
         var cookievrednosti = JSON.parse(korpa.split("=")[1]);
         console.log(cookievrednosti);
              let ispis = '';
            for(const item of cookievrednosti){
              ispis+=`
                     >
                     <b>${item.id}</b>
                     <div>
                             <img src="${item.slika}" class="w-50"/>
                             </div>
                           <b class="w-50">${item.naziv}</b>
                           </div>
                        <h5>${item.nazivtip}</h5>
                     >
                     <h5>${item.cena}</h5>
                     ${item.kolicina}
                    ${item.total}
                    // console.log(ispis);
                if($('#cart_ispis').length){
                  var div = $("#cart ispis");
                  div.prepend(ispis);
              $('.btn-delete').click(function () {
                      postavikolacic("korpa", null, -1);
                      upisikolacic();
                 });
```

```
$('#logout-button').click(function () {
                    postavikolacic("korpa", null, -1);
                    upisikolacic();
              });
             }//if(korpa)
             else{
                     ispis = "<h5>Your list is empty.</h5>"
                    if($('#cart_ispis').length){
                       var div = document.querySelector('#cart_ispis');
                     div.innerHTML = ispis;
                }//else
    $('#proslediID').hide();
   var IDkorisnika = $('#proslediID').text();
 // console.log("IDkorisnika => "+IDkorisnika);
    posaljiporudzbinu();
   function posaljiporudzbinu(){
    $('#make_order').on('click',function(){
      const korpa = document.cookie.split(";").find(row => row.startsWith('kor
pa'));
      if(korpa){
        var cookievrednosti = JSON.parse(korpa.split("=")[1]);
        var IDk = $('#proslediID').text();
      //console.log(IDk);
      // let Send = cookievrednosti;
      // for (var i= 0;i<Send.length;i++) {</pre>
           Send[i].IDkorisnika = IDk;
        console.log(cookievrednosti);
        $.ajax({
          url : "modeli/order_obrada.php",
         method : "post",
         dataType : "json",
          data : {
            proizvodi:cookievrednosti,
           id:IDk
          success: function(result){
           console.log(result);
```

```
$("#order_poruka").html(`
         ${result.poruka}`);
      },
      error: function(xhr){
          console.error(xhr);
          if(xhr.status == 500){
            $("#order_poruka").html(`
            Doslo je do greske na serveru.
            `);
        });
    }
})
admin_insert();
function admin_insert(){
let Dugme = $('#button_insert');
  Dugme.on('click',function(){
    let naziv = $('#insertname').val();
    let cena = $('#insertprice').val();
    let opis = $('#insertdesc').val();
    let nazivtipa = $('#inserttip').val();
    let boja = $('#insertboja').val();
    let pol = $('#insertpol').val();
   let dostupnost = $('#insertdostupnost').val();
   var img = $('#insertslika').val().split('\\').pop();
// console.log(naziv,cena,opis,nazivtipa,boja,pol,dostupnost);
    let Send = {};
    Send.naziv = naziv;
    Send.cena = cena;
    Send.opis = opis;
    Send.idtip = nazivtipa;
    Send.idboja = boja;
    Send.idpol = pol;
    Send.dostupnost = dostupnost;
    Send.slika = img;
    Send.btn = true;
   console.log(Send)
```

```
$.ajax({
            url : "../modeli/ad_insert_proizvod_obrada.php",
            method : "post",
            dataType : "json",
            data : Send ,
            success: function(result){
              console.log(result);
             $("#admin-message").html(`
             ${result.poruka}`);
          },
          error: function(xhr){
              console.error(xhr);
              if(xhr.status == 500){
                $("#admin-message").html(`
                Doslo je do greske na serveru.
                `);
            });
   });
admin update();
function admin_update(){
 let Dugme = $('#button update');
   Dugme.on('click',function(){
//idproizvoda
     let id = $('#idproizvoda').val();
     let naziv = $('#updatename').val();
     let cena = $('#updateprice').val();
     let opis = $('#updatedesc').val();
     let nazivtipa = $('#updatetip').val();
     let boja = $('#updateboja').val();
    let pol = $('#updatepol').val();
    let dostupnost = $('#updatedostupnost').val();
   // var img = $('#updateslika').val().split('\\').pop();
   var img;
   if( $("#updateslika").prop('files').length != 0 ){
```

```
img = $('#updateslika').val().split('\\').pop();
 else{
   img= $('#old-image').text().split(":")[1];
 let Send = {};
 Send.id = id;
 Send.naziv = naziv;
 Send.cena = cena;
 Send.opis = opis;
 Send.idtip = nazivtipa;
 Send.idboja = boja;
 Send.idpol = pol;
 Send.dostupnost = dostupnost;
 Send.slika = img;
 Send.button = true;
console.log(Send)
     $.ajax({
         url : "../modeli/ad_update_proizvod_obrada.php",
         method : "post",
         dataType : "json",
         data : Send ,
         success: function(result){
           console.log(result);
          $("#admin-message").html(`
          ${result.poruka}`);
       },
       error: function(xhr){
           console.error(xhr);
           if(xhr.status == 500){
            $("#admin-message").html(`
            Doslo je do greske na serveru.
            `);
       }
         });
});
```


```
});//ready
```

Podaci baze


Anketa




Baner



Boja



Kontakt




▼ id_pol nazivpola

Men

2 Women


Porudzbine



Slika




Slika_proizvod



Tip



Uloga



Vesti

