Visoka škola strukovnih studija za informacione i komunikacione tehnologije

# Maxim\_Productions

https://maxim-products.netlify.app/

Smer: Internet tehnologije Predmet: Web programiranje 1

Student:Djordje Taskovic 188/18

# Sadrzaj

Sadrzaj	2
Uvod	3
Koriscenje Tehnologije	3
Opis Fungcionalnosti	3
Template	4
Organizacija	4
Organizaciona sema	4
Mapa sajta	4
Opis stranica sajta	4
Index.html	4
Author.html	10
Kodovi	11
Html	11
Index.html	11
Author.html	18
Css	22
Style.css	22
JavaScript	53
Main.js	53
Plugin code	70
Animate.css	70
Jquery.letering.js	137
Jquery. Textilate.js	139

### Uvod

# Koriscenje Tehnologije

Html5
Css3
Javascript
Jquery
Bootstrap
Visual studio code
Textilate plugin

# **Opis Fungcionalnosti**

Dinaičko učitavnje meni linkova na svim stranama

Meni je prilagodjen za sve vrste uredjaja tako da se na manjim ekranima prikazuje "hamburger"i klikom na njega se otvara meni

Animacija 'Welcome' znaka i teksta na pocetku stranice Dinamičko učitavanje 'about'sekcije sa slikom i tekstom o osnivacima agencije

Dinamičko učitavanje sekcije 'features' sa linkovima koji ucitavaju drugaciju sliku odredjenog servisa

Dinamičko učitavanje sekcije 'sevices' sa servisima sajta

Dinamičko ispisivanje sekcije 'testimonials' sa karuselom komentara

Dinamičko ispisivanje sekcije ' portfolio' sa gallerijom vec obradjenih producta agencijeuz dodat sistem filtriranja slika po kategoriji kao i prikaz istih u "full-screen" klikom na "zoom in" dugme

Dinamicko ispisivanje sekcija"team" sa timom posrednika produkcije

Dinamicko ispisivanje sekcija"FAQ" sa faq pitanjima uz dodatu fungciju 'show-more' prikazivanja odgovora ispod zadatog pitanja

Provera podataka iz forme na kontakt strani prilikom slanja kontakt poruke regularnim izrazima

Dinamicko ispisivanje linkova u 'footer' sekciji


Ispisivanje 'scroll-to-top' ikone prilokom skrollovanja stranice Dinamicko ispisivanje author opisa sekcije na author.html strani

# **Template**

Korisćen je gotiv css template <a href="https://bootstrapmade/maxim-free-onepage-bootstraptheme">https://bootstrapmade/maxim-free-onepage-bootstraptheme</a>, uz koriscenje gotovih css klasa za podesavanje (icofont.css,venobox.css,boxicons.css) kao i gotovih fontova template-a.

# Organizacija

# Organizaciona sema




# Mapa sajta

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"> <url>
  <loc>https://maxim-products.netlify.app/index.html</loc>
  <lastmod>2020-12-5</lastmod>
  <changefreq>daily</changefreq>
  <priority>1</priority>
  </url>
  <loc>https://maxim-products.netlify.app/author.html</loc>
  <lastmod>2020-12-5</lastmod>
  <changefreq>weekly</changefreq>
  <priority>0.9</priority>
  </url>
  </url>
  </url>
  <url>
    <url>
        urlset></urlset></url>
  </url>
  </url>
  </url>
  </url>
  <url>
        urlset></url>
    </url>
    </url>
    </url>
    </url>
    <url>
        urlset></url>
    </url>
    </url>
    </url>
    <url>
        urlset></url>
    </url>
    </url>
    </url>
    </url>
    <url>
        urlset></url>
    </url>
    </url>
    </url>
    <url>
        urlset></url>
    </url>
    </url>
    </url>
    <url>
        urlset></urlset></url>
    </url>
    </url>
    <url>
        urlset></url>
    </url>
    </url>
    <url>
        urlset
        urlse
```

# Opis stranica sajta


#### Index.html

Učitavnje meni linkova na strani,meni je prilagodjen za sve vrste uredjaja tako da se na manjim ekranima prikazuje,,hamburger"i klikom na njega se otvarameni.




Animacija 'Welcome' znaka i teksta na pocetku stranice.


Dinamičko učitavanje 'about' sekcije sa slikom i tekstom o osnivacima agencije




Dinamičko učitavanje sekcije 'features' sa linkovima koji ucitavaju drugaciju sliku odredjenog servisa




Dinamičko učitavanje sekcije 'sevices' sa servisima sajta




Dinamičko ispisivanje sekcije 'testimonials' sa karuselom komentara




Dinamičko ispisivanje sekcije ' portfolio' sa gallerijom vec obradjenih producta agencijeuz dodat sistem filtriranja slika po kategoriji kao i prikaz istih u "full-screen" klikom na "zoom in" dugme




Dinamicko ispisivanje sekcija"team" sa timom posrednika produkcije




Dinamicko ispisivanje sekcija "FAQ" sa faq pitanjima uz dodatu fungciju 'show-more' prikazivanja odgovora ispod zadatog pitanja



Provera podataka iz forme na kontakt strani prilikom slanja kontakt poruke regularnim izrazima



Dinamicko ispisivanje linkova u 'footer' sekciji



Ispisivanje 'scroll-to-top' ikone prilokom skrollovanja stranice

#### Author.html

Pored ispisivanja navigacije i futera implementirano ispisivanje podataka autora i kao is slike istog.



## Djordje Taskovic 188/18



I am currently a student at the ICT College. In high school, I first encountered web design and a little bit of programming and I did not truly undertand it but liked it. It made me choose this college. In my spare time, I like to watch movies, go running in park, explore new things.

### Kodovi

#### Html

#### Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta content="width=device-width, initial-scale=1.0" name="viewport">
  <title>Maxim-Product Placement Agency</title>
 <meta name="keywords" content="Product placement,Branding, Marketing agency"</pre>
<meta name="description" content="We offer a wide range of professional tailor
-made design solutions,
from Brand design and Illustration to Websites and Infographics." />
<meta name="author" content="mailto:djordje.taskovic.nas@gmail.com" />
 <meta name="copyright" content="Djordje Taskovic @ 2020." />
 <!-- Favicons -->
  <link href="assets/img/favicon2.png" rel="icon">
  <link href="assets/img/favicon-bigger.ico" rel="apple-touch-icon">
  <!-- Google Fonts -->
  <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,4</pre>
00i,600,600i,700,700i|Raleway:300,300i,400,400i,500,500i,600,600i,700,700i|Pop
pins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
  <!-- Vendor CSS Files -->
  <link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/vendor/icofont/icofont.min.css" rel="stylesheet">
 <link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
  <link href="assets/vendor/venobox/venobox.css" rel="stylesheet">
<link href="assets/vendor/plugin/animate.css" rel="stylesheet">
```

```
<!-- Template Main CSS File -->
  <link href="assets/css/style.css" rel="stylesheet">
  * Template Name: Maxim - v2.2.0
 * Template URL: https://bootstrapmade.com/maxim-free-onepage-bootstrap-
  * Author: BootstrapMade.com
  * License: https://bootstrapmade.com/license/
</head>
<body>
  <header id="header" class="fixed-top">
    <div class="container d-flex head">
      <div class="logo mr-auto">
        <h1 class="text-light"><a href="index.html">Maxim</a></h1>
      </div>
      <nav class="nav-menu d-none d-lg-block meni">
    </div>
  </header><!-- End Header -->
  <!-- ===== Hero Section ====== -->
  <section id="hero" class="d-flex flex-column justify-content-center align-</pre>
items-center">
    <div class="container text-center text-md-left" >
      <h1 class="tlt" data-in-effect="rollIn">Welcome..</h1>
      <h2 class="weltext">We are team of talented and hardworking designers an
d innovators
        who will make your product recognizable here, at our design studio. </
h2>
      <a href="#about" class="btn-outline-light btn-
lg scrollto">Take a look..</a>
    </div>
  </section><!-- End Hero -->
 <main id="main">
    <!-- ===== About Section ====== -->
    <section id="about" class="about">
```

```
</section><!-- End About Section -->
    <!-- ===== Features Section ====== -->
    <section id="features" class="features">
      <div class="container">
      </div>
    </section><!-- End Features Section -->
    <!-- ===== Services Section ====== -->
    <section id="services" class="services section-bg">
     <div class="container">
     </div>
    </section><!-- End Services Section -->
    <!-- ===== Testimonials Section ====== -->
    <section id="testimonials" class="testimonials">
      <div class="container">
        <div class="section-title">
        </div>
        <div class="container my-4">
          <!--Carousel Wrapper-->
          <div id="multi-item-example" class="carousel slide carousel-multi-</pre>
item" data-ride="carousel">
                  <!--Controls-->
                  <div class="controls">
                  </div>
                  <!--/.Controls-->
                  <!--Indicators-->
                  <div class="indicators">
                  </div>
                  <!--/.Indicators-->
                  <!--Slides-->
                  <div class="carousel-inner" role="listbox">
                    <div class="carousel-item active divprvi"><!--divprvi-->
                      <div class="row"><!--divprvired-->
                      </div>
                    </div>
                    <div class="carousel-item divdrugi"><!--divdrugi-->
                      <div class="row">
```

```
</div>
               </div>
             </div>
     </div>
     <!--/.Carousel Wrapper-->
   </div>
 </div>
</section><!-- End Testimonials Section -->
<!-- ===== Portfolio Section ====== -->
<section id="portfolio" class="portfolio section-bg">
 <div class="container">
 </div>
</section><!-- End Portfolio Section -->
<!-- ===== Team Section ====== -->
<section id="team" class="team">
 <div class="container">
   <div class="section-title">
   </div>
  <div class="row">
  </div>
 </div>
</section><!-- End Team Section -->
<!-- ===== F.A.Q Section ====== -->
<section id="faq" class="faq section-bg">
 <div class="container">
   <div class="section-title" >
   </div>
   <div class="faq-list">
   </div>
 </div>
</section><!-- End F.A.Q Section -->
```

```
<!-- ===== Contact Section ====== -->
    <section id="contact" class="contact">
      <div class="container">
        <div class="section-title" >
          <h2>Contact</h2>
        </div>
        <div class="row no-gutters justify-content-center" >
          <div class="col-lg-5 d-flex align-items-stretch">
            <div class="info">
              <div class="address">
                <i class="icofont-google-map"></i></i>
                <h4>Location:</h4>
                A108 Adam Street, New York, NY 535022
              </div>
              <div class="email mt-4">
                <i class="icofont-envelope"></i></i>
                <h4>Email:</h4>
                info@example.com
              </div>
              <div class="phone mt-4">
                <i class="icofont-phone"></i></i>
                <h4>Call:</h4>
                +1 5589 55488 55s
              </div>
            </div>
          </div>
        </div>
        <div class="row mt-5 justify-content-center">
          <div class="col-lg-10">
            <form action="#" method="post" role="form" class="php-email-form">
              <div class="form-row">
                <div class="col-md-6 form-group">
                  <input type="text" name="name" class="form-</pre>
control" id="name" placeholder="Your Name"
                  <div class="validate"></div>
                </div>
                <div class="col-md-6 form-group">
                  <input type="email" class="form-</pre>
control" name="email" id="email" placeholder="Your Email"
                 data-rule="email" />
```

```
<div class="validate"></div>
                </div>
              </div>
              <div class="form-group">
                <input type="text" class="form-</pre>
control" name="subject" id="subject" placeholder="Subject"
                data-msg="Please enter at least 8 chars of subject" />
                <div class="validate"></div>
              </div>
              <div class="form-group">
                <textarea class="form-
control" name="message" rows="5" id="message"
msg="Please write something for us" placeholder="Message"></textarea>
                <div class="validate"></div>
              </div>
              <div class="mb-3">
                <div class="loading">Loading</div>
                <div class="error-message"></div>
                <div class="sent-
message">Your message has been sent. Thank you!</div>
              </div>
              <div class="text-
center"><button type="button" id="dugme">Send Message</button></div>
            </form>
          </div>
        </div>
      </div>
    </section><!-- End Contact Section -->
  <!-- ===== Footer ====== -->
  <footer id="footer">
    <div class="footer-top">
      <div class="container">
        <div class="row">
          <div class="col-lg-3 col-md-6">
            <div class="footer-info">
              <h3>Maxim</h3>
                A108 Adam Street <br>
                NY 535022, USA<br><br>
                <strong>Phone:</strong> +1 5589 55488 55<br>
                <strong>Email:</strong> info@example.com<br>
```

```
<div class="social-links mt-3">
             </div>
           </div>
         </div>
         <div class="col-lg-2 col-md-6 footer-links useful-links">
           <h4>Useful Links</h4>
           <u1>
           </div>
         <div class="col-lg-3 col-md-6 footer-links flinks">
           <h4>Our Services</h4>
           </div>
         <div class="col-lg-4 col-md-6 footer-newsletter">
           <h4>Our Newsletter</h4>
           <form action="" method="post">
             <input type="email" name="smail" id="smail"/>
             <div class="validate" style="color: red;"></div>
             <input type="button" id="Subscribe" value="Subscribe"/>
           </form>
         </div>
       </div>
     </div>
   </div>
   <div class="container">
     <div class="copyright">
       © Copyright <strong><span>Maxim</span></strong>. All Rights Reser
ved
     </div>
   </div>
 <a href="#" class="back-to-top"><i class="icofont-simple-up"></i></a>
 <!-- Vendor JS Files -->
 <script src="assets/vendor/jquery/jquery.min.js"></script>
 <script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

#### Author.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta content="width=device-width, initial-scale=1.0" name="viewport">
  <title>Author-Maxim</title>
  <meta name="keywords" content="Product placement,Branding, Marketing agency"</pre>
<meta name="description" content="We offer a wide range of professional tailor</pre>
-made design solutions,
from Brand design and Illustration to Websites and Infographics." />
<meta name="author" content="mailto:djordje.taskovic.nas@gmail.com" /> <meta</pre>
name="copyright" content="Djordje Taskovic @ 2020." />
  <!-- Favicons -->
  <link href="assets/img/favicon2.png" rel="icon">
  <link href="assets/img/favicon-bigger.ico" rel="apple-touch-icon">
  <!-- Google Fonts -->
  <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,4</pre>
00i,600,600i,700,700i|Raleway:300,300i,400,400i,500,500i,600,600i,700,700i|Pop
pins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
  <!-- Vendor CSS Files -->
  <link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/vendor/icofont/icofont.min.css" rel="stylesheet">
 <link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
  <link href="assets/vendor/venobox/venobox.css" rel="stylesheet">
  <link rel="stylesheet" href="assets/vendor/magnificent/magnific-popup.css">
```

```
<!-- Template Main CSS File -->
 <link href="assets/css/style.css" rel="stylesheet">
 * Template Name: Maxim - v2.2.0
 * Template URL: https://bootstrapmade.com/maxim-free-onepage-bootstrap-
 * Author: BootstrapMade.com
 * License: https://bootstrapmade.com/license/
</head>
<body>
 <header id="header" class="fixed-top">
   <div class="container d-flex head">
     <div class="logo mr-auto">
       <h1 class="text-light"><a href="index.html">Maxim</a></h1>
       <!-- Uncomment below if you prefer to use an image logo -->
<a href="index.html"><img src="assets/img/logo.png" alt="" class="img-</pre>
fluid"></a>-->
     </div>
     <nav class="nav-menu d-none d-lg-block meni">
   </div>
 </header><!-- End Header -->
 <main id="main">
   <!-- ===== Breadcrumbs Section ====== -->
   <section class="breadcrumbs">
     <div class="container">
       <div class="d-flex justify-content-between align-items-center">
         <h2>Author-page</h2>
         <a href="index.html">Home</a>
           Author-page
         </div>
     </div>
```

```
</section><!-- End Breadcrumbs Section -->
 <section class="inner-page">
   <div id="author" class="author">
     <div class="container">
         <div class="section-title">
              <h2>Djordje Taskovic <br> 188/18</h2>
         </div>
         <div class="author-inner row">
         </div>
     </div>
 </div>
 </section>
</main><!-- End #main -->
<!-- ===== Footer ====== -->
<footer id="footer">
 <div class="footer-top">
   <div class="container">
     <div class="row">
       <div class="col-lg-3 col-md-6">
         <div class="footer-info">
           <h3>Maxim</h3>
             A108 Adam Street <br>
             NY 535022, USA<br><br>
             <strong>Phone:</strong> +1 5589 55488 55<br>
             <strong>Email:</strong> info@example.com<br>
           <div class="social-links mt-3">
           </div>
         </div>
       </div>
        <div class="col-lg-2 col-md-6 footer-links useful-links">
         <h4>Useful Links</h4>
         <l
         </div>
```

```
<div class="col-lg-3 col-md-6 footer-links flinks">
            <h4>Our Services</h4>
            </div>
          <div class="col-lg-4 col-md-6 footer-newsletter">
            <h4>Our Newsletter</h4>
            <form action="" method="post">
              <input type="email" name="email">
              <div class="validate"style="color: red;"></div>
              <input type="button" value="Subscribe">
            </form>
         </div>
       </div>
      </div>
    </div>
    <div class="container">
      <div class="copyright">
        © Copyright <strong><span>Maxim</span></strong>. All Rights Reser
ved
      </div>
    </div>
 </footer><!-- End Footer -->
  <a href="#" class="back-to-top"><i class="icofont-simple-up"></i></a>
<!--Plugin JS-->
  <script src="assets/vendor/jquery/jquery.min.js"></script>
  <script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
  <script src="assets/vendor/magnificent/magnific-popup.js"></script>
  <!-- Template Main JS File -->
  <script src="assets/js/main.js"></script>
</body>
 /html>
```

### **Css**

### Style.css

```
* Template Name: Maxim - v2.2.0
* Template URL: https://bootstrapmade.com/maxim-free-onepage-bootstrap-theme/
* Author: BootstrapMade.com
 License: https://bootstrapmade.com/license/
# General
 font-family: "Open Sans", sans-serif;
  color: #444444;
a {
 color: #1bac91;
a:hover {
  color: #22d8b6;
  text-decoration: none;
h1, h2, h3, h4, h5, h6 {
  font-family: "Raleway", sans-serif;
# Back to top button
.back-to-top {
  position: fixed;
  display: none;
  width: 40px;
  height: 40px;
  border-radius: 3px;
  right: 15px;
  bottom: 15px;
  background: #1bac91;
  color: #fff;
  transition: display 0.5s ease-in-out;
  z-index: 99999;
 back-to-top i {
```

```
font-size: 24px;
  position: absolute;
  top: 8px;
  left: 8px;
.back-to-top:hover {
  color: #fff;
  background: #18967e;
  transition: background 0.2s ease-in-out;
#header {
  height: 72px;
  transition: all 0.5s;
  z-index: 997;
  transition: all 0.5s;
  padding: 15px 0;
  background: #000;
#header .logo h1 {
 font-size: 30px;
  margin: 0;
  padding: 6px 0;
  line-height: 1;
 font-weight: 700;
  letter-spacing: 2px;
  text-transform: uppercase;
#header .logo h1 a, #header .logo h1 a:hover {
  color: #22d8b6;
  text-decoration: none;
#header .logo img {
  padding: 0;
  margin: 0;
  max-height: 40px;
@media (max-width: 992px) {
  #header {
    height: 60px;
    padding: 8px 0;
```

```
# Navigation Menu
/* Desktop Navigation */
.nav-menu, .nav-menu * {
 margin: 0;
  padding: 0;
  list-style: none;
.nav-menu > ul > li {
  position: relative;
  white-space: nowrap;
  float: left;
.nav-menu a {
  display: block;
  position: relative;
 color: rgba(255, 255, 255, 0.8);
  padding: 8px 0 12px 0;
  transition: 0.3s;
  font-size: 14px;
  font-family: "Open Sans", sans-serif;
.nav-menu > ul > li + li {
  margin-left: 30px;
.nav-menu > ul > li > a:before {
  content: "";
  position: absolute;
  width: 100%;
  height: 2px;
  bottom: 3px;
  left: 0;
  background-color: #1bac91;
  visibility: hidden;
  width: 0px;
  transition: all 0.3s ease-in-out 0s;
.nav-menu a:hover:before, .nav-menu li:hover > a:before, .nav-
menu .active > a:before {
 visibility: visible;
```

```
width: 100%;
}
.nav-menu a:hover, .nav-menu .active > a, .nav-menu li:hover > a {
  color: #fff;
.nav-menu .drop-down ul {
  display: block;
  position: absolute;
  left: 0;
  top: 100%;
  z-index: 99;
  opacity: 0;
  visibility: hidden;
  padding: 10px 0;
  background: #fff;
  box-shadow: 0px 0px 30px rgba(127, 137, 161, 0.25);
  transition: ease all 0.3s;
.nav-menu .drop-down:hover > ul {
  opacity: 1;
  visibility: visible;
.nav-menu .drop-down li {
 min-width: 180px;
  position: relative;
.nav-menu .drop-down ul a {
 padding: 10px 20px;
 font-size: 14px;
  font-weight: 500;
  text-transform: none;
  color: #062822;
.nav-menu .drop-down ul a:hover, .nav-menu .drop-down ul .active > a, .nav-
menu .drop-down ul li:hover > a {
  color: #1bac91;
.nav-menu .drop-down > a:after {
 content: "\ea99";
  font-family: IcoFont;
  padding-left: 5px;
```

```
.nav-menu .drop-down .drop-down ul {
  top: 0;
  left: calc(100% - 30px);
.nav-menu .drop-down .drop-down:hover > ul {
  opacity: 1;
 top: 0;
  left: 100%;
.nav-menu .drop-down .drop-down > a {
  padding-right: 35px;
.nav-menu .drop-down .drop-down > a:after {
  content: "\eaa0";
 font-family: IcoFont;
  position: absolute;
  right: 15px;
@media (max-width: 1366px) {
  .nav-menu .drop-down .drop-down ul {
    left: -90%;
  .nav-menu .drop-down .drop-down:hover > ul {
    left: -100%;
  .nav-menu .drop-down .drop-down > a:after {
    content: "\ea9d";
/* Mobile Navigation */
.mobile-nav-toggle {
  position: fixed;
  right: 15px;
  top: 15px;
  z-index: 9998;
  border: 0;
  background: none;
  font-size: 24px;
  transition: all 0.4s;
  outline: none !important;
  line-height: 1;
  cursor: pointer;
  text-align: right;
```

```
.mobile-nav-toggle i {
 color: #fff;
.mobile-nav {
 position: fixed;
 top: 55px;
 right: 15px;
 bottom: 15px;
 left: 15px;
 z-index: 9999;
 overflow-y: auto;
 background: #fff;
 transition: ease-in-out 0.2s;
 opacity: 0;
 visibility: hidden;
 border-radius: 10px;
 padding: 10px 0;
.mobile-nav * {
 margin: 0;
 padding: 0;
 list-style: none;
.mobile-nav a {
 display: block;
 position: relative;
 color: #21413c;
 padding: 10px 20px;
 font-weight: 500;
 outline: none;
.mobile-nav a:hover, .mobile-nav .active > a, .mobile-nav li:hover > a {
 color: #1bac91;
 text-decoration: none;
.mobile-nav .drop-down > a:after {
 content: "\ea99";
 font-family: IcoFont;
 padding-left: 10px;
 position: absolute;
 right: 15px;
```

```
.mobile-nav .active.drop-down > a:after {
 content: "\eaa1";
.mobile-nav .drop-down > a {
 padding-right: 35px;
.mobile-nav .drop-down ul {
 display: none;
 overflow: hidden;
.mobile-nav .drop-down li {
 padding-left: 20px;
.mobile-nav-overly {
 width: 100%;
 height: 100%;
 z-index: 9997;
 top: 0;
 left: 0;
 position: fixed;
 background: rgba(16, 31, 29, 0.6);
 overflow: hidden;
 display: none;
 transition: ease-in-out 0.2s;
.mobile-nav-active {
 overflow: hidden;
.mobile-nav-active .mobile-nav {
 opacity: 1;
 visibility: visible;
.mobile-nav-active .mobile-nav-toggle i {
 color: #fff;
# Hero Section
#hero {
 width: 100%;
```

```
height: calc(100vh - 72px);
  background: url("../img/hero-bg.jpg") center center;
  background-size: cover;
  position: relative;
  margin-top: 72px;
  padding: 0;
#hero:before {
  content: "";
  background: rgba(0, 0, 0, 0.4);
  position: absolute;
  bottom: 0;
  top: 0;
  left: 0;
  right: 0;
#hero .container {
  z-index: 2;
#hero h1 {
  margin: 0 0 10px 0;
  font-size: 48px;
 font-weight: 700;
  line-height: 56px;
  color: #fff;
#hero h2 {
  color: rgba(255, 255, 255, 0.7);
  margin-bottom: 35px;
  font-size: 24px;
}
#hero .btn-get-started {
  font-family: "Raleway", sans-serif;
  text-transform: uppercase;
  font-weight: 500;
  font-size: 16px;
  letter-spacing: 1px;
  display: inline-block;
  padding: 8px 28px;
  border-radius: 4px;
  transition: 0.5s;
  border: 2px solid #fff;
  color: #fff;
```

```
#hero .btn-get-started:hover {
  border-color: #1bac91;
  background: #1bac91;
@media (min-width: 1024px) {
 #hero {
    background-attachment: fixed;
@media (max-width: 992px) {
  #hero {
   margin-top: 60px;
    height: calc(100vh - 60px);
@media (max-width: 768px) {
 #hero h1 {
   font-size: 28px;
    line-height: 36px;
  #hero h2 {
   font-size: 18px;
    line-height: 24px;
    margin-bottom: 30px;
# Sections General
section {
  padding: 60px 0;
  overflow: hidden;
.section-bg {
  background-color: #f2f9f8;
.section-title {
  padding-bottom: 40px;
  text-align: center;
.section-title h2 {
```

```
font-size: 36px;
  font-weight: 300;
  margin-bottom: 20px;
  padding-bottom: 0;
  color: #21413c;
.section-title p {
  margin-bottom: 0;
# Breadcrumbs
.breadcrumbs {
  padding: 20px 0;
  background-color: #f7f7f7;
 min-height: 40px;
  margin-top: 72px;
@media (max-width: 992px) {
  .breadcrumbs {
   margin-top: 60px;
.breadcrumbs h2 {
 font-size: 24px;
 font-weight: 300;
  margin: 0;
@media (max-width: 992px) {
  .breadcrumbs h2 {
    margin: 0 0 10px 0;
.breadcrumbs ol {
 display: flex;
  flex-wrap: wrap;
  list-style: none;
  padding: 0;
  margin: 0;
  font-size: 14px;
 breadcrumbs ol li + li {
```

```
padding-left: 10px;
.breadcrumbs ol li + li::before {
 display: inline-block;
  padding-right: 10px;
  color: #6c757d;
  content: "/";
@media (max-width: 768px) {
  .breadcrumbs .d-flex {
    display: block !important;
  .breadcrumbs ol {
    display: block;
  .breadcrumbs ol li {
    display: inline-block;
.about h3 {
 font-weight: 400;
 font-size: 34px;
  color: #21413c;
.about .icon-box {
  margin-top: 44px;
.about .icon-box i {
 font-size: 48px;
  float: left;
  color: #1bac91;
.about .icon-box h4 {
 font-size: 22px;
 font-weight: 500;
  margin-left: 60px;
  color: #21413c;
.about .icon-box p {
```

```
font-size: 15px;
  color: #848484;
  margin-left: 60px;
  padding: 50px 0 40px 0;
.steps .row {
  overflow: hidden;
.steps .content-item {
  padding: 40px;
 border-left: 1px solid #d4e9e6;
  border-bottom: 1px solid #d4e9e6;
  margin: -1px;
.steps .content-item span {
 display: block;
 font-size: 24px;
  font-weight: 400;
  color: #1bac91;
.steps .content-item h4 {
 font-size: 28px;
 font-weight: 400;
  padding: 0;
  margin: 20px 0;
  color: #21413c;
.steps .content-item p {
  color: #aaaaaa;
 font-size: 15px;
  margin: 0;
  padding: 0;
@media (max-width: 768px) {
  .steps .content-item {
    padding: 40px 0;
```

```
# Features
.features .nav-tabs {
  border: 0;
.features .nav-link {
 border: 0;
  padding: 20px;
 transition: 0.3s;
  color: #21413c;
.features .nav-link:hover {
  color: #1bac91;
.features .nav-link h4 {
 font-size: 18px;
  font-weight: 600;
}
.features .nav-link p {
 font-size: 14px;
 margin-bottom: 0;
.features .nav-link.active {
  box-shadow: 0px 2px 15px rgba(0, 0, 0, 0.12);
.features .nav-link.active h4 {
  color: #1bac91;
.features .tab-pane.active {
  -webkit-animation: slide-down 0.5s ease-out;
  animation: slide-down 0.5s ease-out;
@-webkit-keyframes slide-down {
  0% {
    opacity: 0;
  100% {
  opacity: 1;
```

```
@keyframes slide-down {
 0% {
   opacity: 0;
  100% {
   opacity: 1;
# Services
.services .icon-box {
  padding: 30px;
  position: relative;
  overflow: hidden;
  margin: 0;
  background: #fff;
  transition: all 0.3s ease-in-out;
  border-radius: 15px;
  text-align: center;
  border-bottom: 3px solid #fff;
.services .icon-box:hover {
  box-shadow: 0 2px 29px 0 rgba(37, 37, 37, 0.1);
.services .icon i {
 font-size: 48px;
  line-height: 1;
  margin-bottom: 15px;
.services .title {
 font-weight: 700;
 margin-bottom: 15px;
 font-size: 18px;
.services .title a {
  color: #111;
.services .description {
 font-size: 15px;
```

```
line-height: 28px;
 margin-bottom: 0;
.services .icon-box-pink .icon i {
 color: #ff689b;
.services .icon-box-cyan .icon i {
 color: #3fcdc7;
.services .icon-box-green .icon i {
 color: #41cf2e;
.services .icon-box-blue .icon i {
 color: #2282ff;
# Testimonials
.testimonials .testimonial-item {
 box-sizing: content-box;
 min-height: 320px;
.testimonials .testimonial-item .testimonial-img {
 width: 90px;
 border-radius: 50%;
 margin: -40px 0 0 40px;
 position: relative;
 z-index: 2;
 border: 6px solid #fff;
.testimonials .testimonial-item h3 {
 font-size: 18px;
 font-weight: bold;
 margin: 10px 0 5px 45px;
 color: #111;
.testimonials .testimonial-item h4 {
 font-size: 14px;
 color: #999;
 margin: 0 0 0 45px;
```

```
.testimonials .testimonial-item .quote-icon-left, .testimonials .testimonial-
item .quote-icon-right {
 color: #a8d3cc;
  font-size: 26px;
.testimonials .testimonial-item .quote-icon-left {
  display: inline-block;
  left: -5px;
  position: relative;
.testimonials .testimonial-item .quote-icon-right {
  display: inline-block;
  right: -5px;
  position: relative;
  top: 10px;
.testimonials .testimonial-item p {
  font-style: italic;
  margin: 0 15px 0 15px;
  padding: 20px 20px 60px 20px;
  background: #eff7f6;
  position: relative;
  border-radius: 6px;
  position: relative;
  z-index: 1;
.testimonials .owl-nav, .testimonials .owl-dots {
  margin-top: 5px;
  text-align: center;
.testimonials .owl-dot {
  display: inline-block;
  margin: 0 5px;
  width: 12px;
  height: 12px;
  border-radius: 50%;
  background-color: #ddd !important;
.testimonials .owl-dot.active {
  background-color: #1bac91 !important;
```

```
@media (max-width: 767px) {
  .testimonials {
    margin: 30px 10px;
# Portfolio
.portfolio .portfolio-item {
  margin-bottom: 30px;
.portfolio #portfolio-flters {
  padding: 0;
  margin: 0 auto 35px auto;
  list-style: none;
  text-align: center;
  background: #fff;
  box-shadow: 0px 2px 15px rgba(0, 0, 0, 0.1);
  border-radius: 50px;
  padding: 8px 20px;
.portfolio #portfolio-flters li {
  cursor: pointer;
  display: inline-block;
  padding: 10px 15px 8px 15px;
  font-size: 14px;
  font-weight: 600;
  line-height: 1;
  text-transform: uppercase;
  color: #444444;
  margin-bottom: 5px;
  transition: all 0.3s ease-in-out;
.portfolio #portfolio-flters li:hover, .portfolio #portfolio-flters li.filter-
active {
  color: #1bac91;
.portfolio #portfolio-flters li:last-child {
  margin-right: 0;
.portfolio .portfolio-wrap {
  transition: 0.3s;
  position: relative;
```

```
overflow: hidden;
 z-index: 1;
 background: rgba(0, 0, 0, 0.6);
.portfolio .portfolio-wrap::before {
 content: "";
 background: rgba(0, 0, 0, 0.5);
 position: absolute;
 left: 30px;
 right: 30px;
 top: 30px;
 bottom: 30px;
 transition: all ease-in-out 0.3s;
 z-index: 2;
 opacity: 0;
.portfolio .portfolio-wrap .portfolio-info {
 opacity: 0;
 position: absolute;
 top: 0;
 left: 0;
 right: 0;
 bottom: 0;
 text-align: center;
 z-index: 3;
 transition: all ease-in-out 0.3s;
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
.portfolio .portfolio-wrap .portfolio-info::before {
 display: block;
 content: "";
 width: 48px;
 height: 48px;
 position: absolute;
 top: 35px;
 left: 35px;
 border-top: 3px solid #fff;
 border-left: 3px solid #fff;
 transition: all 0.5s ease 0s;
 z-index: 9994;
portfolio .portfolio-wrap .portfolio-info::after {
```

```
display: block;
 content: "";
 width: 48px;
 height: 48px;
 position: absolute;
 bottom: 35px;
 right: 35px;
 border-bottom: 3px solid #fff;
 border-right: 3px solid #fff;
 transition: all 0.5s ease 0s;
 z-index: 9994;
.portfolio .portfolio-wrap .portfolio-info h4 {
 font-size: 20px;
 color: #fff;
 font-weight: 600;
.portfolio .portfolio-wrap .portfolio-info p {
 color: #ffffff;
 font-size: 14px;
 padding: 0;
 margin: 0;
.portfolio .portfolio-wrap .portfolio-links {
 text-align: center;
 z-index: 4;
.portfolio .portfolio-wrap .portfolio-links a {
 color: #fff;
 margin: 0 2px;
 font-size: 28px;
 display: inline-block;
 transition: 0.3s;
.portfolio .portfolio-wrap .portfolio-links a:hover {
 color: #4ae3c6;
.portfolio .portfolio-wrap:hover::before {
 top: 0;
 left: 0;
 right: 0;
 bottom: 0;
 opacity: 1;
```

```
.portfolio .portfolio-wrap:hover .portfolio-info {
 opacity: 1;
.portfolio .portfolio-wrap:hover .portfolio-info::before {
 top: 15px;
 left: 15px;
.portfolio .portfolio-wrap:hover .portfolio-info::after {
 bottom: 15px;
 right: 15px;
# Portfolio Details
.portfolio-details {
 padding-top: 30px;
.portfolio-details .portfolio-details-container {
 position: relative;
.portfolio-details .portfolio-details-carousel {
 position: relative;
 z-index: 1;
.portfolio-details .portfolio-details-carousel .owl-nav, .portfolio-
details .portfolio-details-carousel .owl-dots {
 margin-top: 5px;
 text-align: left;
.portfolio-details .portfolio-details-carousel .owl-dot {
 display: inline-block;
 margin: 0 10px 0 0;
 width: 12px;
 height: 12px;
 border-radius: 50%;
 background-color: #ddd !important;
.portfolio-details .portfolio-details-carousel .owl-dot.active {
 background-color: #1bac91 !important;
```

```
.portfolio-details .portfolio-info {
  padding: 30px;
  position: absolute;
  right: 0;
  bottom: -70px;
  background: #fff;
  box-shadow: 0px 2px 15px rgba(0, 0, 0, 0.1);
  z-index: 2;
.portfolio-details .portfolio-info h3 {
  font-size: 22px;
 font-weight: 700;
  margin-bottom: 20px;
  padding-bottom: 20px;
  border-bottom: 1px solid #eee;
.portfolio-details .portfolio-info ul {
 list-style: none;
  padding: 0;
  font-size: 15px;
.portfolio-details .portfolio-info ul li + li {
  margin-top: 10px;
.portfolio-details .portfolio-description {
  padding-top: 50px;
.portfolio-details .portfolio-description h2 {
  width: 50%;
 font-size: 26px;
  font-weight: 700;
  margin-bottom: 20px;
.portfolio-details .portfolio-description p {
  padding: 0 0 0 0;
@media (max-width: 768px) {
  .portfolio-details .portfolio-description h2 {
    width: 100%;
```

```
.portfolio-details .portfolio-info {
   position: static;
   margin-top: 30px;
.team .member {
 text-align: center;
 margin-bottom: 20px;
 background: #343a40;
 position: relative;
 overflow: hidden;
.team .member .member-info {
 opacity: 0;
 position: absolute;
 bottom: 0;
 top: 0;
 left: 0;
 right: 0;
 transition: 0.2s;
.team .member .member-info-content {
 position: absolute;
 left: 50px;
 right: 0;
 bottom: 0;
 transition: bottom 0.4s;
.team .member .member-info-content h4 {
 font-weight: 700;
 margin-bottom: 2px;
 font-size: 18px;
 color: #fff;
.team .member .member-info-content span {
 font-style: italic;
 display: block;
 font-size: 13px;
 color: #fff;
```

```
.team .member .social {
 position: absolute;
 left: -50px;
 top: 0;
 bottom: 0;
 width: 50px;
 transition: left ease-in-out 0.3s;
 background: rgba(0, 0, 0, 0.5);
 text-align: center;
.team .member .social a {
 transition: color 0.3s;
 display: block;
 color: #fff;
 margin-top: 15px;
.team .member .social a:hover {
 color: #1bac91;
.team .member .social i {
 font-size: 18px;
 margin: 0 2px;
.team .member:hover .member-info {
 background: linear-
gradient(0deg, rgba(0, 0, 0, 0.9) 0%, rgba(0, 0, 0, 0.8) 20%, rgba(0, 212, 255
, 0) 100%);
 opacity: 1;
 transition: 0.4s;
.team .member:hover .member-info-content {
 bottom: 30px;
 transition: bottom 0.4s;
.team .member:hover .social {
 left: 0;
 transition: left ease-in-out 0.3s;
# F.A.Q
.faq .faq-list {
```

```
padding: 0 100px;
.faq .faq-list ul {
  padding: 0;
  list-style: none;
.faq .faq-list li + li {
  margin-top: 15px;
.faq .faq-list li {
  padding: 20px;
  background: #fff;
  border-radius: 4px;
  position: relative;
.faq .faq-list a {
  display: block;
  position: relative;
  font-family: "Poppins", sans-serif;
  font-size: 16px;
  line-height: 24px;
  font-weight: 500;
  padding: 0 30px;
  outline: none;
.faq .faq-list .icon-help {
 font-size: 24px;
  position: absolute;
  right: 0;
  left: 20px;
  color: #97cac2;
.faq .faq-list .icon-show, .faq .faq-list .icon-close {
  font-size: 24px;
  position: absolute;
  right: 0;
  top: 0;
.faq .faq-list p {
  margin-bottom: 0;
  padding: 10px 0 0 0;
```

```
.faq .faq-list .icon-show {
  display: none;
.faq .faq-list a.collapsed {
  color: #343a40;
.faq .faq-list a.collapsed:hover {
  color: #1bac91;
.faq .faq-list a.collapsed .icon-show {
  display: inline-block;
.faq .faq-list a.collapsed .icon-close {
 display: none;
@media (max-width: 1200px) {
  .faq .faq-list {
    padding: 0;
# Contact
.contact .info {
  padding: 30px;
 width: 100%;
  background: #fff;
  box-shadow: 0px 2px 15px rgba(0, 0, 0, 0.1);
.contact .info i {
  font-size: 20px;
  color: #1bac91;
  float: left;
  width: 44px;
  height: 44px;
  background: #e1f0ee;
  display: flex;
  justify-content: center;
  align-items: center;
  border-radius: 50px;
  transition: all 0.3s ease-in-out;
```

```
.contact .info h4 {
 padding: 0 0 0 60px;
 font-size: 22px;
 font-weight: 600;
 margin-bottom: 5px;
 color: #21413c;
.contact .info p {
 padding: 0 0 0 60px;
 margin-bottom: 0;
 font-size: 14px;
 color: #43857a;
.contact .info .email p {
 padding-top: 5px;
.contact .info .social-links {
 padding-left: 60px;
.contact .info .social-links a {
 font-size: 18px;
 display: inline-block;
 background: #333;
 color: #fff;
 line-height: 1;
 padding: 8px 0;
 border-radius: 50%;
 text-align: center;
 width: 36px;
 height: 36px;
 transition: 0.3s;
 margin-right: 10px;
.contact .info .social-links a:hover {
 background: #1bac91;
 color: #fff;
.contact .info .email:hover i, .contact .info .address:hover i, .contact .info
 .phone:hover i {
 background: #1bac91;
 color: #fff;
```

```
.contact .php-email-form {
 width: 100%;
 padding: 30px;
 background: #fff;
 box-shadow: 0 0 24px 0 rgba(0, 0, 0, 0.12);
.contact .php-email-form .form-group {
 padding-bottom: 8px;
.contact .php-email-form .validate {
 color: red;
 margin: 0 0 15px 0;
 font-weight: 400;
 font-size: 13px;
.contact .php-email-form .error-message {
 display: none;
 color: #fff;
 background: #ed3c0d;
 text-align: left;
 padding: 15px;
 font-weight: 600;
.contact .php-email-form .error-message br + br {
 margin-top: 25px;
.contact .php-email-form .sent-message {
 display: none;
 color: #fff;
 background: #18d26e;
 text-align: center;
 padding: 15px;
 font-weight: 600;
.contact .php-email-form .loading {
 display: none;
 background: #fff;
 text-align: center;
 padding: 15px;
```

```
.contact .php-email-form .loading:before {
  content: "";
  display: inline-block;
  border-radius: 50%;
  width: 24px;
  height: 24px;
  margin: 0 10px -6px 0;
  border: 3px solid #18d26e;
  border-top-color: #eee;
  -webkit-animation: animate-loading 1s linear infinite;
  animation: animate-loading 1s linear infinite;
.contact .php-email-form input, .contact .php-email-form textarea {
  border-radius: 0;
  box-shadow: none;
  font-size: 14px;
.contact .php-email-form input {
  height: 44px;
.contact .php-email-form textarea {
  padding: 10px 12px;
.contact .php-email-form button[type="button"] {
  background: #1bac91;
  border: 0;
  padding: 10px 24px;
  color: #fff;
  transition: 0.4s;
  border-radius: 4px;
.contact .php-email-form button[type="button"]:hover {
  background: #22d8b6;
@-webkit-keyframes animate-loading {
 0% {
    transform: rotate(0deg);
  100% {
    transform: rotate(360deg);
```

```
@keyframes animate-loading {
  0% {
   transform: rotate(0deg);
  100% {
   transform: rotate(360deg);
# Footer
#footer {
  background: black;
  padding: 0 0 30px 0;
  color: #fff;
  font-size: 14px;
#footer .footer-top {
  background: #0c1817;
  border-bottom: 1px solid #18302c;
  padding: 60px 0 30px 0;
#footer .footer-top .footer-info {
  margin-bottom: 30px;
#footer .footer-top .footer-info h3 {
 font-size: 24px;
  margin: 0 0 20px 0;
  padding: 2px 0 2px 0;
  line-height: 1;
  font-weight: 700;
#footer .footer-top .footer-info p {
  font-size: 14px;
  line-height: 24px;
  margin-bottom: 0;
  font-family: "Raleway", sans-serif;
  color: #fff;
#footer .footer-top .social-links a {
  font-size: 18px;
  display: inline-block;
```

```
background: #1c3733;
  color: #fff;
  line-height: 1;
  padding: 8px 0;
  margin-right: 4px;
  border-radius: 50%;
  text-align: center;
  width: 36px;
  height: 36px;
  transition: 0.3s;
#footer .footer-top .social-links a:hover {
  background: #1bac91;
 color: #fff;
  text-decoration: none;
#footer .footer-top h4 {
  font-size: 16px;
 font-weight: 600;
  color: #fff;
  position: relative;
  padding-bottom: 12px;
#footer .footer-top .footer-links {
  margin-bottom: 30px;
#footer .footer-top .footer-links ul {
  list-style: none;
  padding: 0;
  margin: 0;
#footer .footer-top .footer-links ul i {
  padding-right: 2px;
  color: #4ae3c6;
  font-size: 18px;
  line-height: 1;
#footer .footer-top .footer-links ul li {
  padding: 10px 0;
  display: flex;
  align-items: center;
```

```
#footer .footer-top .footer-links ul li:first-child {
  padding-top: 0;
#footer .footer-top .footer-links ul a {
  color: #fff;
 transition: 0.3s;
  display: inline-block;
  line-height: 1;
#footer .footer-top .footer-links ul a:hover {
  color: #34dfbf;
#footer .footer-top .footer-newsletter form {
  margin-top: 30px;
  background: #fff;
  padding: 6px 10px;
  position: relative;
  border-radius: 4px 0 0 4px;
#footer .footer-top .footer-newsletter form input[type="email"] {
  border: 0;
  padding: 4px;
  width: calc(100% - 110px);
#footer .footer-top .footer-newsletter form input[type="button"] {
  position: absolute;
  top: 0;
  right: -4px;
  bottom: 0;
  border: 0;
  background: none;
  font-size: 16px;
  padding: 0 20px;
  background: #1bac91;
  color: #fff;
  transition: 0.3s;
  border-radius: 0 4px 4px 0;
#footer .footer-top .footer-newsletter form input[type="button"]:hover {
  background: #14806c;
#footer .copyright {
```

```
text-align: center;
padding-top: 30px;

#footer .credits {
  padding-top: 10px;
  text-align: center;
  font-size: 13px;
  color: #fff;
}
```

## **JavaScript**

## Main.js

```
$( document ).ready(function() {
  navigacija();
  aboutsekcija();
  features();
  servisi();
  komentari();
  portfolio();
  team();
  pitanjafaq();
  footerispis();
  author();
  forma();
  function navigacija(){
    //ispis navigacije
    let nizMeni = [
      ["index.html", "Home"],
      ["index.html#about", "About"],
      [ "index.html#services", "Services"],
      ["index.html#portfolio", "Portfolio"],
      ["index.html#team", 'Team'],
      ["index.html#contact", 'Contact']
      ];
      var Nav = document.getElementsByTagName('nav');
      //dohvatanje
      let ispis = ""
       for(let i=0;i<nizMeni.length;i++){</pre>
```

```
ispis+=` <a href="${nizMeni[i][0]}">${ nizMeni[i][1]}</a>
        //ispisivanje
          ispis += ""
          for (let i =0; i< Nav.length;i++) {</pre>
            Nav[i].innerHTML+=ispis;
        //mobile navigacija
      if ($('.nav-menu').length) {
        //cloniranje nav menija
        var mobile_nav =$('.nav-menu').clone();
        mobile_nav.removeClass('nav-menu d-none d-lg-block').addClass('mobile-
nav d-lg-none');
        //ispisivanje elemenata
        $('.head').append(mobile_nav);
        $('.head').prepend(`<button type="button" class="mobile-nav-toggle d-</pre>
lg-none">
        <i class="icofont-navigation-menu"></i></button>`
        $('.head').append('<div class="mobile-nav-overly"></div>');
        //dodavanje gotovih css klasa
        $(document).on('click', '.mobile-nav-toggle', function(e) {
          $('.head').toggleClass('mobile-nav-active');
          //promena icokone nav menija
          $('.mobile-nav-toggle i').toggleClass('icofont-navigation-
menu icofont-close');
          $('.mobile-nav-overly').toggle();
        });
      } else if ($(".mobile-nav, .mobile-nav-toggle").length) {
        $(".mobile-nav, .mobile-nav-toggle").hide();
    function aboutsekcija(){
      let Naslov = ["Here is Something About us"];
```

```
let Opisnaslova = [" We are the group of people from many different pla
ces gatered into one organisation where our job is the number one to do list"]
      let TextAbout=[
        ["Our Experience", "Among us are highly verified individuals with at, <
/br>least 3 year of professional work in our branch."],
        ["Dedication", "Love towards our work is a just a small work, </br>compa
re to our dedication and fast closing deals."],
        ["Self Improvement", "We believe that our group is progressing every da
y,</br>by learning new things and sharing opinions among colleges."]
          1;
      //kostrukcija
      let divabout= document.createElement('div');
      divabout.classList.add('container');
      let divred=document.createElement('div');
      divred.classList.add('row');
         let divslike=document.createElement('div');
         divslike.classList.add('col-xl-6','col-lg-7');
         divslike.innerHTML=`<img src="assets/img/about-img.jpg" class="img-</pre>
fluid" alt="aboutslika">`
         //console.log(divslike);
         let divpodaci=document.createElement('div');
         divpodaci.classList.add('col-xl-6','col-lg-5','pt-5','pt-lg-0');
         divpodaci.innerHTML=` <h3>${Naslov}</h3>
                                  ${Opisnaslova}`
          for (let i = 0; i < TextAbout.length; i++) {</pre>
                divpodaci.innerHTML+=` <div class="icon-box" >
                                  <i class="bx bx-receipt"></i></i>
                                  <h4>${TextAbout[i][0]}</h4>
                                  ${TextAbout[i][1]}
                                </div>`
         //console.log(divpodaci);
                divred.append(divpodaci);
                divred.prepend(divslike);
                 divabout.append(divred);
                 if($('.about').length){
                  let Divaboutmain = document.querySelector('.about');
                  Divaboutmain.append(divabout);
```

```
function features(){
      let Naslov = ["Features"];
      let Opisnaslova = ["A lot of verient service for better outcome."];
      let TextAbout=[
        ["Features", "We like to distinctively add on our charm in making."],
        ["Volume of care", "We tend to reserve every part for better outcome."]
        ["Design", "Veriity of costumazation at our desposal."],
        ["Inovation", "Ceration something new for vintage is our part."],
];
let Slike=[
 ["features-1.png", "features-2.png"]
 let Filter=['tab1','tab2','tab1','tab2'];
      //kostrukcija fe
      let divred=document.createElement('div');
      divred.classList.add('row');
      let divnaslov=document.createElement('div');//Naslov
      divnaslov.classList.add('section-title');
      divnaslov.innerHTML=` <h3>${Naslov}</h3>
                                   ${Opisnaslova}
         let divslike=document.createElement('div');//Slike
         divslike.classList.add("col-lg-7","ml-auto");
        for (let index = 0; index < Slike.length; index++) {</pre>
          divslike.innerHTML+=`
          <div class="tab-content">
                          <div class="tab-pane active" id="tab1">
                            <figure>
                              <img src="assets/img/${Slike[index][0]}" alt="fe</pre>
atures${index}" class="img-fluid">
                            </figure>
                          </div>
                          <div class="tab-pane" id="tab2">
                            <figure>
                              <img src="assets/img/${Slike[index][1]}" alt="fe</pre>
atures${index+1}" class="img-fluid">
                            </figure>
                          </div>
                    </div>
```

```
let divpodaci=document.createElement('div');//podaci
        divpodaci.classList.add("col-lg-4","mb-5","mb-lg-0");
           let ul=document.createElement('ul');
           ul.classList.add("nav", "nav-tabs", "flex-column");
         for (let i = 0; i < TextAbout.length; i++) {</pre>
               ul.innerHTML+=`
               filter="${Filter[i]}">
               <a class="nav-link">
                   <h4>${TextAbout[i][0]}</h4>
                   ${TextAbout[i][1]}
                 </a>
               divpodaci.append(ul);
        // console.log(divpodaci);
            divred.append(divslike);
            divred.prepend(divpodaci);
            if($('.features').length){
            let Divfeatures = document.querySelector('.features >.container')
            Divfeatures.appendChild(divnaslov);
            Divfeatures.appendChild(divred);
    //filter Features
$('.nav-tabs>li').click(function(){
  let filter = $(this).attr('data-filter');
 //console.log(filter);
 if(filter =='tab1'){
   $('.tab-pane').hide('1000');
   $('#'+filter).show('1000');
 else
   $('.tab-pane').hide('1000');
   $('#'+filter).show('1000');
```

```
});
    function servisi(){
      let Naslov = ["Services"];
      let Opisnaslova = [" We offer a wide range of professional tailor-
made design solutions, from Brand design and Illustration to Full Product Mark
eting ,Infographics and a lot of verient service for beter outcome."];
      let TextAbout=[
        ['Marketing','Distribition of our product acros a wide range of media
for better recognison.'],
      ['Creative idea','Taking semi-
old ideas and recreating something fain new for a minimum costumazation .'],
      ['Photography','We are masters in our craft, focusing on art direction,p
hotography, set design & styling.'],
      ['Brand Building','Creative-
brand buiding is a key to our sucsess and our substencial matter.']
     let Bojaicone=['pink','cyan','green','blue'];
     let Nazivicone=['phone','file','camera','world'];
      //kostrukcija
      let divred=document.createElement('div');
      divred.classList.add('row');
      let divnaslov=document.createElement('div');//Naslov
      divnaslov.classList.add('section-title');
      divnaslov.innerHTML=` <h2>${Naslov}</h2>
                                  ${Opisnaslova}`
         //console.log(divpodaci);
          for (let i = 0; i < TextAbout.length; i++) {</pre>
                divred.innerHTML+=`<div class="col-md-6 col-lg-3 d-flex align-</pre>
items-stretch mb-5 mb-lg-0" >
                    <div class="icon-box icon-box-${Bojaicone[i]}">
                    <div class="icon"><i class="bx bx-</pre>
${Nazivicone[i]}"></i></div>
                    <h4 class="title"><a href="">${TextAbout[i][0]}</a></h4>
                    ${TextAbout[i][1]}
                  </div>
              </div>`
               if($('.services').length){
                let Divservisi = document.querySelector('.services >.container
 );
               Divservisi.append(divnaslov);
```

```
Divservisi.append(divred);
    function komentari(){
     if($('#testimonials').length){
     let_Naslov = ["Tesimonials"];
     let Opisnaslova = [" What our costomers say about us we take as pride a
nd openig to new improvements..."];
   let KomentariDesc=[`Maxim is highly configurable and works great!The whole
team went above and beyond to help me fix an issue which is remarkable.`,
   `I tried a dozen of sites, but this particular one was the most intuitive,
with just the quickest service. Amazed buy the work.`,
   `They have flawlessly and very easy to recognize workflow. I was kinda su
rprised at the start but over all nice work. `,
   ` I am impressed at first, and at the second thought amazed. Can't wait to
try out with a different kind of project.`,
   ` Masters in craft, focusing on art direction, photography, set design & s
tyling. Keep up the good work.`];
       let ImeKorisnika=['Saul Goodman','Sara Karlis','Janna Karlis','Matt Br
andon','John Larson'];
     let ZanimanjeKorisnika=['Ceo & amp; Founder', 'Store Owner', 'Worker', 'Freel
ancer','Entrepreneur']
     let divnaslov=document.querySelector('#testimonials .section-
title')//Naslov
     divnaslov.innerHTML+=` <h2>${Naslov}</h2>
                              ${Opisnaslova}
     let divcontrols=document.querySelector('.controls');//Controls
     divcontrols.innerHTML+=` <div class="controls-top d-flex justify-</pre>
content-center">
     <a class="btn-floating btn-lg" href="#multi-item-example" data-</pre>
slide="prev"><i class="bx bx-left-arrow"></i></a>
     <a class="btn-floating btn-lg" href="#multi-item-example" data-</pre>
slide="next"><i class="bx bx-right-arrow"></i></a>
   </div>
   let divindicators=document.querySelector('.indicators');//Indicators
   divindicators.innerHTML+=` 
   to="0" class="active">
   let divprvi=document.guerySelector('.divprvi');
```

```
let divprviRed=document.querySelector('.divprvi .row');
  for (let index = 0; index < 3; index++) {</pre>
   divprviRed.innerHTML+=` <div class="col-md-4">
                    <div class="card mb-2">
                       <div class="testimonial-item">
              <i class="bx bxs-quote-alt-left quote-icon-</pre>
left"></i>${KomentariDesc[index]}
              <i class="bx bxs-quote-alt-right quote-icon-right"></i></i>
                  <img src="assets/img/testimonials/testimonials-</pre>
${index}.jpg" class="testimonial-img" alt="">
                  <h3>${ImeKorisnika[index]}</h3>
                  <h4>${ZanimanjeKorisnika[index]}</h4>
                  </div>
                  </div>
                  </div>
     let divdrugi=document.querySelector('.divdrugi');
     let divdrugiRed=document.querySelector('.divdrugi .row');
  for (let index = 3; index <5; index++) {</pre>
    divdrugiRed.innerHTML+=` <div class="col-md-4">
                      <div class="card mb-2">
                        <div class="testimonial-item">
               <i class="bx bxs-quote-alt-left quote-icon-</pre>
left"></i>${KomentariDesc[index]}<i class="bx bxs-quote-alt-right quote-icon-</pre>
right"></i>
                   <img src="assets/img/testimonials/testimonials-</pre>
${index}.jpg" class="testimonial-img" alt="">
                    <h3>${ImeKorisnika[index]}</h3>
                    <h4>${ZanimanjeKorisnika[index]}</h4>
                    </div>
                   </div>
                    </div>
               }//length
    }//komentari
    function portfolio() {
      let_Naslov = ["Portfolio"];
      let Opisnaslova = [`Here is our collection of products that we reserved
 and rebranded into newly
      developed and repurposed brands that are highly notable even today.
      Working just on this brand helped us improve into better organization
```

```
group and made us official income along the way..`];
     let Opisslike=['Custom made headset','New-
gen watch', 'Pine spice', 'Coverage faudation', 'Womans fragrance', 'Aqua-
water','Aquosa water','Modified sungasses','Body oil'];
     let NazivSlike=['Accessories1','Accessories2','Consumables1','Beauty1','
Beauty2','Consumables2','Consumables3','Accessories3','Beauty3'];
     let Fliterw=['app','app','card','web','card','card','app','web'];
     let divnaslov=document.createElement('div');//Naslov
     divnaslov.classList.add('section-title');
     divnaslov.innerHTML=` <h2>${Naslov}</h2>
                               ${Opisnaslova}`
     let Buttons=document.createElement('div');//Buttons
     Buttons.classList.add('row');
     Buttons.innerHTML+=`
     <div class="col-lg-12 d-flex justify-content-center">
           All
                Accessories
                Beauty
                Consumables
           </div>
   let Portfoliomain=document.createElement('div');//Portfoliomain
   Portfoliomain.classList.add('row');
   Portfoliomain.classList.add('portfolio-container');
     for (let index = 0; index < Fliterw.length; index++) {</pre>
       Portfoliomain.innerHTML+=`
       <div class="col-lg-4 col-md-6 portfolio-item ${Fliterw[index]} ">
       <div class="portfolio-wrap">
         <img src="assets/img/portfolio/portfolio-${index+1}.jpg" class="img-</pre>
fluid"
          alt="port.slika${index+1}">
         <div class="portfolio-info">
           <h4>${NazivSlike[index]}</h4>
           ${Opisslike[index]}
           <div class="portfolio-links">
             <a href="assets/img/portfolio/portfolio-${index+1}.jpg" data-</pre>
gall="portfolioGallery"
             class="venobox" title="${NazivSlike[index]}"><i class="bx bx-</pre>
zoom-in"></i></a>
```

```
</div>
          </div>
        </div>
      </div>`
      if($('.portfolio').length){
        let Portfoliocontainer=document.querySelector('.portfolio >.container'
);
      Portfoliocontainer.appendChild(divnaslov);
      Portfoliocontainer.appendChild(Buttons);
      Portfoliocontainer.appendChild(Portfoliomain);
    function team(){
      if($('.team').length){
      let Naslov= ["Meet our team "];
      let Opisnaslova = ["Yours truly are here.."];
      let TeamImena=['Walter White','Sarha Jonson','Peter Quill','Amanda Parke
r'];
      let TeamZanimanja=['Chief Executive Officer','Product Manager','CTO','Ac
ountant'];
      let NaslovTeam = document.querySelector('.team>.container>.section-
title');
      for (let i= 0; i < Naslov.length; i++) {</pre>
        NaslovTeam.innerHTML+=`
                      <h2>${Naslov[i]}</h2>
                      ${Opisnaslova[i]}
      let Teamred = document.guerySelector('.team>.container>.row');
      for (let i = 0; i < TeamImena.length; i++) {</pre>
        Teamred.innerHTML+=` <div class="col-xl-3 col-lg-4 col-md-6">
        <div class="member">
          <img src="assets/img/team/team-${i+1}.jpg" class="img-</pre>
fluid" alt="member${i+1}">
          <div class="member-info">
            <div class="member-info-content">
```

```
<h4>${TeamImena[i]}</h4>
              <span>${TeamZanimanja[i]}</span>
            </div>
            <div class="social">
              <a href=""><i class="icofont-twitter"></i></a>
              <a href=""><i class="icofont-facebook"></i></a>
              <a href=""><i class="icofont-instagram"></i></a>
              <a href=""><i class="icofont-linkedin"></i></a>
            </div>
          </div>
        </div>
      </div>`
      }
   function pitanjafaq(){
     if($('.faq').length){
        let Naslov= "F.A.O";
        let Opisnaslova = "Here are some asked questions..";
        let Pitanje=[`
        -What is Maxim agency and how does it work?`,
        `How much does Maxim services cost?`,
        `Do I need to be a designer or developer to use Shopify?`,
        `What happens when I receive an order?`,
        `In what countries can I use Shopify?`];
        let Odgovornapitanje=[`Maxim is a complete commerce platform that lets
you start, grow, and manage a business.
        Via branding your suggested product we are innovating them into sell
ing products.`,
        `Try Maxim free for 14 days, no credit card required.
        After your trial expires, choose a pricing plan that suits the size an
d stage of your business
        Manage products, inventory, payments, and shipping`,
        `No, you don't need to be a designer or developer to use our terms and
 services.
        Customize the look and feel of your Product with the online builder an
d themes.,,
        `Depending on your preferences, you'll receive an email, mobile app no
tification, or RSS notification every time your receive an order. `,
        `You can use Maxim in nearly every country in the world.`];
        let Dnaslov = document.querySelector('.faq>.container>.section-
title');
```

```
Dnaslov.innerHTML=`
        <h3>${Naslov}</h3>
        ${Opisnaslova}
        let Dlista =document.querySelector('.faq>.container>.faq-list');
        let ul =document.createElement('ul');
         for (let i = 0; i < Pitanje.length; i++) {</pre>
          ul.innerHTML+=`
          <i class="bx bx-help-circle icon-help"></i></i>
          <a data-toggle="collapse" class="collapse" href="#faq-list-${i}">
         ${Pitanje[i]}
          <i class="bx bx-chevron-down icon-show"></i></i></or>
          <i class="bx bx-chevron-up icon-close"></i></a>
          <div id="faq-list-${i}" class="collapse" data-parent=".faq-list">
            ${Odgovornapitanje[i]}
          </div>
        for (let i = 0; i< ul.length; i++) {</pre>
       // ul[i][0].classList.add('active');
        Dlista.appendChild(ul);
        let Prvi=document.querySelector('#faq-list-0');
       Prvi.classList.add("show");
    function footerispis(){
      if($('#footer').length){
      let Smedia=['twitter','facebook','instagram','google-plus','linkedin'];
      let Links1=['About', 'Services', 'Portfolio'];
      let Links2=['Product-placement','Product-
Management','Marketing','Graphic Design'];
      let sociallinks=document.querySelector('.footer-info>.social-links');
     for (let index = 0; index < Smedia.length; index++) {</pre>
      sociallinks.innerHTML+=`
      <a href="${Smedia[index]}.com" class="${Smedia[index]}"><i class="bx bxl</pre>
-${Smedia[index]}"></i></a>`
```

```
let usefullinks=document.querySelector('.useful-links>ul');
    for (let index = 0; index < Links1.length; index++) {</pre>
     usefullinks.innerHTML+=`
          <i class="bx bx-chevron-
right"></i> <a href="index.html#${Links1[index].toLowerCase()}">
          ${Links1[index]}</a>`
    usefullinks.innerHTML+=` <i class="bx bx-chevron-
right"></i> <a href="author.html">Author-page</a>
          <i class="bx bx-chevron-
right"></i> <a href="Dokumentacija.pdf">Documentation-link</a>`
    let flinks=document.querySelector('.flinks>ul');
    for (let index = 0; index < Links2.length; index++) {</pre>
     flinks.innerHTML+=`
          <i class="bx bx-chevron-right"></i> <a href="">
          ${Links2[index]}</a>`
   }//footer
   function author(){
     if($('.author').length){
       let Opis=[` I am currently a student at the ICT College.
        In high school, I first encountered
         web design and a little bit of programming and I did not truly under
tand it but liked it.
         It made me choose this college. In my spare time, I like to watch mo
vies,
          go running in park,explore new things.`];
          var Divautor= $('.author-inner');
          var divslike =document.createElement('div');
          divslike.classList.add('col-lg-5','col-sm-12','d-flex','justify-
content-center');
          divslike.innerHTML=`<img class="img-fluid w-50</pre>
          src="assets/img/author.jpg" alt="Author picture"/>
          Divautor.append(divslike);
          var divopis =document.createElement('div');
          divopis.classList.add('col-lg-5','col-sm-12');
```

```
divopis.innerHTML=`${Opis}``
           Divautor.append(divopis);
    }//author
//Filter Portfolio
    $('#portfolio-flters>li').click(function(){
      $("#portfolio-flters>li").removeClass('filter-active');
      $(this).addClass('filter-active');
      let filter = $(this).attr('data-filter');
      if(filter =='all'){
      $('.portfolio-item').show('1000');
      else{
        $('.portfolio-item').hide('1000');
        $('.' +filter).show('1000');
    });
    // Back to top button
  $(document).scroll(function() {
    if ($(document).scrollTop() > 200) {
      $('.back-to-top').fadeIn('slow');
    } else {
      $('.back-to-top').fadeOut('slow');
  });
  $('.back-to-top').click(function() {
    $('html, body').animate({
      scrollTop: 0
    }, 1500);
    return false;
  });
  //Provera podataka forme
function forma(){
    let podaciForme = [];
    let Dugme = $('#dugme');
    let Subscribe = $('#Subscribe');
Dugme.on('click',function() {
```

```
let ime = $('#name');
  let email = $('#email');
  let subject = $('#subject');
  let message = $('#message');
let imeRe=/^[A-Z]\w{1,9}$/;//Tonmawwq{8 karaktera}
let emailRe = /^[\w-\]+@([\w-\]+\.)+[\w-\]{2,4}$/;//test@gmail.edu.com}
let subjectRe=/^\w{2,15}(\s\w{2,20})*$/;//Project unindentified
if(ime.val() == '') {
    ime.val("");
 ime.next().text('The name can not be empty.');
 else if(!imeRe.test( ime.val() ) ) {
    ime.val("");
ime.next().text('Eg: Nathaniel');
} else {
    podaciForme.push(ime.val());
    ime.val("");
  ime.next().text('');
    //email
if(email.val() == '') {
    email.val("");
 email.next().text('The email can not be empty.');
 else if(!emailRe.test( email.val() ) ) {
    email.val("");
email.next().text('Eg: test@gmail.edu.com');
    podaciForme.push(email.val());
    email.val("");
  email.next().text('');
      //subject
if(subject.val() == '') {
    subject.val("");
 subject.next().text('Please enter at least 8 chars of subject.');
```

```
else if(!subjectRe.test( subject.val() ) ) {
      subject.val("");
  subject.next().text('Eg: Product Request ');
  } else {
      podaciForme.push(subject.val());
      subject.val("");
    subject.next().text('');
  if(message.val() == '') {
      message.val("");
   message.next().text('Please write something for us.');
  } else {
      podaciForme.push(message.val());
     message.val("");
    message.next().text('');
    console.log(podaciForme)
});
Subscribe.on('click',function(){
  let email = $('#smail');
  let emailRe = /^[\w-\]+([\w-\]+\]+(\w-\]_{2,4}$/;//test@gmail.edu.com
 //smail
 if(email.val() == '') {
  email.val("");
email.next().text('The email can not be empty.');
else if(!emailRe.test( email.val() ) ) {
  email.val("");
email.next().text('Eg: test@gmail.edu.com');
```

```
podaciForme.push(email.val());
  email.val("");
email.next().text('');
})
}//forma
//tekst plugin text
$('.tlt').textillate({
  loop: true,
  in: {
    effect: 'tada',
    delayScale: 2.0,
    delay: 50,
    sync: false,
    shuffle: false,
    reverse: false,
    callback: function () {}
},
out: {
  effect: 'flash',
  delayScale: 1.5,
  delay: 200,
  sync: false,
  shuffle: false,
  reverse: false,
  callback: function () {}
} });
$('.weltext').textillate({
in:{
  effect: 'flash',
  delayScale: 1.5,
  delay: 50,
  sync: false,
  shuffle: false,
  reverse: false,
  callback: function () {}
});
});//ready
```

## Plugin code

## Animate.css

```
@charset "UTF-8";
Animate.css - http://daneden.me/animate
Licensed under the ⊕ license (http://licence.visualidiot.com/)
Copyright (c) 2012 Dan Eden
Permission is hereby granted, free of charge, to any person obtaining a copy o
f this software and associated documentation files (the "Software"), to deal i
n the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to d
o so, subject to the following conditions:
The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMP
LIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHE
R IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONN
ECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
body { /* Addresses a small issue in webkit: http://bit.ly/NEdoDq */
    -webkit-backface-visibility: hidden;
.animated {
    -webkit-animation-duration: 1s:
       -moz-animation-duration: 1s;
         -o-animation-duration: 1s;
            animation-duration: 1s;
    -webkit-animation-fill-mode: both;
       -moz-animation-fill-mode: both;
         -o-animation-fill-mode: both;
            animation-fill-mode: both;
.animated.hinge {
    -webkit-animation-duration: 2s:
       -moz-animation-duration: 2s;
         -o-animation-duration: 2s;
            animation-duration: 2s;
```

```
@-webkit-keyframes flash {
    0%, 50%, 100% {opacity: 1;}
    25%, 75% {opacity: 0;}
@-moz-keyframes flash {
    0%, 50%, 100% {opacity: 1;}
    25%, 75% {opacity: 0;}
@-o-keyframes flash {
    0%, 50%, 100% {opacity: 1;}
    25%, 75% {opacity: 0;}
@keyframes flash {
    0%, 50%, 100% {opacity: 1;}
    25%, 75% {opacity: 0;}
.flash {
    -webkit-animation-name: flash;
    -moz-animation-name: flash;
    -o-animation-name: flash;
    animation-name: flash;
@-webkit-keyframes shake {
    0%, 100% {-webkit-transform: translateX(0);}
    10%, 30%, 50%, 70%, 90% {-webkit-transform: translateX(-10px);}
    20%, 40%, 60%, 80% {-webkit-transform: translateX(10px);}
@-moz-keyframes shake {
    0%, 100% {-moz-transform: translateX(0);}
    10%, 30%, 50%, 70%, 90% {-moz-transform: translateX(-10px);}
    20%, 40%, 60%, 80% {-moz-transform: translateX(10px);}
@-o-keyframes shake {
    0%, 100% {-o-transform: translateX(0);}
    10%, 30%, 50%, 70%, 90% {-o-transform: translateX(-10px);}
    20%, 40%, 60%, 80% {-o-transform: translateX(10px);}
@keyframes shake {
    0%, 100% {transform: translateX(0);}
    10%, 30%, 50%, 70%, 90% {transform: translateX(-10px);}
```

```
20%, 40%, 60%, 80% {transform: translateX(10px);}
.shake {
    -webkit-animation-name: shake;
    -moz-animation-name: shake;
    -o-animation-name: shake;
    animation-name: shake;
@-webkit-keyframes bounce {
    0%, 20%, 50%, 80%, 100% {-webkit-transform: translateY(0);}
    40% {-webkit-transform: translateY(-30px);}
    60% {-webkit-transform: translateY(-15px);}
@-moz-keyframes bounce {
    0%, 20%, 50%, 80%, 100% {-moz-transform: translateY(0);}
    40% {-moz-transform: translateY(-30px);}
    60% {-moz-transform: translateY(-15px);}
@-o-keyframes bounce {
    0%, 20%, 50%, 80%, 100% {-o-transform: translateY(0);}
    40% {-o-transform: translateY(-30px);}
    60% {-o-transform: translateY(-15px);}
@keyframes bounce {
    0%, 20%, 50%, 80%, 100% {transform: translateY(0);}
    40% {transform: translateY(-30px);}
    60% {transform: translateY(-15px);}
.bounce {
    -webkit-animation-name: bounce;
    -moz-animation-name: bounce;
    -o-animation-name: bounce;
    animation-name: bounce;
@-webkit-keyframes tada {
    0% {-webkit-transform: scale(1);}
    10%, 20% {-webkit-transform: scale(0.9) rotate(-3deg);}
    30%, 50%, 70%, 90% {-webkit-transform: scale(1.1) rotate(3deg);}
    40%, 60%, 80% {-webkit-transform: scale(1.1) rotate(-3deg);}
    100% {-webkit-transform: scale(1) rotate(0);}
@-moz-keyframes tada {
    0% {-moz-transform: scale(1);}
    10%, 20% {-moz-transform: scale(0.9) rotate(-3deg);}
```

```
30%, 50%, 70%, 90% {-moz-transform: scale(1.1) rotate(3deg);}
    40%, 60%, 80% {-moz-transform: scale(1.1) rotate(-3deg);}
    100% {-moz-transform: scale(1) rotate(0);}
@-o-keyframes tada {
    0% {-o-transform: scale(1);}
    10%, 20% {-o-transform: scale(0.9) rotate(-3deg);}
    30%, 50%, 70%, 90% {-o-transform: scale(1.1) rotate(3deg);}
    40%, 60%, 80% {-o-transform: scale(1.1) rotate(-3deg);}
    100% {-o-transform: scale(1) rotate(0);}
@keyframes tada {
    0% {transform: scale(1);}
    10%, 20% {transform: scale(0.9) rotate(-3deg);}
    30%, 50%, 70%, 90% {transform: scale(1.1) rotate(3deg);}
    40%, 60%, 80% {transform: scale(1.1) rotate(-3deg);}
    100% {transform: scale(1) rotate(0);}
.tada {
    -webkit-animation-name: tada;
    -moz-animation-name: tada;
    -o-animation-name: tada;
    animation-name: tada;
@-webkit-keyframes swing {
    20%, 40%, 60%, 80%, 100% { -webkit-transform-origin: top center; }
    20% { -webkit-transform: rotate(15deg); }
    40% { -webkit-transform: rotate(-10deg); }
    60% { -webkit-transform: rotate(5deg); }
    80% { -webkit-transform: rotate(-5deg); }
    100% { -webkit-transform: rotate(0deg); }
@-moz-keyframes swing {
    20% { -moz-transform: rotate(15deg); }
    40% { -moz-transform: rotate(-10deg); }
    60% { -moz-transform: rotate(5deg); }
    80% { -moz-transform: rotate(-5deg); }
    100% { -moz-transform: rotate(0deg); }
@-o-keyframes swing {
    20% { -o-transform: rotate(15deg); }
    40% { -o-transform: rotate(-10deg); }
    60% { -o-transform: rotate(5deg); }
    80% { -o-transform: rotate(-5deg); }
```

```
100% { -o-transform: rotate(0deg); }
@keyframes swing {
    20% { transform: rotate(15deg); }
    40% { transform: rotate(-10deg); }
    60% { transform: rotate(5deg); }
    80% { transform: rotate(-5deg); }
    100% { transform: rotate(0deg); }
.swing {
    -webkit-transform-origin: top center;
    -moz-transform-origin: top center;
    -o-transform-origin: top center;
    transform-origin: top center;
    -webkit-animation-name: swing;
    -moz-animation-name: swing;
    -o-animation-name: swing;
    animation-name: swing;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes wobble {
  0% { -webkit-transform: translateX(0%); }
  15% { -webkit-transform: translateX(-25%) rotate(-5deg); }
  30% { -webkit-transform: translateX(20%) rotate(3deg); }
  45% { -webkit-transform: translateX(-15%) rotate(-3deg); }
  60% { -webkit-transform: translateX(10%) rotate(2deg); }
  75% { -webkit-transform: translateX(-5%) rotate(-1deg); }
  100% { -webkit-transform: translateX(0%); }
@-moz-keyframes wobble {
  0% { -moz-transform: translateX(0%); }
  15% { -moz-transform: translateX(-25%) rotate(-5deg); }
  30% { -moz-transform: translateX(20%) rotate(3deg); }
  45% { -moz-transform: translateX(-15%) rotate(-3deg); }
  60% { -moz-transform: translateX(10%) rotate(2deg); }
  75% { -moz-transform: translateX(-5%) rotate(-1deg); }
  100% { -moz-transform: translateX(0%); }
@-o-keyframes wobble {
  0% { -o-transform: translateX(0%); }
  15% { -o-transform: translateX(-25%) rotate(-5deg); }
  30% { -o-transform: translateX(20%) rotate(3deg); }
  45% { -o-transform: translateX(-15%) rotate(-3deg); }
  60% { -o-transform: translateX(10%) rotate(2deg); }
```

```
75% { -o-transform: translateX(-5%) rotate(-1deg); }
  100% { -o-transform: translateX(0%); }
@keyframes wobble {
  0% { transform: translateX(0%); }
  15% { transform: translateX(-25%) rotate(-5deg); }
  30% { transform: translateX(20%) rotate(3deg); }
  45% { transform: translateX(-15%) rotate(-3deg); }
  60% { transform: translateX(10%) rotate(2deg); }
  75% { transform: translateX(-5%) rotate(-1deg); }
  100% { transform: translateX(0%); }
.wobble {
    -webkit-animation-name: wobble;
    -moz-animation-name: wobble;
    -o-animation-name: wobble;
    animation-name: wobble;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes pulse {
    0% { -webkit-transform: scale(1); }
    50% { -webkit-transform: scale(1.1); }
    100% { -webkit-transform: scale(1); }
@-moz-keyframes pulse {
    0% { -moz-transform: scale(1); }
    50% { -moz-transform: scale(1.1); }
    100% { -moz-transform: scale(1); }
@-o-keyframes pulse {
    0% { -o-transform: scale(1); }
    50% { -o-transform: scale(1.1); }
    100% { -o-transform: scale(1); }
@keyframes pulse {
    0% { transform: scale(1); }
    50% { transform: scale(1.1); }
    100% { transform: scale(1); }
.pulse {
    -webkit-animation-name: pulse;
    -moz-animation-name: pulse;
    -o-animation-name: pulse;
    animation-name: pulse;
```

```
@-webkit-keyframes flip {
    0% {
        -webkit-transform: perspective(400px) rotateY(0);
        -webkit-animation-timing-function: ease-out;
    }
    40% {
        -webkit-
transform: perspective(400px) translateZ(150px) rotateY(170deg);
        -webkit-animation-timing-function: ease-out;
    }
    50% {
        -webkit-
transform: perspective(400px) translateZ(150px) rotateY(190deg) scale(1);
        -webkit-animation-timing-function: ease-in;
    }
    80% {
        -webkit-transform: perspective(400px) rotateY(360deg) scale(.95);
        -webkit-animation-timing-function: ease-in;
    100% {
        -webkit-transform: perspective(400px) scale(1);
        -webkit-animation-timing-function: ease-in;
@-moz-keyframes flip {
    0% {
        -moz-transform: perspective(400px) rotateY(0);
        -moz-animation-timing-function: ease-out;
    40% {
        -moz-transform: perspective(400px) translateZ(150px) rotateY(170deg);
        -moz-animation-timing-function: ease-out;
    50% {
        -moz-
transform: perspective(400px) translateZ(150px) rotateY(190deg) scale(1);
        -moz-animation-timing-function: ease-in;
    80% {
        -moz-transform: perspective(400px) rotateY(360deg) scale(.95);
        -moz-animation-timing-function: ease-in;
    100% {
        -moz-transform: perspective(400px) scale(1);
        -moz-animation-timing-function: ease-in;
@-o-keyframes flip {
    0% {
```

```
-o-transform: perspective(400px) rotateY(0);
        -o-animation-timing-function: ease-out;
    40% {
        -o-transform: perspective(400px) translateZ(150px) rotateY(170deg);
        -o-animation-timing-function: ease-out;
    50% {
        -0-
transform: perspective(400px) translateZ(150px) rotateY(190deg) scale(1);
        -o-animation-timing-function: ease-in;
    80% {
        -o-transform: perspective(400px) rotateY(360deg) scale(.95);
        -o-animation-timing-function: ease-in;
    100% {
        -o-transform: perspective(400px) scale(1);
        -o-animation-timing-function: ease-in;
@keyframes flip {
    0% {
        transform: perspective(400px) rotateY(0);
        animation-timing-function: ease-out;
    40% {
        transform: perspective(400px) translateZ(150px) rotateY(170deg);
        animation-timing-function: ease-out;
    50% {
        transform: perspective(400px) translateZ(150px) rotateY(190deg) scale(
1);
        animation-timing-function: ease-in;
    80% {
        transform: perspective(400px) rotateY(360deg) scale(.95);
        animation-timing-function: ease-in;
    100% {
        transform: perspective(400px) scale(1);
        animation-timing-function: ease-in;
.flip {
    -webkit-backface-visibility: visible !important;
    -webkit-animation-name: flip;
    -moz-backface-visibility: visible !important;
```

```
-moz-animation-name: flip;
    -o-backface-visibility: visible !important;
    -o-animation-name: flip;
    backface-visibility: visible !important;
    animation-name: flip;
@-webkit-keyframes flipInX {
    0% {
        -webkit-transform: perspective(400px) rotateX(90deg);
        opacity: 0;
    40% {
        -webkit-transform: perspective(400px) rotateX(-10deg);
    70% {
        -webkit-transform: perspective(400px) rotateX(10deg);
    100% {
        -webkit-transform: perspective(400px) rotateX(0deg);
        opacity: 1;
@-moz-keyframes flipInX {
    0% {
        -moz-transform: perspective(400px) rotateX(90deg);
        opacity: 0;
    40% {
        -moz-transform: perspective(400px) rotateX(-10deg);
    70% {
        -moz-transform: perspective(400px) rotateX(10deg);
    100% {
        -moz-transform: perspective(400px) rotateX(0deg);
        opacity: 1;
@-o-keyframes flipInX {
    0% {
        -o-transform: perspective(400px) rotateX(90deg);
        opacity: 0;
```

```
40% {
       -o-transform: perspective(400px) rotateX(-10deg);
    70% {
        -o-transform: perspective(400px) rotateX(10deg);
    100% {
        -o-transform: perspective(400px) rotateX(0deg);
        opacity: 1;
@keyframes flipInX {
    0% {
       transform: perspective(400px) rotateX(90deg);
       opacity: 0;
    40% {
       transform: perspective(400px) rotateX(-10deg);
    70% {
        transform: perspective(400px) rotateX(10deg);
    100% {
        transform: perspective(400px) rotateX(0deg);
        opacity: 1;
.flipInX {
    -webkit-backface-visibility: visible !important;
    -webkit-animation-name: flipInX;
    -moz-backface-visibility: visible !important;
    -moz-animation-name: flipInX;
    -o-backface-visibility: visible !important;
    -o-animation-name: flipInX;
    backface-visibility: visible !important;
    animation-name: flipInX;
@-webkit-keyframes flipOutX {
    0% {
        -webkit-transform: perspective(400px) rotateX(0deg);
        opacity: 1;
```

```
100% {
        -webkit-transform: perspective(400px) rotateX(90deg);
        opacity: 0;
@-moz-keyframes flipOutX {
    0% {
        -moz-transform: perspective(400px) rotateX(0deg);
        opacity: 1;
    100% {
        -moz-transform: perspective(400px) rotateX(90deg);
        opacity: 0;
@-o-keyframes flipOutX {
    0% {
        -o-transform: perspective(400px) rotateX(0deg);
        opacity: 1;
    100% {
        -o-transform: perspective(400px) rotateX(90deg);
        opacity: 0;
@keyframes flipOutX {
    0% {
        transform: perspective(400px) rotateX(0deg);
        opacity: 1;
    100% {
        transform: perspective(400px) rotateX(90deg);
        opacity: 0;
.flipOutX {
    -webkit-animation-name: flipOutX;
    -webkit-backface-visibility: visible !important;
    -moz-animation-name: flipOutX;
    -moz-backface-visibility: visible !important;
    -o-animation-name: flipOutX;
    -o-backface-visibility: visible !important;
    animation-name: flipOutX;
    backface-visibility: visible !important;
```

```
@-webkit-keyframes flipInY {
    0% {
        -webkit-transform: perspective(400px) rotateY(90deg);
        opacity: 0;
    40% {
        -webkit-transform: perspective(400px) rotateY(-10deg);
    70% {
        -webkit-transform: perspective(400px) rotateY(10deg);
    100% {
        -webkit-transform: perspective(400px) rotateY(0deg);
        opacity: 1;
@-moz-keyframes flipInY {
    0% {
        -moz-transform: perspective(400px) rotateY(90deg);
        opacity: 0;
    40% {
       -moz-transform: perspective(400px) rotateY(-10deg);
    70% {
        -moz-transform: perspective(400px) rotateY(10deg);
    100% {
        -moz-transform: perspective(400px) rotateY(0deg);
        opacity: 1;
@-o-keyframes flipInY {
    0% {
        -o-transform: perspective(400px) rotateY(90deg);
        opacity: 0;
    40% {
        -o-transform: perspective(400px) rotateY(-10deg);
    70% {
```

```
-o-transform: perspective(400px) rotateY(10deg);
    100% {
        -o-transform: perspective(400px) rotateY(0deg);
        opacity: 1;
@keyframes flipInY {
    0% {
        transform: perspective(400px) rotateY(90deg);
        opacity: 0;
    40% {
       transform: perspective(400px) rotateY(-10deg);
    70% {
        transform: perspective(400px) rotateY(10deg);
    100% {
        transform: perspective(400px) rotateY(0deg);
        opacity: 1;
.flipInY {
    -webkit-backface-visibility: visible !important;
    -webkit-animation-name: flipInY;
    -moz-backface-visibility: visible !important;
    -moz-animation-name: flipInY;
    -o-backface-visibility: visible !important;
    -o-animation-name: flipInY;
    backface-visibility: visible !important;
    animation-name: flipInY;
@-webkit-keyframes flipOutY {
    0% {
        -webkit-transform: perspective(400px) rotateY(0deg);
       opacity: 1;
   100% {
        -webkit-transform: perspective(400px) rotateY(90deg);
        opacity: 0;
@-moz-keyframes flipOutY {
```

```
0% {
        -moz-transform: perspective(400px) rotateY(0deg);
        opacity: 1;
    100% {
        -moz-transform: perspective(400px) rotateY(90deg);
        opacity: 0;
@-o-keyframes flipOutY {
    0% {
        -o-transform: perspective(400px) rotateY(0deg);
        opacity: 1;
    100% {
        -o-transform: perspective(400px) rotateY(90deg);
        opacity: 0;
@keyframes flipOutY {
    0% {
        transform: perspective(400px) rotateY(0deg);
        opacity: 1;
    100% {
        transform: perspective(400px) rotateY(90deg);
        opacity: 0;
.flipOutY {
    -webkit-backface-visibility: visible !important;
    -webkit-animation-name: flipOutY;
    -moz-backface-visibility: visible !important;
    -moz-animation-name: flipOutY;
    -o-backface-visibility: visible !important;
    -o-animation-name: flipOutY;
    backface-visibility: visible !important;
    animation-name: flipOutY;
@-webkit-keyframes fadeIn {
    0% {opacity: 0;}
    100% {opacity: 1;}
@-moz-keyframes fadeIn {
    0% {opacity: 0;}
    100% {opacity: 1;}
```

```
@-o-keyframes fadeIn {
    0% {opacity: 0;}
    100% {opacity: 1;}
@keyframes fadeIn {
    0% {opacity: 0;}
    100% {opacity: 1;}
.fadeIn {
    -webkit-animation-name: fadeIn;
    -moz-animation-name: fadeIn;
    -o-animation-name: fadeIn;
    animation-name: fadeIn;
@-webkit-keyframes fadeInUp {
    0% {
       opacity: 0;
        -webkit-transform: translateY(20px);
    100% {
        opacity: 1;
        -webkit-transform: translateY(0);
@-moz-keyframes fadeInUp {
    0% {
        opacity: 0;
       -moz-transform: translateY(20px);
    100% {
        opacity: 1;
        -moz-transform: translateY(0);
@-o-keyframes fadeInUp {
    0% {
        opacity: 0;
        -o-transform: translateY(20px);
    100% {
        opacity: 1;
```

```
-o-transform: translateY(0);
@keyframes fadeInUp {
    0% {
        opacity: 0;
        transform: translateY(20px);
    100% {
       opacity: 1;
        transform: translateY(0);
.fadeInUp {
    -webkit-animation-name: fadeInUp;
    -moz-animation-name: fadeInUp;
    -o-animation-name: fadeInUp;
    animation-name: fadeInUp;
@-webkit-keyframes fadeInDown {
    0% {
        opacity: 0;
        -webkit-transform: translateY(-20px);
    100% {
        opacity: 1;
        -webkit-transform: translateY(0);
@-moz-keyframes fadeInDown {
    0% {
        opacity: 0;
        -moz-transform: translateY(-20px);
    100% {
        opacity: 1;
        -moz-transform: translateY(0);
@-o-keyframes fadeInDown {
    0% {
       opacity: 0;
```

```
-o-transform: translateY(-20px);
    100% {
        opacity: 1;
        -o-transform: translateY(0);
@keyframes fadeInDown {
    0% {
       opacity: 0;
        transform: translateY(-20px);
    100% {
        opacity: 1;
        transform: translateY(0);
.fadeInDown {
    -webkit-animation-name: fadeInDown;
    -moz-animation-name: fadeInDown;
    -o-animation-name: fadeInDown;
    animation-name: fadeInDown;
@-webkit-keyframes fadeInLeft {
    0% {
        opacity: 0;
        -webkit-transform: translateX(-20px);
    100% {
        opacity: 1;
        -webkit-transform: translateX(0);
@-moz-keyframes fadeInLeft {
    0% {
       opacity: 0;
        -moz-transform: translateX(-20px);
    100% {
        opacity: 1;
        -moz-transform: translateX(0);
```

```
@-o-keyframes fadeInLeft {
    0% {
        opacity: 0;
        -o-transform: translateX(-20px);
    100% {
        opacity: 1;
        -o-transform: translateX(0);
@keyframes fadeInLeft {
    0% {
        opacity: 0;
        transform: translateX(-20px);
    100% {
        opacity: 1;
        transform: translateX(0);
.fadeInLeft {
    -webkit-animation-name: fadeInLeft;
    -moz-animation-name: fadeInLeft;
    -o-animation-name: fadeInLeft;
    animation-name: fadeInLeft;
@-webkit-keyframes fadeInRight {
    0% {
        opacity: 0;
       -webkit-transform: translateX(20px);
    100% {
        opacity: 1;
        -webkit-transform: translateX(0);
@-moz-keyframes fadeInRight {
    0% {
        opacity: 0;
        -moz-transform: translateX(20px);
```

```
100% {
        opacity: 1;
        -moz-transform: translateX(0);
@-o-keyframes fadeInRight {
    0% {
        opacity: 0;
        -o-transform: translateX(20px);
    100% {
        opacity: 1;
        -o-transform: translateX(0);
@keyframes fadeInRight {
    0% {
        opacity: 0;
        transform: translateX(20px);
    100% {
        opacity: 1;
        transform: translateX(0);
.fadeInRight {
    -webkit-animation-name: fadeInRight;
    -moz-animation-name: fadeInRight;
    -o-animation-name: fadeInRight;
    animation-name: fadeInRight;
@-webkit-keyframes fadeInUpBig {
    0% {
        opacity: 0;
        -webkit-transform: translateY(2000px);
    100% {
        opacity: 1;
        -webkit-transform: translateY(0);
```

```
@-moz-keyframes fadeInUpBig {
    0% {
        opacity: 0;
        -moz-transform: translateY(2000px);
    100% {
        opacity: 1;
        -moz-transform: translateY(0);
@-o-keyframes fadeInUpBig {
    0% {
        opacity: 0;
        -o-transform: translateY(2000px);
    100% {
        opacity: 1;
        -o-transform: translateY(0);
@keyframes fadeInUpBig {
    0% {
        opacity: 0;
        transform: translateY(2000px);
    100% {
        opacity: 1;
        transform: translateY(0);
    }
.fadeInUpBig {
    -webkit-animation-name: fadeInUpBig;
    -moz-animation-name: fadeInUpBig;
    -o-animation-name: fadeInUpBig;
    animation-name: fadeInUpBig;
@-webkit-keyframes fadeInDownBig {
    0% {
        opacity: 0;
        -webkit-transform: translateY(-2000px);
    }
    100% {
```

```
opacity: 1;
        -webkit-transform: translateY(0);
@-moz-keyframes fadeInDownBig {
    0% {
        opacity: 0;
        -moz-transform: translateY(-2000px);
    100% {
        opacity: 1;
        -moz-transform: translateY(0);
@-o-keyframes fadeInDownBig {
    0% {
        opacity: 0;
        -o-transform: translateY(-2000px);
    100% {
        opacity: 1;
        -o-transform: translateY(0);
@keyframes fadeInDownBig {
    0% {
        opacity: 0;
        transform: translateY(-2000px);
    100% {
        opacity: 1;
        transform: translateY(0);
.fadeInDownBig {
    -webkit-animation-name: fadeInDownBig;
    -moz-animation-name: fadeInDownBig;
    -o-animation-name: fadeInDownBig;
    animation-name: fadeInDownBig;
@-webkit-keyframes fadeInLeftBig {
    0% {
```

```
opacity: 0;
        -webkit-transform: translateX(-2000px);
    100% {
        opacity: 1;
        -webkit-transform: translateX(0);
@-moz-keyframes fadeInLeftBig {
    0% {
       opacity: 0;
        -moz-transform: translateX(-2000px);
    100% {
        opacity: 1;
        -moz-transform: translateX(0);
@-o-keyframes fadeInLeftBig {
    0% {
       opacity: 0;
        -o-transform: translateX(-2000px);
    100% {
        opacity: 1;
        -o-transform: translateX(0);
@keyframes fadeInLeftBig {
    0% {
        opacity: 0;
        transform: translateX(-2000px);
    100% {
        opacity: 1;
        transform: translateX(0);
.fadeInLeftBig {
    -webkit-animation-name: fadeInLeftBig;
    -moz-animation-name: fadeInLeftBig;
    -o-animation-name: fadeInLeftBig;
    animation-name: fadeInLeftBig;
```

```
@-webkit-keyframes fadeInRightBig {
    0% {
        opacity: 0;
        -webkit-transform: translateX(2000px);
    100% {
        opacity: 1;
        -webkit-transform: translateX(0);
@-moz-keyframes fadeInRightBig {
    0% {
        opacity: 0;
        -moz-transform: translateX(2000px);
    100% {
        opacity: 1;
        -moz-transform: translateX(0);
@-o-keyframes fadeInRightBig {
    0% {
       opacity: 0;
        -o-transform: translateX(2000px);
    100% {
        opacity: 1;
        -o-transform: translateX(0);
@keyframes fadeInRightBig {
    0% {
        opacity: 0;
        transform: translateX(2000px);
    100% {
        opacity: 1;
        transform: translateX(0);
.fadeInRightBig {
```

```
-webkit-animation-name: fadeInRightBig;
    -moz-animation-name: fadeInRightBig;
    -o-animation-name: fadeInRightBig;
    animation-name: fadeInRightBig;
@-webkit-keyframes fadeOut {
    0% {opacity: 1;}
    100% {opacity: 0;}
@-moz-keyframes fadeOut {
    0% {opacity: 1;}
    100% {opacity: 0;}
@-o-keyframes fadeOut {
    0% {opacity: 1;}
    100% {opacity: 0;}
@keyframes fadeOut {
    0% {opacity: 1;}
    100% {opacity: 0;}
.fadeOut {
    -webkit-animation-name: fadeOut;
    -moz-animation-name: fadeOut;
    -o-animation-name: fadeOut;
    animation-name: fadeOut;
@-webkit-keyframes fadeOutUp {
    0% {
        opacity: 1;
        -webkit-transform: translateY(0);
    100% {
        opacity: 0;
        -webkit-transform: translateY(-20px);
@-moz-keyframes fadeOutUp {
    0% {
        opacity: 1;
        -moz-transform: translateY(0);
    100% {
```

```
opacity: 0;
        -moz-transform: translateY(-20px);
@-o-keyframes fadeOutUp {
    0% {
        opacity: 1;
        -o-transform: translateY(0);
    100% {
       opacity: 0;
        -o-transform: translateY(-20px);
@keyframes fadeOutUp {
    0% {
        opacity: 1;
       transform: translateY(0);
    100% {
        opacity: 0;
        transform: translateY(-20px);
.fadeOutUp {
    -webkit-animation-name: fadeOutUp;
    -moz-animation-name: fadeOutUp;
    -o-animation-name: fadeOutUp;
    animation-name: fadeOutUp;
@-webkit-keyframes fadeOutDown {
    0% {
        opacity: 1;
        -webkit-transform: translateY(0);
    100% {
        opacity: 0;
        -webkit-transform: translateY(20px);
@-moz-keyframes fadeOutDown {
    0% {
        opacity: 1;
        -moz-transform: translateY(0);
```

```
100% {
        opacity: 0;
        -moz-transform: translateY(20px);
@-o-keyframes fadeOutDown {
    0% {
        opacity: 1;
        -o-transform: translateY(0);
    100% {
        opacity: 0;
        -o-transform: translateY(20px);
@keyframes fadeOutDown {
    0% {
       opacity: 1;
        transform: translateY(0);
    100% {
        opacity: 0;
        transform: translateY(20px);
.fadeOutDown {
    -webkit-animation-name: fadeOutDown;
    -moz-animation-name: fadeOutDown;
    -o-animation-name: fadeOutDown;
    animation-name: fadeOutDown;
@-webkit-keyframes fadeOutLeft {
    0% {
        opacity: 1;
        -webkit-transform: translateX(0);
    100% {
        opacity: 0;
        -webkit-transform: translateX(-20px);
```

```
@-moz-keyframes fadeOutLeft {
    0% {
        opacity: 1;
        -moz-transform: translateX(0);
    100% {
        opacity: 0;
        -moz-transform: translateX(-20px);
@-o-keyframes fadeOutLeft {
    0% {
       opacity: 1;
        -o-transform: translateX(0);
    100% {
        opacity: 0;
        -o-transform: translateX(-20px);
@keyframes fadeOutLeft {
    0% {
        opacity: 1;
        transform: translateX(0);
    100% {
        opacity: 0;
        transform: translateX(-20px);
.fadeOutLeft {
    -webkit-animation-name: fadeOutLeft;
    -moz-animation-name: fadeOutLeft;
    -o-animation-name: fadeOutLeft;
    animation-name: fadeOutLeft;
@-webkit-keyframes fadeOutRight {
    0% {
        opacity: 1;
        -webkit-transform: translateX(0);
```

```
100% {
        opacity: 0;
        -webkit-transform: translateX(20px);
@-moz-keyframes fadeOutRight {
    0% {
        opacity: 1;
        -moz-transform: translateX(0);
    100% {
        opacity: 0;
        -moz-transform: translateX(20px);
@-o-keyframes fadeOutRight {
    0% {
        opacity: 1;
        -o-transform: translateX(0);
    100% {
        opacity: 0;
        -o-transform: translateX(20px);
@keyframes fadeOutRight {
    0% {
        opacity: 1;
        transform: translateX(0);
    100% {
        opacity: 0;
        transform: translateX(20px);
.fadeOutRight {
    -webkit-animation-name: fadeOutRight;
    -moz-animation-name: fadeOutRight;
    -o-animation-name: fadeOutRight;
    animation-name: fadeOutRight;
@-webkit-keyframes fadeOutUpBig {
```

```
0% {
        opacity: 1;
        -webkit-transform: translateY(0);
    100% {
        opacity: 0;
        -webkit-transform: translateY(-2000px);
@-moz-keyframes fadeOutUpBig {
    0% {
        opacity: 1;
        -moz-transform: translateY(0);
    100% {
        opacity: 0;
        -moz-transform: translateY(-2000px);
@-o-keyframes fadeOutUpBig {
    0% {
        opacity: 1;
        -o-transform: translateY(0);
    100% {
        opacity: 0;
        -o-transform: translateY(-2000px);
@keyframes fadeOutUpBig {
    0% {
        opacity: 1;
        transform: translateY(0);
    100% {
        opacity: 0;
        transform: translateY(-2000px);
.fadeOutUpBig {
    -webkit-animation-name: fadeOutUpBig;
```

```
-moz-animation-name: fadeOutUpBig;
    -o-animation-name: fadeOutUpBig;
    animation-name: fadeOutUpBig;
@-webkit-keyframes fadeOutDownBig {
    0% {
        opacity: 1;
        -webkit-transform: translateY(0);
    100% {
       opacity: 0;
        -webkit-transform: translateY(2000px);
@-moz-keyframes fadeOutDownBig {
    0% {
        opacity: 1;
        -moz-transform: translateY(0);
    100% {
        opacity: 0;
        -moz-transform: translateY(2000px);
@-o-keyframes fadeOutDownBig {
    0% {
       opacity: 1;
        -o-transform: translateY(0);
    100% {
        opacity: 0;
        -o-transform: translateY(2000px);
@keyframes fadeOutDownBig {
    0% {
        opacity: 1;
       transform: translateY(0);
    100% {
        opacity: 0;
        transform: translateY(2000px);
```

```
.fadeOutDownBig {
    -webkit-animation-name: fadeOutDownBig;
    -moz-animation-name: fadeOutDownBig;
    -o-animation-name: fadeOutDownBig;
    animation-name: fadeOutDownBig;
@-webkit-keyframes fadeOutLeftBig {
    0% {
       opacity: 1;
        -webkit-transform: translateX(0);
    100% {
        opacity: 0;
        -webkit-transform: translateX(-2000px);
@-moz-keyframes fadeOutLeftBig {
    0% {
        opacity: 1;
        -moz-transform: translateX(0);
    100% {
        opacity: 0;
        -moz-transform: translateX(-2000px);
@-o-keyframes fadeOutLeftBig {
    0% {
        opacity: 1;
        -o-transform: translateX(0);
    100% {
        opacity: 0;
        -o-transform: translateX(-2000px);
@keyframes fadeOutLeftBig {
    0% {
        opacity: 1;
        transform: translateX(0);
```

```
100% {
        opacity: 0;
        transform: translateX(-2000px);
.fadeOutLeftBig {
    -webkit-animation-name: fadeOutLeftBig;
    -moz-animation-name: fadeOutLeftBig;
    -o-animation-name: fadeOutLeftBig;
    animation-name: fadeOutLeftBig;
@-webkit-keyframes fadeOutRightBig {
    0% {
        opacity: 1;
        -webkit-transform: translateX(0);
    100% {
        opacity: 0;
        -webkit-transform: translateX(2000px);
@-moz-keyframes fadeOutRightBig {
    0% {
        opacity: 1;
        -moz-transform: translateX(0);
    100% {
        opacity: 0;
        -moz-transform: translateX(2000px);
@-o-keyframes fadeOutRightBig {
    0% {
        opacity: 1;
        -o-transform: translateX(0);
    100% {
        opacity: 0;
        -o-transform: translateX(2000px);
@keyframes fadeOutRightBig {
   0% {
```

```
opacity: 1;
        transform: translateX(0);
    100% {
        opacity: 0;
        transform: translateX(2000px);
.fadeOutRightBig {
    -webkit-animation-name: fadeOutRightBig;
    -moz-animation-name: fadeOutRightBig;
    -o-animation-name: fadeOutRightBig;
    animation-name: fadeOutRightBig;
@-webkit-keyframes bounceIn {
    0% {
        opacity: 0;
        -webkit-transform: scale(.3);
    50% {
        opacity: 1;
        -webkit-transform: scale(1.05);
    70% {
        -webkit-transform: scale(.9);
    100% {
        -webkit-transform: scale(1);
@-moz-keyframes bounceIn {
    0% {
        opacity: 0;
        -moz-transform: scale(.3);
    50% {
        opacity: 1;
        -moz-transform: scale(1.05);
    70% {
        -moz-transform: scale(.9);
```

```
100% {
       -moz-transform: scale(1);
@-o-keyframes bounceIn {
    0% {
       opacity: 0;
       -o-transform: scale(.3);
    50% {
      opacity: 1;
       -o-transform: scale(1.05);
    70% {
      -o-transform: scale(.9);
    100% {
       -o-transform: scale(1);
@keyframes bounceIn {
    0% {
       opacity: 0;
       transform: scale(.3);
    50% {
       opacity: 1;
       transform: scale(1.05);
    70% {
       transform: scale(.9);
    100% {
       transform: scale(1);
.bounceIn {
   -webkit-animation-name: bounceIn;
```

```
-moz-animation-name: bounceIn;
    -o-animation-name: bounceIn;
    animation-name: bounceIn;
@-webkit-keyframes bounceInUp {
    0% {
        opacity: 0;
        -webkit-transform: translateY(2000px);
    60% {
       opacity: 1;
        -webkit-transform: translateY(-30px);
    80% {
       -webkit-transform: translateY(10px);
    100% {
        -webkit-transform: translateY(0);
@-moz-keyframes bounceInUp {
    0% {
        opacity: 0;
       -moz-transform: translateY(2000px);
    60% {
       opacity: 1;
        -moz-transform: translateY(-30px);
    80% {
       -moz-transform: translateY(10px);
    100% {
        -moz-transform: translateY(0);
@-o-keyframes bounceInUp {
    0% {
        opacity: 0;
        -o-transform: translateY(2000px);
```

```
60% {
        opacity: 1;
        -o-transform: translateY(-30px);
    80% {
        -o-transform: translateY(10px);
    100% {
        -o-transform: translateY(0);
@keyframes bounceInUp {
    0% {
        opacity: 0;
        transform: translateY(2000px);
    60% {
        opacity: 1;
        transform: translateY(-30px);
    80% {
       transform: translateY(10px);
    100% {
        transform: translateY(0);
.bounceInUp {
    -webkit-animation-name: bounceInUp;
    -moz-animation-name: bounceInUp;
    -o-animation-name: bounceInUp;
    animation-name: bounceInUp;
@-webkit-keyframes bounceInDown {
    0% {
        opacity: 0;
       -webkit-transform: translateY(-2000px);
    60% {
        opacity: 1;
        -webkit-transform: translateY(30px);
```

```
80% {
       -webkit-transform: translateY(-10px);
    100% {
       -webkit-transform: translateY(0);
@-moz-keyframes bounceInDown {
    0% {
       opacity: 0;
       -moz-transform: translateY(-2000px);
    60% {
       opacity: 1;
       -moz-transform: translateY(30px);
    80% {
       -moz-transform: translateY(-10px);
    100% {
       -moz-transform: translateY(0);
@-o-keyframes bounceInDown {
    0% {
       opacity: 0;
       -o-transform: translateY(-2000px);
    60% {
       opacity: 1;
       -o-transform: translateY(30px);
    80% {
       -o-transform: translateY(-10px);
    100% {
        -o-transform: translateY(0);
```

```
@keyframes bounceInDown {
    0% {
        opacity: 0;
        transform: translateY(-2000px);
    60% {
        opacity: 1;
       transform: translateY(30px);
    80% {
       transform: translateY(-10px);
    100% {
       transform: translateY(0);
.bounceInDown {
    -webkit-animation-name: bounceInDown;
    -moz-animation-name: bounceInDown;
    -o-animation-name: bounceInDown;
    animation-name: bounceInDown;
@-webkit-keyframes bounceInLeft {
    0% {
       opacity: 0;
        -webkit-transform: translateX(-2000px);
    60% {
        opacity: 1;
        -webkit-transform: translateX(30px);
    80% {
        -webkit-transform: translateX(-10px);
    100% {
        -webkit-transform: translateX(0);
@-moz-keyframes bounceInLeft {
```

```
0% {
        opacity: 0;
       -moz-transform: translateX(-2000px);
    60% {
        opacity: 1;
        -moz-transform: translateX(30px);
    80% {
       -moz-transform: translateX(-10px);
    100% {
       -moz-transform: translateX(0);
@-o-keyframes bounceInLeft {
    0% {
       opacity: 0;
        -o-transform: translateX(-2000px);
    60% {
       opacity: 1;
        -o-transform: translateX(30px);
    80% {
       -o-transform: translateX(-10px);
    100% {
       -o-transform: translateX(0);
@keyframes bounceInLeft {
    0% {
       opacity: 0;
        transform: translateX(-2000px);
    60% {
        opacity: 1;
        transform: translateX(30px);
```

```
80% {
       transform: translateX(-10px);
    100% {
        transform: translateX(0);
.bounceInLeft {
    -webkit-animation-name: bounceInLeft;
    -moz-animation-name: bounceInLeft;
    -o-animation-name: bounceInLeft;
    animation-name: bounceInLeft;
@-webkit-keyframes bounceInRight {
    0% {
        opacity: 0;
        -webkit-transform: translateX(2000px);
    60% {
        opacity: 1;
       -webkit-transform: translateX(-30px);
    80% {
        -webkit-transform: translateX(10px);
    100% {
       -webkit-transform: translateX(0);
@-moz-keyframes bounceInRight {
    0% {
        opacity: 0;
        -moz-transform: translateX(2000px);
    60% {
        opacity: 1;
        -moz-transform: translateX(-30px);
    80% {
        -moz-transform: translateX(10px);
```

```
100% {
        -moz-transform: translateX(0);
@-o-keyframes bounceInRight {
    0% {
        opacity: 0;
       -o-transform: translateX(2000px);
    60% {
        opacity: 1;
        -o-transform: translateX(-30px);
    80% {
       -o-transform: translateX(10px);
    100% {
        -o-transform: translateX(0);
@keyframes bounceInRight {
    0% {
        opacity: 0;
       transform: translateX(2000px);
    60% {
        opacity: 1;
       transform: translateX(-30px);
    80% {
       transform: translateX(10px);
    100% {
       transform: translateX(0);
.bounceInRight {
   -webkit-animation-name: bounceInRight;
```

```
-moz-animation-name: bounceInRight;
    -o-animation-name: bounceInRight;
    animation-name: bounceInRight;
@-webkit-keyframes bounceOut {
    0% {
        -webkit-transform: scale(1);
    25% {
       -webkit-transform: scale(.95);
    50% {
        opacity: 1;
       -webkit-transform: scale(1.1);
    100% {
        opacity: 0;
        -webkit-transform: scale(.3);
@-moz-keyframes bounceOut {
    0% {
       -moz-transform: scale(1);
    25% {
       -moz-transform: scale(.95);
    50% {
        opacity: 1;
       -moz-transform: scale(1.1);
    100% {
        opacity: 0;
        -moz-transform: scale(.3);
@-o-keyframes bounceOut {
    0% {
       -o-transform: scale(1);
```

```
25% {
        -o-transform: scale(.95);
    50% {
        opacity: 1;
       -o-transform: scale(1.1);
    100% {
       opacity: 0;
        -o-transform: scale(.3);
@keyframes bounceOut {
    0% {
       transform: scale(1);
    25% {
       transform: scale(.95);
    50% {
       opacity: 1;
       transform: scale(1.1);
    100% {
       opacity: 0;
        transform: scale(.3);
.bounceOut {
    -webkit-animation-name: bounceOut;
    -moz-animation-name: bounceOut;
    -o-animation-name: bounceOut;
    animation-name: bounceOut;
@-webkit-keyframes bounceOutUp {
    0% {
       -webkit-transform: translateY(0);
    20% {
        opacity: 1;
        -webkit-transform: translateY(20px);
```

```
100% {
        opacity: 0;
        -webkit-transform: translateY(-2000px);
@-moz-keyframes bounceOutUp {
    0% {
       -moz-transform: translateY(0);
    20% {
        opacity: 1;
        -moz-transform: translateY(20px);
    100% {
        opacity: 0;
        -moz-transform: translateY(-2000px);
@-o-keyframes bounceOutUp {
    0% {
       -o-transform: translateY(0);
    20% {
       opacity: 1;
        -o-transform: translateY(20px);
    100% {
        opacity: 0;
        -o-transform: translateY(-2000px);
@keyframes bounceOutUp {
    0% {
        transform: translateY(0);
    20% {
        opacity: 1;
        transform: translateY(20px);
```

```
100% {
        opacity: 0;
        transform: translateY(-2000px);
.bounceOutUp {
    -webkit-animation-name: bounceOutUp;
    -moz-animation-name: bounceOutUp;
    -o-animation-name: bounceOutUp;
    animation-name: bounceOutUp;
@-webkit-keyframes bounceOutDown {
    0% {
        -webkit-transform: translateY(0);
    20% {
        opacity: 1;
        -webkit-transform: translateY(-20px);
    100% {
        opacity: 0;
        -webkit-transform: translateY(2000px);
@-moz-keyframes bounceOutDown {
    0% {
        -moz-transform: translateY(0);
    20% {
        opacity: 1;
        -moz-transform: translateY(-20px);
    100% {
        opacity: 0;
        -moz-transform: translateY(2000px);
@-o-keyframes bounceOutDown {
    0% {
        -o-transform: translateY(0);
```

```
20% {
        opacity: 1;
        -o-transform: translateY(-20px);
    100% {
        opacity: 0;
        -o-transform: translateY(2000px);
@keyframes bounceOutDown {
    0% {
        transform: translateY(0);
    20% {
        opacity: 1;
        transform: translateY(-20px);
    100% {
        opacity: 0;
        transform: translateY(2000px);
.bounceOutDown {
    -webkit-animation-name: bounceOutDown;
    -moz-animation-name: bounceOutDown;
    -o-animation-name: bounceOutDown;
    animation-name: bounceOutDown;
@-webkit-keyframes bounceOutLeft {
    0% {
        -webkit-transform: translateX(0);
    20% {
        opacity: 1;
        -webkit-transform: translateX(20px);
    100% {
        opacity: 0;
        -webkit-transform: translateX(-2000px);
```

```
@-moz-keyframes bounceOutLeft {
    0% {
        -moz-transform: translateX(0);
    20% {
        opacity: 1;
        -moz-transform: translateX(20px);
    100% {
        opacity: 0;
        -moz-transform: translateX(-2000px);
@-o-keyframes bounceOutLeft {
    0% {
       -o-transform: translateX(0);
    20% {
        opacity: 1;
       -o-transform: translateX(20px);
    100% {
       opacity: 0;
        -o-transform: translateX(-2000px);
@keyframes bounceOutLeft {
    0% {
       transform: translateX(0);
    20% {
        opacity: 1;
       transform: translateX(20px);
    100% {
       opacity: 0;
       transform: translateX(-2000px);
```

```
.bounceOutLeft {
    -webkit-animation-name: bounceOutLeft;
    -moz-animation-name: bounceOutLeft;
    -o-animation-name: bounceOutLeft;
    animation-name: bounceOutLeft;
@-webkit-keyframes bounceOutRight {
    0% {
       -webkit-transform: translateX(0);
    20% {
        opacity: 1;
       -webkit-transform: translateX(-20px);
    100% {
        opacity: 0;
        -webkit-transform: translateX(2000px);
@-moz-keyframes bounceOutRight {
    0% {
       -moz-transform: translateX(0);
    20% {
        opacity: 1;
        -moz-transform: translateX(-20px);
    100% {
        opacity: 0;
        -moz-transform: translateX(2000px);
@-o-keyframes bounceOutRight {
    0% {
        -o-transform: translateX(0);
    20% {
        opacity: 1;
        -o-transform: translateX(-20px);
    100% {
```

```
opacity: 0;
        -o-transform: translateX(2000px);
@keyframes bounceOutRight {
    0% {
        transform: translateX(0);
    20% {
       opacity: 1;
        transform: translateX(-20px);
    100% {
        opacity: 0;
        transform: translateX(2000px);
.bounceOutRight {
    -webkit-animation-name: bounceOutRight;
    -moz-animation-name: bounceOutRight;
    -o-animation-name: bounceOutRight;
    animation-name: bounceOutRight;
@-webkit-keyframes rotateIn {
    0% {
        -webkit-transform-origin: center center;
        -webkit-transform: rotate(-200deg);
        opacity: 0;
    100% {
        -webkit-transform-origin: center center;
        -webkit-transform: rotate(0);
        opacity: 1;
@-moz-keyframes rotateIn {
    0% {
        -moz-transform-origin: center center;
        -moz-transform: rotate(-200deg);
        opacity: 0;
    100% {
        -moz-transform-origin: center center;
```

```
-moz-transform: rotate(0);
        opacity: 1;
@-o-keyframes rotateIn {
    0% {
        -o-transform-origin: center center;
        -o-transform: rotate(-200deg);
        opacity: 0;
    100% {
        -o-transform-origin: center center;
        -o-transform: rotate(0);
        opacity: 1;
@keyframes rotateIn {
    0% {
        transform-origin: center center;
        transform: rotate(-200deg);
        opacity: 0;
    100% {
        transform-origin: center center;
        transform: rotate(0);
        opacity: 1;
.rotateIn {
    -webkit-animation-name: rotateIn;
    -moz-animation-name: rotateIn;
    -o-animation-name: rotateIn;
    animation-name: rotateIn;
@-webkit-keyframes rotateInUpLeft {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(90deg);
        opacity: 0;
    100% {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
```

```
@-moz-keyframes rotateInUpLeft {
    0% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(90deg);
        opacity: 0;
    100% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(0);
        opacity: 1;
@-o-keyframes rotateInUpLeft {
    0% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(90deg);
        opacity: 0;
    100% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(0);
        opacity: 1;
@keyframes rotateInUpLeft {
    0% {
        transform-origin: left bottom;
        transform: rotate(90deg);
        opacity: 0;
    100% {
        transform-origin: left bottom;
        transform: rotate(0);
        opacity: 1;
.rotateInUpLeft {
    -webkit-animation-name: rotateInUpLeft;
    -moz-animation-name: rotateInUpLeft;
    -o-animation-name: rotateInUpLeft;
    animation-name: rotateInUpLeft;
```

```
@-webkit-keyframes rotateInDownLeft {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(-90deg);
        opacity: 0;
    100% {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
@-moz-keyframes rotateInDownLeft {
    0% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(-90deg);
        opacity: 0;
    100% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(0);
        opacity: 1;
@-o-keyframes rotateInDownLeft {
    0% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(-90deg);
        opacity: 0;
    100% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(0);
        opacity: 1;
@keyframes rotateInDownLeft {
    0% {
        transform-origin: left bottom;
        transform: rotate(-90deg);
        opacity: 0;
```

```
100% {
        transform-origin: left bottom;
        transform: rotate(0);
        opacity: 1;
.rotateInDownLeft {
    -webkit-animation-name: rotateInDownLeft;
    -moz-animation-name: rotateInDownLeft;
    -o-animation-name: rotateInDownLeft;
    animation-name: rotateInDownLeft;
@-webkit-keyframes rotateInUpRight {
    0% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(-90deg);
        opacity: 0;
    100% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
@-moz-keyframes rotateInUpRight {
    0% {
        -moz-transform-origin: right bottom;
        -moz-transform: rotate(-90deg);
        opacity: 0;
    100% {
        -moz-transform-origin: right bottom;
        -moz-transform: rotate(0);
        opacity: 1;
@-o-keyframes rotateInUpRight {
    0% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(-90deg);
        opacity: 0;
```

```
100% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(0);
        opacity: 1;
@keyframes rotateInUpRight {
    0% {
        transform-origin: right bottom;
        transform: rotate(-90deg);
        opacity: 0;
    100% {
        transform-origin: right bottom;
        transform: rotate(0);
        opacity: 1;
.rotateInUpRight {
    -webkit-animation-name: rotateInUpRight;
    -moz-animation-name: rotateInUpRight;
    -o-animation-name: rotateInUpRight;
    animation-name: rotateInUpRight;
@-webkit-keyframes rotateInDownRight {
    0% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(90deg);
        opacity: 0;
    100% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
@-moz-keyframes rotateInDownRight {
    0% {
        -moz-transform-origin: right bottom;
        -moz-transform: rotate(90deg);
        opacity: 0;
    100% {
```

```
-moz-transform-origin: right bottom;
        -moz-transform: rotate(0);
        opacity: 1;
@-o-keyframes rotateInDownRight {
    0% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(90deg);
        opacity: 0;
    100% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(0);
        opacity: 1;
@keyframes rotateInDownRight {
    0% {
        transform-origin: right bottom;
        transform: rotate(90deg);
        opacity: 0;
    100% {
        transform-origin: right bottom;
        transform: rotate(0);
        opacity: 1;
.rotateInDownRight {
    -webkit-animation-name: rotateInDownRight;
    -moz-animation-name: rotateInDownRight;
    -o-animation-name: rotateInDownRight;
    animation-name: rotateInDownRight;
@-webkit-keyframes rotateOut {
    0% {
        -webkit-transform-origin: center center;
        -webkit-transform: rotate(0);
        opacity: 1;
    100% {
        -webkit-transform-origin: center center;
```

```
-webkit-transform: rotate(200deg);
        opacity: 0;
@-moz-keyframes rotateOut {
    0% {
        -moz-transform-origin: center center;
        -moz-transform: rotate(0);
        opacity: 1;
    100% {
        -moz-transform-origin: center center;
        -moz-transform: rotate(200deg);
        opacity: 0;
@-o-keyframes rotateOut {
    0% {
        -o-transform-origin: center center;
        -o-transform: rotate(0);
        opacity: 1;
    100% {
        -o-transform-origin: center center;
        -o-transform: rotate(200deg);
        opacity: 0;
@keyframes rotateOut {
    0% {
        transform-origin: center center;
        transform: rotate(0);
        opacity: 1;
    100% {
        transform-origin: center center;
        transform: rotate(200deg);
        opacity: 0;
.rotateOut {
    -webkit-animation-name: rotateOut;
```

```
-moz-animation-name: rotateOut;
    -o-animation-name: rotateOut;
    animation-name: rotateOut;
@-webkit-keyframes rotateOutUpLeft {
    0% {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
    100% {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(-90deg);
        opacity: 0;
@-moz-keyframes rotateOutUpLeft {
    0% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(0);
        opacity: 1;
    100% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(-90deg);
        opacity: 0;
@-o-keyframes rotateOutUpLeft {
    0% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(0);
        opacity: 1;
    100% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(-90deg);
        opacity: 0;
@keyframes rotateOutUpLeft {
    0% {
        transform-origin: left bottom;
```

```
transform: rotate(0);
        opacity: 1;
    100% {
        transform-origin: left bottom;
        transform: rotate(-90deg);
        opacity: 0;
.rotateOutUpLeft {
    -webkit-animation-name: rotateOutUpLeft;
    -moz-animation-name: rotateOutUpLeft;
    -o-animation-name: rotateOutUpLeft;
    animation-name: rotateOutUpLeft;
@-webkit-keyframes rotateOutDownLeft {
    0% {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
    100% {
        -webkit-transform-origin: left bottom;
        -webkit-transform: rotate(90deg);
        opacity: 0;
@-moz-keyframes rotateOutDownLeft {
    0% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(0);
        opacity: 1;
    100% {
        -moz-transform-origin: left bottom;
        -moz-transform: rotate(90deg);
        opacity: 0;
@-o-keyframes rotateOutDownLeft {
    0% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(0);
```

```
opacity: 1;
    100% {
        -o-transform-origin: left bottom;
        -o-transform: rotate(90deg);
        opacity: 0;
@keyframes rotateOutDownLeft {
    0% {
        transform-origin: left bottom;
        transform: rotate(0);
        opacity: 1;
    100% {
        transform-origin: left bottom;
        transform: rotate(90deg);
        opacity: 0;
.rotateOutDownLeft {
    -webkit-animation-name: rotateOutDownLeft;
    -moz-animation-name: rotateOutDownLeft;
    -o-animation-name: rotateOutDownLeft;
    animation-name: rotateOutDownLeft;
@-webkit-keyframes rotateOutUpRight {
    0% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
    100% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(90deg);
        opacity: 0;
@-moz-keyframes rotateOutUpRight {
    0% {
        -moz-transform-origin: right bottom;
        -moz-transform: rotate(0);
        opacity: 1;
```

```
}
    100% {
        -moz-transform-origin: right bottom;
        -moz-transform: rotate(90deg);
        opacity: 0;
@-o-keyframes rotateOutUpRight {
    0% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(0);
        opacity: 1;
    100% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(90deg);
        opacity: 0;
@keyframes rotateOutUpRight {
    0% {
        transform-origin: right bottom;
        transform: rotate(0);
        opacity: 1;
    100% {
        transform-origin: right bottom;
        transform: rotate(90deg);
        opacity: 0;
.rotateOutUpRight {
    -webkit-animation-name: rotateOutUpRight;
    -moz-animation-name: rotateOutUpRight;
    -o-animation-name: rotateOutUpRight;
    animation-name: rotateOutUpRight;
@-webkit-keyframes rotateOutDownRight {
    0% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(0);
        opacity: 1;
```

```
100% {
        -webkit-transform-origin: right bottom;
        -webkit-transform: rotate(-90deg);
        opacity: 0;
@-moz-keyframes rotateOutDownRight {
    0% {
        -moz-transform-origin: right bottom;
        -moz-transform: rotate(0);
        opacity: 1;
    100% {
        -moz-transform-origin: right bottom;
        -moz-transform: rotate(-90deg);
        opacity: 0;
@-o-keyframes rotateOutDownRight {
    0% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(0);
        opacity: 1;
    100% {
        -o-transform-origin: right bottom;
        -o-transform: rotate(-90deg);
        opacity: 0;
    }
@keyframes rotateOutDownRight {
    0% {
        transform-origin: right bottom;
        transform: rotate(0);
        opacity: 1;
    100% {
        transform-origin: right bottom;
        transform: rotate(-90deg);
        opacity: 0;
```

```
.rotateOutDownRight {
    -webkit-animation-name: rotateOutDownRight;
    -moz-animation-name: rotateOutDownRight;
    -o-animation-name: rotateOutDownRight;
    animation-name: rotateOutDownRight;
@-webkit-keyframes hinge {
    0% { -webkit-transform: rotate(0); -webkit-transform-origin: top left; -
webkit-animation-timing-function: ease-in-out; }
    20%, 60% { -webkit-transform: rotate(80deg); -webkit-transform-
origin: top left; -webkit-animation-timing-function: ease-in-out; }
    40% { -webkit-transform: rotate(60deg); -webkit-transform-
origin: top left; -webkit-animation-timing-function: ease-in-out; }
    80% { -webkit-transform: rotate(60deg) translateY(0); opacity: 1; -webkit-
transform-origin: top left; -webkit-animation-timing-function: ease-in-out; }
    100% { -webkit-transform: translateY(700px); opacity: 0; }
@-moz-keyframes hinge {
    0% { -moz-transform: rotate(0); -moz-transform-origin: top left; -moz-
animation-timing-function: ease-in-out; }
    20%, 60% { -moz-transform: rotate(80deg); -moz-transform-
origin: top left; -moz-animation-timing-function: ease-in-out; }
    40% { -moz-transform: rotate(60deg); -moz-transform-origin: top left; -
moz-animation-timing-function: ease-in-out; }
    80% { -moz-transform: rotate(60deg) translateY(0); opacity: 1; -moz-
transform-origin: top left; -moz-animation-timing-function: ease-in-out; }
    100% { -moz-transform: translateY(700px); opacity: 0; }
@-o-keyframes hinge {
    0% { -o-transform: rotate(0); -o-transform-origin: top left; -o-animation-
timing-function: ease-in-out; }
    20%, 60% { -o-transform: rotate(80deg); -o-transform-origin: top left; -o-
animation-timing-function: ease-in-out; }
    40% { -o-transform: rotate(60deg); -o-transform-origin: top left; -o-
animation-timing-function: ease-in-out; }
    80% { -o-transform: rotate(60deg) translateY(0); opacity: 1; -o-transform-
origin: top left; -o-animation-timing-function: ease-in-out; }
    100% { -o-transform: translateY(700px); opacity: 0; }
@keyframes hinge {
    0% { transform: rotate(0); transform-origin: top left; animation-timing-
function: ease-in-out; }
    20%, 60% { transform: rotate(80deg); transform-
origin: top left; animation-timing-function: ease-in-out; }
```

```
40% { transform: rotate(60deg); transform-origin: top left; animation-
timing-function: ease-in-out; }
    80% { transform: rotate(60deg) translateY(0); opacity: 1; transform-
origin: top left; animation-timing-function: ease-in-out; }
    100% { transform: translateY(700px); opacity: 0; }
.hinge {
    -webkit-animation-name: hinge;
    -moz-animation-name: hinge;
    -o-animation-name: hinge;
    animation-name: hinge;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes rollIn {
    0% { opacity: 0; -webkit-transform: translateX(-100%) rotate(-120deg); }
    100% { opacity: 1; -webkit-transform: translateX(0px) rotate(0deg); }
@-moz-keyframes rollIn {
    0% { opacity: 0; -moz-transform: translateX(-100%) rotate(-120deg); }
    100% { opacity: 1; -moz-transform: translateX(0px) rotate(0deg); }
@-o-keyframes rollIn {
    0% { opacity: 0; -o-transform: translateX(-100%) rotate(-120deg); }
    100% { opacity: 1; -o-transform: translateX(0px) rotate(0deg); }
@keyframes rollIn {
    0% { opacity: 0; transform: translateX(-100%) rotate(-120deg); }
    100% { opacity: 1; transform: translateX(0px) rotate(0deg); }
.rollIn {
    -webkit-animation-name: rollIn;
    -moz-animation-name: rollIn;
    -o-animation-name: rollIn;
    animation-name: rollIn;
/* originally authored by Nick Pettit - https://github.com/nickpettit/glide */
@-webkit-keyframes rollOut {
    0% {
        opacity: 1;
        -webkit-transform: translateX(0px) rotate(0deg);
```

```
100% {
        opacity: 0;
        -webkit-transform: translateX(100%) rotate(120deg);
@-moz-keyframes rollOut {
    0% {
        opacity: 1;
        -moz-transform: translateX(0px) rotate(0deg);
    100% {
        opacity: 0;
        -moz-transform: translateX(100%) rotate(120deg);
@-o-keyframes rollOut {
    0% {
        opacity: 1;
        -o-transform: translateX(0px) rotate(0deg);
    100% {
        opacity: 0;
        -o-transform: translateX(100%) rotate(120deg);
@keyframes rollOut {
    0% {
        opacity: 1;
        transform: translateX(0px) rotate(0deg);
    100% {
        opacity: 0;
        transform: translateX(100%) rotate(120deg);
.rollOut {
    -webkit-animation-name: rollOut;
    -moz-animation-name: rollOut;
    -o-animation-name: rollOut;
    animation-name: rollOut;
```

```
* originally authored by Angelo Rohit - https://github.com/angelorohit */
@-webkit-keyframes lightSpeedIn {
    0% { -webkit-transform: translateX(100%) skewX(-30deg); opacity: 0; }
    60% { -webkit-transform: translateX(-20%) skewX(30deg); opacity: 1; }
    80% { -webkit-transform: translateX(0%) skewX(-15deg); opacity: 1; }
    100% { -webkit-transform: translateX(0%) skewX(0deg); opacity: 1; }
@-moz-keyframes lightSpeedIn {
    0% { -moz-transform: translateX(100%) skewX(-30deg); opacity: 0; }
    60% { -moz-transform: translateX(-20%) skewX(30deg); opacity: 1; }
    80% { -moz-transform: translateX(0%) skewX(-15deg); opacity: 1; }
    100% { -moz-transform: translateX(0%) skewX(0deg); opacity: 1; }
@-o-keyframes lightSpeedIn {
    0% { -o-transform: translateX(100%) skewX(-30deg); opacity: 0; }
    60% { -o-transform: translateX(-20%) skewX(30deg); opacity: 1; }
    80% { -o-transform: translateX(0%) skewX(-15deg); opacity: 1; }
    100% { -o-transform: translateX(0%) skewX(0deg); opacity: 1; }
@keyframes lightSpeedIn {
    0% { transform: translateX(100%) skewX(-30deg); opacity: 0; }
    60% { transform: translateX(-20%) skewX(30deg); opacity: 1; }
    80% { transform: translateX(0%) skewX(-15deg); opacity: 1; }
    100% { transform: translateX(0%) skewX(0deg); opacity: 1; }
.lightSpeedIn {
    -webkit-animation-name: lightSpeedIn;
    -moz-animation-name: lightSpeedIn;
    -o-animation-name: lightSpeedIn;
    animation-name: lightSpeedIn;
    -webkit-animation-timing-function: ease-out;
    -moz-animation-timing-function: ease-out;
    -o-animation-timing-function: ease-out;
    animation-timing-function: ease-out;
.animated.lightSpeedIn {
    -webkit-animation-duration: 0.5s;
    -moz-animation-duration: 0.5s;
    -o-animation-duration: 0.5s;
    animation-duration: 0.5s;
```

```
'* originally authored by Angelo Rohit - https://github.com/angelorohit */
@-webkit-keyframes lightSpeedOut {
    0% { -webkit-transform: translateX(0%) skewX(0deg); opacity: 1; }
    100% { -webkit-transform: translateX(100%) skewX(-30deg); opacity: 0; }
@-moz-keyframes lightSpeedOut {
    0% { -moz-transform: translateX(0%) skewX(0deg); opacity: 1; }
    100% { -moz-transform: translateX(100%) skewX(-30deg); opacity: 0; }
@-o-keyframes lightSpeedOut {
    0% { -o-transform: translateX(0%) skewX(0deg); opacity: 1; }
    100% { -o-transform: translateX(100%) skewX(-30deg); opacity: 0; }
@keyframes lightSpeedOut {
    0% { transform: translateX(0%) skewX(0deg); opacity: 1; }
    100% { transform: translateX(100%) skewX(-30deg); opacity: 0; }
.lightSpeedOut {
    -webkit-animation-name: lightSpeedOut;
    -moz-animation-name: lightSpeedOut;
    -o-animation-name: lightSpeedOut;
    animation-name: lightSpeedOut;
    -webkit-animation-timing-function: ease-in;
    -moz-animation-timing-function: ease-in;
    -o-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
.animated.lightSpeedOut {
    -webkit-animation-duration: 0.25s;
    -moz-animation-duration: 0.25s;
    -o-animation-duration: 0.25s;
    animation-duration: 0.25s;
 '* originally authored by Angelo Rohit - https://github.com/angelorohit */
@-webkit-keyframes wiggle {
    0% { -webkit-transform: skewX(9deg); }
    10% { -webkit-transform: skewX(-8deg); }
    20% { -webkit-transform: skewX(7deg); }
    30% { -webkit-transform: skewX(-6deg); }
    40% { -webkit-transform: skewX(5deg); }
```

```
50% { -webkit-transform: skewX(-4deg); }
    60% { -webkit-transform: skewX(3deg); }
    70% { -webkit-transform: skewX(-2deg); }
    80% { -webkit-transform: skewX(1deg); }
    90% { -webkit-transform: skewX(0deg); }
    100% { -webkit-transform: skewX(0deg); }
@-moz-keyframes wiggle {
    0% { -moz-transform: skewX(9deg); }
    10% { -moz-transform: skewX(-8deg); }
    20% { -moz-transform: skewX(7deg); }
    30% { -moz-transform: skewX(-6deg); }
    40% { -moz-transform: skewX(5deg); }
    50% { -moz-transform: skewX(-4deg); }
    60% { -moz-transform: skewX(3deg); }
    70% { -moz-transform: skewX(-2deg); }
    80% { -moz-transform: skewX(1deg); }
    90% { -moz-transform: skewX(0deg); }
    100% { -moz-transform: skewX(0deg); }
@-o-keyframes wiggle {
    0% { -o-transform: skewX(9deg); }
    10% { -o-transform: skewX(-8deg); }
    20% { -o-transform: skewX(7deg); }
    30% { -o-transform: skewX(-6deg); }
    40% { -o-transform: skewX(5deg); }
    50% { -o-transform: skewX(-4deg); }
    60% { -o-transform: skewX(3deg); }
    70% { -o-transform: skewX(-2deg); }
    80% { -o-transform: skewX(1deg); }
    90% { -o-transform: skewX(0deg); }
    100% { -o-transform: skewX(0deg); }
@keyframes wiggle {
    0% { transform: skewX(9deg); }
    10% { transform: skewX(-8deg); }
    20% { transform: skewX(7deg); }
    30% { transform: skewX(-6deg); }
    40% { transform: skewX(5deg); }
    50% { transform: skewX(-4deg); }
    60% { transform: skewX(3deg); }
    70% { transform: skewX(-2deg); }
    80% { transform: skewX(1deg); }
    90% { transform: skewX(0deg); }
    100% { transform: skewX(0deg); }
```

```
.wiggle {
    -webkit-animation-name: wiggle;
    -moz-animation-name: wiggle;
    -o-animation-name: wiggle;
    animation-name: wiggle;

    -webkit-animation-timing-function: ease-in;
    -moz-animation-timing-function: ease-in;
    -o-animation-timing-function: ease-in;
    animation-timing-function: ease-in;
}

.animated.wiggle {
    -webkit-animation-duration: 0.75s;
    -moz-animation-duration: 0.75s;
    -o-animation-duration: 0.75s;
    animation-duration: 0.75s;
    animation-duration: 0.75s;
}
```

## Jquery.letering.js

```
*global jQuery */
 Lettering.JS 0.6.1
 Copyright 2010, Dave Rupert http://daverupert.com
 Released under the WTFPL license
 http://sam.zoy.org/wtfpl/
 Thanks to Paul Irish - http://paulirish.com - for the feedback.
 Date: Mon Sep 20 17:14:00 2010 -0600
(function($){
   function injector(t, splitter, klass, after) {
        var a = t.text().split(splitter), inject = '';
        if (a.length) {
           $(a).each(function(i, item) {
                inject += '<span class="'+klass+(i+1)+'">'+item+'</span>'+afte
r;
            });
           t.empty().append(inject);
   var methods = {
        init : function() {
```

```
return this.each(function() {
                injector($(this), '', 'char', '');
            });
        },
        words : function() {
            return this.each(function() {
                injector($(this), ' ', 'word', ' ');
            });
        lines : function() {
            return this.each(function() {
                var r = "eefec303079ad17405c889e092e105b0";
                // Because it's hard to split a <br/> tag consistently across
browsers,
                // (*ahem* IE *ahem*), we replaces all <br/> instances with an
                // (of the word "split"). If you're trying to use this plugin
                // md5 hash string, it will fail because you're being ridiculo
                injector($(this).children("br").replaceWith(r).end(), r, 'line
 , '');
            });
    };
    $.fn.lettering = function( method ) {
        // Method calling logic
        if ( method && methods[method] ) {
            return methods[ method ].apply( this, [].slice.call( arguments, 1
));
        } else if ( method === 'letters' || ! method ) {
            return methods.init.apply( this, [].slice.call( arguments, 0 ) );
        $.error( 'Method ' + method + ' does not exist on jQuery.lettering' )
        return this;
    };
})(jQuery);
```

## Jquery. Textilate.js

```
* textillate.js
 * http://jschr.github.com/textillate
 * MIT licensed
 * Copyright (C) 2012-2013 Jordan Schroter
(function ($) {
 "use strict";
 function isInEffect (effect) {
   return /In/.test(effect) || $.inArray(effect, $.fn.textillate.defaults.inE
ffects) >= 0;
 };
 function isOutEffect (effect) {
   return /Out/.test(effect) || $.inArray(effect, $.fn.textillate.defaults.ou
tEffects) >= 0;
 };
 function stringToBoolean(str) {
   if (str !== "true" && str !== "false") return str;
   return (str === "true");
 };
 // custom get data api method
 function getData (node) {
   var attrs = node.attributes || []
     , data = {};
   if (!attrs.length) return data;
   $.each(attrs, function (i, attr) {
     var nodeName = attr.nodeName.replace(/delayscale/, 'delayScale');
     if (/^data-in-*/.test(nodeName)) {
        data.in = data.in || {};
        data.in[nodeName.replace(/data-in-
/, '')] = stringToBoolean(attr.nodeValue);
     } else if (/^data-out-*/.test(nodeName)) {
        data.out = data.out || {};
        data.out[nodeName.replace(/data-out-
/, '')] =stringToBoolean(attr.nodeValue);
     } else if (/^data-*/.test(nodeName)) {
        data[nodeName.replace(/data-/, '')] = stringToBoolean(attr.nodeValue);
```

```
})
    return data;
 function shuffle (o) {
      for (var j, x, i = o.length; i; j = parseInt(Math.random() * i), <math>x = o[-
-i], o[i] = o[j], o[j] = x);
     return o;
 function animate ($t, effect, cb) {
    $t.addClass('animated ' + effect)
      .css('visibility', 'visible')
      .show();
    $t.one('webkitAnimationEnd mozAnimationEnd MSAnimationEnd oanimationend an
imationend', function () {
        $t.removeClass('animated ' + effect);
        cb && cb();
    });
 function animateTokens ($tokens, options, cb) {
    var that = this
      , count = $tokens.length;
    if (!count) {
      cb && cb();
      return;
    if (options.shuffle) $tokens = shuffle($tokens);
    if (options.reverse) $tokens = $tokens.toArray().reverse();
    $.each($tokens, function (i, t) {
      var $token = $(t);
      function complete () {
        if (isInEffect(options.effect)) {
          $token.css('visibility', 'visible');
        } else if (isOutEffect(options.effect)) {
          $token.css('visibility', 'hidden');
        count -= 1;
       if (!count && cb) cb();
```

```
var delay = options.sync ? options.delay : options.delay * i * options.d
elayScale;
      $token.text() ?
        setTimeout(function () { animate($token, options.effect, complete) },
delay) :
        complete();
   });
  };
  var Textillate = function (element, options) {
    var base = this
      , $element = $(element);
    base.init = function () {
      base.$texts = $element.find(options.selector);
      if (!base.$texts.length) {
       base.$texts = $('' + $element.html() + '
1>');
       $element.html(base.$texts);
      base.$texts.hide();
      base.$current = $('<span>')
        .html(base.$texts.find(':first-child').html())
        .prependTo($element);
      if (isInEffect(options.in.effect)) {
        base.$current.css('visibility', 'hidden');
      } else if (isOutEffect(options.out.effect)) {
       base.$current.css('visibility', 'visible');
      base.setOptions(options);
      base.timeoutRun = null;
      setTimeout(function () {
       base.options.autoStart && base.start();
      }, base.options.initialDelay)
    };
    base.setOptions = function (options) {
      base.options = options;
    };
    base.triggerEvent = function (name) {
```

```
var e = $.Event(name + '.tlt');
      $element.trigger(e, base);
      return e;
    };
    base.in = function (index, cb) {
      index = index || 0;
      var $elem = base.$texts.find(':nth-child(' + ((index||0) + 1) + ')')
        , options = $.extend(true, {}, base.options, $elem.length ? getData($e
lem[0]) : \{\})
       , $tokens;
      $elem.addClass('current');
      base.triggerEvent('inAnimationBegin');
      $element.attr('data-active', $elem.data('id'));
      base.$current
        .html($elem.html())
        .lettering('words');
      // split words to individual characters if token type is set to 'char'
      if (base.options.type == "char") {
        base.$current.find('[class^="word"]')
            .css({
              'display': 'inline-block',
              // fix for poor ios performance
              '-webkit-transform': 'translate3d(0,0,0)',
              '-moz-transform': 'translate3d(0,0,0)',
              '-o-transform': 'translate3d(0,0,0)',
              'transform': 'translate3d(0,0,0)'
            .each(function () { $(this).lettering() });
      $tokens = base.$current
        .find('[class^="' + base.options.type + '"]')
        .css('display', 'inline-block');
      if (isInEffect(options.in.effect)) {
        $tokens.css('visibility', 'hidden');
      } else if (isOutEffect(options.in.effect)) {
        $tokens.css('visibility', 'visible');
      base.currentIndex = index;
      animateTokens($tokens, options.in, function () {
```

```
base.triggerEvent('inAnimationEnd');
        if (options.in.callback) options.in.callback();
        if (cb) cb(base);
      });
    };
    base.out = function (cb) {
      var $elem = base.$texts.find(':nth-
child(' + ((base.currentIndex | 0) + 1) + ')')
        , $tokens = base.$current.find('[class^="' + base.options.type + '"]')
        , options = $.extend(true, {}, base.options, $elem.length ? getData($e
lem[0]) : {})
      base.triggerEvent('outAnimationBegin');
      animateTokens($tokens, options.out, function () {
        $elem.removeClass('current');
        base.triggerEvent('outAnimationEnd');
        $element.removeAttr('data-active');
        if (options.out.callback) options.out.callback();
        if (cb) cb(base);
      });
    };
    base.start = function (index) {
      setTimeout(function () {
        base.triggerEvent('start');
        (function run (index) {
          base.in(index, function () {
            var length = base.$texts.children().length;
            index += 1;
            if (!base.options.loop && index >= length) {
              if (base.options.callback) base.options.callback();
              base.triggerEvent('end');
            } else {
              index = index % length;
              base.timeoutRun = setTimeout(function () {
                base.out(function () {
                  run(index)
              }, base.options.minDisplayTime);
          });
        }(index || 0));
      }, base.options.initialDelay);
```

```
};
   base.stop = function () {
     if (base.timeoutRun) {
       clearInterval(base.timeoutRun);
       base.timeoutRun = null;
   };
   base.init();
 $.fn.textillate = function (settings, args) {
   return this.each(function () {
     var $this = $(this)
       , data = $this.data('textillate')
       , options = $.extend(true, {}, $.fn.textillate.defaults, getData(this)
, typeof settings == 'object' && settings);
     if (!data) {
       $this.data('textillate', (data = new Textillate(this, options)));
     } else if (typeof settings == 'string') {
       data[settings].apply(data, [].concat(args));
     } else {
       data.setOptions.call(data, options);
   })
 };
 $.fn.textillate.defaults = {
   selector: '.texts',
   loop: false,
   minDisplayTime: 2000,
   initialDelay: 0,
   in: {
     effect: 'fadeInLeftBig',
     delayScale: 1.5,
     delay: 50,
     sync: false,
     reverse: false,
     shuffle: false,
     callback: function () {}
   },
   out: {
     effect: 'hinge',
     delayScale: 1.5,
     delay: 50,
     sync: false,
     reverse: false,
```

```
shuffle: false,
   callback: function () {}
},
autoStart: true,
inEffects: [],
outEffects: [ 'hinge' ],
callback: function () {},
type: 'char'
};
}(jQuery));
```