

Akademija tehničko-umetničkih strukovnih
Studija Beograd
Odsek Visoka ICT škola

Drink-Up Store

<https://drink-up-store.epizy.com/>

Smer: Internet tehnologije
Module: Web programiranje
Predmet: Web programiranje PHP 2

Student: Djordje Taskovic 188/18

Sadržaj

Uvod	5
Koriscene Tehnologije	5
Koriscena Okruzenja.....	5
Opis funkcionalnosti.....	5
Dinamički meni.....	5
Admin Panel	5
Proizvodi.....	5
Single-page stana	5
Stranice.....	5
Kontakt	6
Registracija i logovanje.....	6
Korpa	6
Template.....	6
Korisceni plugin fajovi	6
Organizacija	7
Organizaciona Sema Sajta	7
.....	7
Organizaciona sema baze.....	8
Mapa Sajta.....	9
Opis stranica sajta	10
Home	10
Store	16
Contact	17
Korpa	18
Login	19
Register.....	20
Single-page	21
Admin Panel	22
Blogs link.....	23
Users link	24
Contact Messages link.....	25
Orders link	26

Create Product link.....	27
Update link	28
Author.....	29
Struktura projekta	30
Kodovi Sajta	33
Php.....	33
Routes/web.php.....	33
CartController.....	35
ContactController	37
FormController	38
HomeController	41
OsnovniController	42
ProductController.....	42
LogMiddleware.....	46
MessageRequest	46
ProductStoreRequest	47
ProductUpdateRequest.....	48
UserInputRequest	50
Availability	51
Blog.....	51
Category	51
Image	52
Menu	52
Order	53
Product	53
Blade fajlovi	56
Admin-panel/fixed.....	56
Head	56
Navbar	57
Scripts	58
Sidebar.....	58
Admin-panel/pages	59
Blogs	59
Dashboard	60
Messages	63

Orders.....	64
User	65
Admin-panel/route.....	67
Admin-panel-layout.....	67
Deoproduct/.....	67
Error.....	67
Forma	68
Product	71
Fixed/.....	72
Footer	72
Head	74
Navigation	74
Scripts.....	76
Layouts/.....	76
layout.....	76
Pages/.....	76
Main/.....	76
Author.....	76
Cart	78
Contact	81
Home	83
Login	87
Register.....	87
Products/.....	87
Create	87
Edit.....	88
Forma	88
Index.....	91
Single	93
JS.....	94
Main.js	94
CSS	96
Style.css	96

Uvod

Koriscene Tehnologije

- HTML5
- CSS3
- Laravel
- Javascript
- Ajax
- Php
- Bootstrap 4

Koriscena Okruzenja

- Visual Studio Code
- Php Storm
- Xampp
- MySql

Opis funkcionalnosti

Dinamički meni

Prilikom učitavanja stranice prikazuje se dinamički meni sa odredjenim staranicama sajta kao i active linkovi sa desne strane koji prikazuje odgovarajuće linkove za admina, običnog autorizovanog ili neautorizovanog korisnika, u zavisnosti od aktivnosti i stanja korisničke uloge.

Admin Panel

Panelu je dozvoljen pristup samo admin-u prilikom logovanja na formi sajta. Sam panel sadrzi informacije o svim proizvodima sa sajta, informacije postavljenih blogova sajta, registrovanih korisnika, kontakt poruka poslatih od odredjenih korisnika, lista porudzbina prouizvoda za odredjenog korisnika, funkcija kreiranja novog proizvoda ,funkcija anzuriranja i brisanja postojećih proizvoda.

Proizvodi

Sav bitan sadržaj na sajtu je ispisan iz baze krajnim korisnicima na sajtu na stranici 'store' kao i na strani 'home'. Na stranici 'store' postoji dinamička lista za filtriranje proizvoda po kategoriji pica, lista za sortiranje proizvoda po ceni i nazivu i po stanju prodaje odredjenog proizvoda.

Single-page stana

Ovoj stranici se pristupa klikom na 'lupa' dume proizvoda. Prikazuju se podaci o proizvodu sa opsirnim opisom na posebnoj strani.

Stranice

Straničenje se koristi na stanici za proizvode, za bolji prikaz usled velikog broja proizvoda.

Kontakt

Na strani 'contact' postoji forma za slanje poželjne poruke ili određenog 'feedback-a' kreatoru sajta ili organizaciji.

Registracija i logovanje

Na sajtu postoji registracija i logovanje korisnika. Provera podataka prilikom registracije je urađena na serverskoj i klijentskoj strani. Prilikom uspešne registracije korisnik se automatski uloguje na sajt i dobija ulogu korisnika, koju može da menja samo administrator.

Provera podataka prilikom logovanja se vrši na serverskoj i klijentskoj strani i ako podaci nisu dobri obaveštava se korisnik gde je pogrešio prilikom logovanja.

Korpa

Samo autorizovani korisnik može dodavati proizvode u korpu. Sistem korpe na sajtu realizovan je pomoću kreiranja 'cart' sesije i koriscenje samih informacija.

Korisnik u korpu može da doda više proizvoda, kao i više proizvoda istog tipa. Takođe omogućeno mu je da briše proizvode iz korpe 'remove'.

Pri odabranim proizvodima korisnik dobija notifikaciju pored icone 'cart' u navigaciji o tome koliko je proizvoda izabrano.

Ako se korisnik izloguje podaci iz korpe se brisu (brise se sesija za 'cart').

Na cart stranici korisniku se prikazuju uracunati 'subtotal' kao i 'total' cene za porudzbenu.

Klikom na taster 'Make an Order' korisniku se prikazuje poruka koja ga obaveštava da je uspešno izvršio kupovinu, podaci se memorišu u bazu i prikazuju administratoru sajta o porudžbini.

Template

Koriscen je template za kreiranje admin panela koji je modifikovan i prilagodjen potrebama sajta.

Korisceni plugin fajovi


Za potrebe sajta i same konstrukcije su koriscene klase bootstrapa

kao i 'now-ui-dashboard' klasa za bolju organizaciju i prikazivanje produkta na admin panelu. Na sajtu su takodje je koriscen 'temify-icons' set fontova za bolji izgled.

Organizacija


Organizaciona Sema Sajta

Sa svake stranice se može pristupiti svakoj stranici (naravno u zavisnosti od uloge korisnika, običnog autorizovanog ili neautorizovanog korisnika, u zavisnosti od aktivnosti i stanja korisničke sesije).



Organizacija sema baze

Sema baze sa svim podacima neophodnim podacima.



Mapa Sajta

```
<?php echo '<?xml version="1.0" encoding="UTF-8"?>';?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<loc>https://drink-up-store.epizy.com/</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>weekly</changefreq>
<priority>0.95</priority>
</url>
<url>
<loc>https://drink-up-store.epizy.com/home</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>weekly</changefreq>
<priority>0.9</priority>
</url>
<url>
<loc>https://drink-up-store.epizy.com/store</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>
<url>
<loc>https://drink-up-store.epizy.com/contacthome</loc>
<lastmod>2020-03-06</lastmod>
<changefreq>weekly</changefreq>
<priority>0.7</priority>
</url>
<url>
<loc>https://drink-up-store.epizy.com/author</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>monthly</changefreq>
<priority>0.65</priority>
</url>
<url>
<loc>https://drink-up-store.epizy.com/cart</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>monthly</changefreq>
<priority>0.65</priority>
</url>
<url>
<loc>https://drink-up-store.epizy.com/loginhome</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>yearly</changefreq>
<priority>0.55</priority>
```

```

</url>
<url>
<loc>https://drink-up-store.epizy.com/registerhome</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>yearly</changefreq>
<priority>0.55</priority>
</url>
<url>
<loc>https://drink-up-store.epizy.com/logout</loc>
<lastmod>2020-03-12</lastmod>
<changefreq>yearly</changefreq>
<priority>0.55</priority>
</url>
</urlset>


```


Opis stranica sajta

Home

Dinaičko učitavnje meni linkova na svim stranama.

Meni je prilagodjen za sve vrste uređaja tako da se na manjim ekranima prikazuje „Menu”i klikom na njega se otvara meni.





Dinamicko Prikazivanje 'banner' sekcije na home strani sa podacima koji reklamiraju sajt proizvode. Kao i na store strani porizvodi poseduju linkove 'lupa' i 'korpa' za prikazivanje samostalnog itema i upisa u korpu.

Our Delightful offerings

Tastefully Yours

**Sale**

Brandy
Bacardi 151
\$49.00

**New Arrival**

Gin
Jim Beam Kentucky
Straigh
\$79.00

**Sale**

Rum
New Black Label
\$111.98

**New Arrival**

Rum
The Glenlivet
\$59.00

Prikazivanje about sekcije koja krajnjem korisniku dostavlja informacije o sajtu.

About

Something about us

*Since 1905*

Desire Meets A New Taste

Sometimes, you're in the mood to do one thing and one thing only: drink. You could either stick with your usual, or you could ditch your regular and indulge in some of the best tasting liquor within the United States. But whatever you do, try your best to avoid these very bad, bad boys.

115 Years of Experience In Business

Blog

R **I**

Dinamicko prikazivanje blogsekcije koja krajnjem korisniku dostavlja informacije o najnovijim vestima proizvoda kao i svepa pica.

Blog

Recent Blog



23 April 2020

A Bartender's Guide

Liqueurs, on the other hand, are liquors that have had some kind of sweetener added to them. They're also often flavored with various herbs, fruits, or spices, and they generally sit around 15-30% ABV (alcohol by volume) but can go as high as 55% ABV. However, the flavoring and the ABV aren't strict requirements. What matters for a liqueur to be called a liqueur is that it has been sweetened in some way. Otherwise, they're just flavored liquors.




12 Dec 2020

The 7 Most Commonly Used Liquors

We're going to take a look at each of these spirits in detail, what makes them different, and clear up any of the confusing terminology surrounding them. The liquors that we're going to look at are: Vodka Gin Whiskey (or Whiskey?) Rum Tequila Brandy Vermouth (technically not a liquor, but important for bartenders to know about nonetheless)


Footer sekcija sa korisnim i promovisanim linkovima.



Store

Dinamicko ispisivanje svih proizvoda na strani(na osnovi stranicenja). Pored ispisa mogućnost filtriranja producta klikom na nekih od kategorija sa leve strane kao i funkcionalnost sortiranja istih klikom na sort by price. Pored toga omogućena je i pretraga određenog itema po nazivu i stanju item-a.

Kao i na home strani proizvodi poseduju linkove 'lupa' i 'korpa' za prikazivanje samostalnog itema i upisa u korpu.



Select Your Products

Product Types

☐ Brandy »

☐ Gin »

☐ Rum »

☐ Tequila »

☐ Vodka »

☐ Whiskey »

Search by Price



Sale



New Arrival



Sale




New Arrival

Contact

Kontakt sekcija sa podacima kompanije sajta , kao i forma za slanje poruke korisnika za uspostavljanje veze i ostvarivanje bolje kupovine.

Podaci su provereni regex izrazima i salju se u bazu podataka.



Send us a message

EMAIL ADDRESS

Email

SUBJECT

Subject

MESSAGE

Message

Send Message

Head Office

1600 Amphitheatre ParkwayMountain View,
CA94043 US

Phone Number

Phone: (+63) 555 1212
Mobile: (+63) 555 0100
Fax:(+63) 555 0100

Email

licqorstore.shop@gmail.com

Korpa

Stranica za ispisivanje odabranih itema sa sajta. Pristup strani je moguć ikona 'cart' u navigacionom meniju. Nakon odabira itema se im se prikazuje lista odabranih. Korisnik može da obrise listu i da nastavi kopovinu.




Product	Price	Quantity	Subtotal	Remove
New Black Label	\$111.98	<input type="text" value="1"/>	\$111.98	<button>Remove</button>
Macallan	\$72.00	<input type="text" value="1"/>	\$72	<button>Remove</button>

Total: 183.98

Make an order

Login

Stranica za logovanje korisnika/admina obezbedjena izrazima gde se posle uspesnog ili neuspesnog logovanja prikazuje poruka o stanju.



The image shows a login form overlaid on a background image of a bar. The bar has a menu board on the left with beer and food items, and a chalkboard on the right with coffee and other items. The login form is a white rectangle with a red border. It contains the word "Login" in a large, bold, black font at the top. Below it, there are two input fields: "Email" and "Password". The "Email" field has a red label "EMAIL" above it. The "Password" field has a red label "PASSWORD" above it. Below the input fields, there is a red button labeled "Log In". At the bottom of the form, there is a red message box that says "User information are not alright!".

EMAIL

Email

PASSWORD


Password

Log In

User information are not alright!

Register

Stranica za registraciju novih korisnika obezbedjena regex izrazima za uspesnije upisivanje korisnika. Prilikom registracije korisnik dobija potvrdu dali je nalog kreiran.



The background image shows a pub menu with various beer and food items. The menu is divided into sections: DRAUGHT BEER, BEER, and COFFEE. The word "Register" is prominently displayed in the center of the background image.

Register

First name

Last name

Email

Address

Password

Confirm Password

Register

Single-page

Ispisivanje izbranog proizvoda sa opsirnijim podacima iz sesije i klikom na 'lupa' ikonu proizvoda.




LIQUOR STORE


HOME

STORE

CONTACT

BLOGS





The Glenlivet

Brand: Rum

1# New Arrival

Price:
\$59.00

Product Informations
A small river named Duden flows by their place and supplies it with the necessary regalia.

Add to Cart

Check out more products

Admin Panel

Pristup ovoj strani samo preko 'Admin panel' linka koje se prikazuju u navigaciji. Klikom na 'Delete' link sa desne strane admin može da obrise izabrani proizvod sa sajta. Klikom na 'Update' link sa desne strane odlazi do update strane za dalju obradu. Home link odlazi do pocetne strane sajta, Logout link izloguje admina sa panela. Linkovi sa leve strane prikazuju dodatne informacije o sajtu.

ADMIN PANEL

[Home](#)

Logout

DASHBOARD

BLOGS

USERS

CONTACT MESSAGES

ORDERS

CREATE PRODUCT

All Products Stats

ID	Name	Informations	Price	Date	Availability	Category	Update/Delete
1	Bacardi 151	A small river named Duden flows by their place and supplies it with the necessary regellialia.	\$49.00	2021-03-10 16:21:03	Sale	Brandy	<div>Update</div> <div>Delete</div>
2	Jim Beam Kentucky Straigh	A small river named Duden flows by their place and supplies it with the necessary regellialia.	\$79.00	2021-03-10 16:21:03	New Arival	Gin	<div>Update</div> <div>Delete</div>
3	The Glenlivet	A small river named Duden flows by their place and supplies it with the necessary regellialia.	\$59.00	2021-03-10 16:21:03	New Arival	Rum	<div>Update</div> <div>Delete</div>
4	New Black Label	this is an updated text from the front.	\$111.98	2021-03-10 16:21:03	Sale	Rum	<div>Update</div> <div>Delete</div>

Blogs link

ADMIN PANEL

DASHBOARD

BLOGS

USERS

CONTACT MESSAGES

ORDERS

CREATE PRODUCT

Home

Search...





Q

Logout

All Blog Informations


ID	Name	Informations	Date
1	A Bartender's Guide	Liqueurs, on the other hand, are liquors that have had some kind of sweetener added to them. They're also often flavored with various herbs, fruits, or spices, and they generally sit around 15-30% ABV (alcohol by volume) but can go as high as 55% ABV. However, the flavoring and the ABV aren't strict requirements. What matters for a liqueur to be called a liqueur is that it has been sweetened in some way. Otherwise, they're just flavored liquors.	23 April 2020
2	The 7 Most Commonly Used Liquors	We're going to take a look at each of these spirits in detail, what makes them different, and clear up any of the confusing terminology surrounding them. The liquors that we're going to look at are: Vodka Gin Whisky (or Whiskey?) Rum Tequila Brandy Vermouth (technically not a liquor, but important for bartenders to know about nonetheless)	12 Dec 2020
		So here are some very basic explanations: Fermentation is the process of turning sugars into alcohol. That's how beer, wine, and ciders	


Blog Images


ID	Image	Name
1		Image 2
2		Image 1
3		Image 3
4		Image 4


Users link


ADMIN PANEL


 DASHBOARD

 BLOGS

 USERS

 CONTACT MESSAGES

 ORDERS

 CREATE PRODUCT

All User Roles

ID	Email	Role
1	incorporate-nick@reso.com	user
2	jenniferp@rogers.ca	user
3	frank-inco@yahoo.com	user
4	nikosen-john@gmail.com	user
8	nikolas-john@gmail.com	user
9	badinski-jack@gmail.com	user
10	zinnev-ink@gmail.com	user
11	rossom-experience@yahoo.com	user
5	djordje.mystore@gmail.com	admin

All User Informations

ID	Firstname	Lastname	Email	Password	Adress	Date
----	-----------	----------	-------	----------	--------	------

Contact Messages link

ADMIN PANEL

DASHBOARD

BLOGS

USERS

CONTACT MESSAGES

ORDERS

CREATE PRODUCT

Home

Search...

Q

LOGOUT

Messages

Here Is A Table Of Messages

ID	Email	Subject	Note
1	nikolas-john@gmail.com	Request of a licence permit	Text for request of a licence permit...

Orders link

ADMIN PANEL

DASHBOARD

BLOGS

USERS

CONTACT MESSAGES

ORDERS

CREATE PRODUCT

Home

Search...

Q

LOGOUT

Product Orders

Here Is A Table Of Orders Form Users.

ID	UserID	ProductID	Product	Price	Quantity	Subtotal
1	9	4	Citadelle	85.98	1	85.98
2	9	2	Jim Beam Kentucky Straigh	79.00	1	79.00
3	9	4	Citadelle	85.98	2	171.96
8	11	1	Bacardi 151	49.00	1	49.00
9	11	8	Jameson Irish Whiskey	89.99	1	89.99

Create Product link

Add a new product

PRODUCT NAME

DESCRIPTION

PRICE

PRODUCT AVAILABILITY

Select from below

CHOOSE A CATEGORY

☐ Brandy ☐ Gin ☐ Rum ☐ Tequila ☐ Vodka ☐ Whiskey

CHOOSE IMAGE

No file chosen

Submit

Update link

Link se nalazi na dashboard ili pocetnoj strani admin panela pored svakog proizvoda.

Edit a product

PRODUCT NAME

Bacardi 151

DESCRIPTION

A small river named Duden flows by their place and supplies it with the necessary regelialia.

PRICE

49.00

PRODUCT AVAILABILITY

Sale

CHOOSE A CATEGORY


☒ Brandy ☐ Gin ☐ Rum ☐ Tequila ☐ Vodka ☐ Whiskey

CHOOSE IMAGE

No file chosen

Submit

Author



Hi my name is Djordje Taskovic. I am a beginner when it comes to web design but keep my expectations high and i am looking forward to progress even further . . .

About

Young and passionate developer,
always happy to learn new things
and evolve.

Field of Interest

Intrested in 3D modeling, web
design, photography, writing,
drawing and learning new things.



More..

In free time I love reding a good book or
comic, watch series and movies etc.

LIQUOR STORE


Information


Quick Link


Have a Questions?


Join us

Struktura projekta









Kodovi Sajta

Php

Rutes/web.php

```
<?php

use App\Http\Controllers\ContactController;
use App\Http\Controllers\HomeController;
use App\Http\Controllers\ProductController;
use App\Http\Controllers\CartController;
use App\Http\Controllers\FromController;
use Illuminate\Support\Facades\Route;
```

```

Route::middleware(['loggedIn'])->group(function () {

    Route::get('/admin', [HomeController::class, 'dashboard'])->name('admin');
    Route::get('/blogs', [HomeController::class, 'blogs'])->name('blogs');
    Route::get('/users', [HomeController::class, 'users'])->name('users');
    Route::get('/orders', [HomeController::class, 'orders'])->name('orders');
    Route::get('/messages', [HomeController::class, 'messages'])->
>name('messages');

    Route::get('/products/create', [ProductController::class, 'create'])->
>name('products.create');
    Route::post('/products', [ProductController::class, 'store'])->
>name('products.store');
    Route::get('/products/{product}/edit', [ProductController::class, 'edit'])->
>name('products.edit');
    Route::put('/products/{product}', [ProductController::class, 'update'])->
>name('products.update');
    Route::delete('/products/{product}', [ProductController::class, 'destroy'])->
>name('products.destroy');

});
Route::get('/', [HomeController::class, 'index']);
Route::get('/home', [HomeController::class, 'index'])->name('home');
Route::get('/home#blogs', [HomeController::class, 'index'])->
>name('home#blogs');
Route::get('/author', [HomeController::class, 'author'])->name('author');

Route::get('sitemap.xml', [HomeController::class, 'sitemap'])->name('sitemap');

Route::get('/contacthome', [ContactController::class, 'index'])->
>name('contacthome');
Route::post('/contact', [ContactController::class, 'contact'])->
>name('contact');

Route::get('/cart', [CartController::class, 'index'])->name('cart');
Route::get('/addtocart/{product}', [CartController::class, 'addtocart'])->
>name('addtocart');
Route::get('/delfromcart/{id}', [CartController::class, 'delfromcart'])->
>name('delfromcart');
Route::get('/makeorder', [CartController::class, 'makeorder'])->
>name('makeorder');

Route::get('/logout', [FromController::class, 'logout'])->name('logout');
Route::get('/loginhome', [FromController::class, 'loginhome'])->
>name('loginhome');
Route::post('/login', [FromController::class, 'login'])->name('login');
Route::get('/error', [FromController::class, 'error'])->name('error');

```

```

Route::get('/registerhome', [FromController::class, 'registerhome'])->
>name('registerhome');
Route::post('/register', [FromController::class, 'register'])->
>name('register');

Route::get('/store', [ProductController::class, 'index'])->name('store');
Route::get('/store/{product}', [ProductController::class, 'show'])->
>name('show');//

```

CartController

```

<?php

namespace App\Http\Controllers;

use App\Models\Product;
use Exception;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;

class CartController extends OsnovniController
{
    public function index(){
        return view('pages.main.cart', $this->data);
    }
    public function addtocart(Product $product , Request $request){
        if($request->session()->has("user")){

            $cart = session()->get('cart');
            //if the cart is empty
            if (!$cart) {
                $cart = [
                    $product->id =>[
                        'id' =>$product->id,
                        'name' =>$product->product_name,
                        'price' =>$product->price,
                        'quantity' => 1
                    ]
                ];
                session()->put('cart',$cart);
                return redirect()->back()-
>with('cart_error','Your item has been added to cart.');
```

```

    }
    //if product exists in cart and quantity++
    if (isset($cart[$product->id])) {
        $cart[$product->id]['quantity']++;
        session()->put('cart',$cart);
        return redirect()->back()-
>with('cart_error','Your item has been added to cart.');
```



```
    }

    $cart[$product->id] = [
        'id' =>$product->id,
        'name' =>$product->product_name,
        'price' =>$product->price,
        'quantity' => 1
    ];

    session()->put('cart' , $cart);
    return redirect()->back()-
>with('cart_error','Your item has been added to cart.');
```



```
    }

    return redirect()->route("loginhome")-
>with('cart_error', 'You need to login first to add items to cart!');
```



```
    }

    public function delfromcart(Request $request){
        // dd($request->id);
        $cart = session()->get('cart');
        if (isset($cart[$request->id])) {

            unset($cart[$request->id]);
            session()->put('cart',$cart);
        }
        return redirect()->route("cart")-
>with('cart_error', 'Product removed from cart.');
```



```
    }
    public function makeorder(){
        $cart = session()->get('cart');
        $user = session()->get('user');
        // dd($cart);
        if($user){
            DB::beginTransaction();
            try
            {
```

```

        foreach($cart as $innercart){
            $subtotal = $innercart['price'] * $innercart['quantity'];

            DB::table('orders')->insert([
                "product_id" => $innercart['id'],
                "user_id" => $user->id_user,
                "name" => $innercart['name'],
                "price" => $innercart['price'],
                "quantity" => $innercart['quantity'],
                "subtotal" => $subtotal
            ]);

        }
        DB::commit();

        return redirect()->route('cart')->with('success', 'Order added successfully!');
    }
    catch(Exception $e)
    {
        DB::rollBack();
        dd($e->getMessage());
        return redirect()->route('error')->with('errorMessage', 'An error occurred!');
    }
}
}
}
}
}

```

ContactController

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Http\Requests\MessageRequest;
use Illuminate\Support\Facades\DB;

class ContactController extends OsnovniController
{
    public function index(){
        return view('pages.main.contact',$this->data);
    }
    public function contact(MessageRequest $request){

```

```

        DB::beginTransaction();
        try {
            DB::table('contacts')->insert([
                'email'=>$request->email,
                'subject'=>$request->subject,
                'message'=>$request->message
            ]);
            DB::commit();
            return redirect()->route("contacthome")-
>with('message','Your message has been sent.');
```

```

        } catch (\Throwable $th) {

            DB::rollBack();
            dd($th->getMessage());
            return redirect()->route('error')-
>with('errorMessage', 'An error occurred!');
        }
        return view('pages.main.contact',$this->data);

    }
}

```

FormController

```

<?php

namespace App\Http\Controllers;

use App\Http\Requests\UserInputRequest;
use Exception;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Auth;

class FromController extends OsnovniController
{

    public function loginhome(){
        return view('pages.main.login', $this->data);
    }
    public function registerhome(){

```

```

        return view('pages.main.register', $this->data);
    }

    public function logout(Request $request) {
        $request->session()->remove("user");
        $request->session()->remove("cart");
        return redirect()->route("home");
    }

    public function login(Request $request){
        $email = $request->input('email');
        $password = $request->input('password');
        $pass = md5($password);

        try {
            $user = DB::table("users")
                ->join('user_role', 'users.id', '=', 'user_role.id_user')
                ->join('roles', 'user_role.id_role', '=', 'roles.id')
                ->where("email", "=", $email)
                ->where("password", "=", $pass)
                ->first();

            if($user){

                if($user->role_name == 'admin'){
                    $user->adminrole = true;
                }else{
                    $user->adminrole = false;
                }
                $request->session()->put("user", $user);
                return redirect()->route("store");

            }if($user = "null"){
                return redirect()->route("loginhome")
            }

        }>with('errorMessage', 'User information are not alright!');
    }

    } catch (\Exception $e) {
        dd($e->getMessage());
        return redirect()->route("error")-
    }>with('errorMessage', 'An error occurred!');
    }

    }

    public function register(UserInputRequest $request){

        $pass = md5($request->password);
        DB::beginTransaction();

```

```

try{
    $userid = DB::table('users')->insertGetId([
        "firstname" => $request->fname,
        "lastname" => $request->lname,
        "email" => $request->email,
        "address" => $request->address,
        "password" => $pass
    ]);
    DB::table('user_role')->insert([
        "id_user"=> $userid,
        "id_role"=> 1,
    ]);
    DB::commit();
    //login_after_register
    $loggedin_user = DB::table("users")
        ->join('user_role','users.id','=', 'user_role.id_user')
        ->join('roles','user_role.id_role','=', 'roles.id')
        ->where("users.id", "=", $userid)
        ->first();
    if($loggedin_user->role_name == 'admin'){
        $loggedin_user->adminrole = true;
    }else{
        $loggedin_user->adminrole = false;
    }

    if($loggedin_user){
        $request->session()->put("user", $loggedin_user);
        return redirect()->route("store");
    }if($loggedin_user == "null"){
        return redirect()->route("loginhome")
        ->with('errorMessage', 'User information are not alright!');
    }

} catch (Exception $th) {
    DB::rollBack();
    dd($th->getMessage());
    return redirect()->route('error')-
>with('errorMessage', 'An error occurred!');
}

}

public function error(){
    return view('deoproduct.error',$this->data);
}
}

```


HomeController

```
<?php

namespace App\Http\Controllers;

use App\Models\Product;
use App\Models\Blog;
use App\Models\Order;
use Illuminate\Support\Facades\DB;
use Illuminate\Http\Request;

class HomeController extends OsnovniController
{
    private $ModelProduct;
    public function __construct()
    {
        parent::__construct();
        $this->ModelProduct = new Product();
    }
    public function index(Request $request){

        $this->data['products'] = $this->ModelProduct->getitems($request)->paginate(4);
        $this->data["blogs"] = Blog::with('images')->get();
        return view('pages.main.home', $this->data);
    }
    public function author(){
        return view('pages.main.author',$this->data);
    }

    public function dashboard(){
        $this->data["products"] = Product::with('images','availabilities','categories')->get();
        return view('admin-panel.pages.dashboard', $this->data);
    }
    public function blogs(){
        $this->data["blogs"] = Blog::with('images')->get();
        return view('admin-panel.pages.blogs',$this->data);
    }
    public function users(){
        $this->data["users"] = DB::table('users')
        ->join('user_role','users.id','=','user_role.id_user')
        ->join('roles','user_role.id_role','=','roles.id')
        ->select('users.*','roles.role_name')
        ->get();
    }
}
```

```

        return view('admin-panel.pages.user',$this->data);
    }
    public function messages(){
        $this->data['messages'] = DB::table('contacts')->get();

        return view('admin-panel.pages.messages',$this->data);
    }
    public function orders(){
        $this->data['orders'] = Order::all();

        return view('admin-panel.pages.orders',$this->data);
    }
    public function sitemap(){

        return response()->view('pages.sitemap')->header('Content-
Type','text/xml');
    }
}

```

OsnovniController

```

<?php

namespace App\Http\Controllers;

use App\Models\Menu;
use App\Models\Product;
use Illuminate\Http\Request;

class OsnovniController extends Controller
{
    public $data;

    public function __construct()
    {
        $this->data["menu"] = Menu::getMenu();
        $this->data['sidebar'] =Product::sidebar();
    }
}

```

ProductController

```

<?php

```

```

namespace App\Http\Controllers;
use App\Http\Requests\ProductStoreRequest;
use App\Http\Requests\ProductUpdateRequest;
use App\Models\Availability;
use App\Models\Product;
use App\Models\Category;
use App\Models\Image;
use Exception;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;

class ProductController extends OsnovniController
{
    private $ModelProduct;
    private $slika;
    private $url;

    public function __construct()
    {
        parent::__construct();
        $this->ModelProduct = new Product();
    }

    public function index(Request $request){

        $this->data['sortname'] = $this->ModelProduct::sortname();
        $this->data['items'] = $this->ModelProduct->getitems($request)-
>paginate(6);
        $this->data['checkedcategories'] = $request->get("catids");
        $this->data["categories"] = Category::all();
        $this->data["avaliabilities"] = Availability::all();
        return view('pages.products.index', $this->data);

    }
    public function show(Product $product){
        $this->data["product"] = $product;
        return view('pages.products.single', $this->data);
    }

    public function create(){
        $this->data["categories"] = Category::all();
        $this->data["availability"] = Availability::all();
        return view ('pages.products.create', $this->data);
    }

    public function store(ProductStoreRequest $request){

```

```

        DB::beginTransaction();
        try
        {
            $image = Product::uploadImage($request->image);
            $imageID = DB::table('images')->insertGetId([
                'url'=> $image,
                'alt'=> $request->image_info
            ]);
            $productID = DB::table('products')->insertGetId(
                $request->only('product_name','info', 'price'));

            foreach($request->category_id as $category){
                DB::table('category_product')->insert([
                    "category_id" => $category,
                    "product_id" => $productID]);
            }
            DB::table('availability_product')->insert([
                "product_id" => $productID,
                "availability_id" => $request->state
            ]);

            DB::table('image_product')->insert([
                "image_id" => $imageID,
                "product_id" => $productID
            ]);
            DB::commit();

            return redirect()->route('products.create')-
>with('success', 'Product added successfully!');
        }
        catch(Exception $e)
        {
            DB::rollBack();
            dd($e->getMessage());
            return redirect()->route('error')-
>with('errorMessage', 'An error occurred!');
        }
    }

    public function edit(Product $product){
        $this->data["categories"] = Category::all();
        $this->data["product"] = $product;
        $this->data["availability"] = Availability::all();
        return view('pages.products.edit', $this->data);
    }

    public function update(ProductUpdateRequest $request, Product $product){
        // dd($request->all());
    }

```

```

        DB::beginTransaction();
        try
        {
            Product::where('id', '=', $request->ID)
                ->update([
                    'product_name'=>$request->product_name,
                    'info'=>$request->info,
                    'price'=>$request->price
                ]);
            $product->categories()->sync($request->category_id);
            $product->availabilities()->sync($request->state_id);

            if($request->has('image')){

                $oldimageurl = Product::oldImage($product);
                Product::deleteImage($oldimageurl);
                $newImage = Product::uploadImage($request->image);
                $product->images()->update(['url' => $newImage]);

            }
            $product->save();

            DB::commit();

            return redirect()->route('products.edit', $product->id)-
>with('success', 'Product edited successfully!');
        }
        catch(Exception $e)
        {
            DB::rollBack();
            dd($e->getMessage());
            return redirect()->route('products.edit', $product->id)-
>with('errorMessage', 'An error occurred!');
        }
    }

    public function destroy(Product $product){

        $product->categories()->detach();
        $product->availabilities()->detach();
        $product->images()->detach();
        $product->delete();

        return redirect()->route('admin');

    }
}

```

LogMiddleware

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class LogMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param \Illuminate\Http\Request $request
     * @param \Closure $next
     * @return mixed
     */
    public function handle(Request $request, Closure $next)
    {
        if($request->session()->has("user") && $request->session()->get('user')->adminrole){
            return $next($request);
        }
        return redirect()->route("home")->with('loginmessage', 'You need to login first to access the page.');
```

MessageRequest

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class MessageRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
```

```

    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'email' => 'required|email',
            'subject' => 'required|max:50|min:2',
            'message' => 'required|max:255|min:2'
        ];
    }

    public function messages(){
        return [
            'required' => 'The :attribute field is required.',
            'subject.max' => 'Subject must not be longer than :max characters.',
            'subject.min' => 'Subject must be longer than :min characters.',
            'message.max' => 'Message must not be longer than :max characters.',
            'message.min' => 'Message must be longer than :min characters.'
        ];
    }
}

```

ProductStoreRequest

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ProductStoreRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }
}

```

```

    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'product_name' => 'required|unique:products,product_name|max:30|mi
n:3',
            'price' => 'required|numeric',
            'info' => 'required|max:500',
            'state_id' => 'required|exists:availabilities,id',
            'image' => 'required|image|max:2000',
            'category_id' => 'required|exists:categories,id'

        ];
    }

    public function messages(){
        return [
            'required' => 'The :attribute field is required.',
            'name.max' => 'Name must not be longer than :max characters.',
            'numeric' => 'The :attribute field must have a numeric value.',
            'info.max' => 'Description must not be longer than :max characters
.',
            'image.image' => 'Uploaded file must be an image.',
            'image.max' => 'Uploaded file must not be larger than :max kilobyt
es.',
            'category_id.exists' => 'Selected category does not exist in the d
atabase.'
        ];
    }
}

```

ProductUpdateRequest

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ProductUpdateRequest extends FormRequest
{

```



```

/**
 * Determine if the user is authorized to make this request.
 *
 * @return bool
 */
public function authorize()
{
    return true;
}

/**
 * Get the validation rules that apply to the request.
 *
 * @return array
 */
public function rules()
{
    return [
        'ID' => 'max:1|min:1|exists:products,id',
        'product_name' => 'required|max:30|min:3',
        'price' => 'required|numeric',
        'info' => 'required|max:500',
        'state_id' => 'required|exists:availabilities,id',
        'image' => 'image|max:2000',
        'category_id' => 'required|exists:categories,id'

    ];
}

public function messages(){
    return [
        'required' => 'The :attribute field is required.',
        'name.max' => 'Name must not be longer than :max characters.',
        'numeric' => 'The :attribute field must have a numeric value.',
        'info.max' => 'Description must not be longer than :max characters
.',
        'image.image' => 'Uploaded file must be an image.',
        'image.max' => 'Uploaded file must not be larger than :max kilobyt
es.',
        'category_id.exists' => 'Selected category does not exist in the d
atabase.'
    ];
}
}

```

UserInputRequest

```
<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class UserInputRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'fname' => 'required|max:30|min:2',
            'lname' => 'required|max:30|min:2',
            'email' => 'required|email|unique:users',
            'address' => 'required|min:5',
            'password' => 'required|min:8',
            'confirmpassword' => 'required|same:password'
        ];
    }

    public function messages(){
        return [
            'required' => 'The :attribute field is required.',
            'firstname.min' => 'Firstname must be longer than :min characters.',
            'lastname.min' => 'Lastame must be longer than :min characters.',
            'address.min' => 'Address must be longer than :min characters.',
            'password.min' => 'Password must be longer than :min characters.',
            'confirmpassword.same' => 'Repeted password must be same.',
        ];
    }
}
```

```
}  
}
```

Availability

```
<?php  
  
namespace App\Models;  
  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
  
class Availability extends Model  
{  
    use HasFactory;  
  
    public function products(){  
  
        return $this->belongsToMany(Product::class);  
    }  
}
```

Blog

```
<?php  
  
namespace App\Models;  
  
use Illuminate\Database\Eloquent\Factories\HasFactory;  
use Illuminate\Database\Eloquent\Model;  
  
class Blog extends Model  
{  
    use HasFactory;  
    public function images(){  
  
        return $this->belongsToMany(Image::class);  
    }  
}
```

Category

```
<?php  
  
namespace App\Models;
```

```

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Category extends Model
{
    use HasFactory;

    public function products(){

        return $this->belongsToMany(Product::class);
    }
}

```

Image

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Image extends Model
{
    use HasFactory;

    public $timestamps = false;

    public function products(){

        return $this->belongsToMany(Product::class);
    }
}

```

Menu

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Menu extends Model
{

```

```

    use HasFactory;

    public static function getMenu(){
        return Menu::all();
    }
}

```

Order

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Http\Request;

class Order extends Model
{
    use HasFactory;

    public function products(){
        return $this->belongsToMany(Product::class);
    }

    public static function cart($product){
        $niz = [];
        array_push($niz , $product);

        return;
    }
}

```

Product

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Storage;

class Product extends Model

```

```

{
    use HasFactory;

    protected $fillable = ['product_name'];
    public $timestamps = false;

    public function categories(){
        return $this->belongsToMany(Category::class);
    }
    public function images(){
        return $this->belongsToMany(Image::class);
    }
    public function availabilities(){
        return $this->belongsToMany(Availability::class);
    }

    public function getitems(Request $request){
        $upit = DB::table('products');
        $upit = $upit-
>join('category_product','products.id','=','category_product.product_id');
        $upit = $upit-
>join('categories','category_product.category_id','=','categories.id');
        $upit = $upit-
>join('image_product','image_product.product_id','=','products.id');
        $upit = $upit-
>join('images','image_product.image_id','=','images.id');
        $upit = $upit-
>join('availability_product','availability_product.product_id','=','products.i
d');
        $upit = $upit-
>join('availabilities','availability_product.availability_id','=','availabilit
ies.id');

        if($request->has('catid')){
            $upit = $upit->whereIn('categories.id',$request->get('catid'));
        }
        if($request->has('pretraga')){
            $upit = $upit->where("products.product_name","like","%".$request-
>get('pretraga')."%");
        }
        //sort po nekom nazivu
        if($request->has("sortBy")) {
            $upit = $upit->orderBy($request->get("sortBy"));
        }

        if($request->has("cenasort")){

```

```

        $request->get("cenasort")==="asc" ? $upit = $upit-
>orderBy("products.price")
        :$upit = $upit->orderByDESC("products.price");
        //order po asc i desc
    }

    $upit = $upit-
>select('products.*','categories.id as catID','categories.category_name','imag
es.url',
        'availabilities.state','availabilities.id as stateID');

    return $upit;

}

public static function sortname(){
    $niz = [['id'=>'asc','name'=>'Low to High'],['id'=>'desc','name'=>'Hig
h to Low']];
    return $niz;
}

public static function sidebar(){
    $niz = [
        ['id'=>'admin','name'=>'Dashboard','icon'=>'design_app'],
        ['id'=>'blogs','name'=>'Blogs','icon'=>'ui-1_bell-53'],
        ['id'=>'users','name'=>'Users','icon'=>'design_bullet-list-67'],
        ['id'=>'messages','name'=>'Contact Messages','icon'=>'users_single
-02'],
        ['id'=>'orders','name'=>'Orders','icon'=>'users_single-02'],
        ['id'=>'products.create','name'=>'Create Product','icon'=>'users_s
ingle-02']

    ];
    return $niz;
}

public static function uploadImage($image){
    $path = Storage::disk('public')-
>putFile('assets/img/products', $image);
    $exploded = explode('/', $path);
    return $exploded[count($exploded) - 1];
}

public static function deleteImage($image){
    Storage::disk('public')->delete('assets/img/products' . $image);
}

public static function oldImage($product){
    $ImageID = DB::table('image_product')
->select('image_id')

```

```

        ->where('product_id', $product->id)->get();
    foreach ($ImageID as $id){
        $slika = $id->image_id;
    }
    $oldImage = DB::table('images')
        ->select('url')
        ->where('id', $slika)->get();
    foreach ($oldImage as $ol){
        $url = $ol->url;
    }
    return $url;
}
}

```

Blade fajlovi

Admin-panel/fixed

Head

```

<head>
    <title>@yield('title')</title>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no" />
    <meta name="description" content="@yield('description')">
    <meta name="author" content="@yield('keywords')">
    <link href="https://fonts.googleapis.com/css?family=Montserrat:400,700,200"
rel="stylesheet" />
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.1/css
/all.css"
    integrity="sha384-
fnmOCqbTlWIlj8LyTjo7m0UStjsKC4p0Pqbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr" crossorigin=
"anonymous">

    <link rel="icon" href="{{ asset('assets/img/other/icon.png') }}" type="image
/png">
    <link rel="stylesheet" href="{{ asset('assets/vendor/bootstrap/css/bootstr
ap.min.css') }}" />
    <link rel="stylesheet" href="{{ asset('assets/demo/demo.css') }}" />
    <link rel="stylesheet" href="{{ asset('assets/css/now-ui-
dashboard.css') }}" />

</head>

```


Navbar

```
<nav class="navbar navbar-expand-lg bg-secondary navbar-absolute">
  <div class="container-fluid">
    <div class="navbar-wrapper">
      <div class="navbar-toggler">
        <button type="button" class="navbar-toggler">
          <span class="navbar-toggler-bar bar1"></span>
          <span class="navbar-toggler-bar bar2"></span>
          <span class="navbar-toggler-bar bar3"></span>
        </button>
      </div>
      <a class="nav-link" href="{{ route('home') }}">
        <span class="now-ui-icons business_bank" aria-
hidden="true"></span><p>Home</p>
      </a>
    </div>
    <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navigation"
      aria-controls="navigation-index" aria-expanded="false" aria-
label="Toggle navigation">
      <span class="navbar-toggler-bar navbar-kebab"></span>
      <span class="navbar-toggler-bar navbar-kebab"></span>
      <span class="navbar-toggler-bar navbar-kebab"></span>
    </button>
    <div class="collapse navbar-collapse justify-content-
between" id="navigation">
      <form>
        <div class="input-group no-border">
          <input type="text" value="" class="form-
control" placeholder="Search...">
          <div class="input-group-append">
            <div class="input-group-text">
              <i class="now-ui-icons ui-1_zoom-bold"></i>
            </div>
          </div>
        </div>
      </form>
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="{{ route('logout') }}">
            <span class="now-ui-icons users_single-02" aria-
hidden="true"></span><p>Logout</p></a>
          </li>
        </ul>
      </div>
    </div>
  </nav>
```

Scripts

```
<script src="{{ asset('assets/vendor/jquery/jquery.js') }}"></script>
  <script src="{{ asset('assets/js/plugins/popper.min.js') }}"></script>
  <script src="{{ asset('assets/js/plugins/perfect-
scrollbar.jquery.min.js') }}"></script>
  {{--
  <script src="{{ asset('assets/js/plugins/chartjs.min.js') }}"></script> --}}
  <script src="{{ asset('assets/js/plugins/bootstrap-notify.js') }}"></script>
<script src="{{ asset('assets/vendor/bootstrap/js/bootstrap.bundle.js') }}"></
script>
<script src="{{ asset('assets/js/main.js') }}"></script>
<script src="{{ asset('assets/js/now-ui-dashboard.min.js') }}"></script>
<script src="{{ asset('assets/demo/demo.js') }}"></script>
  <script>
    $(document).ready(function() {
      // Javascript method's body can be found in assets/js/demos.js
      demo.initDashboardPageCharts();

    });
  </script>
@yield('javascript')
```

Sidebar

```
<div class="sidebar" data-color="red">
  <div class="logo">
    <a class="simple-text logo-normal">Admin Panel</a>
  </div>

  <div class="sidebar-wrapper" id="sidebar-wrapper">
    <ul class="nav">
      @foreach ($sidebar as $s)
        <li>
          <a href="{{ route($s['id']) }}">
            <i class="now-ui-icons {{ $s['icon'] }}"></i>
            <p>{{ $s['name'] }}</p>
          </a>
        </li>
      @endforeach
    </ul>
  </div>
</div>
```

Admin-panel/pages

Blogs

```
@extends('admin-panel.admin-panel-layout')
@section('title')Blogs @endsection
@section('description')Admin-dashboard @endsection
@section('keywords') panel,admin @endsection

@section('content')
<div class="content pt-5">
    <div class="row">
        <div class="col-md-6">
            <div class="card">
                <div class="card-header">
                    <h4 class="card-title"> All Blog Informations</h4>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table">
                            <thead class=" text-primary">
                                <th>ID</th>
                                <th>Name</th>
                                <th>Informations</th>
                                <th>Date </th>
                            </thead>
                            <tbody>
                                @foreach ($blogs as $p)
                                    <tr>
                                        <td>{{ $p->id }}</td>
                                        <td>{{ $p->name }}</td>
                                        <td>{{ $p->info }}</td>
                                        <td> {{ $p->date }}</td>
                                    </tr>
                                @endforeach
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
        <div class="col-md-6">
            <div class="card">
                <div class="card-header">
                    <h4 class="card-title">Blog Images</h4>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
```



```

<div class="card">
  <div class="card-header">
    <h4 class="card-title"> All Products Stats</h4>
  </div>
  <div class="card-body">
    <div class="table-responsive">
      <table class="table">
        <thead class=" text-primary">
          <th>ID</th>
          <th>Name</th>
          <th>Informations</th>
          <th>Price</th>
          <th>Date </th>
          <th>Availability</th>
          <th>Category</th>
          <th>Update/Delete</th>
        </thead>
        <tbody>
          @foreach ($products as $p)
            <tr>
              <td>{{ $p->id }}</td>
              <td>{{ $p->product_name }}</td>
              <td>{{ $p->info }}</td>
              <td>{{ $p->price }}</td>
              <td> {{ $p->date }}</td>
              <td>
                @foreach ($p->availabilities as $i)
                  {{ $i->state }}
                @endforeach
              </td>
              <td>
                @foreach ($p->categories as $i)
                  {{ $i->category_name }}
                @endforeach
              </td>
              <td>
                <a href="{{ route('products.edit',["product" => $p->id]) }}"
                  class="d-flex align-items-center justify-content-
center btn btn-warning">
                  Update<span class="now-ui-icons arrows-1_refresh-69" aria-
hidden="true"></span></a>
                <br>
                <form method="POST" action="{{ route('products.destroy',["produ
ct" => $p->id]) }}">
                  @method('DELETE')
                  @csrf
                  <button onclick="return confirm('Are you sure you want to dele
te item?')>

```

```

                class="d-flex align-items-center justify-content-
center btn btn-danger"
                type="submit"> Delete <span class="now-ui-icons ui-1_simple-
remove"

                aria-hidden="true"></span></button>
            </form>
        </td>
    </tr>
</foreach>

</tbody>
</table>
</div>
</div>
</div>
<div class="col-md-12">
    <div class="card">
        <div class="card-header">
            <h4 class="card-title">Products Images</h4>
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <table class="table">
                    <thead class=" text-primary">
                        <th>ID</th>
                        <th>Image</th>
                        <th>Name</th>
                    </thead>
                    <tbody>
                        @foreach ($products as $p)
                            <tr>
                                <td>{{ $p->id }}</td>
                                <td>
                                    @foreach ($p->images as $i)
                                        
                                    @endforeach
                                </td>
                                <td>
                                    @foreach ($p->images as $i)
                                        {{ $i->url }}
                                    @endforeach
                                </td>
                            </tr>
                        @endforeach
                    </tbody>

```

```

        </table>
      </div>
    </div>
  </div>
</div>
@endsection

```

Messages

```

@extends('admin-panel.admin-panel-layout')
@section('title')Messages @endsection
@section('description')Admin-tables @endsection
@section('keywords') panel,admin @endsection
@section('content')
<div class="content pt-5">
  <div class="row">
    <div class="col-md-12">
      <div class="card">
        <div class="card-header">
          <h4 class="card-title"> Messages</h4>
          <p class="category"> Here is a table of messages</p>
        </div>
        <div class="card-body">
          <div class="table-responsive">
            <table class="table">
              <thead class=" text-primary">
                <th>ID</th>
                <th>Email</th>
                <th>Subject</th>
                <th>Note</th>
              </thead>
              <tbody>
                @foreach ($messages as $m )
                  <tr>
                    <td>{{ $m->id }}</td>
                    <td> {{ $m->email }}</td>
                    <td> {{ $m->subject }}</td>
                    <td> {{ $m->message }}</td>
                  </tr>
                @endforeach
              </tbody>
            </table>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

        </table>
    </div>
</div>
</div>
</div>
</div>
</div>
@endsection

```

Orders

```

@extends('admin-panel.admin-panel-layout')
@section('title')Orders @endsection
@section('description')Admin-tables @endsection
@section('keywords') panel,admin @endsection
@section('content')
<div class="content pt-5">
    <div class="row">
        <div class="col-md-12">
            <div class="card">
                <div class="card-header">
                    <h4 class="card-title"> Product Orders</h4>
                    <p class="category"> Here is a table of orders form users.</p>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table">
                            <thead class=" text-primary">
                                <th>ID</th>
                                <th>UserID
                                </th>
                                <th>ProductID
                                </th>
                                <th>Product
                                </th>
                                <th>Price
                                </th>
                                <th>Quantity
                                </th>
                                <th>Subtotal
                                </th>
                            </thead>
                            <tbody>
                                @foreach ($orders as $m )
                                    <tr>
                                        <td>{{ $m->id }}</td>
                                        <td> {{ $m->user_id }}</td>
                                        <td> {{ $m->product_id }}</td>

```



```

        <td >{{$m->name}}</td>
        <td >{{$m->price}}</td>
        <td >{{$m->quantity}}</td>
        <td >{{$m->subtotal}}</td>
    </tr>
    @endforeach
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
@endsection

```

User

```

@extends('admin-panel.admin-panel-layout')
@section('title')Site Users @endsection
@section('description')Admin-dashboard @endsection
@section('keywords') panel,admin @endsection

@section('content')
<div class="content pt-5">
    <div class="row">
        <div class="col-md-12">
            <div class="card">
                <div class="card-header">
                    <h4 class="card-title"> All User Roles</h4>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table">
                            <thead class=" text-primary">
                                <th>ID</th>
                                <th>Email</th>
                                <th>Role</th>
                            </thead>
                            <tbody>
                                @foreach ($users as $p)
                                    <tr>
                                        <td>{{$p->id}}</td>
                                        <td>{{$p->email}}</td>
                                        <td>{{$p->role_name}}</td>
                                    </tr>
                                @endforeach
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```


Admin-panel/route

Admin-panel-layout

```
<!DOCTYPE html>
<html lang="en">
@include('admin-panel.fixed.head')

<body>
  <div class="wrapper">
    @include('admin-panel.fixed.sidebar')

    <div class="main-panel" id="main-panel">

      @include('admin-panel.fixed.navbar')

      <div class="p-5">
        @yield('content')
      </div>

    </div>
  </div>
  @include('admin-panel.fixed.scripts')
</body>

</html>
```

Deoproduct/

Error

```
@extends('layouts.layout')

@section('title') Error @endsection
@section('description') This is an error page. @endsection
@section('keywords') error,code_error @endsection

@section('content')
<div class="container mt-5 mb-5">
  <div class="row">
    <div class="col-12">
      <h3>The following error has accured:</h3>
      <hr/>
      @if(session()->has('errorMessage'))
        <div class="alert alert-danger">
          {{ session()->get('errorMessage') }}
        </div>
      @endif
    </div>
  </div>
</div>
```

```

        </div>
    </div>
</div>
@endsection

```

Forma

```

@if($action == "log")
    <section class="hero-wrap hero-wrap-2" data-stellar-background-
ratio="0.5">
        <div class="overlay"></div>
        <div class="container">
            <div class="row no-gutters slider-text align-items-end justify-
content-center">
                <div class="col-md-9 mb-5 text-center ">
                    <h2 class="mb-0 bread">Login</h2>
                </div>
            </div>
        </div>
    </section>
    <section class="login_box_area section-margin">
        <div class="container">
            <div class="row d-flex justify-content-center">
                <div class="col-lg-6 ">
                    <div class="login_form_inner">
                        <form class="row login_form" method="POST" action="{{r
oute('login')}}> id="contactForm">
                            @csrf
                            <div class="col-md-12 form-group">
                                <label class="label" >Email</label>
                                <input type="text" class="form-
control" id="email" name="email"
                                    placeholder="Email" onfocus="this.place
holder = ''"
                                    onblur="this.placeholder = 'Email'">
                                <p class="text-error"></p>
                            </div>

                            <div class="col-md-12 form-group">
                                <label class="label" >Password</label>
                                <input type="password" class="form-
control" id="password" name="password"
                                    placeholder="Password" onfocus="this.pl
aceholder = ''"
                                    onblur="this.placeholder = 'Password'">
                                <p class="text-error"></p>

```

```

        </div>
        <div class="col-md-12 form-group">
            <button type="submit" id="login_btn" class="btn btn-primary w-100">Log In</button>
            @if(session()->has('errorMessage'))
            <div class="alert alert-danger">
                {{ session()->get('errorMessage') }}
            </div>
            @endif
        </div>
    </form>

</div>
</div>
</div>
</section>
<!-- -->
@endif
@if($action=='reg')
    <section class="hero-wrap hero-wrap-2"
        data-stellar-background-ratio="0.5">
        <div class="overlay"></div>
        <div class="container">
            <div class="row no-gutters slider-text align-items-end justify-content-center">
                <div class="col-md-9 mb-5 text-center ">

                    <h2 class="mb-0 bread">Register</h2>
                </div>
            </div>
        </div>
    </section>
    <!-- -->
    <section class="login_box_area section-margin">
        <div class="container">
            <div class="row d-flex justify-content-center">
                <div class="col-lg-6 ">
                    <div class="login_form_inner">
                        <form class="row login_form" method="POST" action="{{ route("register") }}" id="contactForm">
                            @csrf
                            <div class="col-md-12 form-group">
                                <input type="text" class="form-control" id="fname" name="fname"
                                    placeholder="First name" onfocus="this.
placeholder = ''"

```

```

onblur="this.placeholder = 'First name'
">
    @error('fname')
    <div class="text-danger">
        {{$message}}
    </div>
    @enderror
</div>
<div class="col-md-12 form-group">
    <input type="text" class="form-
control" id="lname" name="lname"
        placeholder="Last name" onfocus="this.p
laceholder = ''" onblur="this.placeholder = 'Last name'">
    @error('lname')
    <div class="text-danger">
        {{$message}}
    </div>
    @enderror
</div>
<div class="col-md-12 form-group">
    <input type="text" class="form-
control" id="email" name="email"
        placeholder="Email" onfocus="this.place
holder = ''" onblur="this.placeholder = 'Email'">
    @error('email')
    <div class="text-danger">
        {{$message}}
    </div>
    @enderror
</div>
<div class="col-md-12 form-group">
    <input type="text" class="form-
control" id="address" name="address"
        placeholder="Address" onfocus="this.pla
ceholder = ''" onblur="this.placeholder = 'Adress'">
    @error('address')
    <div class="text-danger">
        {{$message}}
    </div>
    @enderror
</div>
<div class="col-md-12 form-group">
    <input type="password" class="form-
control" id="password" name="password"
        placeholder="Password" onfocus="this.pl
aceholder = ''" onblur="this.placeholder = 'Password'">

```

```

                @error('password')
                <div class="text-danger">
                    {{$message}}
                </div>
            @enderror

        </div>
        <div class="col-md-12 form-group">
            <input type="password" class="form-
control" id="confirmpassword" name="confirmpassword"
                placeholder="Confirm Password" onfocus=
"this.placeholder = ''" onblur="this.placeholder = 'Confirm Password'">
                @error('confirmpassword')
                <div class="text-danger">
                    {{$message}}
                </div>
            @enderror

        </div>
        <div class="col-md-12 form-group">
            <button type="submit" id="reg_btn" class="btn
btn-primary w-100">Register</button>

        </div>
    </form>

</div>
</div>
</div>
</div>
</section>
@endif

```

Product

```

<div class="col-md-3 d-flex">
    <div class="product">
        <div class="img d-flex align-items-center justify-content-center"
            style="background-
image:url({{ ('assets/img/products/' . $product->url) }});">
            <div class="desc">
                <p class="meta-prod d-flex">

                    <a href="{{ route('addtocart', ["product" => $product-
>id]) }}"
                        class="d-flex align-items-center justify-content-
center">

```

```

        <span class="ti-shopping-cart" aria-
hidden="true"></span></a>

        <a href="{{ route('show', ["product" => $product->id]) }}"
        class="d-flex align-items-center justify-content-
center">

            <span class="ti-search" aria-hidden="true"></span></a>

        </p>
    </div>
</div>
<div class="text text-center">
    <span class="sale">{{ ($product->state) }}</span>
    <span class="category">{{ ($product->category_name) }}</span>
    <h2>{{ ($product->product_name) }}</h2>
    <p class="mb-0"> <span class="price">${{ ($product-
>price) }}</span></p>
</div>
</div>
</div>

```

Fixed/

Footer

```

<footer class="ftco-footer">
    <div class="container">
        <div class="row mb-5">
            <div class="col-sm-12 col-md">
                <div class="ftco-footer-widget mb-4">
                    <h2 class="ftco-heading-
2 logo"><a href="#">Liquor <span>Store</span></a></h2>
                    <p>Far far away, behind the word mountains, far from the c
ountries.</p>
                    <ul class="ftco-footer-social list-unstyled mt-2">
                        <li><a href="www.twitter.com"><span class="ti-
twitter"></span></a></li>
                        <li><a href="www.facebook.com"><span class="ti-
facebook"></span></a></li>
                        <li><a href="www.instagram.com"><span class="ti-
instagram"></span></a></li>
                    </ul>
                </div>
            </div>
            <div class="col-sm-12 col-md">
                <div class="ftco-footer-widget mb-4 ml-md-4">
                    <h2 class="ftco-heading-2">Information</h2>
                    <ul class="list-unstyled">

```



```

                <li><a href="#aboutus"><span class="mr-
2"></span>About us</a></li>
                <li><a href="{{route('contact')}}"><span class="mr-
2"></span>Contact us</a></li>
                <li><a><span class="mr-
2"></span>Term & Conditions</a></li>
            </ul>
        </div>
    </div>
    <div class="col-sm-12 col-md">
        <div class="ftco-footer-widget mb-4">
            <h2 class="ftco-heading-2">Quick Link</h2>
            <ul class="list-unstyled">
                <li><a href="author"><span class="ti-angle-double-
right mr-2">
                    </span>Author Page</a></li>
                <li><a href="{{ ( 'assets/documentacija.pdf' ) }}">
                    <span class="ti-angle-double-right mr-2">
                        </span>Documentation</a>
                </li>
            </ul>
        </div>
    </div>
    <div class="col-sm-12 col-md">
        <div class="ftco-footer-widget mb-4">
            <h2 class="ftco-heading-2">Have a Questions?</h2>
            <div class="block-23 mb-3">
                <ul>
                    <li><span class="icon ti-
map marker"></span><span class="text">203 Fake St. Mountain View, San Francisc
o, California, USA</span></li>
                    <li><a><span class="icon ti-
mobile"></span><span class="text">+2 392 3929 210</span></a></li>
                    <li><a><span class="icon ti-notepad pr-
4"></span><span class="text">info@yourdomain.com</span></a></li>
                </ul>
            </div>
        </div>
    </div>
    <div class="col-sm-12 col-md">
        <div class="ftco-footer-widget mb-4 ml-md-4">
            <h2 class="ftco-heading-2">Join us</h2>
            <ul class="list-unstyled">
                @if(!session()->has('user'))
                <li><a href="{{route('registerhome')}}"><span class="m
r-2"></span>Register</a></li>
                <li><a href="{{route('loginhome')}}"><span class="mr-
2"></span>Log In</a></li>

```



```

<div class="order-lg-last btn-group">

    <?php $cart = session()->get('cart')?>
    <a href="{{ route('cart') }}" class="btn-cart p-2">
        <span class="ti-shopping-cart" aria-hidden="true"></span>
    @if ($cart)
    <span class="badge badge-
warning" id="cartcount">{{count($cart) }}</span>
    @endif
    </a>
    @if(!session()->has("user"))
        <a href="{{ route('loginhome') }}" class="btn-sign-in p-2">
            <span class="ti-user" aria-hidden="true"></span></a>
        <a href="{{ route('registerhome') }}" class="btn-sign-in p-2">
            <span class="ti-flag" aria-hidden="true"></span></a>
        @endif
        @if(session()->has("user")&& session()->get('user')-
>adminrole)
            <a href="{{ route('admin') }}" class="btn-sign-in p-
2" style="color: red">
                Admin Panel</a>
            @endif
            @if(session()->has("user"))
                <a href="{{ route('logout') }}" class="btn-sign-in p-2">
                    <span class="ti-shift-right" aria-
hidden="true"></span></a>
                @endif
            @endif
        </div>
        <button class="navbar-toggler" type="button"
            data-toggle="collapse" data-target="#ftco-nav"
            aria-controls="ftco-nav" aria-expanded="false"
            aria-label="Toggle navigation">
            <span class="oi oi-menu"></span> Menu
        </button>
        <div class="collapse navbar-collapse" id="ftco-nav">
            <ul class="navbar-nav">
                @foreach($menu as $l)
                    <li class="nav-item">
                        <a class="nav-link"
                            href="{{ route($l->link) }}"
                            {{ $l->text }}</a>
                    </li>
                @endforeach
            </ul>
        </div>
    </div>
</nav>

```

Scripts

```
<script src="{{ asset('assets/vendor/jquery/jquery.js') }}"></script>
<script src="{{ asset('assets/vendor/bootstrap/js/bootstrap.bundle.js') }}"></script>
<script src="{{ asset('assets/js/owl.carousel.min.js') }}"></script>
<script src="{{ asset('assets/js/main.js') }}"></script>

@if(session()->has('cart_error'))
    <script> alert('{{session()->get('cart_error')}}');</script>
@endif

@yield('javascript')
```

Layouts/

layout

```
<!DOCTYPE html>
<html lang="en">

@include('fixed.head')

<body>
<!-- Navigation -->
@include('fixed.navigation')

<!-- Page Content -->
@yield('content')

<!-- Footer -->
@include('fixed.footer')

<!-- Bootstrap core JavaScript -->
@include('fixed.scripts')

</body>

</html>
```

Pages/

Main/

Author

```
@extends('layouts.layout')

@section('title') Author @endsection
@section('description') This is creators page. @endsection
```

```

@section('keywords') creator,author,artisan @endsection

@section('content')
    <section class="hero-wrap hero-wrap-2"
        data-stellar-background-ratio="0.5">
        <div class="overlay"></div>
        <div class="container">
            <div class="row no-gutters slider-text align-items-end justify-
content-center">
                <div class="col-md-9 mb-5 text-center ">
                    <h2 class="mb-0 bread">Author</h2>
                </div>
            </div>
        </div>
    </section>
    <section id="author" class="container p-5">
        <div class="row jumblock mt-5 mb-5">
        </div>
        <div id="pageauthor" class="jumblock">
            <div class=" container bg-white">
                <div class="row text-center">
                    <div class="col-md-8">

                        <div class="row">
                            <div id="autext1" class="col-md-12 text-left mb-
5 bborder">

                                <blockquote>
                                    <i class="fas fa-quote-left"></i>
                                    Hi my name is Djordje Taskovic.
                                    I am a beginner when it comes to web design
                                    but keep my expectations
                                    high and i am looking forward to progress
                                    even further . . .
                                </blockquote>
                            </div>
                        </div>
                    <div class="row d-flex justify-content-around">
                        <div id="autext2" class="col-lg-5 col-sm-12 " >
                            <h4 class="about">About</h4>
                            <div class="heading-underline"></div>

                            <p class="autextpromena">Young and passionate
developer,

                                always happy to learn new things
                                and evolve.
                            </p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>

```

```

        <div id="autext3" class="col-lg-5 col-sm-12">
            <h4 class="fieldofinterest">Field of Interest<
/h4>

            <div class="heading-underline"></div>
            <p class="autextpromena"> Intrested in 3D mode
ling, web design,

                photography, writing,
                drawing and learning new things.
            </p>
        </div>

    </div>
</div>

<div class="col-md-4">
    <div class="row">
        <div class="col-12">
            

        </div>
        <div id="autext4" class="col-12">

            <h4 class="more" >More..</h4>
            <div class="heading-underline"></div>

            <p class="autextpromena"> In free time I love
                reding a good book or comic,
                watch series and movies etc.
            </p>
        </div>
    </div>
</div>

</div>
</div>

</div>
</div>
</section>

@endsection

```

Cart

```

@extends('layouts.layout')

@section('title') Cart @endsection

```

```

@section('description') This is customers cart. @endsection
@section('keywords') creator,author,artisan @endsection

@section('content')
    <section class="hero-wrap hero-wrap-2"
        data-stellar-background-ratio="0.5">
        <div class="overlay"></div>
        <div class="container">
            <div class="row no-gutters slider-text align-items-end justify-
content-center">
                <div class="col-md-9 mb-5 text-center">
                    <h2 class="mb-0 bread">My Cart</h2>
                </div>
            </div>
        </div>
    </section>
    <section class="ftco-section">
        <div class="container">
            <div class="row">
                <div class="table-wrap">
                    <table class="table">
                        <thead class="thead-primary">
                            <tr>
                                <th>Product</th>
                                <th>Price</th>
                                <th>Quantity</th>
                                <th>Subtotal</th>
                                <th>Remove</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php $total = 0 ?>
                            @if (session('cart'))
                            @foreach (session('cart') as $order => $cart)
                            <?php
                                $total += $cart['price'] * $cart['quantity']?>
                            <tr class="alert" role="alert">
                                <td>
                                    <div>
                                        <span>{{$cart['name']}}</span>
                                    </div>
                                </td>
                                <td>{{$cart['price']}}</td>
                                <td>
                                    <div class="input-group">
                                        <input type="text" name="quantity"
class="quantity form-control input-
number"

```

```

        value="{{ $cart['quantity'] }}">
    </div>
</td>
<td>{{ $cart['price'] * $cart['quantity'] }}</td>
d>

    <td>
        <a class="btn btn-primary"
            href="{{ route('delfromcart', ['id' => $cart['id']]) }}">
            <span aria-hidden="true"><i class="fa fa-close"></i>Remove</span>
        </a>
    </td>
</tr>
@endforeach
@else
<tr>
    <td>Your cart is empty at this moment.</td>
</tr>
@endif
</tbody>
</table>
</div>
</div>
<div class="row justify-content-center">
    <div class="col col-lg-5 col-md-6 mt-5 cart-wrap">
        <p class="text-center"><a
            class="btn btn-primary py-3 px-4">Total: {{ $total }}</a></p>

        <p class="text-center"><a href="{{ route('makeorder') }}"
            onclick="return confirm('Are you sure you want to proceed with a order?')"
            class="btn btn-primary py-3 px-4">Make an order</a></p>
    </div>
    @if(session()->has('success'))
        <div class="alert alert-success">
            {{ session()->get('success') }}
        </div>
    @endif
    <div class="cartalert"></div>
</div>
</div>
</section>

@endsection

```


Contact

```
@extends('layouts.layout')

@section('title') Contact @endsection
@section('description') Learn more about us or contact us. @endsection
@section('keywords') shop, online, contact, about @endsection

@section('content')
    <section class="hero-wrap hero-wrap-2"
        data-stellar-background-ratio="0.5">
        <div class="overlay"></div>
        <div class="container">
            <div class="row no-gutters slider-text align-items-end justify-
content-center">
                <div class="col-md-9 mb-5 text-center ">
                    <h2 class="mb-0 bread">Contact Us</h2>
                </div>
            </div>
        </div>
    </section>
    <section id="contact" class="mb-4 mt-5">
        <div class="container">
            <div class="section-intro pb-60px">
            </div>
            <div class="container">
                <div class="row">

                    <div class="col-lg-6 col-md-6 col-sm-12">
                        <div class="contact-wrap w-100 p-md-5 p-4">
                            <h3 class="mb-4">Send us a message</h3>
                            <form
                                method="POST" id="contactForm" name="contactForm" clas
s="contactForm"
                                action="{{route('contact')}}">
                                @csrf
                                <div class="row">
                                    <div class="col-md-12">
                                        <div class="form-group">
                                            <label class="label" for="email">Email
Address</label>
                                            <input type="email" class="form-
control" name="email" id="email" placeholder="Email">
                                            @error('email')
                                            <div class="text-danger">
                                                {{$message}}
                                            </div>
                                            @enderror
                                        </div>
                                    </div>
                                </div>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
</div>
```

```

        </div>
    </div>
    <div class="col-md-12">
        <div class="form-group">
            <label class="label" for="subject">Sub
ject</label>

            <input type="text" class="form-
control" name="subject" id="subject"

                placeholder="Subject">
                @error('subject')
            <div class="text-danger">
                {{$message}}
            </div>
            @enderror
        </div>
    </div>
    <div class="col-md-12">
        <div class="form-group">
            <label class="label" for="#">Message</
label>

            <textarea class="form-
control" name="message" id="message"

                cols="30" rows="4" placeholder="Messag
e"></textarea>

                @error('message')
            <div class="text-danger">
                {{$message}}
            </div>
            @enderror
        </div>
    </div>
    <div class="col-md-12">
        <div class="form-group">
            <input type="submit" value="Send Messa
ge" class="btn btn-primary">

            <div class="submitting"></div>
            @if(session()->has('message'))
            <div class="alert alert-success">
                {{ session()->get('message') }}
            </div>
            @endif
        </div>
    </div>
</div>
</form>
</div>
</div>

```

```

        <div class="col-lg-6 col-md-6 col-sm-12">
            <div class="p-md-5 p-4">
                <div class="ml-40">
                    <p class="sm-head"><i class="fa fa-angle-
right" aria-hidden="true"></i>Head Office</p>
                    <p>1600 Amphitheatre ParkwayMountain View,<br> CA9
4043 US</p>

                    <p class="sm-head">
                        <i class="fa fa-angle-right" aria-
hidden="true"></i>Phone Number
                    </p>
                    <p>Phone: (+63) 555 1212<br>
                        Mobile: (+63) 555 0100<br>
                        Fax:(+63) 555 0100

                    </p>
                    <p class="sm-head">
                        <i class="fa fa-angle-right" aria-
hidden="true"></i>Email
                    </p>
                    <p>
                        licqorstore.shop@gmail.com
                    </p>
                </div>
            </div>
        </div>

    </div> <!-- /row -->
</div>

</section> <!-- /contact -->
@endsection

```

Home

```

@extends('layouts.layout')

@section('title') Liquor Store @endsection
@section('description') The main page of the shop. @endsection
@section('keywords') shop, online, home, best, sellers @endsection

@section('content')
    <div class="hero-wrap">
        <div class="overlay">
        </div>
        <div class="container">
            <div class="row no-gutters slider-text align-items-center justify-
content-center">

```



```

        <span class="flaticon-support"></span>
    </div>
    <div class="text">
        <h2>Online Support 24/7</h2>
        <p>A small river named Duden flows by their place
and supplies it with the necessary regelialia.</p>
    </div>
</div>

<div class="col-md-4 d-flex">
    <div class="intro color-1 d-lg-flex w-100">
        <div class="icon">
            <span class="flaticon-cashback"></span>
        </div>
        <div class="text">
            <h2>Money Back Guarantee</h2>
            <p>A small river named Duden flows by their place
and supplies it with the necessary regelialia.</p>
        </div>
    </div>
</div>

<div class="col-md-4 d-flex">
    <div class="intro color-2 d-lg-flex w-100">
        <div class="icon">
            <span class="flaticon-free-delivery"></span>
        </div>
        <div class="text">
            <h2>Free Shipping & Return</h2>
            <p>A small river named Duden flows by their place
and supplies it with the necessary regelialia.
</p>
        </div>
    </div>
</div>

</div>
</div>
</section>
<section class="ftco-section ftco-no-pb">
    <div class="container">
        <div class="row">
            <div class="col-md-12 pb-4 heading-section text-center">
                <span class="subheading">About</span>
                <h2>Something about us</h2>
            </div>
        </div>
    </div>
</section>

```

```

        <div class="row" id="aboutus">
        <div class="col-md-6 img img-3 d-flex justify-content-center align-
items-center"
        style="background-image: url({{asset('assets/img/blog/image-
1.jpg')}});">
        </div>
        <div class="col-md-6 wrap-about pl-md-5 py-5">
        <div class="heading-section">
        <span class="subheading">Since 1905</span>
        <h2 class="mb-4">Desire Meets A New Taste</h2>
        <p>Sometimes, you're in the mood to do one thing and one thing only: d
rink. You could either stick with your usual, or you could ditch your regular
and indulge in some of the best tasting liquor within the United States. But w
hatever you do, try your best to avoid these very bad, bad boys.</p>
        <p class="year">
        <strong class="number" data-number="115">115</strong>
        <span>Years of Experience In Business</span>
        </p>
        </div>
        </div>
        </div>
        </div>
</section>
<!--section break -->
<section class="ftco-section" id="blogs">
    <div class="container">
        <div class="row justify-content-center mb-5">
            <div class="col-md-7 heading-section text-center">
                <span class="subheading">Blog</span>
                <h2>Recent Blog</h2>
            </div>
        </div>
        <div class="row d-flex">
            @foreach($blogs as $b)
            <div class="col-lg-6 d-flex align-items-stretch fadeInUp ">
                <div class="blog-entry d-flex">
                    <a href="#" class="block-20 img"
                    style="background-image: @foreach($b-
>images as $i)
                        url({{ ('assets/img/blog/'. $i-
>url) }})@endforeach;">
                    </a>
                    <div class="text p-4 bg-light">
                        <div class="meta">
                            <p><span class="fa fa-calendar"></span> {{ $b-
>date}}</p>
                        </div>

```

```

                                <h3 class="heading mb-3"><a href="#">{{ $b-
>name}}</a></h3>
                                <p>{{ $b->info}}</p>
                                </div>
                            </div>
                        </div>
                    @endforeach
                    <!-- petlja blog -->

                </div>
            </div>
        </section>
    @endsection

```

Login

```

@extends('layouts.layout')

@section('title') Login @endsection
@section('description') This is customers cart. @endsection
@section('keywords') creator,author,artisan @endsection

@section('content')

    @include('deoproduct.forma',["action"=>"log"]);

@endsection

```

Register

```

@extends('layouts.layout')

@section('title') Register @endsection
@section('description') This is customers cart. @endsection
@section('keywords') creator,author,artisan @endsection

@section('content')
    @include('deoproduct.forma',["action"=>"reg"]);
@endsection

```

Products/

Create

```

@extends('layouts.layout')

@section('title') Insert-Product @endsection
@section('description') Create new product. @endsection
@section('keywords') shop, online, create @endsection

```

```

@section('content')
<div class="container mb-3 min-vh-100">
  <div class="mt-4">
    <div class="contactForm">
      <h3 >Add a new product</h3>
      @include('pages.products.forma', ["action" => "products.store"])
    </div>
  </div>
</div>
@endsection

```

Edit

```

@extends('layouts.layout')

@section('title') Edit-Product-{{ $product->name }} @endsection
@section('description') Edit a product. @endsection
@section('keywords') shop, online, edit @endsection

@section('content')
<div class="container mb-3 min-vh-100">
  <div class="mt-4">
    <div class="contactForm">
      <h3 >Edit a product</h3>
      @include('pages.products.forma', ["action" => "products.update"])
    </div>
  </div>
</div>
@endsection

```

Forma

```

<form action="
@if($action == "products.update")
  {{ route($action, $product->id) }}
@else {{ route($action) }}
@endif"
method="POST" enctype="multipart/form-data">
  @csrf
  @if($action == "products.update")
    @method('PUT')
  @endif
  <div class="form-group">
    <input type="hidden" class="form-control" id="ID" name="ID"
    value="{{ $product->id ?? old('id') }}" />
    <label class="label" for="name">Product Name</label>
    <input type="text" class="form-
control" id="product_name" name="product_name"

```



```

        value="{{ $product->product_name ?? old('product_name') }}" />

        @error('product_name')
        <div class="alert alert-danger">
            {{$message}}
        </div> @enderror
    </div>
    <div class="form-group">
        <label class="label" for="description">Description</label>
        <textarea class="form-control" id="info" rows="3" name="info">
            {{$product->info ?? old('info')}}</textarea>
        @error('info')
            <div class="alert alert-danger">
                {{$message}}
            </div> @enderror
    </div>
    <div class="form-group">
        <label class="label" for="price">Price</label>
        <input type="text" class="form-control" id="price"
            name="price" value="{{ $product->price ?? old('price') }}" />
        @error('price')
            <div class="alert alert-danger">
                {{$message}}
            </div> @enderror
    </div>

    <div class="form-group">

        <label class="label" for="state">Product availability</label><br/>
        <select name="state_id[]" id="state" class="form-control">
            <option value="0">Select from below</option>
            @foreach ($availability as $state)
                <option value="{{ $state->id }}"
                    @if(isset($product) &&
                        in_array($state->id , $product->availabilities()-
>pluck('availability_id')->toArray()))
                        selected
                    @elseif(is_array(old('availability_id')) && in_array($state-
>id, old('availability_id') ) )
                        selected
                    @endif
                >
                {{$state->state}}
            </option>
        @endforeach
    </select>
    @error('state')
        <div class="alert alert-danger">

```

```

        {{$message}}
    </div>
    @enderror
</div>
<div class="form-group">
    <label class="label" for="categories">Choose a Category</label>
    <div class="row mx-1">
        @foreach($categories as $category)
            <div class="custom-control custom-checkbox mr-5">
                <input type="checkbox" class="custom-control-
input" id="category{{$ $category->id }}"
                name="category_id[]" value="{{$ $category->id }}"
                @if(isset($product) &&
                    in_array($category->id , $product->categories()-
>pluck('category_id')->toArray()))
                    checked
                @elseif(is_array(old('category_id')) && in_array($category
->id, old('category_id'))
                    checked
                @endif
            </div>
            <label class="custom-control-label" for="category{{$ $category-
>id }}">
                {{$ $category->category_name}}</label>
            </div>
        @endforeach
    </div>
    @error('category_id')
        <div class="alert alert-danger">
            {{$message}}
        </div>
    @enderror
</div>
<div class="form-group">
    <label class="label" for="image">Choose image</label>
    <input type="file" class="form-control" id="image" name="image"
    />
    @error('image')
        <div class="alert alert-danger">
            {{$message}}
        </div>
    @enderror
</div>
<button class="btn btn-primary w-50" type="submit">Submit</button>
@if(session()->has('success'))
<div class="alert alert-success">
    {{ session()->get('success') }}
</div>

```

```
@endif
</form>
```

Index

```
@extends('layouts.layout')

@section('title') Products @endsection
@section('description') Browse all of our products. @endsection
@section('keywords') shop, online, products @endsection

@section('content')
    <section class="hero-wrap hero-wrap-2" data-stellar-background-
ratio="0.5">
        <div class="overlay">
        </div>
        <div class="container pb-5">
            <div class="row no-gutters slider-text align-items-end justify-
content-center">
                <div class="col-md-9 mb-5 text-center">
                    <h2 class="bread p-4">Our Store</h2>
                </div>
            </div>
        </div>
    </section>
    <section class="ftco-section">
        <div class="container">

            <div class="row">
                <div class="col-lg-12 mb-5 text-center">
                    <h2>Select Your Products</h2>
                </div>
            </div>
            <div class="row">
                <div class="col-md-3">
                    <form method="GET" action = "{{ route("store") }}">
                    <div class="sidebar-box">
                        <div class="categories">
                            <h3>Product Types</h3>
                            <ul class="p-0">
                                @foreach($categories as $cat)
                                    <li> <input type="checkbox" name="catids[]" cl
ass="categories"
                                @if ($checkedcategories != null)
                                    {{ in_array($cat-
>id, $checkedcategories) ? "checked" : "" }}
                                @endif
                                    id="{{ $cat->id }}" value="{{ $cat->id}}"/>
```

```

                                {{ $cat->category_name }}
                                <span class="ti-angle-double-
right"></span>

                                </li>
                                @endforeach
                                </ul>
                                </div>
                                </div>
                                <div class="sidebar-box">
                                    <div class="categories">
                                        <h3>Search by Price</h3>
                                        <ul class="p-0">
                                            @foreach ($sortname as $s)
                                                <li><input type="radio" id="{{ $s['id'] }}" valu
e="{{ $s['id'] }}"
                                                    name="cenasort" class="btnPrice"/>
                                                    Price: {{ $s['name'] }}
                                                </li>
                                            @endforeach
                                        </ul>
                                    </div>
                                </div>
                                <div class="sidebar-box">
                                    <div class="categories">
                                        <h3>Search by Name</h3>
                                        <div class="input-group">
                                            <div class="form-outline">
                                                <input type="search" id="search" name="pre
traga"
                                                    class="form-
control" placeholder="Search..." />
                                            </div>
                                        </div>
                                    </div>
                                </div>
                                <div class="sidebar-box">
                                    <button type="submit" class="btn" id="button_search"
                                        style="background-color: red ;color:white">
                                        <p><i class="ti-search"></i>Use Filters..</p>
                                    </button>
                                </div>
                            </form>
                        </div>
                        <div class="col-md-9 container" id="products">
                            <div class="row">
                                @foreach($items as $product)
                                    @include('deoproduct.product')
                                @endforeach

```

```

        </div>
        <div class="row justify-content-center">
            {{$items->links('vendor.pagination.bootstrap-4')}}
            {{$items->links('vendor.pagination.simple-bootstrap-
4')}}
        </div>
    </div>

</div>

</div>

</section>
@endsection

```

Single

```

@extends('layouts.layout')

@section('title') {{$product->name }} @endsection
@section('description') See more info about this item. @endsection
@section('keywords') shop, online, home, best, sellers @endsection

@section('content')
    <section class="ftco-section">
        <div class="container">
            <div class="row">
                <div class="col-lg-6 mb-5">
                    <a href="@foreach($product->
images as $i){ url('assets/img/products/' . $i->url) }}@endforeach"
                    class="image-popup prod-img-bg w-50">
                        </a>
                </div>
                <div class="col-lg-6 product-details pl-md-5">
                    <h3>{{$product->product_name}}</h3>
                    <ul class="nav navbar-nav">
                        <li class="navbar-item">
                            <a class="p-1 bg-info text-white">
                                Brand:@foreach($product->categories()-
>get() as $b)
                                    {{$b->category_name}}
                                @endforeach
                            </a>
                        </li>
                        <br>
                        <li class="navbar-item">

```

```

        <a class="p-1 bg-danger text-white">
            1#
            @foreach($product->availabilities()-
>get() as $b)
                {{$b->state}}
            @endforeach
        </a>
    </li>
</ul>
<hr>
    Price:<p class="price pt-2 text-danger">{{$product-
>price}}</p>
    <hr>
    <h5>Product Informations</h5>
    <p>{{$product->info}}</p>
    <a href="{{ route('addtocart', ["product" => $product
->id]) }}"
        class="btn btn-primary py-3 px-5 mr-2">
        Add to Cart</a>

    </div>
</div>
<div class="row">
    <div class="col-md-12">
        <hr>
        <a href="{{ route('store') }}"
            class="btn btn-primary py-3 px-5 mr-2">
            Check out more products</a>

    </div>
</div>
</div>
</section>
@endsection

```

JS

Main.js

```

$(document).ready(function() {
    //alert("hello")
    var fullHeight = function() {
        $('.js-fullheight').css('height', $(window).height());
        $(window).resize(function(){
            $('.js-fullheight').css('height', $(window).height());
        });
    };
    fullHeight();

```

```

// loader
var loader = function() {
    setTimeout(function() {
        if($('#ftco-loader').length > 0) {
            $('#ftco-loader').removeClass('show');
        }
    }, 1);
};
loader();
$('nav .dropdown').hover(function(){
    var $this = $(this);
    // timer;
    // clearTimeout(timer);
    $this.addClass('show');
    $this.find('> a').attr('aria-expanded', true);
    $this.find('.dropdown-menu').addClass('show');
}, function(){
    var $this = $(this);
    // timer;
    $this.removeClass('show');
    $this.find('> a').attr('aria-expanded', false);
    $this.find('.dropdown-menu').removeClass('show');
});

$('#dropdown04').on('show.bs.dropdown', function () {
    console.log('show');
});

// scroll
var scrollWindow = function() {
    $(window).scroll(function(){
        var $w = $(this),
            st = $w.scrollTop(),
            navbar = $('.ftco_navbar'),
            sd = $('.js-scroll-wrap');

        if (st > 150) {
            if ( !navbar.hasClass('scrolled') ) {
                navbar.addClass('scrolled');
            }
        }
        if (st < 150) {
            if ( navbar.hasClass('scrolled') ) {
                navbar.removeClass('scrolled sleep');
            }
        }
    }
}

```

```

        if ( st > 350 ) {
            if ( !navbar.hasClass('awake') ) {
                navbar.addClass('awake');
            }

            if(sd.length > 0) {
                sd.addClass('sleep');
            }
        }
        if ( st < 350 ) {
            if ( navbar.hasClass('awake') ) {
                navbar.removeClass('awake');
                navbar.addClass('sleep');
            }
            if(sd.length > 0) {
                sd.removeClass('sleep');
            }
        }
    });
});
scrollWindow();

$('[data-toggle="popover"]').popover()
$('[data-toggle="tooltip"]').tooltip()

$(".insertcat").on('click', function() {
    // console.log('check-click');
    var $box = $(this);
    if ($box.is(":checked")) {
        var group = "input:checkbox[name='" + $box.attr("name") + "']";
        $(group).prop("checked", false);
        $box.prop("checked", true);
    } else {
        $box.prop("checked", false);
    }
});
});
});

```

CSS

Style.css

```

body {
    font-family: "Spectral", serif;
    background: #fff;
    font-size: 16px;
}

```



```

line-height: 1.8;
font-weight: 300;
color: gray; }
body.menu-show {
  overflow: hidden;
  position: fixed;
  height: 100%;
  width: 100%; }
.active-fliters{
  background-color: red !important;
  color: white !important;
}
#cartcount{
font-size: 12px;
background: #ff0000;
border-radius: 9px;
color: #fff !important;
padding: 0 5px;
vertical-align: top;
margin-left: -10px;
}
a {
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease;
  color: #b7472a; }
a:hover, a:focus {
  text-decoration: none;
  color: #b7472a;
  outline: none !important; }

h1, h2, h3, h4, h5,
.h1, .h2, .h3, .h4, .h5 {
  line-height: 1.5;
  color: black;
  font-weight: 400; }

.wrap {
  position: relative;
  z-index: 0;
  width: 100%;
  background: #a23f25; }
.wrap .phone {
  z-index: 1;
  font-weight: 200; }
.wrap .phone span {
  color: rgba(255, 255, 255, 0.6); }
.wrap .phone a {

```

```

        color: rgba(255, 255, 255, 0.6);
        font-size: 12px; }
@media (max-width: 767.98px) {
    .wrap .reg {
        width: 50%;
        text-align: right; } }
.wrap .reg p {
    font-weight: 200; }
.wrap .reg p a {
    color: rgba(255, 255, 255, 0.8);
    text-transform: uppercase;
    font-size: 13px; }

.social-media {
    display: inline-block; }
@media (max-width: 767.98px) {
    .social-media {
        width: 50%; } }
.social-media p {
    display: block;
    width: 100%; }
.social-media p a {
    height: 30px;
    margin-right: 10px; }
.social-media p a span {
    font-size: 12px;
    color: #fff; }
.social-media p a:hover {
    background: #b7472a;
    border-color: #b7472a; }
.social-media p a:hover span {
    color: #fff; }

.ftco-navbar-light {
    background: transparent !important;
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    z-index: 3;
    padding: 0 0; }
.ftco-navbar-light span{
    color:#b7472a !important;
}
@media (max-width: 991.98px) {
    .ftco-navbar-light {
        background: #000000 !important;

```

```

    position: relative;
    top: 0;
    padding: 10px 15px; } }
.ftco-navbar-light .navbar-brand {
  color: rgba(255, 255, 255, 0.8); }
.ftco-navbar-light .navbar-brand span {
  color: rgba(255, 255, 255, 0.5); }
.ftco-navbar-light .navbar-brand:hover {
  color: #fff; }
@media (max-width: 991.98px) {
  .ftco-navbar-light .navbar-brand {
    color: #fff; } }
.ftco-navbar-light .btn-cart {
  display: inline-block;
  position: relative; }
.ftco-navbar-light .btn-cart span {
  font-size: 20px; }
.ftco-navbar-light .btn-cart div {
  position: absolute;
  top: 0;
  right: 0px;
  height: 18px;
  line-height: 1;
  border-radius: 50%;
  padding: 0 5px;
  background: rgba(255, 255, 255, 0.2); }
.ftco-navbar-light .btn-cart div small {
  color: rgba(255, 255, 255, 0.5); }
.ftco-navbar-light .btn-group .dropdown-toggle::after {
  display: none; }
.ftco-navbar-light .btn-group .dropdown-menu {
  border: none;
  background: #fff;
  -webkit-box-shadow: 0px 10px 34px -20px rgba(0, 0, 0, 0.41);
  -moz-box-shadow: 0px 10px 34px -20px rgba(0, 0, 0, 0.41);
  box-shadow: 0px 10px 34px -20px rgba(0, 0, 0, 0.41);
  padding: 0;
  min-width: 20rem;
  margin-top: 20px; }
@media (max-width: 767.98px) {
  .ftco-navbar-light .btn-group .dropdown-menu {
    right: -70px !important; } }
.ftco-navbar-light .btn-group .dropdown-menu:after, .ftco-navbar-
light .btn-group .dropdown-menu:before {
  content: ' ';
  display: block;
  border-style: solid;
  border-width: 0 .5em .6em .5em;

```

```

border-color: transparent;
position: absolute;
right: 12px;
z-index: -1; }
@media (max-width: 767.98px) {
  .ftco-navbar-light .btn-group .dropdown-menu:after, .ftco-navbar-
light .btn-group .dropdown-menu:before {
    right: 70px; } }
.ftco-navbar-light .btn-group .dropdown-menu:before {
  top: -.6em;
  border-bottom-color: rgba(0, 0, 0, 0.02); }
.ftco-navbar-light .btn-group .dropdown-menu:after {
  top: -.5em;
  border-bottom-color: #fff; }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-item {
  font-size: 16px;
  color: rgba(0, 0, 0, 0.7);
  font-weight: 400;
  padding: 20px;
  border-bottom: 1px solid rgba(0, 0, 0, 0.05);
  white-space: normal; }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-item:last-child {
  border: none; }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-item .img {
  width: 60px;
  height: 60px;
  position: relative; }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-item .text {
  width: calc(100% - 60px); }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-item .text h4 {
  margin-bottom: 0;
  font-size: 18px;
  font-weight: 500;
  color: rgba(0, 0, 0, 0.8); }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-
item .text .quantity {
  color: rgba(0, 0, 0, 0.4); }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-item .btn-link {
  color: #b7472a;
  text-transform: uppercase;
  font-size: 13px;
  font-weight: 500; }
.ftco-navbar-light .btn-group .dropdown-menu .dropdown-item:hover {
  background: transparent; }
@media (max-width: 991.98px) {
  .ftco-navbar-light .navbar-nav {
    padding-bottom: 10px; } }
.ftco-navbar-light .navbar-nav > .nav-item > .nav-link {

```

```

font-size: 14px;
padding-top: 1.5rem;
padding-bottom: 1.5rem;
padding-left: 20px;
padding-right: 20px;
color: rgba(255, 255, 255, 0.5);
font-weight: 300;
text-transform: uppercase;
letter-spacing: 1px;
opacity: 1 !important; }
.ftco-navbar-light .navbar-nav > .nav-item > .nav-link:hover {
  color: #b7472a; }
@media (max-width: 991.98px) {
  .ftco-navbar-light .navbar-nav > .nav-item > .nav-link {
    padding-left: 0;
    padding-right: 0;
    padding-bottom: 0;
    color: #fff; } }
.ftco-navbar-light .navbar-nav > .nav-item .dropdown-menu {
  border: none;
  background: #fff;
  -webkit-box-shadow: 0px 10px 34px -20px rgba(0, 0, 0, 0.41);
  -moz-box-shadow: 0px 10px 34px -20px rgba(0, 0, 0, 0.41);
  box-shadow: 0px 10px 34px -20px rgba(0, 0, 0, 0.41); }
.ftco-navbar-light .navbar-nav > .nav-item.ftco-seperator {
  position: relative;
  margin-left: 20px;
  padding-left: 20px; }
@media (max-width: 991.98px) {
  .ftco-navbar-light .navbar-nav > .nav-item.ftco-seperator {
    padding-left: 0;
    margin-left: 0; } }
.ftco-navbar-light .navbar-nav > .nav-item.ftco-seperator:before {
  position: absolute;
  content: "";
  top: 10px;
  bottom: 10px;
  left: 0;
  width: 2px;
  background: rgba(255, 255, 255, 0.05); }
@media (max-width: 991.98px) {
  .ftco-navbar-light .navbar-nav > .nav-item.ftco-seperator:before {
    display: none; } }
.ftco-navbar-light .navbar-nav > .nav-item.cta > a {
  color: #fff;
  border: 1px solid #b7472a;
  padding-top: .5rem;
  padding-bottom: .5rem;

```

```

padding-left: 18px;
padding-right: 18px;
margin-top: 4px;
background: #b7472a;
-webkit-border-radius: 2px;
-moz-border-radius: 2px;
-ms-border-radius: 2px;
border-radius: 2px; }
.ftco-navbar-light .navbar-nav > .nav-item.cta > a span {
  display: inline-block;
  color: #fff; }
.ftco-navbar-light .navbar-nav > .nav-item.cta > a:hover {
  background: #b7472a;
  border: 1px solid #b7472a; }
.ftco-navbar-light .navbar-nav > .nav-item.cta.cta-colored a {
  border: 1px solid #01d28e;
  background: #01d28e !important; }
.ftco-navbar-light .navbar-nav > .nav-item.active > a {
  color: #fff; }
@media (max-width: 991.98px) {
  .ftco-navbar-light .navbar-nav > .nav-item.active > a {
    color: #b7472a; } }
.ftco-navbar-light .navbar-toggler {
  border: none;
  color: rgba(255, 255, 255, 0.5) !important;
  cursor: pointer;
  padding-right: 0;
  text-transform: uppercase;
  font-size: 16px;
  letter-spacing: .1em; }
.ftco-navbar-light .navbar-toggler:hover, .ftco-navbar-light .navbar-
toggler:focus {
  text-decoration: none;
  color: #b7472a;
  outline: none !important; }
.ftco-navbar-light.scrolled {
  position: fixed;
  right: 0;
  left: 0;
  top: 0;
  margin-top: -130px;
  background: #fff !important;
  -webkit-box-shadow: 0 0 10px 0 rgba(0, 0, 0, 0.1);
  box-shadow: 0 0 10px 0 rgba(0, 0, 0, 0.1);
  padding-top: 10px;
  padding-bottom: 10px; }
.ftco-navbar-light.scrolled .btn-cart div {
  position: absolute;

```

```

top: 0;
right: -5px;
height: 18px;
line-height: 1;
border-radius: 50%;
padding: 0 5px;
background: rgba(0, 0, 0, 0.1); }
.ftco-navbar-light.scrolled .btn-cart div small {
  color: #b7472a; }
@media (max-width: 991.98px) {
  .ftco-navbar-light.scrolled .nav-item > .nav-link {
    padding-left: 0 !important;
    padding-right: 0 !important;
    padding-bottom: 0 !important; } }
.ftco-navbar-light.scrolled .nav-item.active > a {
  color: #b7472a !important; }
.ftco-navbar-light.scrolled .nav-item.cta > a {
  color: #fff !important;
  background: #b7472a;
  border: none !important;
  padding-top: 0.5rem !important;
  padding-bottom: .5rem !important;
  padding-left: 20px !important;
  padding-right: 20px !important;
  margin-top: 6px !important;
  -webkit-border-radius: 5px;
  -moz-border-radius: 5px;
  -ms-border-radius: 5px;
  border-radius: 5px; }
.ftco-navbar-light.scrolled .nav-item.cta > a span {
  display: inline-block;
  color: #fff !important; }
.ftco-navbar-light.scrolled .nav-item.cta.cta-colored span {
  border-color: #b7472a; }
@media (max-width: 991.98px) {
  .ftco-navbar-light.scrolled .navbar-nav {
    background: none;
    border-radius: 0px;
    padding-left: 0rem !important;
    padding-right: 0rem !important; } }
.ftco-navbar-light.scrolled .navbar-toggler {
  border: none;
  color: rgba(0, 0, 0, 0.5) !important;
  border-color: rgba(0, 0, 0, 0.5) !important;
  cursor: pointer;
  padding-right: 0;
  text-transform: uppercase;
  font-size: 16px;

```

```

    letter-spacing: .1em; }
.ftco-navbar-light.scrolled .nav-link {
  padding-top: 0.9rem !important;
  padding-bottom: 0.9rem !important;
  color: #000000 !important; }
.ftco-navbar-light.scrolled .nav-link.active {
  color: #b7472a !important; }
.ftco-navbar-light.scrolled.awake {
  margin-top: 0px;
  -webkit-transition: .3s all ease-out;
  -o-transition: .3s all ease-out;
  transition: .3s all ease-out; }
.ftco-navbar-light.scrolled.sleep {
  -webkit-transition: .3s all ease-out;
  -o-transition: .3s all ease-out;
  transition: .3s all ease-out; }
.ftco-navbar-light.scrolled .navbar-brand {
  color: #000000; }
.ftco-navbar-light.scrolled .navbar-brand span {
  color: #b7472a; }

.navbar-brand {
  font-weight: 700;
  font-size: 24px;
  position: relative;
  text-transform: uppercase; }

.hero-wrap {
  width: 100%;
  background-size: cover;
  background-repeat: no-repeat;
  background-position: top center;
  background-image: url("../img/blog/image-2.jpg");
  position: relative;
  z-index: 0;
  height: 750px; }
@media (max-width: 1199.98px) {
  .hero-wrap {
    background-position: center center !important; } }
.hero-wrap .overlay {
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  content: '';
  opacity: .4;
  background: #000000; }

```



```

.hero-wrap .slider-text {
  height: 750px;
  position: relative; }
.hero-wrap .slider-text .text {
  padding: 30px 0;

}
.hero-wrap .slider-text h1 {
  font-size: 80px;
  line-height: 1.1;
  font-weight: 700;
  color: transparent;
  -webkit-text-fill-color: transparent;
  -webkit-text-stroke-width: .5px;
  -webkit-text-stroke-color: #fff;

}
.hero-wrap .slider-text h1 span {
  color: #b7472a;
  -webkit-text-fill-color: #fff;
  -webkit-text-stroke-width: 0px; }
@media (max-width: 991.98px) {
  .hero-wrap .slider-text h1 {
    font-size: 40px; } }
.hero-wrap .slider-text p {
  font-weight: 400;
  font-size: 20px;
  line-height: 1.5;
  color: rgba(255, 255, 255, 0.9); }
.hero-wrap.hero-wrap-2 {
  height: 400px !important;
  position: relative; }
.hero-wrap.hero-wrap-2 .overlay {
  width: 100%;
  height: 400px;
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  content: '';
  opacity: .3; }
.hero-wrap.hero-wrap-2 .slider-text {
  height: 400px !important; }
.hero-wrap.hero-wrap-2 .slider-text .breadcrumbs {
  font-size: 14px;
  margin-bottom: 20px;
  z-index: 99;

```

```

text-transform: uppercase;
font-weight: 500; }
.hero-wrap.hero-wrap-2 .slider-text .breadcrumbs span {
color: rgba(255, 255, 255, 0.7); }
.hero-wrap.hero-wrap-2 .slider-text .breadcrumbs span i {
color: rgba(255, 255, 255, 0.5);
font-size: 13px; }
.hero-wrap.hero-wrap-2 .slider-text .breadcrumbs span a {
color: rgba(255, 255, 255, 0.7); }
.hero-wrap.hero-wrap-2 .slider-
text .breadcrumbs span a:hover, .hero-wrap.hero-wrap-2 .slider-
text .breadcrumbs span a:focus {
color: #b7472a; }
.hero-wrap.hero-wrap-2 .slider-
text .breadcrumbs span a:hover i, .hero-wrap.hero-wrap-2 .slider-
text .breadcrumbs span a:focus i {
color: #b7472a; }
.hero-wrap.hero-wrap-2 .slider-text .bread {
position: relative;
color: #fff !important;
font-size: 60px;
color: #fff;
line-height: 1.1;
font-weight: 400; }

.owl-carousel {
position: relative; }
.owl-carousel .owl-item {
opacity: .4; }
.owl-carousel .owl-item.active {
opacity: 1; }
.owl-carousel .owl-nav {
position: absolute;
top: 50%;
width: 100%; }
.owl-carousel .owl-nav .owl-prev,
.owl-carousel .owl-nav .owl-next {
position: absolute;
-webkit-transform: translateY(-50%);
-ms-transform: translateY(-50%);
transform: translateY(-50%);
margin-top: -10px;
color: #b7472a !important;
-moz-transition: all 0.7s ease;
-o-transition: all 0.7s ease;
-webkit-transition: all 0.7s ease;
-ms-transition: all 0.7s ease;
transition: all 0.7s ease;

```

```

opacity: 0; }
.owl-carousel .owl-nav .owl-prev span:before,
.owl-carousel .owl-nav .owl-next span:before {
    font-size: 30px; }
.owl-carousel .owl-nav .owl-prev {
    left: 0; }
.owl-carousel .owl-nav .owl-next {
    right: 0; }
.owl-carousel .owl-dots {
    text-align: center; }
.owl-carousel .owl-dots .owl-dot {
    width: 10px;
    height: 10px;
    margin: 5px;
    border-radius: 50%;
    background: #e6e6e6;
    position: relative; }
.owl-carousel .owl-dots .owl-dot:after {
    position: absolute;
    top: -2px;
    left: -2px;
    right: 0;
    bottom: 0;
    width: 14px;
    height: 14px;
    content: '';
    border: 1px solid #e6e6e6;
    -webkit-border-radius: 50%;
    -moz-border-radius: 50%;
    -ms-border-radius: 50%;
    border-radius: 50%; }
.owl-carousel .owl-dots .owl-dot.active {
    background: #b3b3b3; }
.owl-carousel:hover .owl-nav .owl-prev,
.owl-carousel:hover .owl-nav .owl-next {
    opacity: 1; }
.owl-carousel:hover .owl-nav .owl-prev {
    left: -25px; }
.owl-carousel:hover .owl-nav .owl-next {
    right: -25px; }

.owl-custom-nav {
    float: right;
    position: relative;
    z-index: 10;
    border: 1px solid red; }
.owl-custom-nav .owl-custom-prev,
.owl-custom-nav .owl-custom-next {

```

```

padding: 10px;
font-size: 30px;
background: #ccc;
line-height: 0;
width: 60px;
text-align: center;
display: inline-block; }

.owl-carousel.owl-drag .owl-item {
  -ms-touch-action: pan-y;
  touch-action: pan-y; }

.bg-light {
  background: #f5f4f0 !important; }

.bg-primary {
  background: #b7472a; }

.btn {
  cursor: pointer;
  -webkit-border-radius: 3px;
  -moz-border-radius: 3px;
  -ms-border-radius: 3px;
  border-radius: 3px;
  -webkit-box-shadow: none !important;
  box-shadow: none !important;
  font-size: 15px;
  font-weight: 500; }
.btn:hover, .btn:active, .btn:focus {
  outline: none; }
.btn.btn-primary {
  background: #b7472a !important;
  border: 1px solid #b7472a !important;
  color: #fff !important; }
.btn.btn-primary:hover {
  border: 1px solid #b7472a;
  background: transparent;
  color: #b7472a; }
.btn.btn-primary.btn-outline-primary {
  border: 1px solid #b7472a;
  background: transparent;
  color: #b7472a; }
.btn.btn-primary.btn-outline-primary:hover {
  border: 1px solid transparent;
  background: #b7472a;
  color: #fff; }
.btn.btn-white {
  background: #fff !important;

```

```

border: 1px solid #fff !important;
color: #000000 !important; }
.btn.btn-white:hover {
  border: 1px solid #b7472a;
  background: transparent;
  color: #b7472a; }
.btn.btn-white.btn-outline-white {
  border: 1px solid white !important;
  background: transparent !important;
  color: #fff !important; }
  .btn.btn-white.btn-outline-white:hover {
    border: 1px solid #b7472a !important;
    background: #b7472a !important;
    color: #fff !important; }

.ftco-intro {
  background: #b7472a; }
.ftco-intro .intro {
  z-index: 0;
  position: relative; }

.intro {
  width: 100%;
  background: #b7472a;
  padding: 30px; }
.intro.color-1 {
  background: #ab4227; }
.intro.color-2 {
  background: #a23f25; }
.intro .icon {
  margin-right: 20px; }
  .intro .icon span {
    font-size: 60px;
    color: #fff; }
.intro .text {
  color: rgba(255, 255, 255, 0.8); }
  .intro .text h2 {
    font-size: 18px;
    font-weight: 500;
    text-transform: uppercase;
    color: #fff; }

.product {
  width: 100%;
  display: block;
  margin-bottom: 40px;
  -moz-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;

```

```

-webkit-transition: all 0.3s ease;
-ms-transition: all 0.3s ease;
transition: all 0.3s ease; }
.product .img {
  display: block;
  border-radius: 4px;
  height: 350px;
  position: relative;
  -moz-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;
  -webkit-transition: all 0.3s ease;
  -ms-transition: all 0.3s ease;
  transition: all 0.3s ease;
  z-index: 0; }
.product .img:after {
  z-index: -1;
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  content: '';
  background: #000000;
  opacity: 0;
  border-radius: 4px;
  -moz-transition: all 0.6s ease;
  -o-transition: all 0.6s ease;
  -webkit-transition: all 0.6s ease;
  -ms-transition: all 0.6s ease;
  transition: all 0.6s ease; }
.product .img .desc {
  -moz-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;
  -webkit-transition: all 0.3s ease;
  -ms-transition: all 0.3s ease;
  transition: all 0.3s ease;
  opacity: 0; }
.product .img .desc .meta-prod a {
  margin: 0 2px;
  width: 60px;
  height: 60px;
  border: 1px solid rgba(255, 255, 255, 0.5); }
  .product .img .desc .meta-prod a span {
    color: #fff; }
.product .text {
  padding: 20px;
  position: relative; }
.product .text .sale, .product .text .seller, .product .text .new {

```

```

    position: absolute;
    top: 0;
    left: 4px;
    font-size: 12px;
    padding: 0 10px;
    color: #fff; }
.product .text .sale {
    background: #b7472a; }
.product .text .seller {
    background: #fe9801; }
.product .text .new {
    background: #01d28e; }
.product .text h2 {
    font-size: 22px;
    text-transform: capitalize;
    font-weight: 300; }
.product .text .category {
    font-style: italic;
    color: #b7472a; }
.product .text .price {
    font-style: italic;
    color: #000000; }
    .product .text .price.price-sale {
        color: #cccccc;
        text-decoration: line-through; }
.product:hover {
    -webkit-box-shadow: 0px 10px 27px -21px rgba(0, 0, 0, 0.2);
    -moz-box-shadow: 0px 10px 27px -21px rgba(0, 0, 0, 0.2);
    box-shadow: 0px 10px 27px -21px rgba(0, 0, 0, 0.2); }
    .product:hover .img:after {
        opacity: .7; }
    .product:hover .img .desc {
        opacity: 1; }

.product-select {
    font-size: 18px; }

.bootstrap-select .bs-ok-default:after {
    color: #b7472a;
    font-size: 12px;
    margin-top: 5px; }

.prod-img-bg {
    background: #fff;
    -webkit-box-shadow: inset 0px 0px 101px 21px rgba(0, 0, 0, 0.09);
    -moz-box-shadow: inset 0px 0px 101px 21px rgba(0, 0, 0, 0.09);
    box-shadow: inset 0px 0px 101px 21px rgba(0, 0, 0, 0.09);
    height: 100%;

```

```

display: block; }

.product-details h3 {
  font-size: 30px;
  font-weight: 400; }

.product-details .price span {
  font-size: 30px;
  color: #000000; }

.product-details button i {
  color: #000000; }

.product-details .quantity-left-minus {
  background: transparent;
  padding: 0 15px; }

.product-details .quantity-right-plus {
  background: transparent;
  padding: 0 15px; }

.product-details button, .product-details .form-control {
  height: 40px !important;
  text-align: center;
  border: 1px solid rgba(0, 0, 0, 0.1) !important;
  color: #b7472a;
  padding: 10px 20px;
  background: transparent !important;
  -webkit-border-radius: 0;
  -moz-border-radius: 0;
  -ms-border-radius: 0;
  border-radius: 0;
  font-size: 14px; }
.product-details button:hover, .product-details button:focus, .product-
details .form-control:hover, .product-details .form-control:focus {
  text-decoration: none;
  outline: none; }

.product-details .form-group {
  position: relative; }
.product-details .form-group .form-control {
  padding-right: 40px;
  color: #000000;
  background: transparent !important; }
.product-details .form-group .form-control::-webkit-input-placeholder {
  /* Chrome/Opera/Safari */
  color: #4d4d4d; }
.product-details .form-group .form-control::-moz-placeholder {

```



```

    /* Firefox 19+ */
    color: #4d4d4d; }
.product-details .form-group .form-control:-ms-input-placeholder {
    /* IE 10+ */
    color: #4d4d4d; }
.product-details .form-group .form-control:-moz-placeholder {
    /* Firefox 18- */
    color: #4d4d4d; }
.product-details .form-group .icon {
    position: absolute;
    top: 50%;
    right: 20px;
    font-size: 14px;
    -webkit-transform: translateY(-50%);
    -ms-transform: translateY(-50%);
    transform: translateY(-50%);
    color: #000000; }
.product-details .form-group .icon span {
    color: #000000; }
@media (max-width: 767.98px) {
    .product-details .form-group .icon {
        right: 10px; } }
.product-details .form-group .select-wrap {
    position: relative; }
.product-details .form-group .select-wrap select {
    font-size: 13px;
    -webkit-appearance: none;
    -moz-appearance: none;
    appearance: none;
    text-transform: uppercase;
    letter-spacing: 2px; }

.nav-pills {
    width: 100%;
    display: block; }
.nav-pills p {
    margin-bottom: 0; }
.nav-pills .nav-link {
    padding: 20px 30px !important;
    border-radius: 0;
    margin-bottom: 0;
    color: #000000;
    font-size: 22px;
    font-weight: 700;
    position: relative;
    border: 1px solid transparent;
    background: rgba(0, 0, 0, 0.05);
    -webkit-border-radius: 0;

```

```

-moz-border-radius: 0;
-ms-border-radius: 0;
border-radius: 0; }
.nav-pills .nav-link:after {
  position: absolute;
  bottom: -10px;
  left: 0;
  right: 0;
  width: 0;
  content: '';
  height: 0;
  margin: 0 auto;
  border-style: solid;
  border-width: 10px 10px 0 10px;
  border-color: #b7472a transparent transparent transparent;
  opacity: 0; }
.nav-pills .nav-link span {
  display: block;
  font-size: 14px; }
@media (max-width: 991.98px) {
  .nav-pills .nav-link {
    width: 100%; } }
.nav-pills .nav-link:hover {
  background: #a23f25;
  color: #fff; }
.nav-pills .nav-link.active {
  color: #fff;
  -moz-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;
  -webkit-transition: all 0.3s ease;
  -ms-transition: all 0.3s ease;
  transition: all 0.3s ease;
  border: 1px solid transparent;
  background: #b7472a; }
.nav-pills .nav-link.active:after {
  opacity: 1; }
@media (max-width: 767.98px) {
  .nav-pills .nav-link.active:after {
    opacity: 0; } }
@media (max-width: 767.98px) {
  .nav-pills .nav-link {
    display: block;
    margin-bottom: 5px; } }

.tab-content {
  -webkit-border-radius: 0;
  -moz-border-radius: 0;
  -ms-border-radius: 0;

```

```

border-radius: 0;
margin-top: 15px; }

.review {
width: 100%;
margin-bottom: 30px;
display: block;
float: left; }
.review .user-img {
width: 80px;
height: 80px;
-webkit-border-radius: 50%;
-moz-border-radius: 50%;
-ms-border-radius: 50%;
border-radius: 50%;
float: left; }
.review .desc {
width: calc(100% - 100px);
float: right; }
.review .desc h4 {
width: 100%;
margin-bottom: 10px; }
.review .desc h4 span {
width: 49%;
display: inline-block; }
.review .desc h4 span:first-child {
font-size: 18px;
font-weight: 400; }
.review .desc h4 span:last-child {
font-size: 14px;
color: #b3b3b3;
font-style: italic; }
.review .desc .star {
width: 100%; }
.review .desc .star span {
width: 49%;
display: inline-block; }
.review .desc .star i {
color: #b7472a;
font-size: 14px; }
.review .desc .star .reply {
padding: 2px 10px;
background: #f0f0f0;
-webkit-border-radius: 2px;
-moz-border-radius: 2px;
-ms-border-radius: 2px;
border-radius: 2px; }
.review .desc .star .reply i {

```

```

        color: gray;
        font-size: 12px; }

.rating-wrap {
    width: 100%;
    display: block; }
    .rating-wrap .star {
        display: block;
        width: 100%; }
        .rating-wrap .star span {
            display: inline-block;
            color: #b3b3b3; }
            .rating-wrap .star span i {
                color: #b7472a;
                font-size: 14px; }
            .rating-wrap .star span:first-child {
                width: 62%; }
            .rating-wrap .star span:last-child {
                width: 32%; }

.table-wrap {
    overflow-x: scroll; }

.table {
    min-width: 1000px !important;
    width: 100%;
    background: #fff;
    -webkit-box-shadow: 0px 5px 12px -12px rgba(0, 0, 0, 0.29);
    -moz-box-shadow: 0px 5px 12px -12px rgba(0, 0, 0, 0.29);
    box-shadow: 0px 5px 12px -12px rgba(0, 0, 0, 0.29); }
    .table thead.thead-primary {
        background: #b7472a;
        border-radius: 4px; }
    .table thead th {
        border: none;
        padding: 30px;
        font-size: 20px;
        font-weight: 500;
        color: white; }
    .table tbody tr {
        margin-bottom: 10px; }
    .table tbody th, .table tbody td {
        border: none;
        padding: 30px;
        background: #fff;
        border-bottom: 4px solid #f8f9fd;
        vertical-align: middle; }
    .table tbody td.quantity {

```

```

        width: 10%; }
.table tbody td .img {
    width: 70px;
    height: 80px; }
.table tbody td .email span {
    display: block; }
    .table tbody td .email span:first-child {
        font-weight: 500;
        font-size: 20px;
        color: #000000; }
    .table tbody td .email span:last-child {
        color: rgba(0, 0, 0, 0.3); }
.table tbody td .close span {
    font-size: 12px;
    color: #dc3545; }

.checkbox-wrap {
    display: block;
    position: relative;
    cursor: pointer;
    font-size: 16px;
    font-weight: 500;
    -webkit-user-select: none;
    -moz-user-select: none;
    -ms-user-select: none;
    user-select: none; }

/* Hide the browser's default checkbox */
.checkbox-wrap input {
    position: absolute;
    opacity: 0;
    cursor: pointer;
    height: 0;
    width: 0; }

/* Create a custom checkbox */
.checkmark {
    position: absolute;
    top: 0;
    left: 0; }

/* Create the checkmark/indicator (hidden when not checked) */
.checkmark:after {
    content: "\f0c8";
    font-family: "FontAwesome";
    position: absolute;
    color: rgba(0, 0, 0, 0.1);
    font-size: 20px;

```

```

margin-top: -14px;
-moz-transition: all 0.3s ease;
-o-transition: all 0.3s ease;
-webkit-transition: all 0.3s ease;
-ms-transition: all 0.3s ease;
transition: all 0.3s ease; }

/* Show the checkmark when checked */
.checkbox-wrap input:checked ~ .checkmark:after {
  display: block;
  content: "\f14a";
  font-family: "FontAwesome";
  color: rgba(0, 0, 0, 0.2); }

/* Style the checkmark/indicator */
.checkbox-primary {
  color: #b7472a; }
.checkbox-primary input:checked ~ .checkmark:after {
  color: #b7472a; }

.cart-wrap .btn-primary {
  display: block;
  width: 100%; }

.cart-total {
  width: 100%;
  display: block;
  border: 1px solid rgba(0, 0, 0, 0.05);
  padding: 20px; }
.cart-total h3 {
  font-size: 24px;
  margin-bottom: 20px;
  font-weight: 500; }
.cart-total p {
  width: 100%;
  display: block; }
  .cart-total p span {
    display: block;
    width: 50%; }
  .cart-total p.total-price span {
    text-transform: uppercase; }
  .cart-total p.total-price span:last-child {
    color: #000000;
    font-weight: 600; }
.cart-total hr {
  background: rgba(255, 255, 255, 0.1); }

.billing-heading {

```

```

font-size: 24px;
font-weight: 500; }

.billing-form .form-group {
  position: relative; }

.billing-form label {
  color: #000000;
  font-size: 18px;
  font-weight: 500; }

.billing-form .icon {
  position: absolute;
  top: 50% !important;
  right: 15px;
  font-size: 14px;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  transform: translateY(-50%); }
.billing-form .icon span {
  color: black !important; }

.billing-form .select-wrap, .billing-form .input-wrap {
  position: relative; }
.billing-form .select-wrap select, .billing-form .input-wrap select {
  -webkit-appearance: none;
  -moz-appearance: none;
  appearance: none; }

.billing-form .form-control {
  font-weight: 300;
  border: transparent !important;
  border: 1px solid rgba(0, 0, 0, 0.1) !important;
  height: 58px !important;
  padding-left: 15px;
  padding-right: 15px;
  background: transparent !important;
  color: rgba(0, 0, 0, 0.4) !important;
  font-size: 14px;
  border-radius: 0px;
  -webkit-box-shadow: none !important;
  box-shadow: none !important; }
.billing-form .form-control::-webkit-input-placeholder {
  /* Chrome/Opera/Safari */
  color: rgba(0, 0, 0, 0.4); }
.billing-form .form-control::-moz-placeholder {
  /* Firefox 19+ */
  color: rgba(0, 0, 0, 0.4); }

```

```

.billing-form .form-control:-ms-input-placeholder {
  /* IE 10+ */
  color: rgba(0, 0, 0, 0.4); }
.billing-form .form-control:-moz-placeholder {
  /* Firefox 18- */
  color: rgba(0, 0, 0, 0.4); }
.billing-form .form-control:focus, .billing-form .form-control:active {
  border-color: #b7472a !important; }

.billing-form textarea.form-control {
  height: inherit !important; }

.cart-detail {
  width: 100%;
  display: block;
  border: 1px solid rgba(0, 0, 0, 0.05); }
.cart-detail .btn-primary {
  display: block;
  width: 100%; }

.form-control {
  height: 52px !important;
  background: #fff !important;
  color: #000000 !important;
  font-size: 18px;
  border-radius: 5px;
  -webkit-box-shadow: none !important;
  box-shadow: none !important; }
.form-control:focus, .form-control:active {
  border-color: #000000; }

textarea.form-control {
  height: inherit !important; }

.ftco-animate {
  opacity: 0;
  visibility: hidden; }

.bg-primary {
  background: #b7472a !important; }

.bg-black {
  background: #000000; }

@media (max-width: 767.98px) {
  .img-3 {
    height: 400px; } }

```



```

.wrap-about .year {
  font-size: 30px;
  color: #000000; }
.wrap-about .year strong {
  font-style: italic;
  color: #b7472a; }

@media (max-width: 991.98px) {
  .sort {
    margin-bottom: 30px; } }

.sort .img {
  width: 130px;
  height: 130px;
  border-radius: 50%;
  margin: 0 auto;
  margin-bottom: 20px;
  position: relative;
  z-index: 0; }
.sort .img:after {
  position: absolute;
  top: -10px;
  left: -10px;
  right: -10px;
  bottom: -10px;
  content: '';
  border: 1px solid #b7472a;
  z-index: -1;
  border-radius: 50%;
  -moz-transition: all 0.6s ease;
  -o-transition: all 0.6s ease;
  -webkit-transition: all 0.6s ease;
  -ms-transition: all 0.6s ease;
  transition: all 0.6s ease; }
.sort .img:hover:after {
  top: 10px;
  left: 10px;
  right: 10px;
  bottom: 10px;
  border-color: rgba(255, 255, 255, 0.3);
  background: rgba(255, 255, 255, 0.4); }

.sort h3 {
  font-size: 22px;
  font-weight: 300; }

.about-author .desc h3 {
  font-size: 24px; }

```

```

.ftco-section {
  padding: 6em 0;
  position: relative; }
@media (max-width: 767.98px) {
  .ftco-section {
    padding: 6em 0; } }

.ftco-no-pt {
  padding-top: 0; }

.ftco-no-pb {
  padding-bottom: 0; }

.ftco-footer {
  font-size: 16px;
  padding: 6em 0 0 0;
  background: #1a1a1a;
  color: rgba(255, 255, 255, 0.7); }
.ftco-footer .logo {
  text-transform: uppercase; }
.ftco-footer .logo a {
  position: relative; }
.ftco-footer .logo a span {
  color: rgba(255, 255, 255, 0.3); }
.ftco-footer .ftco-footer-widget h2 {
  font-weight: normal;
  color: rgba(255, 255, 255, 0.8);
  margin-bottom: 30px;
  font-size: 20px;
  font-weight: 400; }
.ftco-footer .ftco-footer-widget ul li {
  margin-bottom: 10px; }
.ftco-footer .ftco-footer-widget ul li a {
  color: rgba(255, 255, 255, 0.5); }
.ftco-footer .ftco-footer-widget ul li a span {
  color: rgba(255, 255, 255, 0.5);
  font-size: 14px; }
.ftco-footer .ftco-footer-widget .btn-primary {
  background: #fff !important;
  border: 2px solid #fff !important; }
.ftco-footer .ftco-footer-widget .btn-primary:hover {
  background: #fff;
  border: 2px solid #fff !important; }
.ftco-footer p {
  color: rgba(255, 255, 255, 0.9); }
.ftco-footer a {
  color: #fff; }

```

```

.ftco-footer a:hover {
  color: #b7472a; }

.ftco-footer-social li {
  list-style: none;
  margin: 0 10px 0 0;
  display: inline-block; }
.ftco-footer-social li a {
  height: 50px;
  width: 50px;
  display: block;
  float: left;
  background: #b7472a;
  border-radius: 50%;
  position: relative; }
.ftco-footer-social li a span {
  position: absolute;
  font-size: 18px;
  top: 50%;
  left: 50%;
  -webkit-transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  transform: translate(-50%, -50%); }
.ftco-footer-social li a:hover {
  color: #fff; }

.footer-small-nav > li {
  display: inline-block; }
.footer-small-nav > li a {
  margin: 0 10px 10px 0; }
.footer-small-nav > li a:hover, .footer-small-nav > li a:focus {
  color: #b7472a; }

.media .ftco-icon {
  width: 100px; }
.media .ftco-icon span {
  color: #b7472a; }

.ftco-media {
  background: #fff;
  border-radius: 0px; }
.ftco-media .heading {
  font-weight: normal; }
.ftco-media.ftco-media-shadow {
  padding: 40px;
  background: #fff;
  -webkit-box-shadow: 0 10px 50px -15px rgba(0, 0, 0, 0.3);
  box-shadow: 0 10px 50px -15px rgba(0, 0, 0, 0.3);

```

```

    -webkit-transition: .2s all ease;
    -o-transition: .2s all ease;
    transition: .2s all ease;
    position: relative;
    top: 0; }
    .ftco-media.ftco-media-shadow:hover, .ftco-media.ftco-media-shadow:focus {
        top: -3px;
        -webkit-box-shadow: 0 10px 70px -15px rgba(0, 0, 0, 0.3);
        box-shadow: 0 10px 70px -15px rgba(0, 0, 0, 0.3); }
    .ftco-media .icon {
        font-size: 50px;
        display: block;
        color: #b7472a; }
    .ftco-media.text-center .ftco-icon {
        margin: 0 auto; }

.heading-section .subheading {
    font-size: 18px;
    display: inline-block;
    margin-bottom: 0;
    color: #b7472a;
    font-size: 16px;
    font-weight: 400;
    font-style: italic;
    position: relative; }

.heading-section h2 {
    font-size: 40px;
    font-weight: 700; }
@media (max-width: 767.98px) {
    .heading-section h2 {
        font-size: 28px; } }

.heading-section.heading-section-white .subheading {
    color: rgba(255, 255, 255, 0.9); }

.heading-section.heading-section-white h2 {
    font-size: 40px;
    color: #fff; }

.heading-section.heading-section-white p {
    color: rgba(255, 255, 255, 0.9); }

.img,
.img-2,
.blog-img,
.user-img {
    background-size: cover;

```

```

background-repeat: no-repeat;
background-position: center center; }

.testimony-section {
  position: relative;
  z-index: 0;
  background-position: center center !important;
  position: relative;
  background-attachment: fixed; }
.testimony-section .img-bg {
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  content: ''; }
.testimony-section .overlay {
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  content: '';
  background: #000000;
  opacity: .7; }
.testimony-section .owl-carousel {
  margin: 0; }
.testimony-section .owl-carousel .owl-stage-outer {
  padding: 1.5em 0 2em 0;
  position: relative; }
.testimony-section .owl-nav {
  position: absolute;
  top: 100%;
  width: 100%; }
.testimony-section .owl-nav .owl-prev,
.testimony-section .owl-nav .owl-next {
  position: absolute;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  transform: translateY(-50%);
  margin-top: -10px;
  outline: none !important;
  -moz-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;
  -webkit-transition: all 0.3s ease;
  -ms-transition: all 0.3s ease;
  transition: all 0.3s ease;
  opacity: 0; }

```

```

.testimony-section .owl-nav .owl-prev span:before,
.testimony-section .owl-nav .owl-next span:before {
  font-size: 30px;
  color: rgba(0, 0, 0, 0.5);
  -moz-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;
  -webkit-transition: all 0.3s ease;
  -ms-transition: all 0.3s ease;
  transition: all 0.3s ease; }
.testimony-section .owl-nav .owl-prev:hover span:before, .testimony-
section .owl-nav .owl-prev:focus span:before,
.testimony-section .owl-nav .owl-next:hover span:before,
.testimony-section .owl-nav .owl-next:focus span:before {
  color: #fff; }
.testimony-section .owl-nav .owl-prev {
  left: 50%;
  margin-left: -80px; }
.testimony-section .owl-nav .owl-next {
  right: 50%;
  margin-right: -80px; }
.testimony-section:hover .owl-nav .owl-prev,
.testimony-section:hover .owl-nav .owl-next {
  opacity: 1; }
.testimony-section:hover .owl-nav .owl-prev {
  left: 50%;
  margin-left: -80px; }
.testimony-section:hover .owl-nav .owl-next {
  right: 50%;
  margin-right: -80px; }
.testimony-section .owl-dots {
  text-align: center; }
.testimony-section .owl-dots .owl-dot {
  width: 10px;
  height: 10px;
  margin: 5px;
  border-radius: 50%;
  background: rgba(0, 0, 0, 0.1); }
.testimony-section .owl-dots .owl-dot.active {
  background: #b7472a; }

.testimony-wrap {
  display: block;
  position: relative;
  border: 1px solid rgba(255, 255, 255, 0.2);
  padding: 0 20px;
  border-radius: 4px;
  color: rgba(255, 255, 255, 0.7);
  -webkit-box-shadow: 0px 30px 33px -41px rgba(0, 0, 0, 0.24);

```

```

-moz-box-shadow: 0px 30px 33px -41px rgba(0, 0, 0, 0.24);
box-shadow: 0px 30px 33px -41px rgba(0, 0, 0, 0.24); }
.testimony-wrap .text p {
  font-style: italic; }
.testimony-wrap .icon {
  position: absolute;
  top: -20px;
  left: 20px;
  width: 40px;
  height: 40px;
  border-radius: 50%;
  background: #b7472a; }
.testimony-wrap .icon span {
  color: #fff; }
.testimony-wrap .user-img {
  width: 80px;
  height: 80px;
  position: relative;
  -webkit-border-radius: 50%;
  -moz-border-radius: 50%;
  -ms-border-radius: 50%;
  border-radius: 50%; }
.testimony-wrap .name {
  font-weight: 400;
  font-size: 20px;
  margin-bottom: 0;
  color: #fff;
  font-style: normal !important; }
.testimony-wrap .position {
  font-size: 16px;
  color: rgba(255, 255, 255, 0.7); }

@media (max-width: 767.98px) {
  .about-image {
    height: 400px;
    margin-bottom: 30px; } }

.image-popup {
  cursor: zoom-in; }

.mfp-with-zoom .mfp-container,
.mfp-with-zoom.mfp-bg {
  opacity: 0;
  -webkit-backface-visibility: hidden;
  -webkit-transition: all 0.3s ease-out;
  -moz-transition: all 0.3s ease-out;
  -o-transition: all 0.3s ease-out;
  transition: all 0.3s ease-out; }

```

```

.mfp-with-zoom.mfp-ready .mfp-container {
  opacity: 1; }

.mfp-with-zoom.mfp-ready.mfp-bg {
  opacity: 0.8; }

.mfp-with-zoom.mfp-removing .mfp-container,
.mfp-with-zoom.mfp-removing.mfp-bg {
  opacity: 0; }

#section-counter {
  position: relative;
  z-index: 0; }
#section-counter:after {
  position: absolute;
  top: 0;
  left: 0;
  bottom: 0;
  right: 0;
  content: '';
  z-index: -1;
  opacity: 0;
  background: #000000; }

.ftco-counter {
  position: relative;
  z-index: 0; }
.ftco-counter .overlay {
  position: absolute;
  width: 27%;
  top: 0;
  left: 0;
  bottom: 0;
  content: '';
  opacity: 0;
  background: #b7472a;
  z-index: -1; }
@media (min-width: 992px) {
  .ftco-counter .overlay {
    opacity: .3; } }
.ftco-counter .block-18 {
  text-align: center;
  padding: 0 20px; }
.ftco-counter .text strong.number {
  font-weight: 500;
  font-size: 40px;
  color: #b7472a;

```



```

    font-style: italic; }
.ftco-counter .text span {
  display: block;
  font-size: 16px;
  font-weight: 500;
  color: rgba(0, 0, 0, 0.8);
  margin-bottom: 10px;
  line-height: 1.2;
  margin-bottom: 0;
  text-transform: uppercase; }
@media (max-width: 767.98px) {
  .ftco-counter .counter-wrap {
    margin-bottom: 20px; } }

.block-20 {
  overflow: hidden;
  background-size: cover;
  background-repeat: no-repeat;
  background-position: center center;
  position: relative;
  display: block;
  width: 100%;
  z-index: -1; }

.blog-entry {
  overflow: hidden;
  width: 100%;
  position: relative;
  z-index: 0; }
@media (min-width: 768px) {
  .blog-entry {
    margin-bottom: 30px; } }
@media (max-width: 767.98px) {
  .blog-entry {
    margin-bottom: 30px; } }
.blog-entry .img, .blog-entry .text {
  width: 50%; }
@media (max-width: 991.98px) {
  .blog-entry .img, .blog-entry .text {
    width: 100%; } }
@media (max-width: 767.98px) {
  .blog-entry .img {
    height: 300px; } }
.blog-entry .text {
  position: relative;
  margin: 0 auto;
  z-index: 0; }
.blog-entry .text .heading {

```

```

    font-size: 22px;
    margin-bottom: 0;
    font-weight: 500;
    font-style: italic; }
    .blog-entry .text .heading a {
        color: #000000; }
        .blog-entry .text .heading a:hover, .blog-
entry .text .heading a:focus, .blog-entry .text .heading a:active {
            color: #b7472a; }
    .blog-entry .meta p span {
        padding-right: 10px; }
    .blog-entry .btn-custom {
        color: #b7472a;
        font-style: italic;
        font-weight: 700; }
    .blog-entry .btn-custom span {
        font-size: 12px; }

.block-23 ul {
    padding: 0; }
    .block-23 ul li {
        color: rgba(255, 255, 255, 0.8); }
        .block-23 ul li, .block-23 ul li > a {
            display: table;
            line-height: 1.5;
            margin-bottom: 15px; }
        .block-23 ul li span {
            color: rgba(255, 255, 255, 0.8); }
        .block-23 ul li .icon, .block-23 ul li .text {
            display: table-cell;
            vertical-align: top; }
        .block-23 ul li .icon {
            width: 40px;
            font-size: 18px;
            padding-top: 2px;
            color: #fff; }

.block-6 .media-body p {
    font-size: 16px; }

.block-27 ul {
    padding: 0;
    margin: 0; }
    .block-27 ul li {
        display: inline-block;
        margin-bottom: 4px;
        font-weight: 400; }
    .block-27 ul li a, .block-27 ul li span {

```

```

        color: #b7472a;
        text-align: center;
        display: inline-block;
        width: 40px;
        height: 40px;
        line-height: 40px;
        border-radius: 50%;
        border: 1px solid #e6e6e6; }
.block-27 ul li.active a, .block-27 ul li.active span {
    background: #b7472a;
    color: #fff;
    border: 1px solid transparent; }

.wrapper {
    width: 100%; }
.login_box_area .login_box_img {
    height: 350px;
    position: relative
}

@media (min-width: 1000px) {
    .login_box_area .login_box_img {
        height: 610px
    }
}

@media (min-width: 991px) {
    .login_box_area .login_box_img {
        margin-right: -30px
    }
}

.login_box_area .login_box_img img {
    width: 100%
}

.login_box_area .login_box_img:before {
    position: absolute;
    left: 0;
    top: 0;
    height: 100%;
    width: 100%;
    content: "";
    background: #384aeb;
    opacity: .9
}

.login_box_area .login_box_img .hover {

```

```

    position: absolute;
    top: 50%;
    left: 0px;
    text-align: center;
    width: 100%;
    transform: translateY(-50%)
}

.login_box_area .login_box_img .hover h4 {
    font-size: 24px;
    color: #fff;
    font-weight: 500;
    margin-bottom: 15px
}

.login_box_area .login_box_img .hover p {
    max-width: 390px;
    margin: 0px auto 28px;
    color: #fff
}

.login_box_area .login_box_img .hover .primary-btn {
    border-radius: 0px;
    line-height: 38px;
    text-transform: uppercase
}

.login_box_area .login_box_img .hover .primary-btn:hover:before {
    left: 260px
}

.login_box_area .login_box_img .button:hover {
    background: #c5322d !important;
    color: #fff !important;
    border-color: #c5322d !important
}

.login_form_inner {
    box-shadow: 0px 10px 40px 0px rgba(56, 74, 235, 0.1);
    height: 100%;
    text-align: center;
    padding: 30px 0
}

@media (min-width: 1000px) {
    .login_form_inner {
        padding-top: 115px;
        padding-bottom: 0
    }
}

```

```

    }
}

.login_form_inner h3 {
    color: #222;
    text-transform: uppercase;
    font-size: 18px;
    margin-bottom: 75px
}

.login_form_inner .login_form {
    max-width: 385px;
    margin: auto
}

.login_form_inner.reg_form {
    padding-top: 60px
}

.login_form_inner.reg_form h3 {
    margin-bottom: 70px
}

.login_form .form-group {
    margin-bottom: 22px
}

.login_form .form-group input {
    height: 40px;
    border: none;
    border-bottom: 1px solid #cccccc;
    border-radius: 0px;
    outline: none;
    box-shadow: none;
    font-size: 14px;
    color: #999999
}

.login_form .form-group input.placeholder {
    color: #999999
}

.login_form .form-group input:-moz-placeholder {
    color: #999999
}

.login_form .form-group input::-moz-placeholder {
    color: #999999
}

```

```

}

.login_form .form-group input::-webkit-input-placeholder {
    color: #999999
}

.login_form .form-group .creat_account {
    margin-top: 10px;
    font-size: 14px;
    text-align: left
}

.login_form .form-group .creat_account input {
    height: auto;
    margin-right: 10px;
    position: relative;
    top: 2px
}

.login_form .form-group .primary-btn {
    display: block;
    border-radius: 0px;
    line-height: 38px;
    width: 100%;
    text-transform: uppercase;
    border: none
}

.login_form label{
    color: #b7472a !important;
    text-transform: uppercase;
    font-size: 12px;
    font-weight: 600;
}

.login_form .form-group .primary-btn:hover:before {
    left: 370px
}

.login_form .form-group a {
    font-size: 14px;
    color: #777;
    margin-top: 20px;
    display: block
}

.contact-wrap {
    background: #fff; }

```

```

@media (max-width: 767.98px) {
  .info-wrap {
    height: 400px; } }

.dbox {
  width: 100%;
  margin-bottom: 25px; }
@media (max-width: 767.98px) {
  .dbox {
    margin-bottom: 25px !important;
    padding: 0 20px; } }
.dbox p {
  margin-bottom: 0; }
.dbox p span {
  font-weight: 500;
  color: #000000; }
.dbox p a {
  color: #b7472a; }
.dbox .icon {
  width: 100px;
  height: 100px;
  border-radius: 50%;
  background: #b7472a;
  margin: 0 auto;
  margin-bottom: 20px; }
.dbox .icon span {
  font-size: 30px;
  color: #fff; }
.dbox .text {
  width: 100%; }

.contactForm .label {
  color: #b7472a !important;
  text-transform: uppercase;
  font-size: 12px;
  font-weight: 600; }

.contactForm .form-control {
  border: none;
  border-bottom: 1px solid rgba(0, 0, 0, 0.1);
  padding: 0; }

.contactForm .form-control {
  height: 36px;
  background: #fff;
  color: rgba(0, 0, 0, 0.5);
  font-size: 14px;

```

```

border-radius: 2px;
-webkit-box-shadow: none !important;
box-shadow: none !important;
border-bottom: 1px solid rgba(0, 0, 0, 0.1); }
.contactForm .form-control::-webkit-input-placeholder {
  /* Chrome/Opera/Safari */
  color: rgba(0, 0, 0, 0.5) !important; }
.contactForm .form-control::-moz-placeholder {
  /* Firefox 19+ */
  color: rgba(0, 0, 0, 0.5) !important; }
.contactForm .form-control:-ms-input-placeholder {
  /* IE 0+ */
  color: rgba(0, 0, 0, 0.5) !important; }
.contactForm .form-control:-moz-placeholder {
  /* Firefox 18- */
  color: rgba(0, 0, 0, 0.5) !important; }
.contactForm .form-control:focus, .contactForm .form-control:active {
  border-color: #b7472a !important; }

.contactForm textarea.form-control {
  height: inherit !important; }

#map {
  width: 100%; }
@media (max-width: 767.98px) {
  #map {
    height: 300px; } }

.block-21 .blog-img {
  display: block;
  height: 70px;
  width: 70px;
  border-radius: 4px; }

.block-21 .text {
  width: calc(100% - 70px); }
.block-21 .text .heading {
  font-size: 17px;
  font-weight: 500;
  margin-bottom: 10px; }
.block-21 .text .heading a {
  color: #000000; }
.block-21 .text .heading a:hover, .block-
21 .text .heading a:active, .block-21 .text .heading a:focus {
  color: #b7472a; }
.block-21 .text .meta > div {
  display: inline-block;
  font-size: 12px;

```



```

margin-right: 5px; }
.block-21 .text .meta > div a {
    color: #b3b3b3; }

/* Blog*/
.post-info {
    font-size: 12px;
    text-transform: uppercase;
    font-weight: bold;
    color: #fff;
    letter-spacing: .1em; }
.post-info > div {
    display: inline-block; }
.post-info > div .separator {
    display: inline-block;
    margin: 0 10px;
    opacity: .5; }

.tagcloud a {
    text-transform: uppercase;
    display: inline-block;
    padding: 4px 10px;
    margin-bottom: 7px;
    margin-right: 4px;
    border-radius: 4px;
    color: #000000;
    border: 1px solid #ccc;
    font-size: 11px; }
.tagcloud a:hover {
    border: 1px solid #000; }

.comment-form-wrap {
    clear: both; }
.comment-form-wrap .form-control {
    border: transparent;
    background: white !important;
    color: rgba(0, 0, 0, 0.8) !important;
    font-size: 14px;
    font-weight: 600;
    border-radius: 5px;
    -webkit-box-shadow: none !important;
    box-shadow: none !important; }
.comment-form-wrap .form-control::-webkit-input-placeholder {
    /* Chrome/Opera/Safari */
    color: rgba(0, 0, 0, 0.8); }
.comment-form-wrap .form-control::-moz-placeholder {
    /* Firefox 19+ */
    color: rgba(0, 0, 0, 0.8); }

```

```

.comment-form-wrap .form-control:-ms-input-placeholder {
  /* IE 10+ */
  color: rgba(0, 0, 0, 0.8); }
.comment-form-wrap .form-control:-moz-placeholder {
  /* Firefox 18- */
  color: rgba(0, 0, 0, 0.8); }
.comment-form-wrap textarea.form-control {
  height: inherit !important; }

.comment-list {
  padding: 0;
  margin: 0; }
.comment-list .children {
  padding: 50px 0 0 40px;
  margin: 0;
  float: left;
  width: 100%; }
.comment-list li {
  padding: 0;
  margin: 0 0 30px 0;
  float: left;
  width: 100%;
  clear: both;
  list-style: none; }
.comment-list li .vcard {
  width: 80px;
  float: left; }
.comment-list li .vcard img {
  width: 50px;
  border-radius: 50%; }
.comment-list li .comment-body {
  float: right;
  width: calc(100% - 80px); }
.comment-list li .comment-body h3 {
  font-weight: 500;
  font-size: 20px; }
.comment-list li .comment-body .meta {
  font-size: 15px;
  color: #b7472a; }
.comment-list li .comment-body .reply {
  padding: 5px 10px;
  background: #e6e6e6;
  color: #000000;
  text-transform: uppercase;
  font-size: 11px;
  letter-spacing: .1em;
  font-weight: 400;
  border-radius: 4px; }

```

```

        .comment-list li .comment-body .reply:hover {
            color: #fff;
            background: black; }

.search-form .form-group {
    position: relative; }
.search-form .form-group input {
    padding-right: 50px;
    font-size: 14px; }

.search-form .fa {
    position: absolute;
    top: 50%;
    right: 20px;
    -webkit-transform: translateY(-50%);
    -ms-transform: translateY(-50%);
    transform: translateY(-50%); }

.sidebar-box {
    margin-bottom: 40px;
    font-size: 15px;
    width: 100%;
    background: #fff; }
.sidebar-box *:last-child {
    margin-bottom: 0; }
.sidebar-box h3 {
    font-size: 22px;
    margin-bottom: 20px;
    font-weight: 500; }

.categories li, .sidelink li {
    position: relative;
    margin-bottom: 10px;
    padding-bottom: 10px;
    border-bottom: 1px solid #dee2e6;
    list-style: none; }
.categories li:last-child, .sidelink li:last-child {
    margin-bottom: 0;
    border-bottom: none;
    padding-bottom: 0; }
.categories li a, .sidelink li a {
    display: block;
    color: #1a1a1a; }
.categories li a span, .sidelink li a span {
    position: absolute;
    right: 0;
    top: 7px;
    color: #ccc; }

```

```

    .categories li a:hover, .categories li a:focus, .sidelink li a:hover, .sidelink li a:focus {
        outline: none;
        color: #b7472a; }
    .categories li.active a, .sidelink li.active a {
        color: #b7472a; }
    .categories li.active a span, .sidelink li.active a span {
        color: #b7472a; }

#ftco-loader {
    position: fixed;
    width: 96px;
    height: 96px;
    left: 50%;
    top: 50%;
    -webkit-transform: translate(-50%, -50%);
    -ms-transform: translate(-50%, -50%);
    transform: translate(-50%, -50%);
    background-color: rgba(255, 255, 255, 0.9);
    -webkit-box-shadow: 0px 24px 64px rgba(0, 0, 0, 0.24);
    box-shadow: 0px 24px 64px rgba(0, 0, 0, 0.24);
    border-radius: 16px;
    opacity: 0;
    visibility: hidden;
    -webkit-transition: opacity .2s ease-out, visibility 0s linear .2s;
    -o-transition: opacity .2s ease-out, visibility 0s linear .2s;
    transition: opacity .2s ease-out, visibility 0s linear .2s;
    z-index: 1000; }

#ftco-loader.fullscreen {
    padding: 0;
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    -webkit-transform: none;
    -ms-transform: none;
    transform: none;
    background-color: #fff;
    border-radius: 0;
    -webkit-box-shadow: none;
    box-shadow: none; }

#ftco-loader.show {
    -webkit-transition: opacity .4s ease-out, visibility 0s linear 0s;
    -o-transition: opacity .4s ease-out, visibility 0s linear 0s;
    transition: opacity .4s ease-out, visibility 0s linear 0s;
    visibility: visible;

```

```

    opacity: 1; }

#ftco-loader .circular {
  -webkit-animation: loader-rotate 2s linear infinite;
  animation: loader-rotate 2s linear infinite;
  position: absolute;
  left: calc(50% - 24px);
  top: calc(50% - 24px);
  display: block;
  -webkit-transform: rotate(0deg);
  -ms-transform: rotate(0deg);
  transform: rotate(0deg); }

#ftco-loader .path {
  stroke-dasharray: 1, 200;
  stroke-dashoffset: 0;
  -webkit-animation: loader-dash 1.5s ease-in-out infinite;
  animation: loader-dash 1.5s ease-in-out infinite;
  stroke-linecap: round; }

#wrapper {
  overflow-x: hidden;
}

#sidebar-wrapper {
  min-height: 100vh;
  margin-left: -15rem;
  -webkit-transition: margin .25s ease-out;
  -moz-transition: margin .25s ease-out;
  -o-transition: margin .25s ease-out;
  transition: margin .25s ease-out;
}

#sidebar-wrapper .sidebar-heading {
  padding: 0.875rem 1.25rem;
  font-size: 1.2rem;
}

#sidebar-wrapper .list-group {
  width: 15rem;
}

#page-content-wrapper {
  min-width: 100vw;
}

#wrapper.toggled #sidebar-wrapper {

```

```

margin-left: 0;
}

@media (min-width: 768px) {
  #sidebar-wrapper {
    margin-left: 0;
  }

  #page-content-wrapper {
    min-width: 0;
    width: 100%;
  }

  #wrapper.toggled #sidebar-wrapper {
    margin-left: -15rem;
  }
}

@-webkit-keyframes loader-rotate {
  100% {
    -webkit-transform: rotate(360deg);
    transform: rotate(360deg); } }

@keyframes loader-rotate {
  100% {
    -webkit-transform: rotate(360deg);
    transform: rotate(360deg); } }

@-webkit-keyframes loader-dash {
  0% {
    stroke-dasharray: 1, 200;
    stroke-dashoffset: 0; }
  50% {
    stroke-dasharray: 89, 200;
    stroke-dashoffset: -35px; }
  100% {
    stroke-dasharray: 89, 200;
    stroke-dashoffset: -136px; } }

@keyframes loader-dash {
  0% {
    stroke-dasharray: 1, 200;
    stroke-dashoffset: 0; }
  50% {
    stroke-dasharray: 89, 200;
    stroke-dashoffset: -35px; }
  100% {

```

```
stroke-dasharray: 89, 200;  
stroke-dashoffset: -136px; } }
```