Odsek Visoka ICT škola, Akademija tehničko-umetničkih strukovnih studija Beograd

Dokumentacija PC Center

https://pc-center-store.000webhostapp.com/

Smer: Internet tehnologije Modul: Web programiranje 2

Predmet: Praktikum iz web programiranja PHP

Đorđe Solomun 16/19

Contents

1. Uvod	4
1.1 Korišćene tehnologije	4
1.2 Opis funkcionalnosti	4
1.3 Template	4
2. Organizacija	5
2.1 Dizajn baze podataka	5
2.2 Struktura projekta	6
2.3 Slike stranica i opis funkcionalnosti	6
2.3.1 Početna	6
2.3.2 Prodavnica	7
2.3.3 Login	8
2.3.4 Registracija	8
2.3.5 Autor	9
2.3.6 Statistika	9
2.3.7 Korpa	10
2.3.8 Admin proizvodi	10
2.3.9 Izmena proizvoda	10
2.3.10 Dodavanje proizvoda	11
2.3.11 Admin korisnici	11
2.3.12 Izmena korisnika	12
3. Kodovi	12
3.1 CSS	12
3.1.1 style.scss	12
3.2 JavaScript	13
3.2.1 main.js	13
3.3 PHP	17
3.3.1 index.php	17
3.3.2 views/fixed/head.php	18
3.3.3 views/fixed/nav.php	19
3.3.4 views/fixed/footer.php	20
3.3.5 views/pages/home.php	21
3.3.6. views/pages/shop.php	22
3.3.7 views/pages/cart.php	23
3.3.8. views/pages/author.php	25
3.3.9 views/pages/login.php	25

3.3.10 views/pages/register.php	26
3.3.11 views/admin/add-product.php	27
3.3.12. views/admin/admin-products.php	29
3.3.13 views/admin/admin-stats.php	30
3.3.14 views/admin/admin-users.php	32
3.3.15 views/admin/edit-product.php	33
3.3.16 views/admin/edit-user.php	35
3.3.17 models/functions.php	36
3.3.18 models/user/login.php	38
3.3.19 models/user/register.php	38
3.3.20 models/user/logout.php	39
3.3.21 models/product/addToCart.php	39
3.3.22 models/product/emptyCart.php	40
3.3.23 models/product/filterProducts.php	40
3.3.24 models/product/getCategories.php	41
3.3.25 models/product/getProducts.php	41
3.3.26 models/product/removeFromcart.php	41
3.3.27 models/admin/addProduct.php	42
3.3.28 models/admin/deleteProduct.php	43
3.3.29 models/admin/deleteUser.php	44
3.3.29 models/admin/editProduct.php	45
3.3.30 models/admin/editUser.php	47
3.3.31 models/export/excel.php	47
3.3.31 models/export/word.php	48
3.3.32 config/config.php	48
3 3 33 config/connection php	49

1. Uvod

1.1 Korišćene tehnologije

- HTML 5
- CSS 3
- JavaScript
- PHP
- jQuery
- Bootstrap v4.5
- Font Awesome
- XAMPP(Apache, MySQL)

Kucano u Visual Studio Code.

Sajt hostovan na 000webhost.

1.2 Opis funkcionalnosti


- Sajt je responsive i prilagođen prikazu na svim ekranima.
- Navigacioni meni je responsive, na manjim rezolucijama se prikazuje hamburger ikonica na koju se klikne da bi se meni proširio. Realizovano bootstrapom.
- Prodavnica sa proizvodima koji se dinamički ispisuju iz baze, dohvaćeni AJAX-om i ispisani JavaScript-om.
- Elementi za filtriranje po kategoriji dinamički ispisani sa podacima iz baze.
- Sortiranje, filtriranje i pretraga proizvoda urađeni sa serverske strane, vraćeni AJAX-om i ispisani JavaScirpt-om.
- Registracija korisnika, validacija forme urađena JavaScript-om.
- Login korisnika.
- Dodavanje proizvoda u korpu za ulogovane korisnike.
- Korpa dinamički ispisana iz baze, mogućnost smanjivanja i povećavanja količine, shodno tome menja se i cena tog proizvoda i ukupna cena svih proizvoda u korpi.
- Upisivanje logovanja korisnika u user-log fajl.
- Upisivanje poseta stranicama u page-log fajl
- Admin panel sa statistikom o posetama, dodavanje i menjanje proizvoda i korisnika.
- Admin stranicama može da se pristupi samo ako je ulogovan admin, u suprotnom dolazi do redirekcije. Do redirekcije dolazi i ako pokuša da se pristupi stranici korpa a niko nije ulogovan.
- Eksportovanje kategorija u vidu Excel fajla, na stranici o autoru.
- Eksportovanje informacija o autoru u vidu Word fajla, na stranici o autoru.

1.3 Template


Nije korišćen gotov template. Iskorišćen je projekat za drugi predmet prilagođen potrebama ovog predmeta.

2. Organizacija

2.1 Dizajn baze podataka




2.2 Struktura projekta



2.3 Slike stranica i opis funkcionalnosti


2.3.1 Početna

Na ovoj stranici nema posebnih funkcionalnosti, navigacioni meni se, kao i na ostalim stranicama, menja na osnovu toga da li je ulogovan korisnik ili admin. Pored dugmeta za odjavljivanje piše emai trenutno ulogovanog korisnika. Link u navigacionom meniju postaje aktivan u zavisnosti od toga na kojoj stranici se korisnik nalazi. Ovo je prikaz kada niko nije ulogovan.



2.3.2 Prodavnica

Inicijalni prikaz proizvoda iz baze, dohvaćeni su AJAX-om. Sa strane su opcije za filtriranje, sortiranje i pretragu koji se vrše na serverskoj strani, vraćaju proizvode AJAX-om i ispisuju se. Ispisuje se broj dohvaćenih proizvoda.




Ukoliko nema proizvoda koji odgovaraju pretrazi ispisuje se adekvatna poruka.

Moguće je dodavanje u korpu samo ako je korisnik ulogovan i ako nije ulogovan admin, ispisuje se poruka o uspešnom dodavanju. U slučaju da niko nije ulogovan ili da je ulogovan admin ispisuje se adekvatna poruka. Poruka sama nestaje nakon 3 sekunde.

2.3.3 Login

Stranica sa formom za logovanje. Ako se prosledi prazan mejl, prazna lozinka ili kombinacija mejla i lozinke koji ne postoje u bazi ispisuju se adekvatne poruke o grešci. Ove provere urađene su na serverskoj strani. U slučaju uspešnog logovanja korisnik se vraća na početnu stranicu, a admin na stranicu sa statistikom.



2.3.4 Registracija

Stranica sa formom za registraciju, forma je validirana JavaScript-om, ukoliko email nije u pravilnoj formi ili je prazan ili je lozinka kraća od 7 karaktera ispisuju se adekvatne greške i forma neće biti prosleđena. Ukoliko je email već u upotrebi korisnik se obaveštava o tome. Ako su svi podaci u redu forma je prosleđena i ako je upis novog korisnika u bazu uspešan ispisuje se poruka o tome i da korisnik pređe na login stranicu da se uloguje.




2.3.5 Autor

Na ovoj stranici se nalaze osnovne informacije o autoru, dugme za export podataka o autoru u Word fajl i dugme za export podataka o kategorijama u Excel fajl. Nema drugih funkcionalnosti.



2.3.6 Statistika


Prikaz posećenosti stranica u poslednja 24h u procentima. Prikaz koji korisnici su se logovali u poslednja 24h.



2.3.7 Korpa


2.3.8 Admin proizvodi

Prikaz svih proizvoda i njihovih informacija. Ovde se prikazuje umanjena thumbnail slika proizvoda. Link koji vodi na stranicu za dodavanje novog proizvoda. Link koji vodi na stranicu za izmenu određenog proizvoda. Link za brisanje određenog proizvoda. Ako dođe do greške prilikom brisanja biće ispisana poruka, takođe se ispisuju poruke ako se proizvod uspešno doda ili izmeni.




2.3.9 Izmena proizvoda

Forma za izmenu proizvoda, polja za ime, cenu i kategoriju su već popunjena podacima o prosleđenom proizvodu. Ispis adekvatne poruke o grešci ako se prosledi prazno ime, cena koja je 0, prazna ili tekst, ako se prosledi slika koja nije jpg,jpeg ili png, ako je slika veća od 3MB. Slika ne mora da se prosledi da bi se izvršila promena. Ako se slika prosledi biće napravljena i umanjena verzija slike, obe će se sačuvati na serveru i upisati u bazu. Ako je izmena uspešna redirekcija na admin stranu za pregled proizvoda uz poruku da je proizvod izmenjen.




2.3.10 Dodavanje proizvoda

Stranica sa formom za dodavanje proizvoda. Sva polja su obavezna, cena ne sme biti 0, prazna ili tekst, slika ne sme biti veća od 3MB i ekstenzija mora biti jpg,jpeg ili png. Ispis adekvatnih poruka u slučaju greške ili ako se pošalju neispravni podaci. U slučaju uspešnog dodavanja pravi se umanjena verzija slike, obe se čuvaju na serveru i upisuju u bazu. Ako je upisivanje u bazu uspešno redirekcija na admin pregled proizvoda uz poruku o uspešnom dodavanju.




2.3.11 Admin korisnici

Prikaz svih korisnika i njihovih podataka. Link za izmenu određenog korisnika, link za brisanje određenog korisnika. U slučaju uspešnog brisanja ili izmene ispisuje se poruka o tome, isto tako u slučaju greške pri brisanju ili izmeni ispisuje se poruka.



2.3.12 Izmena korisnika

Stranica sa formom za izmenu korisnika, email je već popunjen email-om prosleđenog korisnika. Važe ista pravila kao prilikom registracije email mora biti u ispravnoj formi i lozinka mora imati bar 7 karaktera. Ispis adekvatne poruke u slučaju greške. Ako je izmena uspešna redirekcija na admin prikaz korisnika.



3. Kodovi

3.1 CSS

3.1.1 style.scss

```
*{
    padding:0;
    margin:0;
}
.carousel-caption{
```

```
background-color: rgba(255,255,255,0.8);
.card{
    border:0px solid black!important;
    background-color: transparent;
    width: inherit!important;
    &:hover{
        box-shadow: 0px 0px 7px #778899;
        transition:0.5s;
    }
ul{
    list-style-type: none;
footer p{
    margin-bottom: 0rem!important;
footer ul li a{
   color:#fff;
    &:hover{
        color:#fff;
    }
.prostor{
    min-height: 80vh;
```

3.2 JavaScript

3.2.1 main.js

```
$(document).ready(function(){
activeNav();
$.ajax({
  url:"models/product/getCategories.php",
  method:"get",
  dataType:"json",
  success:function(data){
    ispisKategorija(data);
  },
  error:function(xhr){
    console.error(xhr.responseText);
  }
})
$.ajax({
  url:"models/product/getProducts.php",
  method:"get",
  dataType:"json",
  success:function(data){
    ispisProizvoda(data);
  },
  error:function(xhr){
```

```
console.error(xhr.responseText);
 }
})
$(document).on("click",".addToCart",addToCart);
$(document).on("change",".category",filterProizvoda);
$("#search").keyup(filterProizvoda);
$("#sort").on("change",filterProizvoda);
})
function ispisProizvoda(proizvodi){
  let html = "";
 $('#count').html("Proizvodi ("+proizvodi.length+")");
 if(proizvodi.length>0){
   for(proizvod of proizvodi){
     html+=`<div class="col-12 col-sm-6 col-md-4 mt-2">
     <div class="card">
         <img src="assets/img/${proizvod.slika}" class="card-img-</pre>
top" alt="${proizvod.p_naziv}">
         <div class="card-body">
           <h5 class="card-title">${proizvod.p naziv}</h5><hr/>
           Kategorija: ${proizvod.k naziv}<hr/>>
           Cena: ${proizvod.cena},00 RSD
           <a href="#!" class="btn btn-primary mt-</pre>
2 addToCart" id=${proizvod.id}>Dodaj u korpu</a>
           </div>
       </div>
     </div>
 else{
   html=`<div class="container m-5 alert alert-</pre>
danger">Nema proizvoda koji odgovaraju vašoj pretrazi.</div>`
 $('#products').html(html);
function ispisKategorija(kategorije){
 let html="";
 for(let kat of kategorije){
   html+=`
     <input type="checkbox" value="${kat.id_kategorija}" class="category" name="categorie"</pre>
s"/> ${kat.naziv_kat}
   $("#categories").html(html);
```

```
function addToCart(){
  let id=this.id;
  let obj = $(this).next();
 $.ajax({
    url:"models/product/addToCart.php?id="+id,
    method:"get",
    success: function(response){
      poruka(obj,response);
    },
    error: function(xhr){
      console.error(xhr.responseText);
  })
function filterProizvoda(){
  let searchVal = $("#search").val().toLowerCase();
 let sortVal = $("#sort").val();
  let izabraneKat=[];
  $('.category:checked').each(function(el){
    izabraneKat.push(parseInt($(this).val()));
  })
  $.ajax({
    url:"models/product/filterProducts.php",
    method:"post",
    dataType:"json",
    data:{
      catArr:JSON.stringify(izabraneKat),
      search:searchVal,
      sort:sortVal
    success:function(response){
      ispisProizvoda(response);
    error:function(xhr){
      console.log("greska");
  })
//Dodavanje active klase nav linku u zavisnosti od stranice
function activeNav(){
    $page = document.URL.split("page=")[1];
        switch($page){
            case 'shop':
                $('.nav-link:contains("Prodavnica")').addClass('active');
                break;
            case 'cart':
                $('.nav-link:contains("Korpa")').addClass('active');
```

```
case 'adminStats':
                $('.nav-link:contains("Statistika")').addClass('active');
                break;
            case 'adminProducts':
                $('.nav-link:contains("Proizvodi")').addClass('active');
                break;
            case 'adminUsers':
                $('.nav-link:contains("Korisnici")').addClass('active');
                break;
            case undefined:
                $('.nav-link:contains("Početna")').addClass('active');
                break;
//Funkcija za ispis poruke da je proizvod dodat u korpu
function poruka(polje,tekst){
  switch(tekst){
    case 'success':
      polje.html("<i class='fas fa-check'></i>Uspešno dodato").addClass("text-success");
      break;
    case 'admin':
      polje.html("<i class='fas fa-</pre>
times'></i>Admin ne može da dodaje u korpu.").addClass("text-danger");
      break;
    case 'login':
      polje.html("<i class='fas fa-times'></i></i>Morate biti ulogovani.").addClass("text-
danger");
     break;
    case 'else':
      polje.html("<i class='fas fa-times'></i></i>Nepredviđena greška.").addClass("text-
danger");
      break;
  setTimeout(function(){polje.html("");},3000);
  clearTimeout();
//Funkcije za obradu forme
function ukloniGreske(){
    $('.greska').hide();
    $('.uspeh').hide();
  function greskaForme(elementForme, poruka){
    $(elementForme).next().text(poruka).fadeIn();
  var izrazMejl = /^([a-z]{3,15})(([\.]?[-]?[_]?[a-z]{3,20})*([\d]{1,3})*)@([a-x]{3,20})
z]{3,20})(\.[a-z]{2,3})+$/;
 $(document.regForm).on("submit",function(event){
    event.preventDefault();
    ukloniGreske();
    let forma=document.regForm;
```

```
let greska=false;
    if(!izrazMejl.test(forma.tbEmail.value)){
       greskaForme(forma.tbEmail, "Unesite email u pravilnoj formi(primer: vaseime@gmail.
com).")
       greska = true;
    }
   if(forma.tbPass.value.length < 7) {</pre>
       greskaForme(forma.tbPass, "Lozinka mora imati bar 7 karaktera.");
       greska = true;
   if(!greska){
       $('#btnReg').attr('type','hidden');
       forma.submit();
 })
 $(document.logForm).on("submit",function(event){
     event.preventDefault();
     ukloniGreske();
     let forma = document.logForm;
     let greska = false;
    console.log("desilo se")
     if(!forma.tbEmail.value){
       greskaForme(forma.tbEmail, "Email ne sme biti prazan.");
       greska=true;
     if(!forma.tbPass.value){
       greskaForme(forma.tbPass,"Lozinka ne sme biti prazna.");
       greska=true
     if(!greska){
          $('#btnLogin').attr('type','hidden');
          forma.submit();
```

3.3 PHP

3.3.1 index.php

```
<?php
session_start();
require "config/connection.php";
require "models/functions.php";
include "views/fixed/head.php";
include "views/fixed/nav.php";
if(isset($_GET['page'])){
    switch($_GET['page']){</pre>
```

```
case 'home':
            include "views/pages/home.php";
            break;
        case 'shop':
            include "views/pages/shop.php";
            break;
        case 'cart':
            include "views/pages/cart.php";
            break;
        case 'author':
            include "views/pages/author.php";
            break;
        case 'login':
            include "views/pages/login.php";
            break;
        case 'register':
            include "views/pages/register.php";
            break;
        case 'adminStats':
            include "views/admin/admin-stats.php";
        case 'adminProducts':
            include "views/admin/admin-products.php";
            break;
        case 'adminUsers':
            include "views/admin/admin-users.php";
            break;
        case 'editProduct':
            include "views/admin/edit-product.php";
            break;
        case 'addProduct':
            include "views/admin/add-product.php";
            break;
        case 'editUser':
            include "views/admin/edit-user.php";
            break;
        default:
            include "views/pages/home.php";
            break;
    }
else{
    include "views/pages/home.php";
include "views/fixed/footer.php";
```

3.3.2 views/fixed/head.php

```
<?php
ob_start();</pre>
```

```
<!DOCTYPE html>
<html lang="sr-Latn-CS">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="keywords" content="računar,komponente,pc,center,prodavnica">
    <meta name="description" content="PC Center prodavnica računarskih komponenti. Nađite</pre>
sve što vam treba da napravite novi ili nadogradite stari računar najkvalitetnijim kompone
ntama po povoljnim cenama.">
    <meta name="author" content="Djordje Solomun">
    <link rel="shortcut icon" href="favicon.ico" type="image/x-icon">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.2/css/all.min.css" integrity="sha512-
HK5fgLBL+xu6dm/Ii3z4xhlSUyZgTT9tuc/hSrtw6uzJOvgRr2a9jyxxT1ely+B+xFAmJKVSTbpM/CuL7qxO8w=="
crossorigin="anonymous" />
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/boo</pre>
tstrap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="anonymous">
    <link rel="stylesheet" href="assets/css/style.css">
    <title>PC Center</title>
</head>
<body class="bg-light">
```

3.3.3 views/fixed/nav.php

```
<nav class="navbar sticky-top navbar-expand-lg navbar-dark bg-dark">
   <a class="navbar-brand" href="index.php">PC Center</a>
   <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#navbarTogglerDemo02" aria-controls="navbarTogglerDemo02" aria-
expanded="false" aria-label="Toggle navigation">
     <span class="navbar-toggler-icon"></span>
   </button>
   <div class="collapse navbar-collapse" id="navbarTogglerDemo02">
      <a class="nav-link" href="index.php">Početna</a>
         <a class="nav-link" href="index.php?page=shop">Prodavnica</a>
         <?php
             if(isset($ SESSION['user'])){
                $user = $_SESSION['user'];
                if($user->naziv == "admin"){
                <a class="nav-
link" href="index.php?page=adminStats">Statistika</a>
```

```
<a class="nav-
link" href="index.php?page=adminProducts">Proizvodi</a>
               <a class="nav-link" href="index.php?page=adminUsers">Korisnici</a>
               <?php
               elseif($user->naziv=="korisnik"){
               <a class="nav-
link" href="index.php?page=cart">Korpa<i class="fas fa-shopping-cart"></i></a>
               <?php
               <span class="text-white"><?=$user->email?></span>
                  <a class="btn btn-
primary" href="models/user/logout.php">Odjavite se</a>
               <?php
            }
            else{
            <a class="btn btn-primary " href="index.php?page=login">Login</a>
            <a class="btn btn-
primary " href="index.php?page=register">Registracija</a>
            <?php
            }
      </div>
/nav>
```

3.3.4 views/fixed/footer.php

```
<a href="https://www.instagram.com" target="blank"><i class="fab fa-</pre>
instagram"></i> Instagram</a>
             <a href="https://www.youtube.com" target="blank"><i class="fab fa-</pre>
voutube"></i> YouTube</a>
           </div>
         <div class="col-12 col-md-4 mb-3 m-md-0">
           <h4>Radno vreme</h4>
           <i class="fas fa-clock"></i> Radnim danom: 08-20h
           <i class="fas fa-clock"></i> Vikendom: 09-18h
           <i class="fas fa-map-marker-alt"></i> Kneza Mihaila 1
         </div>
         <div class="col-12 col-md-4">
           <h4>Linkovi</h4>
           <l
             <a href="dokumentacija.pdf" target="blank"><i class="fas fa-</a>
sitemap"></i> Dokumentacija</a>
             <a href="index.php?page=author"><i class="far fa-file-</pre>
code"></i> Autor</a>
             © Dorđe Solomun 16/19
           </div>
       </div>
     </div>
   </div>
</footer>
    <script src="https://code.jquery.com/jquery-3.5.1.min.js" integrity="sha256-</pre>
9/aliU8dGd2tb60SsuzixeV4y/faTqgFtohetphbbj0=" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.bundle.min</pre>
.js" integrity="sha384-
ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx" crossorigin="anonymous">
</script>
    <script src="assets/js/main.js"></script>
</body>
</html>
```

3.3.5 views/pages/home.php

```
<div class="carousel-item" data-interval="3000">
          <img src="assets/img/build.jpg" class="d-block w-</pre>
100" alt="Računarske komponente">
          <div class="carousel-caption rounded d-none d-md-block text-body">
            <h2>Sve što vam treba</h2>
            Napravite svoj računar već danas. Pogledajte prodavnicu: <a href="index.php">href="index.php</a>
?page=shop" class="btn btn-secondary">Prodavnica</a>
          </div>
        </div>
      </div>
   </div>
  </div>
  <div class="container mt-5">
    <h2 class="text-center">PC Center</h2>
    <div class="row mt-3 d-flex align-items-center">
      <div class="col-9 col-md-6 text-center mx-auto">
        Kod nas možete naći sve komponente potrebne da sklopite računar. Izaberite proc
esor, matičnu ploču, grafičku kartu, RAM memoriju, hard disk, napajanje i kućište i uživaj
te
          u svom novom račuaru.
          Pogledajte našu ponudu: <a href="index.php?page=shop" class="btn btn-outline-</p>
secondary">prodavnica</a>
     </div>
      <div class="col-9 col-md-6 mx-auto">
        <img src="assets/img/parts.jpg" alt="Komponente na stolu" class="w-100 rounded">
      </div>
    </div>
  </div>
  <div class="container mt-5">
    <h2 class="text-center">Uskoro u radnji</h2>
    <div class="row mt-3 pb-3 d-flex align-items-center">
      <div class="col-9 col-md-6 mb-3 m-md-0 mx-auto">
        <img src="assets/img/rtx30.jpg" alt="RTX serija 30" class="w-100 rounded">
      </div>
      <div class="col-9 col-md-6 text-center mx-auto">
        Uskoro dobijamo novu RTX seriju 30 grafičkih karti, pratite nas da prvi ugrabite s
voju.
      </div>
    </div>
 </div>
```

3.3.6. views/pages/shop.php

```
<div class="col-12">
               Sortirajte po ceni:
               <select class="custom-select" id="sort">
                  <option value="asc">Rastuće</option>
                  <option value="desc">Opadajuće</option>
               </select>
               <br/><br/>
               <label for="pretraga">Pretraži</label>
                     <input type="text" id="search" name="search"/>
                  <br/>
               <div class="row">
                  <div class="col-12">
                     Kategorije:
                     <br/>
                  </div>
               </div>
            </div>
         </div>
      </div>
      <div class="col-lg-9 py-2">
         <h1 id="count">Proizvodi</h1>
         <div class="row m-0 w-100" id="products">
         </div>
      </div>
   </div>
</div>
```

3.3.7 views/pages/cart.php

```
<?php
if(!isset($_SESSION['user'])){
    header("Location: index.php");
}
zabeleziStranicu('cart');
?>
<div class="prostor">
    <h1 class="text-center">Korpa</h1>
    <div class="container row mx-auto mt-5 align-items-start justify-content-
start" id="korpa">
    <?php
        $userID=$_SESSION['user']->id_korisnik;
        $sql = "SELECT * FROM korpa WHERE id_korisnik = $userID";
        $cart = dohvatiSve($sql);
        if(count($cart)==0){
```

```
echo '<div class="container m-5 alert alert-
danger">Nemate ništa u korpi. Pogledajte <a href="index.php?page=shop">prodavnicu</a>
p></div>';
        $total = 0;
        foreach($cart as $cartItem){
            $product = dohvatiProizvod($cartItem->id proizvod);
            $total+=$cartItem->cena;
            <div class="row mx-0 my-2 align-items-center justify-space-between border p-</pre>
3 w-100">
                <div class="col-4 col-lg-2">
                    <img class="img-fluid" src="assets/img/<?=$product-</pre>
>thumb?>" alt="<?=$product->p naziv?>"/>
                </div>
                <div class="col-8 col-lg-3">
                    <h6>Naziv</h6>
                    <h4><?=$product->p_naziv?></h4>
                </div>
                <div class="col-4 col-lg-2 px-0">
                    <h6>Cena</h6>
                    <span class="font-weight-bold"><?=$product->cena?>,00 RSD</span>
                </div>
                <div class="col-4 col-lg-1 mt-3 mt-lg-0 px-0">
                    <h6>Količina</h6>
                    <a href="models/product/addToCart.php?id=<?=$cartItem-</pre>
>id proizvod?>&qty=<?=$cartItem->kolicina-1?>" class="text-dark"><i class="fas fa-</pre>
minus"></i></a>
                    <span><?=$cartItem->kolicina?></span>
                    <a href="models/product/addToCart.php?id=<?=$cartItem-</pre>
>id_proizvod?>&qty=<?=$cartItem->kolicina+1?>" class="text-dark"><i class="fas fa-</pre>
plus"></i></a>
                </div>
                <div class="col-4 col-lg-2">
                    <h6>Ukupna cena</h6>
                    <span class="font-weight-bold"><?=$cartItem->cena?>,00 RSD</span>
                <div class="col-12 col-lg-1 mt-3 mt-lg-0 text-right">
                    <a href="models/product/removeFromCart.php?id=<?=$cartItem-</pre>
>id_proizvod?>" class="btn btn-danger obrisi">Ukloni</a>
            </div>
        <?php
        if(count($cart)){
        <div class="total w-100 text-right pb-3">
            Ukupna cena je <span class="font-weight-bold"><?=$total?>,00 RSD</span>
            <a href="models/product/emptyCart.php?id=<?=$userID?>" class="btn btn-
danger">Ukloni sve</a>
            </div>
        <?php
```

3.3.8. views/pages/author.php

```
<?php
zabeleziStranicu('author');
<div class="prostor">
     <h1 class="text-center mt-3">Informacije o autoru</h1>
     <div class="container mx-auto mt-5 row">
       <div class="col-11 col-md-5 p-4">
          <img src="assets/img/autor.jpg" alt="Autor sajta Đorđe Solomun" class="img-</pre>
fluid"/>
       </div>
       <div class="col-12 col-md-7 p-5">
         <h4>Dorđe Solomun 16/19</h4>
         Student sam druge godine na Visokoj ICT školi, smer internet tehnologije modu
l web programiranje. Ovaj sajt je predispitna obaveza za predmet praktikum iz web programi
ranja PHP.
          Ako imate pitanje javite mi se putem mejla: djordje.solomun.16.19
@ict.edu.rs
          Pogledajte moj <a href="https://djotaa.github.io/WebPortfolio/" target="blank"</p>
">portfolio</a>
       </div>
       <div><a href="models/export/word.php" class="btn btn-info">Export u Word</a></div>
        <div><a href="models/export/excel.php" class="btn btn-</pre>
info">Export u Excel</a></div>
     </div>
</div>
```

3.3.9 views/pages/login.php

```
<input type="text" name="tbEmail" id="tbEmail" class="form-</pre>
control" />
                    </div>
                 <div class="form-group">
                    <label for="tbPass">Lozinka</label>
                    <input type="password" name="tbPass" id="tbPass" class="form-</pre>
control" />
                    </div>
                 <div class="form-group text-center">
                    <input type="submit" name="btnLogin" id="btnLogin" class="btn btn-</pre>
primary" value="Login" />
                    </div>
             </form>
          </div>
      </div>
   </div>
</div>
```

3.3.10 views/pages/register.php

```
<?php
zabeleziStranicu('register');
<div class="prostor">
    <div class="container py-5">
       <h1 class="text-center">Registracija</h1>
       <div class="row py-5">
           <div class="col-12 col-lg-5 mx-auto py-5">
               <?php
               if(isset($ GET['msg'])){
                   $msg = $_GET['msg'];
                   switch($msg){
                       case 'taken':
                           echo "Email je zauzet.";
                           break;
                       case 'success':
                           echo "<p class='alert alert-
success'>Uspešna registracija. <a href='index.php?page=login'>Ulogujte se</a>";
                           break;
                       case 'else':
                           echo "<p class='alert alert-
danger'>Neočekivana greška, pokušajte ponovo.";
                           break;
                   }
               <form action="models/user/register.php" name="regForm" id="regForm" method</pre>
="post">
                   <div class="form-group">
```

```
<label for="tbEmail">Email</label>
                    <input type="text" name="tbEmail" id="tbEmail" class="form-</pre>
control" />
                    </div>
                 <div class="form-group">
                    <label for="tbPass">Lozinka</label>
                    <input type="password" name="tbPass" id="tbPass" class="form-</pre>
control" />
                    </div>
                 <div class="form-group text-center">
                    <input type="submit" name="btnReg" id="btnReg" class="btn btn-</pre>
primary" value="Registrujte se" />
                    </div>
             </form>
          </div>
      </div>
   </div>
</div>
```

3.3.11 views/admin/add-product.php

```
<?php
   if(!isset($_SESSION['user'])){
     header('Location: index.php');
   else{
       $korisnik = $_SESSION['user'];
       if($korisnik->naziv != "admin"){
           header('Location: index.php');
       else{
           if(isset($_GET['msg'])){
               $msg = $_GET['msg'];
               switch($msg){
                   case 'badExt':
                      echo "<p class='alert alert-
danger'>Slika mora biti jpg,jpeg ili png.";
                      break:
                   case 'imgSize':
                      echo "<p class='alert alert-
danger'>Slika ne sme biti veca od 3MB.";
                      break:
                   case 'name':
                      echo "Ime ne sme biti prazno.";
                      break;
                   case 'price':
                      echo "<p class='alert alert-
danger'>Cena ne sme biti prazna, 0 ili tekst.";
                      break;
```

```
case'noImg':
                      echo "Dodajte sliku.";
                       break;
                   case'noCat':
                       echo "Izaberite kategoriju.";
                      break:
                   case 'err':
                      echo "Došlo je do greške.";
                      break;
           }
<h1 class="text-center">Dodavanje novog proizvoda</h1>
<div class="container prostor d-flex justify-content-center w-50">
   <form action="models/admin/addProduct.php" name="addForm" method="post" enctype="multi</pre>
part/form-data">
       <div class="form-group">
           <label for="tbName">Ime proizvoda</label>
           <input type="text" name="tbName" class="form-control"/>
       </div>
       <div class="form-group">
           <label for="tbCena">Cena</label>
           <input type="text" name="tbCena" class="form-control"/>
       </div>
       <div class="form-group">
           <label for="fSlika">Slika</label>
           <input type="file" name="fSlika"/>
       </div>
       <div class="form-group text-center">
           <label for="selCat">Kategorija</label>
           <select name="selCat">
               <option value="Izaberite">Izaberite</option>
               <?php
                   $kategorije = dohvatiSve("SELECT * FROM kategorija");
                   foreach($kategorije as $kat){
                  <option value="<?=$kat->id_kategorija?>"?><?=$kat-</pre>
>naziv_kat?></option>
               <?php
               ?>
           </select>
       <div class="form-group text-center">
           <input type="submit" name="btnAdd" class="btn btn-primary" value="Dodaj"/>
       </div>
   </form>
</div>
<?php
```

3.3.12. views/admin/admin-products.php

```
<?php
   if(!isset($_SESSION['user'])){
    header('Location: index.php');
  else{
      $korisnik = $_SESSION['user'];
      if($korisnik->naziv != "admin"){
         header('Location: index.php');
      else{
   <?php
   if(isset($_GET['msg'])){
      $msg = $_GET['msg'];
      switch($msg){
         case 'okDel':
            echo "Proizvod obrisan.";
            break;
         case 'okUpd':
            echo "Proizvod izmenjen.";
            break;
         case 'okAdd':
            echo "Proizvod dodat.";
            break;
         case 'noDel':
            echo "<p class='alert alert-
danger'>Došlo je do greške prilikom brisanja.";
            break;
   <div class="container text-center py-3">
      <a href="index.php?page=addProduct" class="btn btn-</pre>
primary">Dodaj novi proizvod</a>
   </div>
<thead class="thead-light">
   RB
    Slika
    Naziv
    Cena
    Kategorija
    Slika fajl
    Thumb fajl
    Izmeni
    Obriši
   </thead>
```

```
<?php
      $proizvodi = dohvatiProizvode();
      $rb=1;
      foreach($proizvodi as $proizvod){
      <?=$rb?>
          <img src="assets/img/<?=$proizvod->thumb?>" class="img-
fluid" alt="<?=$proizvod->p_naziv?>">
         <?=$proizvod->p naziv?>
         <?=$proizvod->cena?>,00 RSD
         <?=$proizvod->k_naziv?>
         <?=$proizvod->slika?>
         <?=$proizvod->thumb?>
         <a href="index.php?page=editProduct&id=<?=$proizvod->id?>" class="btn btn-
warning">Izmeni</a>
          <a href="models/admin/deleteProduct.php?id=<?=$proizvod-
>id?>" class="btn btn-danger">Obriši</a>
      <?php
      $rb++;
   <?php
      }
```

3.3.13 views/admin/admin-stats.php

```
<?php
    if(!isset($_SESSION['user'])){
     header('Location: index.php');
   else{
        $korisnik = $_SESSION['user'];
        if($korisnik->naziv != "admin"){
            header('Location: index.php');
        else{
<div class="container prostor mt-5">
    <h1 class="text-center">Statistika o posetama</h1>
    <div class="row">
        <div class="col-12 col-md-6 py-2">
            <h3 class="text-center">Posećenost stranica u poslednja 24h</h3>
            <div class="container-fluid">
                <div class="row py-2">
                    <?php
```

```
$pages = file("data/page-log.txt");
                 $pagesTotalCount = 0;
                 $pagesCount = ["home"=> 0, "shop" => 0, "login" => 0, "register" => 0,
"author"=> 0, "cart"=> 0];
                 foreach ($pages as $page) {
                     $pageArray = explode(" ", $page);
                     $pageDate = $pageArray[0];
                     $pageName = trim($pageArray[1]);
                     if ($pageDate == date("d.m.Y.")) {
                        $pagesTotalCount++;
                        $pagesCount[$pageName]++;
                 foreach ($pagesCount as $page => $count){ ?>
                 <div class="col-6">
                     <?= $page ?>.php
                 </div>
                 <div class="col-6">
                     center"><?= round($count / $pagesTotalCount * 100) ?>%
                 </div>
                 <?php
              </div>
          </div>
      </div>
      <div class="col-12 col-md-6 py-2">
          <h3 class="text-center">Korisnici u poslednja 24h</h3>
          <div class="container-fluid">
              <div class="row py-2">
                 <?php
                 $users = file("data/user-log.txt");
                 foreach($users as $user){
                     $userArr = explode(" ",$user);
                     list($visitDate,$email) = $userArr;
                     if($visitDate == date("d.m.Y.")){
                     <div class="col-6">
                        <?=$visitDate?>
                     </div>
                     <div class="col-6">
                        <?=$email?>
                     </div>
                     <?php
              </div>
          </div>
      </div>
   </div>
```

```
</div>
<?php
}
}
```

3.3.14 views/admin/admin-users.php

```
<?php
   if(!isset($_SESSION['user'])){
    header('Location: index.php');
   else{
      $korisnik = $ SESSION['user'];
      if($korisnik->naziv != "admin"){
         header('Location: index.php');
      else{
?>
<div class="prostor">
   <?php
   if(isset($_GET['msg'])){
      $msg = $_GET['msg'];
      switch($msg){
         case 'okDel':
            echo "Korisnik obrisan.";
            break;
         case 'okUpd':
            echo "Korisnik izmenjen.";
            break;
         case 'noDel':
            echo "<p class='alert alert-
danger'>Došlo je do greške prilikom brisanja.";
            break;
   }
   <h1 class="text-center">Korisnici</h1>
<thead class="thead-light">
   RB
    Email
    Lozinka
    Datum reg.
    Izmeni
    Obriši
   </thead>
 <?php
      $korisnici = dohvatiSve("SELECT * FROM korisnik");
```

```
$rb=1;
     foreach($korisnici as $korisnik){
        if($korisnik->id uloga != 1){
     <?=$rb?>
        <?=$korisnik->email?>
        <?=$korisnik->pass?>
        <?=$korisnik->datum_reg?>
        <a href="index.php?page=editUser&id=<?=$korisnik-
<a href="models/admin/deleteUser.php?id=<?=$korisnik-
>id korisnik?>" class="btn btn-danger">Obriši</a></rr>
     <?php
     $rb++;
      }
   ?>
  <?php
```

3.3.15 views/admin/edit-product.php

```
<?php
    if(!isset($_SESSION['user'])){
      header('Location: index.php');
    else{
        $korisnik = $_SESSION['user'];
        if($korisnik->naziv != "admin"){
            header('Location: index.php');
        else{
            $productID = $ GET['id'];
            $product = dohvatiJedan("SELECT * FROM proizvod WHERE id_proizvod=$productID")
            if(isset($_GET['msg'])){
                $msg = $_GET['msg'];
                switch($msg){
                    case 'badExt':
                        echo "<p class='alert alert-
danger'>Slika mora biti jpg,jpeg ili png.";
                        break;
                    case 'imgSize':
                        echo "<p class='alert alert-
danger'>Slika ne sme biti veca od 3MB.";
```

```
break:
                    case 'name':
                        echo "Ime ne sme biti prazno.";
                       break:
                   case 'price':
                       echo "<p class='alert alert-
danger'>Cena ne sme biti prazna, 0 ili tekst.";
                       break:
                   case 'err':
                       echo "Došlo je do greške.";
                       break:
                }
<h1 class="text-center">Izmena proizvoda</h1>
<div class="container prostor d-flex justify-content-center w-50">
    <form action="models/admin/editProduct.php" name="editForm" method="post" enctype="mul</pre>
tipart/form-data">
       <div class="form-group">
            <label for="tbName">Ime proizvoda</label>
            <input type="text" name="tbName" class="form-control" value="<?=$product-</pre>
>naziv_proizvod?>"/>
        </div>
        <div class="form-group">
            <label for="tbCena">Cena</label>
            <input type="text" name="tbCena" class="form-control" value="<?=$product-</pre>
>cena?>"/>
       </div>
        <div class="form-group">
            <label for="fSlika">Slika</label>
            <input type="file" name="fSlika"/>
        <div class="form-group text-center">
        <label for="selCat">Kategorija</label>
            <select name="selCat">
               <?php
                   $kategorije = dohvatiSve("SELECT * FROM kategorija");
                   foreach($kategorije as $kat){
                   <option value="<?=$kat->id kategorija?>" <?php if($kat-</pre>
>id_kategorija == $product->id_kategorija) echo "selected";?>><?=$kat-</pre>
>naziv_kat?></option>
                <?php
                25
           </select>
       </div>
        <div class="form-group text-center">
            <input type="hidden" name="id" value="<?=$productID?>">
            <input type="submit" name="btnEdit" class="btn btn-primary" value="Izmeni" />
        </div>
    </form>
```

```
</div>
<?php
}
}
```

3.3.16 views/admin/edit-user.php

```
<?php
   if(!isset($_SESSION['user'])){
     header('Location: index.php');
   else{
       $korisnik = $ SESSION['user'];
       if($korisnik->naziv != "admin"){
           header('Location: index.php');
       else{
           $userID = $_GET['id'];
           $user = dohvatiJedan("SELECT * FROM korisnik WHERE id_korisnik=$userID");
           if(isset($_GET['msg'])){
               $msg = $_GET['msg'];
               switch($msg){
                   case 'email':
                       echo "<p class='alert alert-
danger'>Unesite email u pravilnoj formi(npr. vaseime@gmail.com)";
                       break:
                   case 'pass':
                       echo "<p class='alert alert-
danger'>Lozinka mora imati bar 7 karaktera.";
                       break;
                   case 'err':
                       echo "Došlo je do greške.";
                       break;
               }
           }
<h1 class="text-center mt">Izmena korisnika</h1>
<div class="container prostor d-flex justify-content-center w-50">
    <form action="models/admin/editUser.php" name="editForm" method="post">
        <div class="form-group">
           <label for="tbMail">Email</label>
           <input type="text" name="tbMail" class="form-control" value="<?=$user-</pre>
>email?>"/>
       </div>
       <div class="form-group">
           <label for="tbPass">Lozinka</label>
           <input type="password" name="tbPass" class="form-control"/>
       </div>
       <div class="form-group text-center">
           <input type="hidden" name="id" value="<?=$userID?>">
           <input type="submit" name="btnEdit" class="btn btn-primary" value="Izmeni" />
```

3.3.17 models/functions.php

```
<?php
function zabeleziStranicu($stranica){
    $datum = date("d.m.Y.");
   $sadrzaj = "$datum $stranica\n";
   $fajl = fopen("data/page-log.txt", "a");
   $upis = fwrite($fajl, $sadrzaj);
    if($upis){
        fclose($fajl);
    }
function zabeleziLogin($email){
    $datum = date("d.m.Y.");
   $sadrzaj = "$datum $email\n";
   $fajl = fopen("../../data/user-log.txt","a");
   $upis = fwrite($fajl,$sadrzaj);
   if($upis){
        fclose($fajl);
function dohvatiProizvode(){
    global $conn;
    $sql ="SELECT p.id_proizvod AS id, p.naziv_proizvod AS p_naziv, p.cena AS cena, k.nazi
v_kat AS k_naziv, sp.slika AS slika, sp.slika_thumb AS thumb FROM proizvod p INNER JOIN ka
tegorija k ON p.id_kategorija = k.id_kategorija INNER JOIN slike_proizvod sp ON p.id_proiz
vod = sp.id proizvod";
    return $conn->query($sq1)->fetchAll();
function dohvatiProizvod($id){
    global $conn;
    $sql ="SELECT p.id_proizvod AS id, p.naziv_proizvod AS p_naziv, p.cena AS cena, k.nazi
v_kat AS k_naziv, sp.slika AS slika, sp.slika_thumb AS thumb FROM proizvod p INNER JOIN ka
tegorija k ON p.id_kategorija = k.id_kategorija INNER JOIN slike_proizvod sp ON p.id_proiz
vod = sp.id proizvod WHERE p.id proizvod=:id";
    $priprema = $conn->prepare($sql);
   $priprema->bindParam(':id',$id);
```

```
$priprema->execute();
    return $priprema->fetch();
function insertKorpa($userID,$productID,$kolicina,$cena){
    global $conn;
    $insert = $conn->prepare("INSERT INTO korpa VALUES(?,?,?,?)");
    $isInserted = $insert->execute([$userID, $productID,$kolicina,$cena]);
    return $isInserted;
function updateKorpa($userID,$productID,$kolicina,$cena){
    global $conn;
    $update = $conn-
>prepare("UPDATE korpa SET kolicina=?, cena = ? WHERE id_korisnik = ? AND id_proizvod = ?"
);
    $isUpdated = $update->execute([$kolicina,$cena,$userID,$productID]);
    return $isUpdated;
function dohvatiKorisnika($email, $cryptedPass){
    global $conn;
    $upit = "SELECT * FROM korisnik k JOIN uloga u ON k.id_uloga=u.id_uloga WHERE k.email
= :email AND k.pass = :lozinka";
    $priprema = $conn->prepare($upit);
    $priprema->bindParam(':email', $email);
    $priprema->bindParam(':lozinka', $cryptedPass);
    $priprema->execute();
    $rezultat = $priprema->fetch();
    return $rezultat;
function dodajKorisnika($email,$cryptedPass){
    global $conn;
    $datum = date("Y-m-d");
    $upit = "INSERT INTO korisnik VALUES(null,?,?,?,2)";
    $priprema = $conn->prepare($upit);
    $result = $priprema->execute([$email,$cryptedPass,$datum]);
    return $result;
function dohvatiJedan($query)
global $conn;
 return $conn->query($query)->fetch();
function dohvatiSve($query)
```

```
{
  global $conn;
  return $conn->query($query)->fetchAll();
}
```

3.3.18 models/user/login.php

```
<?php
    session_start();
    if(isset($_POST['btnLogin'])){
        include "../../config/connection.php";
        include "../functions.php";
        try{
            $email = $_POST['tbEmail'];
            $pass = $_POST['tbPass'];
            $encryptPass = md5($pass);
            $rezLogovanja = dohvatiKorisnika($email, $encryptPass);
            // var_dump($rezLogovanja);
            if($rezLogovanja){
                $ SESSION['user'] = $rezLogovanja;
                zabeleziLogin($rezLogovanja->email);
                if($rezLogovanja->naziv == "admin"){
                    header("Location: ../../index.php?page=adminStats");
                else{
                    header("Location: ../../index.php");
                }
            else{
                header('Location: ' . $_SERVER['HTTP_REFERER'] . '&msg=Pogrešan email ili
lozinka');
        catch(PDOException $exception){
            http_response_code(500);
        }
    else{
        header('Location: ../../index.php');
    }
```

3.3.19 models/user/register.php

```
<?php
if(isset($_POST['btnReg'])){
   include "../../config/connection.php";</pre>
```

```
include "../functions.php";
    $email = addslashes($_POST['tbEmail']);
    $pass = $_POST['tbPass'];
   $cryptedpass = md5($pass);
    $taken = dohvatiJedan("SELECT email FROM korisnik WHERE email = '{$email}'");
   if($taken){
        header("Location: ../../index.php?page=register&msg=taken");
    try{
        $insert = dodajKorisnika($email,$cryptedpass);
        if($insert){
            header("Location: ../../index.php?page=register&msg=success");
        else{
            header("Location: ../../index.php?page=register&msg=else");
    catch(PDOException $ex){
        echo $ex->getMessage();
    }
else{
   header("Location : ../../index.php");
```

3.3.20 models/user/logout.php

```
<?php
session_start();
if(isset($_SESSION['user'])){
    unset($_SESSION['user']);
    header('Location: ../../index.php');
}
</pre>
```

3.3.21 models/product/addToCart.php

```
<?php
session_start();
include "../../config/connection.php";
include "../functions.php";
if(!isset($_SESSION['user'])){
    echo 'login';
}
elseif(isset($_SESSION['user']) && $_SESSION['user']->naziv == 'admin'){
    echo 'admin';
}
else{
```

```
$user_id = $_SESSION['user']->id_korisnik;
    $product_id=$_GET['id'];
    $sql = "SELECT kolicina FROM korpa WHERE id korisnik=$user id AND id proizvod = $produ
ct id";
    $exists=dohvatiJedan($sql);
    if($exists){
        $prodsql = "SELECT cena FROM proizvod WHERE id_proizvod = $product_id";
        $kolicina = ($exists->kolicina)+1;
        if(isset($_GET['qty'])){
            $kolicina=$ GET['qty'];
            if($kolicina == 0){
                header("Location: ../../index.php?page=cart");
            }
        $price = (dohvatiJedan($prodsql)->cena)*$kolicina;
        $isUpdated = updateKorpa($user id,$product id,$kolicina,$price);
        if($isUpdated){
            if(isset($_GET['qty'])){
                header("Location: ../../index.php?page=cart");
                echo 'uspeh';
            echo 'success';
    }
   else{
        $prodsql = "SELECT cena FROM proizvod WHERE id proizvod = $product id";
        $price = dohvatiJedan($prodsql)->cena;
        $isInserted = insertKorpa($user id,$product id,1,$price);
        if($isInserted){
            echo 'success';
    }
```

3.3.22 models/product/emptyCart.php

```
<?php
include "../../config/connection.php";
$id=$_GET['id'];
$sql = "DELETE FROM korpa WHERE id_korisnik = $id";
$priprema = $conn->prepare($sql);
$priprema->execute();
header("Location: ../../index.php?page=cart");
?>
```

3.3.23 models/product/filterProducts.php

```
<?php
include "../../config/connection.php";
include "../functions.php";</pre>
```

```
$searchVal = $_POST['search'];
$sortVal = $_POST['sort'];
$catArray = json_decode($_POST['catArr']);
// var_dump();
$sqlWhere = "WHERE p.naziv_proizvod LIKE '%$searchVal%'";

foreach ($catArray as $category) {
    if (!$category) break;
        $sqlWhere = $sqlWhere . " AND " . "p.id_kategorija = $category";
}

$sqlWhere = $sqlWhere . " ORDER BY p.cena $sortVal";

$sql = "SELECT p.id_proizvod AS id, p.naziv_proizvod AS p_naziv, p.cena AS cena, k.naziv_k at AS k_naziv, sp.slika AS slika, sp.slika_thumb AS thumb FROM proizvod p INNER JOIN kategorija k ON p.id_kategorija = k.id_kategorija INNER JOIN slike_proizvod sp ON p.id_proizvod = sp.id_proizvod ";
$sql = $sql . $sqlWhere;
echo json_encode(dohvatiSve($sql));
}>
```

3.3.24 models/product/getCategories.php

```
<?php
include "../../config/connection.php";
include "../functions.php";
$sql = "SELECT * FROM kategorija";
echo json_encode(dohvatiSve($sql));
?>
```

3.3.25 models/product/getProducts.php

```
<?php
include "../../config/connection.php";
include "../functions.php";
echo json_encode(dohvatiProizvode());
?>
```

3.3.26 models/product/removeFromcart.php

```
<?php
session_start();
include "../../config/connection.php";
$userID=$_SESSION['user']->id_korisnik;
$productID=$_GET['id'];
$sql = "DELETE FROM korpa WHERE id_korisnik = $userID AND id_proizvod = $productID";
$priprema = $conn->prepare($sql);
$priprema->execute();
header("Location: ../../index.php?page=cart");
?>
```

3.3.27 models/admin/addProduct.php

```
<?php
if(!isset($_POST['btnAdd'])){
    header("Location: ../../index.php");
    exit;
include "../../config/connection.php";
include "../functions.php";
$categoryID = $ POST['selCat'];
$name = $ POST['tbName'];
$price = $_POST['tbCena'];
$fileSize = $_FILES['fSlika']['size'];
if($fileSize == 0){
    header("Location: ../../index.php?page=addProduct&msg=noImg");
    exit:
elseif(empty($name)){
    header("Location: ../../index.php?page=addProduct&msg=name");
    exit;
elseif($price == 0){
    header("Location: ../../index.php?page=addProduct&msg=price");
elseif($categoryID == "Izaberite"){
    header("Location: ../../index.php?page=addProduct&msg=noCat");
    exit;
else{
    $image = $_FILES["fSlika"];
    $filename = $image["name"];
    $tmp name = $image["tmp name"];
    $size = $image["size"];
    list($width, $height) = getimagesize($tmp_name);
    $ext = pathinfo($filename, PATHINFO EXTENSION);
    switch($ext){
        case 'jpeg':case 'jpg':
            $image_obj = imagecreatefromjpeg($tmp_name);
            break;
        case 'png':
            $image_obj = imagecreatefrompng($tmp_name);
            break;
        default:
            header("Location: ../../index.php?page=addProduct&msg=badExt");
            exit;
    if ($size > 3 * 1024 * 1024) {
        header("Location: ../../index.php?page=addProduct&msg=imgSize");
        exit;
```

```
new width = 200;
    $new height = (int)(200 * $height / $width);
    $image thumb = imagecreatetruecolor($new width, $new height);
    imagecopyresampled($image_thumb, $image_obj, 0, 0, 0, 0, $new_height, $new_width, $wid
th, $height);
    $sql = "INSERT INTO proizvod VALUES (null,:ime,:cena,:kategorija)";
    $priprema = $conn->prepare($sql);
    $priprema -> bindParam(":ime", $name);
    $priprema -> bindParam(":cena", $price);
    $priprema -> bindParam(":kategorija", $categoryID);
    $isInserted = $priprema->execute();
    if($isInserted){
        $time = time();
        $image name = $time . $filename;
        $thumbnail_name = "thumb_" . $time . $filename;
        imagejpeg($image_obj, "../../assets/img/$image_name");
        imagejpeg($image_thumb, "../../assets/img/$thumbnail_name");
        $productID = dohvatiJedan("SELECT id_proizvod AS id FROM proizvod WHERE id_proizvo
d=(SELECT MAX(id proizvod) FROM proizvod)")->id;
        $imgsql = "INSERT INTO slike_proizvod VALUES(null,:slika,:thumb,:id)";
        $stmt = $conn->prepare($imgsql);
        $stmt->bindParam(":slika",$image_name);
        $stmt->bindParam(":thumb",$thumbnail_name);
        $stmt->bindParam(":id",$productID);
        $imgInserted = $stmt->execute();
        if($imgInserted){
            header("Location: ../../index.php?page=adminProducts&msg=okAdd");
            exit;
        else{
            header("Location: ../../index.php?page=addProduct&msg=err");
            exit;
   else{
        header("Location: ../../index.php?page=addProduct&msg=err");
        exit;
    }
```

3.3.28 models/admin/deleteProduct.php

```
<?php
session_start();
if(!isset($_SESSION['user'])){</pre>
```

```
header('Location: ../../index.php');
}
else{
    $korisnik = $_SESSION['user'];
    if($korisnik->naziv != "admin"){
        header('Location: ../../index.php');
        exit;
    else{
        include "../../config/connection.php";
        $id = $_GET['id'];
        $sql = "DELETE FROM proizvod WHERE id proizvod = :id";
        $priprema = $conn->prepare($sql);
        $priprema->bindParam(":id",$id);
        $isDeleted = $priprema->execute();
        if($isDeleted){
            header("Location: ../../index.php?page=adminProducts&msg=okDel");
        else{
            header("Location: ../../index.php?page=adminProducts&msg=noDel");
}
```

3.3.29 models/admin/deleteUser.php

```
<?php
session start();
   if(!isset($_SESSION['user'])){
     header('Location: ../../index.php');
     exit;
    else{
        $korisnik = $_SESSION['user'];
        if($korisnik->naziv != "admin"){
            header('Location: ../../index.php');
            exit;
        else{
            include "../../config/connection.php";
            $id = $ GET['id'];
            $sql = "DELETE FROM korisnik WHERE id korisnik = :id";
            $priprema = $conn->prepare($sq1);
            $priprema->bindParam(":id",$id);
            $isDeleted = $priprema->execute();
            if($isDeleted){
                header("Location: ../../index.php?page=adminUsers&msg=okDel");
            else{
                header("Location: ../../index.php?page=adminUsers&msg=noDel");
```

```
}
}
}
```

3.3.29 models/admin/editProduct.php

```
<?php
if(!isset($_POST['btnEdit'])){
    header("Location: ../../index.php");
    exit;
include "../../config/connection.php";
$productID = $_POST['id'];
$categoryID = $_POST['selCat'];
$name = $_POST['tbName'];
$price = $_POST['tbCena'];
$fileSize = $_FILES['fSlika']['size'];
if(empty($name)){
    header("Location: ../../index.php?page=editProduct&id=$productID&msg=name");
    exit;
if($price == 0){
    header("Location: ../../index.php?page=editProduct&id=$productID&msg=price");
    exit;
$sql = "UPDATE proizvod SET naziv_proizvod = :ime, cena = :cena, id_kategorija = :kategori
ja WHERE id proizvod = :id";
$priprema = $conn -> prepare($sql);
$priprema -> bindParam(":ime", $name);
$priprema -> bindParam(":cena", $price);
$priprema -> bindParam(":kategorija", $categoryID);
$priprema -> bindParam(":id", $productID);
try{
$priprema -> execute();
if($fileSize==0){
    header("Location: ../../index.php?page=adminProducts&msg=okUpd");
catch(Exception $e) {
    header("Location: ../../index.php?page=editProduct&id=$productID&msg=err");
    exit;
}
if($fileSize>0){
    $image = $_FILES["fSlika"];
    $filename = $image["name"];
    $tmp_name = $image["tmp_name"];
```

```
$size = $image["size"];
    list($width, $height) = getimagesize($tmp_name);
    $ext = pathinfo($filename, PATHINFO EXTENSION);
    switch($ext){
        case 'jpeg':case 'jpg':
            $image obj = imagecreatefromjpeg($tmp name);
            break;
        case 'png':
            $image_obj = imagecreatefrompng($tmp_name);
        default:
            header("Location: ../../index.php?page=editProduct&id=$productID&msg=badExt");
   if ($size > 3 * 1024 * 1024) {
        header("Location: ../../index.php?page=editProduct&id=$productID&msg=imgSize");
        exit;
    $new_width = 200;
    $new_height = (int)(200 * $height / $width);
    $image_thumb = imagecreatetruecolor($new_width, $new_height);
    imagecopyresampled($image_thumb, $image_obj, 0, 0, 0, 0, $new_height, $new_width, $wid
th, $height);
    $time = time();
    $image name = $time . $filename;
    $thumbnail_name = "thumb_" . $time . $filename;
    imagejpeg($image_obj, "../../assets/img/$image_name");
    imagejpeg($image_thumb, "../../assets/img/$thumbnail_name");
    $imgsql = "UPDATE slike_proizvod SET slika = :slika, slika_thumb = :thumb WHERE id_pro
izvod = :id";
    $stmt = $conn->prepare($imgsql);
    $stmt->bindParam(":slika",$image_name);
    $stmt->bindParam(":thumb",$thumbnail_name);
   $stmt->bindParam(":id",$productID);
    try{
        $stmt->execute();
        header("Location: ../../index.php?page=adminProducts&msg=okUpd");
    catch(Exception $e){
        header("Location: ../../index.php?page=editProduct&id=$productID&msg=err");
        exit;
```

3.3.30 models/admin/editUser.php

```
<?php
if(!isset($_POST['btnEdit'])){
    header("Location: ../../index.php");
    exit;
include "../../config/connection.php";
$email = $_POST['tbMail'];
$pass = $ POST['tbPass'];
$id = $ POST['id'];
if(empty($email) || !filter_var($email, FILTER_VALIDATE_EMAIL)){
    header("Location: ../../index.php?page=editUser&msg=email&id=$id");
elseif(empty($pass) || strlen($pass)<7){</pre>
    header("Location: ../../index.php?page=editUser&msg=pass&id=$id");
    exit;
else{
    $cryptedpass=md5($pass);
    $sql = "UPDATE korisnik SET email=?,pass=? WHERE id_korisnik=?";
    $priprema = $conn->prepare($sql);
    $isUpdated = $priprema->execute([$email,$cryptedpass,$id]);
    if($isUpdated){
        header("Location: ../../index.php?page=adminUsers&msg=okUpd");
        exit;
    else{
        header("Location: ../../index.php?page=editUser&msg=err&id=$id");
        exit;
    }
```

3.3.31 models/export/excel.php

```
<?php
require "../../config/connection.php";
require "../functions.php";
header("Content-Type: application/xls");
header("Content-Disposition: attachment; filename=kategorije.xls");
$kategorije = dohvatiSve("SELECT * FROM kategorija");
$output = "";
$output .= "
<thead>
 ID kategorije
Naziv kategorije
</thead>
";
```

3.3.31 models/export/word.php

```
<?php
header("Content-type: application/vnd.ms-word");
header("Content-Disposition: attachment; Filename=djordje_solomun_info.doc");
$word_string = "
<thead>
<b>Djordje Solomun</b> 16/19
</thead>
Student sam druge godine na Visokoj ICT skoli, smer internet tehnologije modul web pr
ogramiranje. Ovaj sajt je predispitna obaveza za predmet praktikum iz web programiranja PH
P
Ako imate pitanje javite mi se putem mejla: djordje.solomun.16.19@ict.edu.rs
Pogledajte moj <a href=\"https://djotaa.github.io/WebPortfolio/\">portfolio</a>
";
echo $word string;
```

3.3.32 config/config.php

```
<?php
define("ABSOLUTE_PATH", $_SERVER["DOCUMENT_ROOT"]."/prakphpsajt");
//ovo je absolute path u lokalu, na hostingu je drugacije
define("ENV_FAJL", ABSOLUTE_PATH."/config/.env");

define("SERVER", env("SERVER"));
define("DATABASE", env("DATABASE"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));

function env($marker){</pre>
```

```
$niz = file(ENV_FAJL);
$trazenaVrednost="";

foreach($niz as $red){
    $red = trim($red);

    list($identifikator,$vrednost) = explode("=",$red);
    if($identifikator == $marker){
        $trazenaVrednost=$vrednost;
        break;
    }
}
return $trazenaVrednost;
}
```

3.3.33 config/connection.php

```
<?php

require_once "config.php";

try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME, PA
SSWORD);

    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}

?>
```