


BACKEND Up and running



```
11
12
13 ## Prerequisites
14
15 1. Start backend in terminal:
16
17 ```bash
18 cd d:/Swagger/swagger-ai-agent
19 npm run dev
20 ```
21
22 2. Start frontend in second terminal:
23
24 ```bash
25 cd d:/Swagger/swagger-ai-agent/frontend
26 npm run dev
27 ```
28
29 3. Open frontend URL shown by Vite (usually `http://localhost:5173`).
30
31 ## Phase 1 Check: Connectivity
```

PS D:\Swagger\swagger-ai-agent> npm run dev


> swagger-ai-agent@0.1.0 dev

> ts-node-dev --respawn --transpile-only src/core/server.ts

[INFO] 14:48:52 ts-node-dev ver. 2.0.0 (using ts-node ver. 10.9.2, typescript ver. 5.9.3)

info: server started {"appName":"Swagger AI Agent","environment":"development","port":3000,"timestamp":"2026-07-10T09:18:54.528Z"}

Frontend up and running



```
1 # Swagger AI Agent Frontend: Phases 1 to 12 Petstore Check
2
3 ## Important URL Rules
4
5 - Swagger/OpenAPI document URL is used only in Phase 2 import.
6
7 - Petstore home page: `https://petstore.swagger.io/`.
8
9 - Petstore OpenAPI document URL to import: `https://petstore.swagger.io/v2/swagger.json`.
10
11
12 ## Prerequisites
13
14 1. Start backend in terminal:
15
16 ```bash
17 cd d:/Swagger/swagger-ai-agent
18 npm run dev
19 ```
20
21 2. Start frontend in second terminal:
22
23 ```bash
24 cd d:/Swagger/swagger-ai-agent/frontend
25 npm run dev
26 ```
27
28 3. Open frontend URL shown by Vite (usually `http://localhost:5173`).
29
30 ## Phase 1 Check: Connectivity
```

PS D:\Swagger\swagger-ai-agent\frontend> npm run dev


> frontend@0.0.0 dev

> vite


VITE v8.1.3 ready in 501 ms


→ Local: http://localhost:5173/

→ Network: use --host to expose




Phase 2 All the API call list can be seen here





Phase 3



By using the Spec ID in Phase 2 creating a Environment ID

frontend x + Ask Gemini localhost:5173

env-1783675925885-m1jt0ocm

Get by ID Delete

Update Base URL (optional)

Update Headers JSON (optional)

Update Environment

Created environment: qa (env-1783675925885-m1jt0ocm)

Spec Environments

qa
ID: env-1783675925885-m1jt0ocm
Base URL: http://localhost:3000
Auth: none

By using the Spec ID creating a run ID

frontend x New Tab x New Tab x New Tab x + Ask Gemini localhost:5173

Spec ID
spec-1783675617741-jm3fts79

Environment Name
qa

Selection Mode
full

Create Run Plan

Get Run Status

Run ID
run-1783676021052-akutuy11

Load Status

Planned run run-1783676021052-akutuy11 for spec spec-1783675617741-jm3fts79 (20 operations, 49 tests)

Running all the API

frontend

localhost:5173

Ask Gemini

Passed

8

Failed/Errors

41 failed, 0 errors

Aggregates

By tag: 3

By method: 4

By path: 14

Recent Results

POST /pet/{petId}/uploadImage - happy path
Status: failed
Expected/Actual: 200/415

POST /pet/{petId}/uploadImage - validation error
Status: failed
Expected/Actual: 400/415

POST /pet/{petId}/uploadImage - auth error
Status: failed
Expected/Actual: 401/415

POST /pet - happy path
Status: failed
Expected/Actual: 201/200

POST /pet - validation error
Status: failed
Expected/Actual: 400/200

POST /pet - auth error
Status: failed
Expected/Actual: 401/200

PUT /pet - happy path
Status: passed
Expected/Actual: 200/200

PUT /pet - validation error
Status: failed
Expected/Actual: 400/200

```
<!DOCTYPE html>
<html lang="en">
  <head>
    </head>
  <body>
    <div id="root">
      <main class="page">
        <div>
          <script type="module" src="/src/main.ts"></script>
        </div>
      </main>
    </div>
  </body>
</html>
```

frontend

localhost:5173

Ask Gemini

MCP Tools Control Panel

Operate Swagger MCP tools from one place. REST Assured conversion starts after Axios test generation, as the next implementation step.

MCP tools endpoint

http://localhost:3000/api/mcp/tools

REST Assured conversion step

After "Generate Axios Tests" output, in next phase conversion flow.

Common Inputs

Spec ID

spec-1783681116768-j2yq08yc

Env Name

qa

Selection Mode

full

Execute Operation ID

addPet

List MCP Tools


List Operations

Plan Run


Execute Operation


Generate Axios Tests

```
<!DOCTYPE html>
<html lang="en">
  <head>
    </head>
  <body>
    <div id="root">
      <main class="page">
        <div>
          <script type="module" src="/src/main.ts"></script>
        </div>
      </main>
    </div>
  </body>
</html>
```




Phase 9







Phase 11 all these failure are from petstore broken API



Phase 12



Phase 6



localhost:5173

Test Cases

POST /pet/{petId}/uploadImage should return 200 POST /pet/{petId}/uploadImage Category: happy-path Expected: 200	POST /pet/{petId}/uploadImage negative case should return 400 or 422 POST /pet/{petId}/uploadImage Category: negative Expected: 400
POST /pet/{petId}/uploadImage auth missing should return 401/403 POST /pet/{petId}/uploadImage Category: auth Expected: 401	POST /pet/{petId}/uploadImage boundary case should stay stable POST /pet/{petId}/uploadImage Category: boundary Expected: 200
POST /pet should return 201 POST /pet Category: happy-path Expected: 201	POST /pet negative case should return 400 or 422 POST /pet Category: negative Expected: 400
POST /pet auth missing should return 401/403 POST /pet Category: auth Expected: 401	POST /pet boundary case should stay stable POST /pet Category: boundary Expected: 201
PUT /pet should return 200 PUT /pet Category: happy-path Expected: 200	PUT /pet negative case should return 400 or 422 PUT /pet Category: negative Expected: 400

Code Preview

POST /pet Category: auth Expected: 401	POST /pet Category: boundary Expected: 201
PUT /pet should return 200 PUT /pet Category: happy-path Expected: 200	PUT /pet negative case should return 400 or 422 PUT /pet Category: negative Expected: 400

Code Preview

```
import axios from "axios";

const BASE_URL = process.env.BASE_URL || "http://localhost:3000";
const DEFAULT_HEADERS: Record<string, string> = {
  "Content-Type": "application/json"
};

describe("Swagger Petstore API Suite", () => {
  describe("pet", () => {
    it("POST /pet/{petId}/uploadImage should return 200", async () => {
      const response = await axios({
        method: "post",
        url: `${BASE_URL}/pet/{petId}/uploadImage`,
        headers: DEFAULT_HEADERS
      });
      expect(response.status).toBe(200);
    });

    it("POST /pet/{petId}/uploadImage negative case should return 400 or 422", async () => {
      const response = await axios({
        method: "post",
        url: `${BASE_URL}/pet/{petId}/uploadImage`,
        headers: DEFAULT_HEADERS,
        validateStatus: () => true
      });
    });
  });
});
```

