INSTALACIÓN DE VOLATILITY EN PARROT

```
#!/bin/bash


# Rutas


IMAGEN_RAM="/home/$USER/memoria.lime"

INFORME="/home/$USER/informe_memoria.txt"


echo "📦 Instalando dependencias y Volatility 3..."

sudo apt update

sudo apt install -y git python3 python3-pip pcregrep
```



Clonar Volatility 3 si no existe

[! -d volatility3] && git clone https://github.com/volatilityfoundation/volatility3.git

cd volatility3 || { echo "❌ No se pudo entrar en el directorio de Volatility"; exit 1; }

pip3 install -r requirements.txt

```
echo "🧪 Analizando imagen de memoria: $IMAGEN_RAM"
echo "📝 Informe guardado en: $INFORME"

# Iniciar el informe
echo "🔍 Informe de análisis de memoria RAM generado el $(date)" > "$INFORME"
echo "============================================" >> "$INFORME"

# 1. Info del sistema
echo -e "\n📌 Información del sistema (linux.info.LayerStack):" >> "$INFORME"
python3 vol.py -f "$IMAGEN_RAM" linux.info.LayerStack >> "$INFORME" 2>/dev/null

# 2. Lista de procesos
echo -e "\n🧠 Procesos activos (linux.pslist):" >> "$INFORME"
python3 vol.py -f "$IMAGEN_RAM" linux.pslist >> "$INFORME" 2>/dev/null

# 3. Historial bash
echo -e "\n⌨️  Historial de terminal (linux.bash):" >> "$INFORME"
python3 vol.py -f "$IMAGEN_RAM" linux.bash >> "$INFORME" 2>/dev/null


# 4. Conexiones de red
echo -e "\n🌐 Conexiones de red (linux.netstat):" >> "$INFORME"
python3 vol.py -f "$IMAGEN_RAM" linux.netstat >> "$INFORME" 2>/dev/null

echo -e "\n✅ Análisis finalizado correctamente."
echo "Puedes revisar el informe en: $INFORME"
```

RESOLUCIÓN DEL EJERCICIO

INSTALACIÓN EN KALI LINUX

- sudo apt update
- sudo apt install -y python3-pip git build-essential python3-dev
- cd ~
- git clone https://github.com/volatilityfoundation/volatility3.git cd volatility3
- pip3 install -r requirements.txt
- python3 vol.py -h



Parrot.

TEST VOLATILITY CON UN FICHERO RAW

VOLATILITY

sudo git clone https://github.com/volatilityfoundation/volatility3.git

cd volatility3

#crear entorno virtual:

sudo apt install python3-venv

sudo python3 -m venv venv

source venv/bin/activate

#RECOMENDABLE instalar dependencias manualmente

pip install capstone

pip install pefile

pip install pycryptodome

pip install pillow

pip install tqdm

pip install yara-python

- verificar instalacion:

python3 vol.py -h

#verificamos que está todo instalado:

pip install -e .

#instalamos una ultima dependencia:

sudo apt install -y libyara-dev python3-dev


#Ejemplos de memoria para trabajar:


https://memoryforensic.com/remember-me-challenge/


descomprimimos el archivo. Nos va a salir un archivo tipo .raw

sudo apt install -y git python3 python3-pip pcregrep

pip3 install -r requirements.txt


Downloading pefile-2024.8.26-py3-none-any.whl (74 kB)
74.8/74.8 kB 2.8 MB/s eta 0:00:00
Installing collected packages: pefile
ERROR: Could not install packages due to an OSError: [Errno 13] Permission denied: '/home/user/Desktop/volatility3/venv/lib/python3.11/site-packages/pefile.py'
Check the permissions.
(venv) ┌─[✗]─[user@parrot]─[~/Desktop/volatility3]
└──╼ $pip install pycryptodome
Collecting pycryptodome
Downloading pycryptodome-3.23.0-cp37-abi3-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (2.3 MB)
2.3/2.3 MB 11.4 MB/s eta 0:00:00
Installing collected packages: pycryptodome
ERROR: Could not install packages due to an OSError: [Errno 13] Permission denied: '/home/user/Desktop/volatility3/venv/lib/python3.11/site-packages/pycryptodome-3.23.0.dist-info'
Check the permissions.
(venv) ┌─[✗]─[user@parrot]─[~/Desktop/volatility3]
└──╼ $



(venv) ┌─[user@parrot]─[~/Desktop/volatility3]
└──╼ $(venv) $ pip install capstone
bash: syntax error near unexpected token `$'
(venv) ┌─[✗]─[user@parrot]─[~/Desktop/volatility3]
└──╼ $pip install capstone
Requirement already satisfied: capstone in ./venv/lib/python3.11/site-packages (5.0.6)
(venv) ┌─[user@parrot]─[~/Desktop/volatility3]
└──╼ $


(venv) ┌─[✗]─[user@parrot]─[~/Desktop/volatility3]
└──╼ $python3 vol.py -f memoria.raw windows.info
Volatility 3 Framework 2.27.0
usage: vol.py [-h] [-c CONFIG]
[--parallelism [{processes,threads,off}]]
[-e EXTEND] [-p PLUGIN_DIRS] [-s SYMBOL_DIRS]
[-v] [-l LOG] [-o OUTPUT_DIR] [-q] [-f FILE]
[--write-config] [--save-config SAVE_CONFIG]
[--clear-cache] [--cache-path CACHE_PATH]
[--offline | -u URL] [--filters FILTERS]
[--hide-columns [HIDE_COLUMNS ...]]
[-r RENDERER]
[--single-location SINGLE_LOCATION]
[--stackers [STACKERS ...]]
[--single-swap-locations [SINGLE_SWAP_LOCATIONS
...]]
PLUGIN ...
vol.py: error: File does not exist: /home/user/Desktop/volatil
ity3/memoria.raw
(venv) ┌─[✗]─[user@parrot]─[~/Desktop/volatility3]
└──╼ $

codeshare Share Sign Up Lo

```
1 TEST VOLATILITY CON UN FICHERO RAW
2
3 VOLATILITY
4
5 sudo git clone https://github.com/volatilityfoundation/volatility3.git
6 cd volatility3
7 #crear entorno virtual:
8 sudo apt install python3-venv
9 sudo python3 -m venv venv
10 source venv/bin/activate
11
12 #RECOMENDABLE instalar dependencias manualmente
13
14 pip install capstone
15 pip install pefile
16 pip install pycryptodome
17 pip install pillow
18 pip install tqdm
19 pip install yara-python
20
21
22 - verificar instalacion:
23
24 python3 vol.py -h
25
26
27 #verificamos que está todo instalado:
28
29 pip install -e .
30
31 #instalamos una ultima dependencia:
32 sudo apt install -y libyara-dev python3-dev
33
34
35 #Ejemplos de memoria para trabajar:
36 https://memoryforensic.com/remember-me-challenge/
37
38 descomprimimos el archivo. os va a salir un archivo tipo .raw
39
40
41
42 sudo apt install -y git python3 python3-pip pcregrep
43 pip3 install -r requirements.txt
44
```

Hide Ads


Parrot Terminal
File Edit View Search Terminal Help
If you wish to install a non-Debian packaged Python application,
it may be easiest to use pipx install xyz, which will manage a
virtual environment for you. Make sure you have pipx installed.
See /usr/share/doc/python3.11/README.venv for more information.
note: If you believe this is a mistake, please contact your Python installation or OS distribution provider. You can override this, at the risk of breaking your Python installation or OS, by passing --break-system-packages.
hint: See PEP 668 for the detailed specification.
[✗]-[user@parrot]-[~]
$cd volatility3 ||
> ^C
[✗]-[user@parrot]-[~]
$$IMAGEN_RAM"
> $INFORME"
bash: $'\n\n': command not found
[✗]-[user@parrot]-[~]
$

```
┌─[user@parrot]─[~]
└──╼ $pip3 install -r requirements.txt
error: externally-managed-environment

× This environment is externally managed
╰─> To install Python packages system-wide, try apt install
    python3-xyz, where xyz is the package you are trying to
    install.

    If you wish to install a non-Debian-packaged Python packag
e,
    create a virtual environment using python3 -m venv path/to
/venv.
    Then use path/to/venv/bin/python and path/to/venv/bin/pip.
 Make
    sure you have python3-full installed.

    If you wish to install a non-Debian packaged Python applic
ation,
    it may be easiest to use pipx install xyz, which will mana
ge a
```

```
┌─[✗]─[user@parrot]─[~]
└──╼ $^[[200~echo "============================================
==" >> "$INFORME"
bash: : No such file or directory
┌─[✗]─[user@parrot]─[~]
└──╼ $echo "============================================" >>
"$INFORME"
bash: : No such file or directory
┌─[✗]─[user@parrot]─[~]
└──╼ $python3 vol.py -f "$IMAGEN_RAM" linux.info.LayerStack >>
 "$INFORME" 2>/dev/null
bash: : No such file or directory
┌─[✗]─[user@parrot]─[~]
└──╼ $
```