


# Aiming for a Safer Content Editor Web Part

Christophe Humbert

@PathToSharePoint on Github

@Path2SharePoint on Twitter



# My Recently Published Solutions

- NPM modules (2022):
  - Property Pane Portal
  - Property Pane Wrap
- PnP SPFx (2022):
  - Cherry-Picked Content Web Part
  - React-PPP-\*
  - React-PPW-\*
- AppSource SPFx (2021):
  - inPerson (flexible office space booking)
- Github (PathToSharePoint)



# It Started in Classic SharePoint



- Our custom connectors to external content and scripts
  - Content Editor Web Part
  - Page Viewer Web Part
  - Script Editor Web Part
- My love story with CEWP & PVWP ("Path to SharePoint"):
  - The HTML Calculated Column (2008)
  - The Easy Tabs (2009)
  - Gantt, calendar, etc.

# The Move to Modern SharePoint



- Didn't make it:
  - Content Editor Web Part
  - Script Editor Web Part
- New: Embed Web Part
  - Restricted capabilities
  - `<script>` not allowed
- SPFx, yay!
  - PnP: [samples/react-script-editor · GitHub](#) (Mikael Swenson)
  - [GitHub - PathToSharePoint/dangerous-content-web-part](#)
  - Etc.

☐ Don't allow contributors to insert iframes from external domains.

☐ Allow contributors to insert iframes from any domain.

☒ Allow contributors to insert iframes only from the following domains:

Allow iframes from this domain:

Add

- youtube.com
- youtube-nocookie.com
- player.vimeo.com
- bing.com
- office.microsoft.com
- officeclient.microsoft.com
- store.office.com
- skydrive.live.com
- powerbi.com
- powerbigov.us
- sway.com
- docs.com

Remove

# Why no CEWP/SEWP ?



- Issues:
  - Risk of security breach (script injection)
  - Risk of broken web part page
  - Governance
- Same issues with modern SPFx-based CEWP
- Solutions?
  - Sanitizer: remove scripting parts
    - "Safe Content Web Part" (PathToSharePoint)
    - Reliable?
    - Useless result? The code can't do anything anymore.
    - Still the governance question
  - @mikezimm's idea on GitHub PnP

# GitHub Idea (@mikezimm)



- restrict code to snippets stored in approved repositories
  - Edit access restricted to script owners
  - Read access: all users
  - A governance approach instead of a technical approach
- Common approach in content management. Examples:
  - Content owners in an intranet
  - Who can create Microsoft 365 groups
  - Embed web part
- Ref.: issue #2228 on PnP  
[Make React-Script-Editor more secure · Issue #2228 · pnp/sp-dev-fx-webparts · GitHub](#)

# Demo

Save as draft

Undo

Discard changes

...

✓ Your page has been saved

+

✎


↔

📄

🗑️

### Chart.js Bubble Chart

Isolated mode: [△](#) mandatory. Source: [Tobias](#)



Source:

Isolated-BubbleChart.html

Isolated-Chartist.html

Isolated-Game.html

Isolated-MGT-Agenda.html

Isolated-MGT-Emails.html

Isolated-MGT-People.html

Isolated-MyTeams.html

Isolated-SharePoint-REST-API.html

Isolated-TradingView.html

Isolated-pocketSOAP.html

Sample-AnalogClock.html

Sample-Banner.html

Sample-Countdown.html

## Cherry-Picked-Content

Modern Content Editor Web Part with a twist: content can only be picked from approved locations.

### Web Part Properties

**Title**

Cherry-Picked-Content

**Pick an approved library**

Cherry-Picked Samples Demo

**Pick a file**

Isolated-BubbleChart.html

**Keep content isolated to prevent conflicts**

☒ Isolated Content

**Width**

100%

**Height**

800

# Code



# The Code Revealed



- **Element.innerHTML**
  - HTML5 specifies that a `<script>` tag inserted with `innerHTML` should not execute.
- **Element.setHTML()**
  - Experimental
  - Sanitizer
- **createContextualFragment()**
  - Parses tag string to convert it into a document fragment

# More Code



- Approved libraries: static array
  - Could be replaced with a dynamic rule
  - Validation during editing and rendering
- Memoization: `React.memo()`
  - Prevents excessive re-rendering
- Two rendering modes
  - Directly in the web part
  - `iframe`. In this case the web part context is passed to the code snippet.
- Cascading selection in the Property Pane
  - Leverages the built-in **`onPropertyPaneFieldChanged()`** method

# Thank you!

Special thanks to:

- Mikael Swenson
- @mikezimm on GitHub

## Cherry-Picked Content Web Part – PnP Sample

[sp-dev-fx-webparts/samples/react-cherry-picked-content at main · pnp/sp-dev-fx-webparts · GitHub](https://github.com/pnp/sp-dev-fx-webparts/tree/main/samples/react-cherry-picked-content)

## Path to SharePoint blog post

<https://blog.pathtosharepoint.com/2022/04/19/aiming-for-a-safer-content-editor-web-part/>

## Dangerous Content Web Part – PathToSharePoint on GitHub

[GitHub - PathToSharePoint/dangerous-content-web-part](https://github.com/PathToSharePoint/dangerous-content-web-part)

## GitHub request by @mikezimm

[Make React-Script-Editor more secure · Issue #2228 · pnp/sp-dev-fx-webparts · GitHub](https://github.com/pnp/sp-dev-fx-webparts/issues/2228)

## Microsoft Graph Toolkit Playground

<https://mgt.dev>

@PathToSharePoint on Github

@Path2SharePoint on Twitter

