

COMPLETE BLOOD COUNT (CBC)

English translation of the Russian laboratory report (■■■■, order ■ 3304905314). All values are given as in the original document.

Patient:	GROMOV Dmitry Aleksandrovich	Order ■:	3304905314
Date of birth:	03.04.1986 (39 y.o.)	Sex:	M
Biomaterial:	Whole blood (EDTA)	Client:	LLC "Vida"
Registration:	04.03.2026	Laboratory:	LLC "DNKOM"
Sample collection:	04.03.2026 09:47	Payment:	Card 5%

Red blood cell (erythrocyte) parameters

Parameter	Result	Units	Reference range
Hemoglobin (Hb)	160.00	g/L	138.50 – 166.70
Red blood cells (RBC)	5.19	×10 ¹² /L	4.30 – 5.57
Hematocrit (HCT)	48.00	%	39.15 – 51.65
Mean corpuscular volume (MCV)	92.50	fL	81.30 – 100.12
Mean corpuscular hemoglobin (MCH)	30.80	pg	26.04 – 33.56
Red cell distribution width (RDW-CV)	13.20	%	11.22 – 15.56
Red cell distribution width (RDW-SD)	45.40	fL	35.26 – 48.70
Nucleated red blood cells (NRBC)	0.00	×10 [■] /L	0.00 – 0.03
Nucleated red blood cells (NRBC)	0.00	%	0.00 – 0.50
Mean corpusc. Hb concentration (MCHC)	333.0	g/L	320.0 – 370.0

White blood cell (leukocyte) parameters

Parameter	Result	Units	Reference range
White blood cells (WBC)	6.88	×10 [■] /L	3.89 – 9.23
Neutrophils (NEU)	4.00	×10 [■] /L	1.78 – 6.04
Eosinophils (EOS)	0.06	×10 [■] /L	0.04 – 0.58
Basophils (BAS)	0.01	×10 [■] /L	0.01 – 0.09
Monocytes (MON)	0.63	×10 [■] /L	0.29 – 0.72
Lymphocytes (LYM)	2.18	×10 [■] /L	1.39 – 3.15
Immature granulocytes (IG)	0.01	×10 [■] /L	0.00 – 0.04
Neutrophils (NEU)	58.10	%	40.80 – 70.39
Eosinophils (EOS)	0.90	%	0.73 – 8.86
Basophils (BAS)	0.20	%	0.20 – 1.50
Monocytes (MON)	9.10	%	4.17 – 11.37
Lymphocytes (LYM)	31.70	%	20.11 – 46.79
Immature granulocytes (IG)	0.10	%	0.00 – 0.50

Microscopic examination (manual differential)

Parameter	Result	Units	Reference range
Band neutrophils	1	%	1 – 5
Segmented neutrophils	57	%	40.8 – 70.39
Eosinophils	1	%	0.73 – 8.86
Basophils	0	%	0.2 – 1.5
Monocytes	9	%	4.17 – 11.37
Lymphocytes	32	%	20.11 – 46.79

Platelet parameters

Parameter	Result	Units	Reference range
Platelets (PLT)	246	×10 ⁹ /L	165 – 396.2
Thrombocrit (PCT)	0.29	%	0.12 – 0.35
Mean platelet volume (MPV)	11.90	fL	9.10 – 12.60
Platelet distribution width (PDW)	14.8	fL	9.3 – 16.7
Platelet large cell ratio (P-LCR)	36.20	%	17.21 – 46.29

Erythrocyte sedimentation rate (ESR)

Parameter	Result	Units	Reference range
ESR (Westergren)	2	mm/h	2 – 15

Tests performed on: Alifax Test-2; Yenisey F81

Date of testing: 04.03.2026 17:34

Approved by: Kolchenko O. L.

Note: this is an unofficial translation provided for reference. The original Russian report remains the authoritative document.