

System for Occupancy Agreement Processing (SOAP)

for

Database Management Systems Course

July 2020

Dr. George Ray

# 1. SOAP

---

## *1.1 Background on SOAP*

Government agencies are assigned space by the General Services Administration (GSA). The GSA requires an occupancy agreement with each agency before formal space assignments are made, and before any allocation of funding for space is granted the customer agency. Each government agency must conclude an occupancy agreement before the GSA makes any contractual commitments for the agency's space request. The System for Occupancy Agreement Processing is an application that captures the relational model between GSA offices, customer agencies and occupancy agreements.

## *1.2 SOAP Requirements*

- The GSA is organized into offices. Each office is located in a certain city and is identified by a unique name. The GSA monitors the total square footage managed by each office.
- GSA customer agencies are identified by their `agency_id` values. The GSA stores each agencies name, address, city, and phone number.
- Agencies may have rental agreements. A rental agreement is managed by one office.
- Every rental agreement is assigned a unique identifier.
- A GSA office may have zero, one or more rental agreements with various agencies, and one or more agencies can be a party to a rental agreement. For example, the U.S. Courts and the U.S. Marshalls service may share a rental agreement.
- The GSA maintains a record of a rental agreement rent amount, and end date.

### *1.3 Group SOAP Project*

## 2 Project Assignment

---

Your group is assigned the tasks of translating the above requirements into an Entity Relationship Diagram for the conceptual design of the SOAP system. Additionally, you must translate the Entity Relationship Diagram into a schema of the logical design for the database. SQL Scripts must be prepared to physically implement the database for this system and the instructor must be able to run these scripts and successfully create the required tables using sqlite3. Finally, your group must provide an application that uses Python-Sqlite to access the SOAP database and perform the following functions: bulk load data into tables from csv files, erase the tables, insert a record into the tables, delete a record from the tables, and select records from the tables.

## 3. Logistics

---

You may want to have an initial face-to-face meeting and several checkpoint face-to-face meetings. Additionally, you can accomplish your task using appropriate collaboration tools.

These include:

- Blackboard Discussion Board, Blogs and Wikis
- E-mail
- Instant messaging, texting
- Phone conferences
- Zoom Breakout Rooms during class
- Others that may better suit your team style

## 4. Rubric

---

The following sections list the minimum elements that must be present in each of the team deliverables.

### *4.1 Entity Relationship Analysis and Translation of ER to logical schema*

- 50%

### *4.2 SQL Scripts*

- 25%

### *4.3 Database Application Program*

- 25%